

County	Map unit symbol	Map unit name	Soil capability class	Acres in AOI	Percent of AOI	C&G Use Value
Adams	AtA	Athol gravelly silt loam, 0 to 3 percent slopes	1	340.9	0.001	\$ 1,373.98
Adams	Be	Bermudian silt loam	1	256.3	0.001	\$ 1,445.73
Adams	BgA	Birdsboro silt loam, 0 to 3 percent slopes	1	292.4	0.001	\$ 1,430.76
Adams	CnA	Conestoga silt loam, 0 to 3 percent slopes	1	1288.8	0.004	\$ 1,610.78
Adams	ArB	Arendtsville gravelly loam, 3 to 8 percent slopes	2	3503.2	0.01	\$ 1,297.02
Adams	AtB	Athol gravelly silt loam, 3 to 8 percent slopes	2	786.6	0.002	\$ 1,377.82
Adams	BgB	Birdsboro silt loam, 3 to 8 percent slopes	2	1974.6	0.006	\$ 1,425.73
Adams	BrB	Brecknock channery silt loam, 3 to 8 percent slopes	2	3565.4	0.011	\$ 1,303.66
Adams	BuB	Buchanan channery loam, 3 to 8 percent slopes	2	1482.8	0.004	\$ 1,138.41
Adams	CcB	Catoctin channery silt loam, 3 to 8 percent slopes	2	128.7	0	\$ 1,064.02
Adams	CkA	Clarksburg silt loam, 0 to 3 percent slopes	2	3025.5	0.009	\$ 1,322.68
Adams	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	521.9	0.002	\$ 1,321.66
Adams	Cm	Codorus silt loam	2	2195.5	0.007	\$ 1,330.29
Adams	CnB	Conestoga silt loam, 3 to 8 percent slopes	2	4133.9	0.012	\$ 1,610.78
Adams	EdB	Edgemont channery loam, 3 to 8 percent slopes	2	314.7	0.001	\$ 1,317.22
Adams	GbB	Glenelg channery loam, 3 to 8 percent slopes	2	3670.2	0.011	\$ 1,465.43
Adams	GdA	Glennville silt loam, 0 to 3 percent slopes	2	126.2	0	\$ 1,346.08
Adams	GdB	Glennville silt loam, 3 to 8 percent slopes	2	625.8	0.002	\$ 1,439.10
Adams	HgB	Highfield channery silt loam, 3 to 8 percent slopes	2	7848.9	0.024	\$ 1,258.36
Adams	LeB	Lansdale loam, 3 to 8 percent slopes	2	1950.5	0.006	\$ 1,497.60
Adams	LgB	Legore channery silt loam, 3 to 8 percent slopes	2	1915.3	0.006	\$ 1,113.59
Adams	LhA	Lehigh channery silt loam, 0 to 3 percent slopes	2	1933.9	0.006	\$ 1,050.88
Adams	LhB	Lehigh channery silt loam, 3 to 8 percent slopes	2	16321.4	0.049	\$ 1,050.88
Adams	Lw	Lindside silt loam	2	438	0.001	\$ 1,525.87
Adams	MdA	Mount Lucas silt loam, 0 to 3 percent slopes	2	1639.8	0.005	\$ 1,158.17
Adams	MdB	Mount Lucas silt loam, 3 to 8 percent slopes	2	4621.2	0.014	\$ 1,156.94
Adams	MtB	Mt. Zion gravelly silt loam, 3 to 8 percent slopes	2	334.3	0.001	\$ 1,196.48
Adams	MyB	Myersville silt loam, 3 to 8 percent slopes	2	2125.5	0.006	\$ 1,381.30
Adams	NaB	Neshaminy channery silt loam, 3 to 8 percent slopes	2	7822.2	0.023	\$ 1,332.45
Adams	PcB	Penn silt loam, 3 to 8 percent slopes	2	22618.6	0.068	\$ 1,331.73
Adams	PoB	Penn-Klinesville channery silt loams, 3 to 8 percent slopes, mlra148	2	10404	0.031	\$ 1,269.66

Adams	RaA	Raritan silt loam, 0 to 3 percent slopes	2	219.3	0.001	\$ 1,370.13
Adams	RaB	Raritan silt loam, 3 to 8 percent slopes	2	51.9	0	\$ 1,341.44
Adams	ReA	Readington silt loam, 0 to 3 percent slopes	2	6360	0.019	\$ 1,332.81
Adams	ReB	Readington silt loam, 3 to 8 percent slopes	2	10282.8	0.031	\$ 1,317.00
Adams	Rw	Rowland silt loam	2	4825	0.014	\$ 1,356.39
Adams	StB	Steinsburg channery sandy loam, 3 to 8 percent slopes	2	443.6	0.001	\$ 1,024.25
Adams	AbA	Abbottstown silt loam, 0 to 3 percent slopes	3	15172.5	0.045	\$ 1,115.44
Adams	AbB	Abbottstown silt loam, 3 to 8 percent slopes	3	7495.8	0.022	\$ 1,112.24
Adams	ArC	Arendtsville gravelly loam, 8 to 15 percent slopes	3	4470.2	0.013	\$ 1,226.40
Adams	AtC	Athol gravelly silt loam, 8 to 15 percent slopes	3	154.6	0	\$ 1,317.22
Adams	BgC	Birdsboro silt loam, 8 to 15 percent slopes	3	226.5	0.001	\$ 1,314.30
Adams	Bo	Bowmansville silt loam	3	11382.9	0.034	\$ 1,491.23
Adams	BrC	Brecknock channery silt loam, 8 to 15 percent slopes	3	1769.9	0.005	\$ 1,268.98
Adams	CcC	Catoctin channery silt loam, 8 to 15 percent slopes	3	777.8	0.002	\$ 981.10
Adams	CnC	Conestoga silt loam, 8 to 15 percent slopes	3	415.5	0.001	\$ 1,560.18
Adams	Dy	Dunning silty clay loam	3	968.4	0.003	\$ 1,289.60
Adams	EdC	Edgemont channery loam, 8 to 15 percent slopes	3	397.3	0.001	\$ 1,203.23
Adams	GbC	Glenelg channery silt loam, 8 to 15 percent slopes	3	1734.3	0.005	\$ 1,322.68
Adams	HgC	Highfield channery silt loam, 8 to 15 percent slopes	3	12038	0.036	\$ 1,218.19
Adams	KnB	Klinesville channery silt loam, 3 to 8 percent slopes	3	7517.6	0.023	\$ 835.26
Adams	LfC	Lansdale channery loam, 8 to 15 percent slopes	3	187.6	0.001	\$ 1,183.29
Adams	LgC	Legore channery silt loam, 8 to 15 percent slopes	3	1851	0.006	\$ 1,100.63
Adams	LhC	Lehigh channery silt loam, 8 to 15 percent slopes	3	2607	0.008	\$ 1,041.97
Adams	MOB	Mt. Airy and Manor channery loams, 3 to 8 percent slopes	3	176.9	0.001	\$ 1,106.99
Adams	MtC	Mt. Zion gravelly silt loam, 8 to 15 percent slopes	3	947.6	0.003	\$ 1,109.11
Adams	MyC	Myersville silt loam, 8 to 15 percent slopes	3	2791.1	0.008	\$ 1,315.40
Adams	NaC	Neshaminy channery silt loam, 8 to 15 percent slopes	3	2585.2	0.008	\$ 1,295.17
Adams	Pa	Penlaw silt loam	3	3600.4	0.011	\$ 1,143.38
Adams	PcC	Penn silt loam, 8 to 15 percent slopes	3	1392	0.004	\$ 1,302.19
Adams	PoC	Penn-Klinesville channery silt loams, 8 to 15 percent slopes	3	3646.7	0.011	\$ 1,010.76
Adams	RfA	Reaville channery silt loam, 0 to 3 percent slopes	3	708.7	0.002	\$ 943.78
Adams	RfB	Reaville channery silt loam, 3 to 8 percent slopes	3	3174.4	0.01	\$ 943.78
Adams	RfC	Reaville channery silt loam, 8 to 15 percent slopes	3	656.6	0.002	\$ 893.39
Adams	RoB	Rohrersville silt loam, 3 to 8 percent slopes	3	2638.5	0.008	\$ 1,022.01

Adams	StC	Steinsburg channery sandy loam, 8 to 15 percent slopes	3	191.8	0.001	\$ 939.05
Adams	ArD	Arendtsville gravelly loam, 15 to 25 percent slopes	4	1769.4	0.005	\$ 1,005.78
Adams	BrD	Brecknock channery silt loam, 15 to 25 percent slopes	4	586.7	0.002	\$ 1,231.84
Adams	CrA	Croton silt loam, occasionally ponded, 0 to 3 percent slopes	4	18256.1	0.055	\$ 1,024.25
Adams	CrB	Croton silt loam, 3 to 8 percent slopes	4	1254.5	0.004	\$ 946.14
Adams	EdD	Edgemont channery loam, 15 to 25 percent slopes	4	32.3	0	\$ 1,057.03
Adams	GbD	Glenelg channery silt loam, 15 to 25 percent slopes	4	136.1	0	\$ 1,206.87
Adams	Hc	Hatboro silt loam	4	5199.1	0.016	\$ 1,123.84
Adams	HHD	Highfield and Catoctin channery silt loams, 15 to 25 percent slopes	4	4642.2	0.014	\$ 993.67
Adams	KnC	Klinesville channery silt loam, 8 to 15 percent slopes	4	5304.3	0.016	\$ 793.22
Adams	Lc	Lamington silt loam	4	831.4	0.002	\$ 891.44
Adams	LgD	Legore channery silt loam, 15 to 25 percent slopes	4	1295.3	0.004	\$ 929.55
Adams	MOC	Mt. Airy and Manor channery loams, 8 to 15 percent slopes	4	1179.9	0.004	\$ 1,015.27
Adams	MtD	Mt. Zion gravelly silt loam, 15 to 25 percent slopes	4	314.1	0.001	\$ 1,014.91
Adams	MyD	Myersville silt loam, 15 to 25 percent slopes	4	1178.5	0.004	\$ 1,211.12
Adams	PsD	Pequea silt loam, 15 to 25 percent slopes	4	55.5	0	\$ 1,162.25
Adams	StD	Steinsburg channery sandy loam, 15 to 25 percent slopes	4	98	0	\$ 898.26
Adams	WaA	Watchung silt loam, 0 to 3 percent slopes	4	5913.2	0.018	\$ 1,042.06
Adams	Ba	Baile silt loam	5	645	0.002	\$ 671.40
Adams	ArE	Arendtsville gravelly loam, 25 to 40 percent slopes	6	399.9	0.001	\$ 671.40
Adams	EeB	Edgemont channery loam, 0 to 8 percent slopes, very stony	6	3615.6	0.011	\$ 671.40
Adams	EeD	Edgemont channery loam, 8 to 25 percent slopes, very stony	6	10692.2	0.032	\$ 671.40
Adams	HKB	Highfield, Catoctin, and Myersville soils, 0 to 8 percent slopes, very stony	6	1902.9	0.006	\$ 671.40
Adams	KnD	Klinesville channery silt loam, 15 to 25 percent slopes	6	1179.7	0.004	\$ 671.40
Adams	MeB	Mount Lucas silt loam, 0 to 8 percent slopes, very bouldery	6	447.3	0.001	\$ 671.40
Adams	MOD	Mt. Airy and Manor channery loams, 15 to 25 percent slopes	6	315.4	0.001	\$ 671.40
Adams	PbD	Penn loam, 8 to 25 percent slopes, very stony	6	104.5	0	\$ 671.40
Adams	RcC	Ravenrock-Highfield-Rock outcrop complex, 8 to 15 percent slopes	6	524.9	0.002	\$ 671.40
Adams	RdC	Ravenrock-Rohrersville complex, 3 to 15 percent slopes, extremely stony	6	100.5	0	\$ 671.40
Adams	RsB	Rohrersville silt loam, 0 to 15 percent slopes, very stony	6	1650.9	0.005	\$ 671.40
Adams	WaB	Watchung silt loam, 3 to 8 percent slopes	6	809.2	0.002	\$ 1,016.17
Adams	BvB	Buchanan channery loam, 0 to 8 percent slopes, extremely stony	7	673.2	0.002	\$ 671.40
Adams	CcE	Catoctin channery silt loam, 25 to 35 percent slopes	7	617.5	0.002	\$ 671.40
Adams	EeF	Edgemont channery loam, 25 to 70 percent slopes, very stony	7	5991.9	0.018	\$ 671.40

Adams	HKD	Highfield, Catoctin, and Myersville soils, 8 to 25 percent slopes, very stony	7	8303.4	0.025	\$ 671.40
Adams	HMF	Highfield and Catoctin channery silt loams, 25 to 70 percent slopes, very stony	7	9307.5	0.028	\$ 671.40
Adams	KnE	Klinesville channery silt loam, 25 to 40 percent slopes	7	299.1	0.001	\$ 671.40
Adams	LkB	Lehigh channery silt loam, 0 to 8 percent slopes, very stony	7	559.7	0.002	\$ 671.40
Adams	NdB	Neshaminy channery silt loam, 0 to 8 percent slopes, extremely bouldery	7	1555.1	0.005	\$ 671.40
Adams	NdD	Neshaminy channery silt loam, 8 to 25 percent slopes, extremely bouldery	7	2334.9	0.007	\$ 671.40
Adams	NdE	Neshaminy channery silt loam, 25 to 45 percent slopes, extremely bouldery	7	1183.1	0.004	\$ 671.40
Adams	RcD	Ravenrock-Highfield-Rock outcrop complex, 15 to 25 percent slopes	7	2751.8	0.008	\$ 671.40
Adams	RcF	Ravenrock-Highfield-Rock outcrop complex, 25 to 65 percent slopes	7	414.6	0.001	\$ 671.40
Adams	WbB	Watchung silt loam, 0 to 8 percent slopes, extremely bouldery	7	512.4	0.002	\$ 671.40
Adams	DAM	Dams	8	14.1	0	\$ 671.40
Adams	Uc	Urban land	8	1707.3	0.005	\$ 671.40
Adams	UeB	Urban land-Conestoga complex, 0 to 8 percent slopes	8	846.1	0.003	\$ 921.91
Adams	UgB	Urban land-Penn complex, 0 to 8 percent slopes	8	280.6	0.001	\$ 671.40
Allegheny	Hu	Huntington silt loam	1	293.7	0.001	\$ 1,374.33
Allegheny	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	1051.9	0.002	\$ 1,263.30
Allegheny	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	892.7	0.002	\$ 1,239.19
Allegheny	CmB	Clymer silt loam, 3 to 8 percent slopes	2	950.5	0.002	\$ 1,297.02
Allegheny	CoB	Cookport loam, 3 to 8 percent slopes	2	0.9	0	\$ 1,163.06
Allegheny	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	1580.8	0.003	\$ 1,329.93
Allegheny	CwB	Culleoka-Weikert shaly silt loams, 3 to 8 percent slopes	2	757.4	0.002	\$ 1,084.38
Allegheny	DoB	Dormont silt loam, 3 to 8 percent slopes	2	7173.3	0.015	\$ 1,331.73
Allegheny	ErB	Ernest silt loam, 2 to 8 percent slopes	2	3844.7	0.008	\$ 1,302.56
Allegheny	EvB	Ernest-Vandergrift silt loams, 3 to 8 percent slopes	2	139.3	0	\$ 1,121.74
Allegheny	GIB	Gilpin silt loam, 3 to 8 percent slopes	2	9196	0.019	\$ 1,138.41
Allegheny	GpB	Gilpin-Upshur complex, 3 to 8 percent slopes	2	1446.6	0.003	\$ 1,074.88
Allegheny	GuB	Guernsey silt loam, 2 to 8 percent slopes	2	2885.6	0.006	\$ 1,270.86
Allegheny	GvB	Guernsey-Vandergrift silt loams, 3 to 8 percent slopes	2	1424.5	0.003	\$ 1,220.93
Allegheny	HaB	Hazleton loam, 3 to 8 percent slopes	2	208.2	0	\$ 1,328.12
Allegheny	Ln	Lindside silt loam, 0 to 3 percent slopes, occasionally flooded	2	1405.5	0.003	\$ 1,358.52
Allegheny	Ne	Newark silt loam	2	2890.8	0.006	\$ 1,161.03
Allegheny	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	3512.8	0.007	\$ 1,302.56
Allegheny	RaA	Rainsboro silt loam, 0 to 3 percent slopes	2	1221.8	0.003	\$ 1,255.69
Allegheny	RaB	Rainsboro silt loam, 3 to 8 percent slopes	2	4399.1	0.009	\$ 1,220.93

Allegheny	RyB	Rayne silt loam, 2 to 8 percent slopes	2	611.8	0.001	\$ 1,215.06
Allegheny	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	82.5	0	\$ 1,013.02
Allegheny	VcB	Vandergrift-Cavode silt loams, 3 to 8 percent slopes	2	18	0	\$ 1,054.84
Allegheny	WhB	Wharton silt loam, 3 to 8 percent slopes	2	11757.3	0.025	\$ 1,140.07
Allegheny	AgC	Allegheny silt loam, 8 to 15 percent slopes	3	671.6	0.001	\$ 1,185.29
Allegheny	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	3	8219.1	0.017	\$ 1,125.93
Allegheny	CaB	Cavode silt loam, 2 to 8 percent slopes	3	834.5	0.002	\$ 1,037.63
Allegheny	CaC	Cavode silt loam, 8 to 15 percent slopes	3	414.9	0.001	\$ 999.42
Allegheny	CeB	Caneadea silt loam, 3 to 8 percent slopes	3	1.2	0	\$ 1,099.86
Allegheny	CkC	Clarksburg silt loam, 8 to 15 percent slopes	3	1765.3	0.004	\$ 1,120.90
Allegheny	CmC	Clymer silt loam, 8 to 15 percent slopes	3	1462.5	0.003	\$ 1,291.08
Allegheny	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	4760.1	0.01	\$ 1,236.49
Allegheny	CwC	Culleoka-Weikert shaly silt loams, 8 to 15 percent slopes	3	1307.9	0.003	\$ 1,026.04
Allegheny	DoC	Dormont silt loam, 8 to 15 percent slopes	3	16883.3	0.035	\$ 1,242.28
Allegheny	ErC	Ernest silt loam, 8 to 15 percent slopes	3	5289.1	0.011	\$ 1,209.15
Allegheny	EvC	Ernest-Vandergrift silt loams, 8 to 15 percent slopes	3	847.6	0.002	\$ 1,074.88
Allegheny	GIC	Gilpin silt loam, 8 to 15 percent slopes	3	16524.6	0.035	\$ 1,119.64
Allegheny	GpC	Gilpin-Upshur complex, 8 to 15 percent slopes	3	7143	0.015	\$ 1,074.88
Allegheny	GuC	Guernsey silt loam, 8 to 15 percent slopes	3	6363.5	0.013	\$ 1,096.37
Allegheny	GvC	Guernsey-Vandergrift silt loams, 8 to 15 percent slopes	3	6293.5	0.013	\$ 1,130.10
Allegheny	GwC	Gilpin-Wharton silt loams, 8 to 15 percent slopes	3	47.1	0	\$ 976.48
Allegheny	HaC	Hazleton loam, 8 to 15 percent slopes	3	770.3	0.002	\$ 1,251.11
Allegheny	LbB	Library silty clay loam, 3 to 8 percent slopes	3	1065.3	0.002	\$ 1,183.29
Allegheny	LbC	Library silty clay loam, 8 to 15 percent slopes	3	1230.4	0.003	\$ 1,092.10
Allegheny	RaC	Rainsboro silt loam, 8 to 15 percent slopes	3	770.8	0.002	\$ 1,158.98
Allegheny	RyC	Rayne silt loam, 8 to 15 percent slopes	3	223.3	0	\$ 1,148.74
Allegheny	SmB	Strip mines, 0 to 8 percent slopes	3	2524.6	0.005	\$ 671.40
Allegheny	UaB	Upshur silty clay loam, 3 to 8 percent slopes	3	417.4	0.001	\$ 1,207.18
Allegheny	VcC	Vandergrift-Cavode silt loams, 8 to 15 percent slopes	3	30.5	0	\$ 994.86
Allegheny	WhC	Wharton silt loam, 8 to 15 percent slopes	3	13420.8	0.028	\$ 1,150.79
Allegheny	BrB	Brinkerton silt loam, 2 to 8 percent slopes	4	593.4	0.001	\$ 1,125.93
Allegheny	BrC	Brinkerton silt loam, 8 to 15 percent slopes	4	2.2	0	\$ 1,032.74
Allegheny	CmD	Clymer silt loam, 15 to 25 percent slopes	4	1458.5	0.003	\$ 1,109.11
Allegheny	CoD	Cookport loam, 15 to 25 percent slopes	4	9.4	0	\$ 985.70

Allegheny	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	8176.8	0.017	\$ 1,081.36
Allegheny	DoD	Dormont silt loam, 15 to 25 percent slopes	4	13230.2	0.028	\$ 1,096.37
Allegheny	ErD	Ernest silt loam, 15 to 25 percent slopes	4	948.2	0.002	\$ 987.99
Allegheny	EvD	Ernest-Vandergrift silt loams, 15 to 25 percent slopes	4	575.5	0.001	\$ 993.03
Allegheny	GID	Gilpin silt loam, 15 to 25 percent slopes	4	16227.1	0.034	\$ 1,059.66
Allegheny	GpD	Gilpin-Upshur complex, 15 to 25 percent slopes	4	12664.1	0.027	\$ 810.79
Allegheny	GrE	Gilpin-Vandergrift silt loams, slumped, 15 to 35 percent slopes	4	737.9	0.002	\$ 779.66
Allegheny	GuD	Guernsey silt loam, 15 to 25 percent slopes	4	6066.3	0.013	\$ 1,026.49
Allegheny	GvD	Guernsey-Vandergrift silt loams, 15 to 25 percent slopes	4	3246.5	0.007	\$ 936.68
Allegheny	GwD	Gilpin-Wharton complex, 15 to 25 percent slopes	4	79.8	0	\$ 936.68
Allegheny	HaD	Hazleton loam, 15 to 25 percent slopes	4	944.4	0.002	\$ 1,200.45
Allegheny	LbD	Library silty clay loam, 15 to 25 percent slopes	4	495.4	0.001	\$ 963.95
Allegheny	SmD	Strip mines, 8 to 25 percent slopes	4	10231.1	0.021	\$ 671.40
Allegheny	UaC	Upshur silty clay loam, 8 to 15 percent slopes	4	344	0.001	\$ 1,134.26
Allegheny	VcD	Vandergrift-Cavode silt loams, 15 to 25 percent slopes	4	117.2	0	\$ 946.61
Allegheny	WhD	Wharton silt loam, 15 to 25 percent slopes	4	4341	0.009	\$ 1,078.34
Allegheny	CwD	Culleoka-Weikert shaly silt loams, 15 to 25 percent slopes	6	2582.9	0.005	\$ 671.40
Allegheny	DoE	Dormont silt loam, 25 to 35 percent slopes	6	1842.5	0.004	\$ 671.40
Allegheny	GQF	Gilpin-Upshur complex, very steep	7	50613.1	0.106	\$ 671.40
Allegheny	GSF	Gilpin, Weikert, and Culleoka shaly silt loams, very steep	7	47102.6	0.099	\$ 671.40
Allegheny	HTE	Hazleton loam, steep	7	4176.5	0.009	\$ 671.40
Allegheny	SmF	Strip mines, 25 to 75 percent slopes	7	6825.6	0.014	\$ 671.40
Allegheny	WEF	Weikert-Rock outcrop complex, very steep	7	1063	0.002	\$ 671.40
Allegheny	Du	Dumps, coal wastes	8	1263.1	0.003	\$ 671.40
Allegheny	Dw	Dumps, industrial wastes	8	1468.3	0.003	\$ 671.40
Allegheny	GP	Gravel pits	8	2.6	0	\$ 671.40
Allegheny	UB	Urban land	8	20807.5	0.044	\$ 671.40
Allegheny	UCB	Urban land-Culleoka complex, gently sloping	8	12754.9	0.027	\$ 671.40
Allegheny	UCD	Urban land-Culleoka complex, moderately steep	8	23565.3	0.049	\$ 671.40
Allegheny	UCE	Urban land-Culleoka complex, steep	8	7952	0.017	\$ 671.40
Allegheny	UGB	Urban land-Guernsey complex, gently sloping	8	6543.8	0.014	\$ 671.40
Allegheny	UGD	Urban land-Guernsey complex, moderately steep	8	12074.7	0.025	\$ 671.40
Allegheny	URB	Urban land-Rainsboro complex, gently sloping	8	18587.2	0.039	\$ 671.40
Allegheny	URC	Urban land-Rainsboro complex, sloping	8	3151.1	0.007	\$ 671.40

Allegheny	UWB	Urban land-Wharton complex, gently sloping	8	3336.7	0.007	\$ 671.40
Allegheny	UWD	Urban land-Wharton complex, moderately steep	8	2634.5	0.006	\$ 671.40
Armstrong	CeA	Chavies fine sandy loam, 0 to 2 percent slopes	1	200.4	0	\$ 1,401.99
Armstrong	PmA	Pope fine sandy loam, 0 to 2 percent slopes, rarely flooded	1	825.5	0.002	\$ 1,363.81
Armstrong	PoA	Pope loam, 0 to 2 percent slopes, occasionally flooded	1	1984	0.005	\$ 1,354.98
Armstrong	AhB	Allegheny silt loam, 3 to 8 percent slopes	2	870.4	0.002	\$ 1,263.30
Armstrong	ChB	Chenango gravelly silt loam, 3 to 8 percent slopes	2	35.5	0	\$ 1,153.17
Armstrong	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	19.6	0	\$ 1,239.19
Armstrong	CtA	Cotaco silt loam, 0 to 3 percent slopes, rarely flooded	2	906.2	0.002	\$ 1,253.78
Armstrong	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	125.7	0	\$ 1,329.93
Armstrong	DoB	Dormont silt loam, 3 to 8 percent slopes	2	44.7	0	\$ 1,331.73
Armstrong	ErA	Ernest silt loam, 0 to 3 percent slopes	2	244.3	0.001	\$ 1,104.88
Armstrong	ErB	Ernest silt loam, 3 to 8 percent slopes	2	17622.4	0.041	\$ 1,302.56
Armstrong	GcB	Gilpin channery silt loam, 3 to 8 percent slopes	2	11683.6	0.027	\$ 1,134.26
Armstrong	GuB	Gilpin-Upshur silt loams, 3 to 8 percent slopes	2	410.6	0.001	\$ 1,171.19
Armstrong	GwB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	6744.2	0.016	\$ 1,050.00
Armstrong	GyB	Guernsey silt loam, 3 to 8 percent slopes	2	107.6	0	\$ 1,342.51
Armstrong	HaB	Hazleton channery loam, 3 to 8 percent slopes	2	5484.7	0.013	\$ 1,263.68
Armstrong	LoA	Lobdell silt loam, 0 to 3 percent slopes, occasionally flooded	2	3963.6	0.009	\$ 1,278.39
Armstrong	MeB	Matewan channery loam, 3 to 8 percent slopes	2	68.4	0	\$ 1,057.47
Armstrong	MoA	Monongahela silt loam, 0 to 2 percent slopes	2	464.1	0.001	\$ 1,320.86
Armstrong	MoB	Monongahela silt loam, 2 to 6 percent slopes	2	2755.4	0.006	\$ 1,320.86
Armstrong	PhA	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	1761.1	0.004	\$ 1,302.56
Armstrong	RnB	Rayne-Gilpin channery silt loams, 3 to 8 percent slopes	2	7829.3	0.018	\$ 1,158.98
Armstrong	ScA	Sciotoville silt loam, 0 to 2 percent slopes	2	316.2	0.001	\$ 1,313.57
Armstrong	ScB	Sciotoville silt loam, 2 to 6 percent slopes	2	2603.5	0.006	\$ 1,331.73
Armstrong	TaA	Tilsit silt loam, 0 to 3 percent slopes	2	310.7	0.001	\$ 1,059.66
Armstrong	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	896	0.002	\$ 1,013.02
Armstrong	WhB	Wharton silt loam, 3 to 8 percent slopes	2	12960.9	0.03	\$ 1,140.07
Armstrong	WsB	Wheeling silt loam, 3 to 8 percent slopes	2	261.4	0.001	\$ 1,291.46
Armstrong	WtB	Wharton-Gilpin silt loams, 3 to 8 percent slopes	2	2709.1	0.006	\$ 1,130.10
Armstrong	WvB	Wharton-Vandergrift complex, 3 to 8 percent slopes	2	1093.5	0.003	\$ 1,066.20
Armstrong	AhC	Allegheny silt loam, 8 to 15 percent slopes	3	464.6	0.001	\$ 1,185.29
Armstrong	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	1585.2	0.004	\$ 779.66

Armstrong	CaB	Cavode silt loam, 3 to 8 percent slopes	3	8958.6	0.021	\$ 1,037.63
Armstrong	CaC	Cavode silt loam, 8 to 15 percent slopes	3	6947.4	0.016	\$ 999.42
Armstrong	ChC	Chenango gravelly silt loam, 8 to 15 percent slopes	3	294	0.001	\$ 1,074.54
Armstrong	CkC	Clarksburg silt loam, 8 to 15 percent slopes	3	26.5	0	\$ 1,120.90
Armstrong	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	164.3	0	\$ 1,236.49
Armstrong	DoC	Dormont silt loam, 8 to 15 percent slopes	3	33.2	0	\$ 1,242.28
Armstrong	ErC	Ernest silt loam, 8 to 15 percent slopes	3	30331.7	0.071	\$ 1,209.15
Armstrong	GcC	Gilpin channery silt loam, 8 to 15 percent slopes	3	3433.5	0.008	\$ 1,132.18
Armstrong	GuC	Gilpin-Upshur silt loams, 8 to 15 percent slopes	3	552.5	0.001	\$ 1,106.99
Armstrong	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	7353.4	0.017	\$ 1,001.24
Armstrong	GyC	Guernsey silt loam, 8 to 15 percent slopes	3	36.1	0	\$ 1,230.68
Armstrong	HaC	Hazleton channery loam, 8 to 15 percent slopes	3	3178.5	0.007	\$ 1,135.51
Armstrong	ItB	Itmann extremely channery loam, 0 to 8 percent slopes	3	20.5	0	\$ 779.66
Armstrong	MeC	Matewan channery loam, 8 to 15 percent slopes	3	98.8	0	\$ 985.70
Armstrong	MoC	Monongahela silt loam, 6 to 12 percent slopes	3	1372.8	0.003	\$ 1,218.98
Armstrong	Pi	Pits, clay	3	4.4	0	\$ 779.66
Armstrong	RnC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	16434.2	0.039	\$ 1,092.10
Armstrong	ScC	Sciotoville silt loam, 6 to 12 percent slopes	3	1827.7	0.004	\$ 1,224.84
Armstrong	TaC	Tilsit silt loam, 8 to 15 percent slopes	3	92.5	0	\$ 1,104.88
Armstrong	TyA	Tyler silt loam, 0 to 2 percent slopes	3	459.5	0.001	\$ 1,128.02
Armstrong	TyB	Tyler silt loam, 2 to 6 percent slopes	3	626	0.001	\$ 1,128.02
Armstrong	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	2747.3	0.006	\$ 841.32
Armstrong	WhC	Wharton silt loam, 8 to 15 percent slopes	3	6560.1	0.015	\$ 1,150.79
Armstrong	WsC	Wheeling silt loam, 8 to 15 percent slopes	3	412.4	0.001	\$ 1,304.77
Armstrong	WtC	Wharton-Gilpin silt loams, 8 to 15 percent slopes	3	7043.3	0.017	\$ 1,066.20
Armstrong	WvC	Wharton-Vandergrift complex, 8 to 15 percent slopes	3	1632.1	0.004	\$ 985.70
Armstrong	AtA	Atkins-Philo complex, 0 to 2 percent slopes, frequently flooded	4	2325.9	0.005	\$ 1,246.12
Armstrong	BkA	Brinkerton silt loam, 0 to 3 percent slopes	4	494.6	0.001	\$ 1,111.22
Armstrong	BkB	Brinkerton silt loam, 3 to 8 percent slopes	4	630.2	0.001	\$ 1,125.93
Armstrong	CaD	Cavode silt loam, 15 to 25 percent slopes	4	1022.5	0.002	\$ 976.48
Armstrong	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	51.1	0	\$ 1,081.36
Armstrong	DrD	Dormont-Culleoka complex, 15 to 25 percent slopes	4	116	0	\$ 1,060.09
Armstrong	ErD	Ernest silt loam, 15 to 25 percent slopes	4	6430.9	0.015	\$ 987.99
Armstrong	GcD	Gilpin channery silt loam, 15 to 25 percent slopes	4	377.6	0.001	\$ 985.70

Armstrong	GuD	Gilpin-Upshur silt loams, 15 to 25 percent slopes	4	766.2	0.002	\$ 1,039.85
Armstrong	GwD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	38623.2	0.091	\$ 779.66
Armstrong	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	4517.6	0.011	\$ 1,059.66
Armstrong	HoA	Holly silt loam, 0 to 2 percent slopes, frequently flooded	4	3503.5	0.008	\$ 1,181.28
Armstrong	ItD	Itmann extremely channery loam, 8 to 25 percent slopes	4	136.9	0	\$ 779.66
Armstrong	MeD	Matewan channery loam, 15 to 25 percent slopes	4	77.4	0	\$ 883.60
Armstrong	PuA	Purdy silt loam, 0 to 2 percent slopes	4	212.8	0.001	\$ 1,037.63
Armstrong	RnD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	2346	0.006	\$ 1,013.02
Armstrong	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	1427.7	0.003	\$ 797.89
Armstrong	WtD	Wharton-Gilpin silt loams, 15 to 25 percent slopes	4	9994.7	0.024	\$ 992.57
Armstrong	WvD	Wharton-Vandergrift complex, 15 to 25 percent slopes	4	556	0.001	\$ 905.54
Armstrong	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	6	12356	0.029	\$ 671.40
Armstrong	BhD	Bethesda very channery silt loam, 8 to 25 percent slopes, very stony	6	7935	0.019	\$ 671.40
Armstrong	EsB	Ernest silt loam, 0 to 8 percent slopes, very stony	6	380.8	0.001	\$ 671.40
Armstrong	EsD	Ernest silt loam, 8 to 25 percent slopes, very stony	6	1012.3	0.002	\$ 671.40
Armstrong	FaD	Fairpoint very channery silt loam, 8 to 25 percent slopes	6	2276.3	0.005	\$ 671.40
Armstrong	HIB	Hazleton channery sandy loam, 0 to 8 percent slopes, extremely stony	6	26.6	0	\$ 671.40
Armstrong	RsD	Rayne-Gilpin channery silt loams, 8 to 25 percent slopes, very stony	6	1067.2	0.003	\$ 671.40
Armstrong	UdB	Udorthents, 0 to 8 percent slopes	6	170.1	0	\$ 671.40
Armstrong	BhF	Bethesda very channery silt loam, 25 to 75 percent slopes, very stony	7	9310.4	0.022	\$ 671.40
Armstrong	DrE	Dormont-Culleoka complex, 25 to 50 percent slopes	7	138.9	0	\$ 671.40
Armstrong	GoF	Gilpin-Rock outcrop complex, 45 to 100 percent slopes	7	141.1	0	\$ 671.40
Armstrong	GuE	Gilpin-Upshur silt loams, 25 to 35 percent slopes	7	488.7	0.001	\$ 671.40
Armstrong	GwF	Gilpin-Weikert channery silt loams, 25 to 60 percent slopes	7	110389.2	0.26	\$ 671.40
Armstrong	HID	Hazleton channery sandy loam, 8 to 25 percent slopes, extremely stony	7	604.5	0.001	\$ 671.40
Armstrong	IxF	Itmann extremely channery loam, 25 to 70 percent slopes	7	42.1	0	\$ 671.40
Armstrong	ShF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes	7	602.9	0.001	\$ 671.40
Armstrong	SxF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes, very stony	7	4935.6	0.012	\$ 671.40
Armstrong	DAM	Dam	8	22.3	0	\$ 671.40
Armstrong	DU	Dumps, fly ash	8	359.2	0.001	\$ 671.40
Armstrong	Pk	Pits, quarries	8	211.1	0	\$ 671.40
Armstrong	PI	Pits, sand	8	41.6	0	\$ 671.40
Armstrong	Ur	Urban land	8	1264.2	0.003	\$ 671.40
Beaver	Cg	Chagrin silt loam	1	219.5	0.001	\$ 1,399.67

Beaver	Po	Pope silt loam	1	1247	0.004	\$ 1,356.75
Beaver	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	936.6	0.003	\$ 1,263.30
Beaver	BcB	Braceville loam, 3 to 8 percent slopes	2	567.9	0.002	\$ 1,154.89
Beaver	CdB	Canfield silt loam, 3 to 8 percent slopes	2	3301.2	0.012	\$ 1,150.79
Beaver	ChB	Chili silt loam, 3 to 8 percent slopes	2	303.2	0.001	\$ 1,063.41
Beaver	CmB	Clymer loam, 3 to 8 percent slopes	2	2874.2	0.01	\$ 1,294.80
Beaver	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	1516.9	0.005	\$ 1,329.93
Beaver	ErB	Ernest silt loam, 3 to 8 percent slopes	2	1624.3	0.006	\$ 1,302.56
Beaver	FcA	Fitchville silt loam, 0 to 2 percent slopes	2	1.7	0	\$ 1,213.49
Beaver	GnB	Gilpin silt loam, 3 to 8 percent slopes	2	8658.5	0.03	\$ 1,138.41
Beaver	GpB	Gilpin-Upshur complex, 3 to 8 percent slopes	2	939.9	0.003	\$ 1,074.88
Beaver	GsB	Gilpin-Weikert complex, 3 to 8 percent slopes	2	2102	0.007	\$ 1,050.00
Beaver	GtB	Guernsey silt loam, 3 to 8 percent slopes	2	1181.2	0.004	\$ 1,270.86
Beaver	GvB	Guernsey-Vandergrift complex, 3 to 8 percent slopes	2	1225	0.004	\$ 1,220.93
Beaver	HaB	Hazleton channery loam, 3 to 8 percent slopes	2	901	0.003	\$ 1,263.68
Beaver	KeB	Keene silt loam, 3 to 8 percent slopes	2	263.4	0.001	\$ 1,150.79
Beaver	Lb	Lobdell silt loam	2	665.4	0.002	\$ 1,291.46
Beaver	LoB	Loudonville gravelly silt loam, 3 to 8 percent slopes	2	96.6	0	\$ 1,109.11
Beaver	McB	Mechanicsburg silt loam, 2 to 6 percent slopes	2	2.3	0	\$ 1,200.85
Beaver	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	461.3	0.002	\$ 1,222.89
Beaver	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	4601	0.016	\$ 1,222.89
Beaver	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	2699.5	0.009	\$ 1,302.56
Beaver	TeB	Teegarden silt loam, 2 to 6 percent slopes	2	1.8	0	\$ 1,298.87
Beaver	TsB	Tilsit silt loam, 3 to 8 percent slopes	2	5729.5	0.02	\$ 1,013.02
Beaver	WhA	Wharton silt loam, 0 to 3 percent slopes	2	398.3	0.001	\$ 1,142.55
Beaver	WhB	Wharton silt loam, 3 to 8 percent slopes	2	6711.7	0.024	\$ 1,140.07
Beaver	WoB	Wooster gravelly silt loam, 3 to 8 percent slopes	2	487.9	0.002	\$ 1,222.89
Beaver	AgC	Allegheny silt loam, 8 to 15 percent slopes	3	306.2	0.001	\$ 1,185.29
Beaver	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	3	5929.5	0.021	\$ 1,125.93
Beaver	BaB	Bethesda channery silt loam, 0 to 8 percent slopes	3	367.1	0.001	\$ 779.66
Beaver	BcC	Braceville loam, 8 to 15 percent slopes	3	178.6	0.001	\$ 1,121.74
Beaver	CdC	Canfield silt loam, 8 to 15 percent slopes	3	2805.2	0.01	\$ 1,113.33
Beaver	CeA	Cavode silt loam, 0 to 3 percent slopes	3	558.5	0.002	\$ 1,037.63
Beaver	CeB	Cavode silt loam, 3 to 8 percent slopes	3	3648.1	0.013	\$ 1,037.63

Beaver	CeC	Cavode silt loam, 8 to 15 percent slopes	3	3436.3	0.012	\$ 999.42
Beaver	ChC	Chili silt loam, 8 to 15 percent slopes	3	142.1	0	\$ 980.27
Beaver	CmC	Clymer loam, 8 to 15 percent slopes	3	4090.7	0.014	\$ 1,285.87
Beaver	CoB	Conotton gravelly loam, 3 to 8 percent slopes	3	1152	0.004	\$ 974.17
Beaver	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	1623.3	0.006	\$ 1,236.49
Beaver	DoC	Dormont silt loam, 8 to 15 percent slopes	3	7.8	0	\$ 1,242.28
Beaver	ErC	Ernest silt loam, 8 to 15 percent slopes	3	3988.9	0.014	\$ 1,209.15
Beaver	FaB	Fairpoint channery silt loam, 0 to 8 percent slopes	3	547.8	0.002	\$ 779.66
Beaver	FnA	Frenchtown silt loam, 0 to 3 percent slopes	3	55.8	0	\$ 1,079.90
Beaver	FnB	Frenchtown silt loam, 3 to 8 percent slopes	3	173.8	0.001	\$ 1,070.55
Beaver	GnC	Gilpin silt loam, 8 to 15 percent slopes	3	15039.4	0.053	\$ 1,119.64
Beaver	GpC	Gilpin-Upshur complex, 8 to 15 percent slopes	3	3364.4	0.012	\$ 1,074.88
Beaver	GsC	Gilpin-Weikert complex, 8 to 15 percent slopes	3	6313.4	0.022	\$ 1,001.24
Beaver	GtC	Guernsey silt loam, 8 to 15 percent slopes	3	2295.5	0.008	\$ 1,096.37
Beaver	GvC	Guernsey-Vandergrift complex, 8 to 15 percent slopes	3	4171.4	0.015	\$ 1,130.10
Beaver	HaC	Hazleton channery loam, 8 to 15 percent slopes	3	2758.4	0.01	\$ 1,135.51
Beaver	Ho	Holly silt loam	3	1538.5	0.005	\$ 1,167.13
Beaver	KnC	Kensington silt loam, 6 to 15 percent slopes	3	11.1	0	\$ 1,122.16
Beaver	LoC	Loudonville gravelly silt loam, 8 to 15 percent slopes	3	458.1	0.002	\$ 1,022.01
Beaver	MoC	Monongahela silt loam, 8 to 15 percent slopes	3	1304.4	0.005	\$ 1,146.68
Beaver	RaA	Ravenna silt loam, 0 to 3 percent slopes	3	294.2	0.001	\$ 1,145.85
Beaver	RaB	Ravenna silt loam, 3 to 8 percent slopes	3	866.3	0.003	\$ 1,146.68
Beaver	RaC	Ravenna silt loam, 8 to 15 percent slopes	3	405.2	0.001	\$ 1,029.17
Beaver	ReB	Rexford silt loam, 3 to 8 percent slopes	3	189.8	0.001	\$ 999.42
Beaver	Sn	Sloan silt loam	3	91.2	0	\$ 1,349.65
Beaver	TeC	Teegarden silt loam, 6 to 15 percent slopes	3	13.8	0	\$ 1,142.55
Beaver	TsC	Tilsit silt loam, 8 to 15 percent slopes	3	2248.2	0.008	\$ 1,104.88
Beaver	TyA	Tyler silt loam, 0 to 3 percent slopes	3	1343.5	0.005	\$ 1,128.02
Beaver	TyB	Tyler silt loam, 3 to 8 percent slopes	3	1697	0.006	\$ 1,017.52
Beaver	UAB	Udorthents, strip mine, gently sloping	3	847.4	0.003	\$ 671.40
Beaver	WhC	Wharton silt loam, 8 to 15 percent slopes	3	8893.3	0.031	\$ 1,150.79
Beaver	WoC	Wooster gravelly silt loam, 8 to 15 percent slopes	3	399.3	0.001	\$ 1,181.28
Beaver	BaD	Bethesda channery silt loam, 8 to 25 percent slopes	4	1001.2	0.004	\$ 779.66
Beaver	BkA	Brinkerton silt loam, 0 to 3 percent slopes	4	356.2	0.001	\$ 1,111.22

Beaver	BkB	Brinkerton silt loam, 3 to 8 percent slopes	4	792.7	0.003	\$ 1,125.93
Beaver	BkC	Brinkerton silt loam, 8 to 15 percent slopes	4	249.8	0.001	\$ 1,032.74
Beaver	Ca	Canadice silt loam	4	1406.2	0.005	\$ 953.19
Beaver	CdD	Canfield silt loam, 15 to 25 percent slopes	4	419.7	0.001	\$ 779.66
Beaver	CeD	Cavode silt loam, 15 to 25 percent slopes	4	1000.6	0.004	\$ 976.48
Beaver	CmD	Clymer loam, 15 to 25 percent slopes	4	630.4	0.002	\$ 1,061.84
Beaver	CoC	Conotton gravelly loam, 8 to 15 percent slopes	4	504.8	0.002	\$ 797.89
Beaver	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	605.9	0.002	\$ 1,081.36
Beaver	DoD	Dormont silt loam, 15 to 25 percent slopes	4	27.2	0	\$ 1,096.37
Beaver	ErD	Ernest silt loam, 15 to 25 percent slopes	4	812.4	0.003	\$ 987.99
Beaver	FaD	Fairpoint channery silt loam, 8 to 25 percent slopes	4	1192.4	0.004	\$ 779.66
Beaver	GnD	Gilpin silt loam, 15 to 25 percent slopes	4	11391.2	0.04	\$ 1,059.66
Beaver	GpD	Gilpin-Upshur complex, 15 to 25 percent slopes	4	7097.5	0.025	\$ 810.79
Beaver	GsD	Gilpin-Weikert complex, 15 to 25 percent slopes	4	13075.6	0.046	\$ 779.66
Beaver	GvD	Guernsey-Vandergrift complex, 15 to 25 percent slopes	4	3092.4	0.011	\$ 936.68
Beaver	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	3391.3	0.012	\$ 1,059.66
Beaver	KnD	Kensington silt loam, 15 to 25 percent slopes	4	5.8	0	\$ 779.66
Beaver	LoD	Loudonville gravelly silt loam, 15 to 25 percent slopes	4	736.1	0.003	\$ 779.66
Beaver	Pu	Purdy silt loam	4	685.8	0.002	\$ 1,037.63
Beaver	WnD	Wharton-Gilpin silt loams, 15 to 25 percent slopes	4	3355	0.012	\$ 992.57
Beaver	WoD	Wooster gravelly silt loam, 15 to 25 percent slopes	4	656.7	0.002	\$ 1,105.72
Beaver	CoD	Conotton gravelly loam, 15 to 25 percent slopes	6	380.9	0.001	\$ 671.40
Beaver	DoE	Dormont silt loam, 25 to 35 percent slopes	6	2.8	0	\$ 671.40
Beaver	EsD	Ernest silt loam, 8 to 25 percent slopes, extremely stony	6	629.2	0.002	\$ 671.40
Beaver	LoF	Loudonville gravelly silt loam, 25 to 50 percent slopes	6	337.6	0.001	\$ 671.40
Beaver	UAD	Udorthents, strip mine, moderately steep	6	1128.4	0.004	\$ 671.40
Beaver	VgD	Vandergrift-Gilpin complex, 15 to 35 percent slopes	6	1906.5	0.007	\$ 729.44
Beaver	BbF	Bethesda and Fairpoint channery silt loams, 25 to 70 percent slopes	7	2619.8	0.009	\$ 671.40
Beaver	GpF	Gilpin-Upshur complex, 25 to 60 percent slopes	7	11464.1	0.04	\$ 671.40
Beaver	GsF	Gilpin-Weikert complex, 25 to 70 percent slopes	7	50737.6	0.178	\$ 671.40
Beaver	UAE	Udorthents, strip mine, steep	7	1430.1	0.005	\$ 671.40
Beaver	WeF	Weikert-Rock outcrop complex, 25 to 80 percent slopes	7	4968	0.017	\$ 671.40
Beaver	UgB	Urban land-Gilpin complex, 0 to 8 percent slopes	8	794.1	0.003	\$ 671.40
Beaver	UgD	Urban land-Gilpin complex, 8 to 25 percent slopes	8	1336.2	0.005	\$ 671.40

Beaver	UwB	Urban land-Wharton complex, 0 to 8 percent slopes	8	1192.8	0.004	\$ 671.40
Beaver	UwD	Urban land-Wharton complex, 8 to 25 percent slopes	8	476.7	0.002	\$ 671.40
Bedford	Bm	Birdsboro silt loam, rarely flooded	1	2872	0.004	\$ 1,320.43
Bedford	Pp	Pope fine sandy loam	1	1470.4	0.002	\$ 1,377.82
Bedford	AbB	Albrights silt loam, 3 to 8 percent slopes	2	2689.6	0.004	\$ 1,146.43
Bedford	AeB	Allegheny loam, 3 to 8 percent slopes	2	1561.5	0.002	\$ 1,343.58
Bedford	Ba	Basher silt loam	2	5293.5	0.008	\$ 1,295.91
Bedford	BbB	Basher-Birdsboro complex, 0 to 8 percent slopes	2	6384	0.01	\$ 1,349.65
Bedford	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	6511.9	0.01	\$ 971.85
Bedford	BrB	Blairton channery silt loam, 3 to 8 percent slopes	2	3783.5	0.006	\$ 971.85
Bedford	BuB	Buchanan cobbly loam, 3 to 8 percent slopes	2	4695.2	0.007	\$ 1,144.62
Bedford	CaB	Calvin channery silt loam, 3 to 8 percent slopes	2	7376.2	0.011	\$ 943.02
Bedford	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	5321.4	0.008	\$ 1,146.43
Bedford	CoB	Cookport loam, 3 to 8 percent slopes	2	88.6	0	\$ 976.48
Bedford	EdB	Edom silty clay loam, 3 to 8 percent slopes	2	576.9	0.001	\$ 1,148.24
Bedford	ElB	Elliber very channery loam, 3 to 8 percent slopes	2	970.1	0.001	\$ 1,185.29
Bedford	ErB	Ernest silt loam, 0 to 8 percent slopes	2	4148.8	0.006	\$ 1,128.02
Bedford	HeB	Hagerstown silt loam, 3 to 8 percent slopes	2	3875.2	0.006	\$ 1,469.33
Bedford	HuB	Hublersburg cherty silt loam, 3 to 8 percent slopes	2	9055.8	0.014	\$ 1,366.77
Bedford	HwB	Hustontown silt loam, 3 to 8 percent slopes	2	4.5	0	\$ 1,144.20
Bedford	LdB	Laidig cobbly loam, 3 to 8 percent slopes	2	550.9	0.001	\$ 1,159.39
Bedford	LkB	Leck kill-Calvin complex, 3 to 8 percent slopes	2	2366.4	0.004	\$ 1,124.92
Bedford	Lx	Lobdell loam	2	2878.7	0.004	\$ 1,138.41
Bedford	McB	Meckesville gravelly loam, 3 to 8 percent slopes	2	347.1	0.001	\$ 1,150.79
Bedford	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1296	0.002	\$ 1,226.01
Bedford	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	2442.9	0.004	\$ 1,155.71
Bedford	MrB	Morrison channery sandy loam, 3 to 8 percent slopes	2	1972.2	0.003	\$ 1,173.21
Bedford	MuB	Murrill channery loam, 3 to 8 percent slopes	2	3983.1	0.006	\$ 1,286.77
Bedford	Nd	Nolin silt loam	2	721.8	0.001	\$ 1,270.11
Bedford	Ph	Philo silt loam	2	5643.1	0.009	\$ 1,356.75
Bedford	ReB	Rayne channery silt loam, 3 to 8 percent slopes	2	24.2	0	\$ 1,215.06
Bedford	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	236.2	0	\$ 1,150.79
Bedford	WsB	Westmoreland channery silt loam, 3 to 8 percent slopes	2	726.5	0.001	\$ 1,208.92
Bedford	AbC	Albrights silt loam, 8 to 15 percent slopes	3	5334	0.008	\$ 1,063.94

Bedford	AeC	Allegheny loam, 8 to 15 percent slopes	3	573.9	0.001	\$ 1,104.88
Bedford	Aw	Atkins silt loam	3	3391.8	0.005	\$ 1,151.20
Bedford	Ax	Atkins-Ernest complex, 0 to 8 percent slopes	3	5891.5	0.009	\$ 1,162.17
Bedford	BcC	Bedington-Berks complex, 8 to 15 percent slopes	3	3223.3	0.005	\$ 1,178.62
Bedford	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	19534	0.03	\$ 931.93
Bedford	BuC	Buchanan cobbly loam, 8 to 15 percent slopes	3	5602.4	0.009	\$ 1,068.38
Bedford	CaC	Calvin channery silt loam, 8 to 15 percent slopes	3	17004.3	0.026	\$ 854.58
Bedford	EdC	Edom silty clay loam, 8 to 15 percent slopes	3	2140	0.003	\$ 1,062.63
Bedford	ElC	Elliber very channery loam, 8 to 15 percent slopes	3	3189	0.005	\$ 1,148.74
Bedford	ErC	Ernest silt loam, 8 to 15 percent slopes	3	8644.2	0.013	\$ 1,069.68
Bedford	HeC	Hagerstown silt loam, 8 to 15 percent slopes	3	3103	0.005	\$ 1,397.20
Bedford	HgC	Hagerstown silty clay loam, 8 to 15 percent slopes	3	4063.5	0.006	\$ 1,369.43
Bedford	HnB	Hagerstown silty clay loam, 3 to 8 percent slopes, very rocky	3	504.4	0.001	\$ 1,246.89
Bedford	Hy	Holly silt loam	3	3214.2	0.005	\$ 1,146.68
Bedford	LdC	Laidig cobbly loam, 8 to 15 percent slopes	3	2115	0.003	\$ 1,112.57
Bedford	LeC	Leck kill channery silt loam, 8 to 15 percent slopes	3	12.4	0	\$ 1,287.73
Bedford	LkC	Leck kill-Calvin complex, 8 to 15 percent slopes	3	4867.9	0.007	\$ 1,038.78
Bedford	McC	Meckesville gravelly loam, 8 to 15 percent slopes	3	3125.3	0.005	\$ 1,095.09
Bedford	MhC	Mertz channery silt loam, 8 to 15 percent slopes	3	1792.3	0.003	\$ 1,199.66
Bedford	MrC	Morrison channery sandy loam, 8 to 15 percent slopes	3	4100.8	0.006	\$ 1,125.93
Bedford	MuC	Murrill channery loam, 8 to 15 percent slopes	3	3945.2	0.006	\$ 1,214.19
Bedford	PeB	Penlaw silt loam, 0 to 8 percent slopes	3	3271.9	0.005	\$ 986.16
Bedford	RgC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	36.2	0	\$ 1,087.81
Bedford	TgA	Tyler silt loam, 0 to 3 percent slopes	3	1986.9	0.003	\$ 1,109.11
Bedford	TgB	Tyler silt loam, 3 to 8 percent slopes	3	1543.4	0.002	\$ 1,031.85
Bedford	WcC	Westmoreland channery silt loam, 8 to 15 percent slopes	3	2979.6	0.005	\$ 1,104.88
Bedford	ArB	Andover cobbly loam, 3 to 8 percent slopes	4	2045.6	0.003	\$ 1,036.12
Bedford	ArC	Andover cobbly loam, 8 to 15 percent slopes	4	565.2	0.001	\$ 1,026.76
Bedford	BcD	Bedington-Berks complex, 15 to 25 percent slopes	4	4254	0.007	\$ 1,074.02
Bedford	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	18664.5	0.029	\$ 890.95
Bedford	BrC	Blairton channery silt loam, 8 to 15 percent slopes	4	10858	0.017	\$ 883.60
Bedford	BtA	Brinkerton silt loam, 0 to 3 percent slopes	4	1327.3	0.002	\$ 1,089.53
Bedford	BtB	Brinkerton silt loam, 3 to 8 percent slopes	4	6151.3	0.009	\$ 1,084.38
Bedford	BtC	Brinkerton silt loam, 8 to 15 percent slopes	4	821	0.001	\$ 1,031.40

Bedford	CaD	Calvin channery silt loam, 15 to 25 percent slopes	4	5971.8	0.009	\$ 805.64
Bedford	EdD	Edom silty clay loam, 15 to 25 percent slopes	4	1115.8	0.002	\$ 981.28
Bedford	EID	Elliber very channery loam, 15 to 25 percent slopes	4	3325	0.005	\$ 1,098.50
Bedford	HgD	Hagerstown silty clay loam, 15 to 25 percent slopes	4	930.4	0.001	\$ 1,300.35
Bedford	HnC	Hagerstown silty clay loam, 8 to 15 percent slopes, very rocky	4	2142.7	0.003	\$ 1,177.65
Bedford	HnD	Hagerstown silty clay loam, 15 to 25 percent slopes, very rocky	4	794	0.001	\$ 1,174.02
Bedford	KIC	Klinesville channery silt loam, 8 to 15 percent slopes	4	1532.7	0.002	\$ 793.22
Bedford	LdD	Laidig cobbly loam, 15 to 25 percent slopes	4	976.7	0.002	\$ 983.95
Bedford	LkD	Leck kill-Calvin complex, 15 to 25 percent slopes	4	4607.8	0.007	\$ 961.15
Bedford	MrD	Morrison channery sandy loam, 15 to 25 percent slopes	4	1165.5	0.002	\$ 1,077.05
Bedford	MuD	Murrill channery loam, 15 to 25 percent slopes	4	970.2	0.001	\$ 1,106.91
Bedford	NoA	Nolo loam, 0 to 3 percent slopes	4	17.2	0	\$ 989.74
Bedford	NoB	Nolo loam, 3 to 8 percent slopes	4	25.3	0	\$ 989.74
Bedford	OpB	Opequon-Hagerstown complex, 3 to 8 percent slopes, very rocky	4	602.6	0.001	\$ 1,088.67
Bedford	OpC	Opequon-Hagerstown complex, 8 to 15 percent slopes, very rocky	4	3553	0.005	\$ 1,032.29
Bedford	OpD	Opequon-Hagerstown complex, 15 to 25 percent slopes, very rocky	4	5058.7	0.008	\$ 1,019.77
Bedford	Ps	Purdy silty clay loam, 0 to 3 percent slopes	4	2886.1	0.004	\$ 1,071.42
Bedford	ReD	Rayne channery silt loam, 15 to 25 percent slopes	4	25.5	0	\$ 1,109.11
Bedford	RgD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	42.1	0	\$ 1,030.96
Bedford	WkC	Weikert channery silt loam, 8 to 15 percent slopes	4	8479.2	0.013	\$ 903.11
Bedford	WwD	Westmoreland-Klinesville complex, 15 to 25 percent slopes	4	5092.5	0.008	\$ 871.29
Bedford	BdC	Bedington-Berks complex, 8 to 15 percent slopes, very stony	6	3548.5	0.005	\$ 671.40
Bedford	BdD	Bedington-Berks complex, 15 to 25 percent slopes, very stony	6	6246.3	0.01	\$ 671.40
Bedford	BdE	Bedington-Berks complex, 25 to 35 percent slopes, very stony	6	11877.9	0.018	\$ 671.40
Bedford	BkE	Berks channery silt loam, 25 to 35 percent slopes	6	14296.3	0.022	\$ 671.40
Bedford	BrD	Blairton channery silt loam, 15 to 25 percent slopes	6	5638.9	0.009	\$ 825.52
Bedford	CeC	Cedarcreek extremely channery loam, 3 to 25 percent slopes, very stony	6	571.4	0.001	\$ 671.40
Bedford	CpB	Cookport very stony loam, 3 to 8 percent slopes	6	138.3	0	\$ 671.40
Bedford	HTB	Hazleton very stony sandy loam, 3 to 8 percent slopes	6	532.5	0.001	\$ 671.40
Bedford	KID	Klinesville channery silt loam, 15 to 25 percent slopes	6	3230.3	0.005	\$ 671.40
Bedford	MdC	Meckesville gravelly loam, 8 to 15 percent slopes, very stony	6	7170.3	0.011	\$ 671.40
Bedford	MdD	Meckesville gravelly loam, 15 to 25 percent slopes, very stony	6	11140.9	0.017	\$ 671.40
Bedford	MsB	Morrison channery sandy loam, 3 to 8 percent slopes, very stony	6	431.5	0.001	\$ 671.40
Bedford	MsC	Morrison channery sandy loam, 8 to 15 percent slopes, very stony	6	2162.5	0.003	\$ 671.40

Bedford	MsD	Morrison channery sandy loam, 15 to 25 percent slopes, very stony	6	1908.8	0.003	\$ 671.40
Bedford	MtB	Morrison-Murrill complex, 3 to 8 percent slopes, very stony	6	1257.1	0.002	\$ 671.40
Bedford	MtC	Morrison-Murrill complex, 8 to 15 percent slopes, very stony	6	3832.2	0.006	\$ 671.40
Bedford	MtD	Morrison-Murrill complex, 15 to 25 percent slopes, very stony	6	1733.9	0.003	\$ 671.40
Bedford	RpB	Rayne-Gilpin very stony silt loams, 3 to 8 percent slopes	6	7.6	0	\$ 671.40
Bedford	RpD	Rayne-Gilpin very stony silt loams, 8 to 25 percent slopes	6	58.7	0	\$ 671.40
Bedford	WkD	Weikert channery silt loam, 15 to 25 percent slopes	6	7786.2	0.012	\$ 671.40
Bedford	WsE	Westmoreland channery silt loam, 25 to 35 percent slopes	6	659.2	0.001	\$ 671.40
Bedford	WxB	Wharton channery silt loam, 3 to 8 percent slopes, very stony	6	1808.1	0.003	\$ 671.40
Bedford	WxC	Wharton channery silt loam, 8 to 15 percent slopes, very stony	6	2311.4	0.004	\$ 671.40
Bedford	AvB	Andover cobbly sandy loam, 0 to 8 percent slopes, very stony	7	2567.9	0.004	\$ 671.40
Bedford	AvC	Andover cobbly sandy loam, 8 to 15 percent slopes, very stony	7	602.1	0.001	\$ 671.40
Bedford	BwB	Buchanan cobbly loam, 3 to 8 percent slopes, extremely stony	7	6279.2	0.01	\$ 671.40
Bedford	BwC	Buchanan cobbly loam, 8 to 15 percent slopes, extremely stony	7	18145.9	0.028	\$ 671.40
Bedford	BwD	Buchanan cobbly loam, 15 to 25 percent slopes, extremely stony	7	16365.7	0.025	\$ 671.40
Bedford	CeF	Cedarcreek extremely channery loam, 25 to 80 percent slopes, very stony	7	2477.8	0.004	\$ 671.40
Bedford	CpD	Cookport channery loam, 8 to 25 percent slopes, extremely stony	7	3430.3	0.005	\$ 671.40
Bedford	CrF	Cedarcreek extremely channery loam, 25 to 80 percent slopes	7	2.9	0	\$ 671.40
Bedford	DkC	Dystrocrepts-Rock outcrop complex, 3 to 15 percent slopes	7	4984.1	0.008	\$ 671.40
Bedford	DkE	Dystrocrepts-Rock outcrop complex, 15 to 35 percent slopes	7	6388.8	0.01	\$ 671.40
Bedford	DkF	Dystrocrepts-Rock outcrop complex, 35 to 70 percent slopes	7	34741.6	0.053	\$ 671.40
Bedford	EIE	Elliber very channery loam, 25 to 45 percent slopes	7	4993.3	0.008	\$ 671.40
Bedford	GpB	Gilpin channery silt loam, 3 to 8 percent slopes, extremely stony	7	101.9	0	\$ 671.40
Bedford	GpD	Gilpin channery silt loam, 8 to 25 percent slopes, extremely stony	7	360.7	0.001	\$ 671.40
Bedford	HTC	Hazleton-Clymer association, 8 to 25 percent slopes, extremely stony	7	19645.1	0.03	\$ 671.40
Bedford	HTE	Hazleton-Clymer association, 25 to 45 percent slopes, extremely stony	7	13663.4	0.021	\$ 671.40
Bedford	KmE	Klinesville and Calvin soils, 25 to 50 percent slopes	7	25957.3	0.04	\$ 671.40
Bedford	KoF	Klinesville-Rock outcrop complex, 35 to 80 percent slopes	7	7774.3	0.012	\$ 671.40
Bedford	LgC	Laidig cobbly loam, 8 to 15 percent slopes, extremely stony	7	2384.7	0.004	\$ 671.40
Bedford	LgD	Laidig cobbly loam, 15 to 25 percent slopes, extremely stony	7	6556.3	0.01	\$ 671.40
Bedford	LgE	Laidig cobbly loam, 25 to 35 percent slopes, extremely stony	7	10464.6	0.016	\$ 671.40
Bedford	MdE	Meckesville gravelly loam, 25 to 35 percent slopes, very stony	7	9466.4	0.015	\$ 671.40
Bedford	NsB	Nolo very stony loam, 0 to 8 percent slopes	7	9	0	\$ 671.40
Bedford	OpE	Opequon-Hagerstown complex, 25 to 45 percent slopes, very rocky	7	8642.3	0.013	\$ 671.40

Bedford	RgF	Rayne-Gilpin channery silt loams, 25 to 65 percent slopes	7	1197.4	0.002	\$ 671.40
Bedford	UgF	Ungers-Lehew complex, 35 to 60 percent slopes, very stony	7	8307.2	0.013	\$ 671.40
Bedford	VdF	Vanderlip-Rock outcrop complex, 35 to 60 percent slopes	7	2612.7	0.004	\$ 671.40
Bedford	WkE	Weikert channery silt loam, 25 to 35 percent slopes	7	13841.2	0.021	\$ 671.40
Bedford	WkF	Weikert channery silt loam, 35 to 65 percent slopes	7	24705.8	0.038	\$ 671.40
Bedford	WIF	Weikert very flaggy silt loam, 25 to 60 percent slopes	7	1840.1	0.003	\$ 671.40
Bedford	DAM	Dams	8	6.9	0	\$ 671.40
Bedford	Pm	Pits and Quarries	8	213.7	0	\$ 671.40
Bedford	Ue	Udorthents, loamy	8	1894.9	0.003	\$ 671.40
Berks	BmA	Birdsboro silt loam, 0 to 3 percent slopes	1	88.5	0	\$ 1,430.76
Berks	DbA	Duffield silt loam, 0 to 3 percent slopes	1	3553.1	0.006	\$ 1,562.89
Berks	Lv	Linden loam	1	865.4	0.002	\$ 1,301.75
Berks	MuA	Murrill gravelly loam, 0 to 3 percent slopes	1	979.7	0.002	\$ 1,265.19
Berks	AsB	Athol silt loam, 3 to 8 percent slopes	2	1717.9	0.003	\$ 1,342.51
Berks	BfB	Bedington-Berks complex, 3 to 8 percent slopes	2	6483.2	0.012	\$ 1,199.74
Berks	BkB	Berks-Weikert complex, 3 to 8 percent slopes	2	29156.4	0.053	\$ 1,004.87
Berks	BmB	Birdsboro silt loam, 3 to 8 percent slopes	2	2866.9	0.005	\$ 1,425.73
Berks	BpB	Brecknock channery silt loam, 3 to 8 percent slopes	2	966.8	0.002	\$ 1,303.66
Berks	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	2081.4	0.004	\$ 1,289.60
Berks	CmA	Clarksburg silt loam, 0 to 3 percent slopes	2	4343.5	0.008	\$ 1,322.68
Berks	CmB	Clarksburg silt loam, 3 to 8 percent slopes	2	2742.8	0.005	\$ 1,321.66
Berks	CpA	Comly silt loam, 0 to 3 percent slopes	2	492.9	0.001	\$ 1,146.43
Berks	CpB	Comly silt loam, 3 to 8 percent slopes	2	2907.7	0.005	\$ 1,146.43
Berks	DbB	Duffield silt loam, 3 to 8 percent slopes	2	40209	0.073	\$ 1,571.01
Berks	EhB	Edgemont channery loam, 3 to 8 percent slopes	2	1110.5	0.002	\$ 1,292.57
Berks	Gc	Gibraltar silt loam	2	1067.5	0.002	\$ 1,298.87
Berks	GeB	Gladstone gravelly loam, 3 to 8 percent slopes	2	13434.9	0.024	\$ 1,356.75
Berks	GnA	Glenville silt loam, 0 to 3 percent slopes	2	1566.4	0.003	\$ 1,346.08
Berks	GnB	Glenville silt loam, 3 to 8 percent slopes	2	1367.6	0.002	\$ 1,439.10
Berks	HaB	Hagerstown-Duffield silt loams, 3 to 8 percent slopes	2	1044.2	0.002	\$ 1,376.78
Berks	JnB	Joanna loam, 3 to 8 percent slopes	2	7501.1	0.014	\$ 1,282.13
Berks	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	3449.1	0.006	\$ 1,150.79
Berks	LmA	Lehigh silt loam, 0 to 3 percent slopes	2	46.2	0	\$ 1,282.51
Berks	LmB	Lehigh silt loam, 3 to 8 percent slopes	2	217.6	0	\$ 1,252.25

Berks	Me	Middlebury silt loam	2	3934.9	0.007	\$ 1,298.87
Berks	MgB	Monongahela silt loam, 3 to 8 percent slopes	2	922.2	0.002	\$ 1,135.59
Berks	MIB	Mount Lucas silt loam, 3 to 8 percent slopes	2	351.4	0.001	\$ 1,181.68
Berks	MuB	Murrill gravelly loam, 3 to 8 percent slopes	2	6281.5	0.011	\$ 1,285.50
Berks	NaB	Neshaminy silt loam, 3 to 8 percent slopes	2	963.8	0.002	\$ 1,401.99
Berks	PeB	Penn channery silt loam, 3 to 8 percent slopes	2	10731.3	0.019	\$ 1,308.22
Berks	RaB	Raritan silt loam, 3 to 8 percent slopes	2	1172.6	0.002	\$ 1,341.44
Berks	ReA	Readington silt loam, 0 to 3 percent slopes	2	2316.1	0.004	\$ 1,332.81
Berks	ReB	Readington silt loam, 3 to 8 percent slopes	2	2009.1	0.004	\$ 1,317.00
Berks	Ro	Rowland silt loam	2	412.2	0.001	\$ 1,332.81
Berks	AbA	Abbottstown silt loam, 0 to 3 percent slopes	3	2308	0.004	\$ 1,115.44
Berks	AbB	Abbottstown silt loam, 3 to 8 percent slopes	3	502.5	0.001	\$ 1,112.24
Berks	AsC	Athol silt loam, 8 to 15 percent slopes	3	1250.8	0.002	\$ 1,309.54
Berks	BfC	Bedington-Berks complex, 8 to 15 percent slopes	3	6583.1	0.012	\$ 1,129.85
Berks	BkA	Berks-Weikert complex, 0 to 3 percent slopes	3	705.4	0.001	\$ 1,017.52
Berks	BkC	Berks-Weikert complex, 8 to 15 percent slopes	3	57676.6	0.104	\$ 1,004.87
Berks	BpC	Brecknock channery silt loam, 8 to 15 percent slopes	3	1028.7	0.002	\$ 1,268.98
Berks	CaB	Calvin-Klinesville channery silt loams, 3 to 8 percent slopes	3	1335	0.002	\$ 919.99
Berks	DfC	Duffield-Ryder silt loams, 8 to 15 percent slopes	3	8567.4	0.015	\$ 1,370.48
Berks	EhC	Edgemont channery loam, 8 to 15 percent slopes	3	979.5	0.002	\$ 1,221.72
Berks	GeC	Gladstone gravelly loam, 8 to 15 percent slopes	3	14674.5	0.026	\$ 1,300.86
Berks	Ho	Holly silt loam	3	10027.6	0.018	\$ 1,155.71
Berks	JnC	Joanna loam, 8 to 15 percent slopes	3	10740.7	0.019	\$ 1,248.04
Berks	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	3952.1	0.007	\$ 1,104.88
Berks	MuC	Murrill gravelly loam, 8 to 15 percent slopes	3	1351.9	0.002	\$ 1,216.63
Berks	NaC	Neshaminy silt loam, 8 to 15 percent slopes	3	1558.9	0.003	\$ 1,328.12
Berks	PaA	Penlaw silt loam, 0 to 3 percent slopes	3	1848.6	0.003	\$ 1,109.11
Berks	PeC	Penn channery silt loam, 8 to 15 percent slopes	3	2322	0.004	\$ 1,233.70
Berks	PkC	Penn-Klinesville channery silt loams, 8 to 15 percent slopes	3	4734.9	0.009	\$ 1,010.76
Berks	RhA	Reaville silt loam, 0 to 3 percent slopes	3	78.8	0	\$ 1,313.94
Berks	RhB	Reaville silt loam, 3 to 8 percent slopes	3	68.1	0	\$ 1,295.91
Berks	WeB	Weikert-Berks complex, 3 to 8 percent slopes	3	5138.3	0.009	\$ 919.99
Berks	AnA	Andover-Buchanan gravelly loams, 0 to 3 percent slopes	4	218.8	0	\$ 1,064.02
Berks	AnB	Andover-Buchanan gravelly loams, 3 to 8 percent slopes	4	2352.9	0.004	\$ 1,064.02

Berks	AuD	Athol-Oatlands silt loams, 15 to 25 percent slopes	4	365.7	0.001	\$ 1,134.26
Berks	BhD	Berks-Bedington complex, 15 to 25 percent slopes	4	3071.4	0.006	\$ 1,064.46
Berks	BkD	Berks-Weikert complex, 15 to 25 percent slopes	4	11314	0.02	\$ 914.22
Berks	Bo	Bowmansville-Knauers silt loams	4	1815.6	0.003	\$ 1,183.29
Berks	BpD	Brecknock channery silt loam, 15 to 25 percent slopes	4	539.2	0.001	\$ 1,231.84
Berks	BtA	Brinkerton-Comly silt loams, 0 to 3 percent slopes	4	10835.3	0.02	\$ 1,084.46
Berks	BtB	Brinkerton-Comly silt loams, 3 to 8 percent slopes	4	2411.7	0.004	\$ 1,084.46
Berks	CaC	Calvin-Klinesville channery silt loams, 8 to 15 percent slopes	4	2737.6	0.005	\$ 876.22
Berks	CwA	Croton silt loam, occasionally ponded, 0 to 3 percent slopes	4	2157.9	0.004	\$ 1,024.25
Berks	CwB	Croton silt loam, 3 to 8 percent slopes	4	20.5	0	\$ 899.13
Berks	DfD	Duffield-Ryder silt loams, 15 to 25 percent slopes	4	1211.3	0.002	\$ 1,117.12
Berks	EhD	Edgemont channery loam, 15 to 25 percent slopes	4	581.3	0.001	\$ 1,108.26
Berks	GeD	Gladstone gravelly loam, 15 to 25 percent slopes	4	6726.2	0.012	\$ 1,226.79
Berks	JnD	Joanna loam, 15 to 25 percent slopes	4	6027	0.011	\$ 1,140.48
Berks	LaD	Laidig gravelly loam, 15 to 25 percent slopes	4	903.3	0.002	\$ 1,022.01
Berks	LfA	Lamington silt loam, 0 to 3 percent slopes	4	898	0.002	\$ 891.44
Berks	NaD	Neshaminy silt loam, 15 to 25 percent slopes	4	906.9	0.002	\$ 1,293.31
Berks	PeD	Penn channery silt loam, 15 to 25 percent slopes	4	256.5	0	\$ 1,008.04
Berks	PkD	Penn-Klinesville channery silt loams, 15 to 25 percent slopes	4	2053.6	0.004	\$ 1,000.33
Berks	ThA	Thorndale-Penlaw silt loams, 0 to 3 percent slopes	4	2473.8	0.004	\$ 990.29
Berks	ToA	Towhee silt loam, 0 to 3 percent slopes	4	5640.1	0.01	\$ 1,029.17
Berks	ToB	Towhee silt loam, 3 to 8 percent slopes	4	46.9	0	\$ 1,039.85
Berks	CaD	Calvin-Klinesville channery silt loams, 15 to 25 percent slopes	6	1007.9	0.002	\$ 784.89
Berks	GfB	Gladstone gravelly loam, 0 to 8 percent slopes, very bouldery	6	3209	0.006	\$ 671.40
Berks	GfD	Gladstone gravelly loam, 8 to 25 percent slopes, very bouldery	6	20054.6	0.036	\$ 671.40
Berks	JnE	Joanna loam, 25 to 35 percent slopes	6	272	0	\$ 671.40
Berks	WeD	Weikert-Berks complex, 15 to 25 percent slopes	6	16142.8	0.029	\$ 831.21
Berks	AoB	Andover-Buchanan gravelly loams, 0 to 8 percent slopes, extremely stony	7	1312.9	0.002	\$ 671.40
Berks	AwD	Athol-Oatlands silt loams, 8 to 25 percent slopes, extremely bouldery	7	159.3	0	\$ 671.40
Berks	BkF	Berks-Weikert complex, 25 to 60 percent slopes	7	15020	0.027	\$ 671.40
Berks	BsB	Brecknock channery silt loam, 0 to 8 percent slopes, extremely stony	7	175.4	0	\$ 671.40
Berks	BsD	Brecknock channery silt loam, 15 to 25 percent slopes, extremely stony	7	1222.5	0.002	\$ 671.40
Berks	BvB	Buchanan gravelly loam, 0 to 8 percent slopes, extremely stony	7	2346.1	0.004	\$ 671.40
Berks	BvD	Buchanan gravelly loam, 8 to 25 percent slopes, extremely stony	7	5.2	0	\$ 671.40

Berks	EdB	Edgemont channery sandy loam, 0 to 8 percent slopes, extremely stony	7	636.5	0.001	\$ 671.40
Berks	EdD	Edgemont channery sandy loam, 8 to 25 percent slopes, extremely stony	7	1808.6	0.003	\$ 671.40
Berks	EdF	Edgemont channery sandy loam, 25 to 60 percent slopes, extremely stony	7	430.4	0.001	\$ 671.40
Berks	GfF	Gladstone gravelly loam, 25 to 55 percent slopes, very bouldery	7	4199.6	0.008	\$ 671.40
Berks	HeB	Hazleton very channery loam, 0 to 8 percent slopes, extremely stony	7	1593	0.003	\$ 671.40
Berks	HeD	Hazleton very channery loam, 8 to 25 percent slopes, extremely stony	7	6432.7	0.012	\$ 671.40
Berks	HeF	Hazleton very channery loam, 25 to 60 percent slopes, extremely stony	7	14459.9	0.026	\$ 671.40
Berks	HgF	Hazleton-Rubble land complex, 25 to 60 percent slopes	7	266.2	0	\$ 671.40
Berks	JpB	Joanna loam, 0 to 8 percent slopes, extremely stony	7	2180	0.004	\$ 671.40
Berks	JpD	Joanna loam, 8 to 25 percent slopes, extremely stony	7	18871.2	0.034	\$ 671.40
Berks	JpF	Joanna loam, 25 to 60 percent slopes, extremely stony	7	3094	0.006	\$ 671.40
Berks	KIF	Klinesville-Calvin channery silt loams, 25 to 60 percent slopes	7	541	0.001	\$ 671.40
Berks	LbB	Laidig very gravelly loam, 0 to 8 percent slopes, extremely stony	7	3106.5	0.006	\$ 671.40
Berks	LbD	Laidig very gravelly loam, 8 to 25 percent slopes, extremely stony	7	23845.5	0.043	\$ 671.40
Berks	LbF	Laidig very gravelly loam, 25 to 55 percent slopes, extremely stony	7	541.7	0.001	\$ 671.40
Berks	LdF	Laidig-Rubble land complex, 25 to 55 percent slopes	7	80.9	0	\$ 671.40
Berks	MmB	Mount Lucas silt loam, 0 to 8 percent slopes, extremely stony	7	241.8	0	\$ 671.40
Berks	NhB	Neshaminy gravelly silt loam, 0 to 8 percent slopes, extremely bouldery	7	276.3	0	\$ 671.40
Berks	NhD	Neshaminy gravelly silt loam, 8 to 25 percent slopes, extremely bouldery	7	4058.8	0.007	\$ 671.40
Berks	NhF	Neshaminy gravelly silt loam, 25 to 60 percent slopes, extremely bouldery	7	1816.7	0.003	\$ 671.40
Berks	TwB	Towhee silt loam, 0 to 8 percent slopes, very stony	7	5220.1	0.009	\$ 671.40
Berks	Ua	Udorthents	7	2780.3	0.005	\$ 671.40
Berks	Udp	Udorthents, sanitary landfill	7	20.1	0	\$ 671.40
Berks	DAM	Dams and impoundment structures	8	15.1	0	\$ 671.40
Berks	Qu	Quarries	8	1443.8	0.003	\$ 671.40
Berks	Ru	Rubble land	8	47.8	0	\$ 671.40
Berks	UgB	Urban land, 0 to 8 percent slopes	8	4647.3	0.008	\$ 671.40
Berks	UgC	Urban land, 8 to 15 percent slopes	8	266.3	0	\$ 671.40
Berks	UkB	Urban land-Berks complex, 0 to 8 percent slopes	8	2827	0.005	\$ 671.40
Berks	UkD	Urban land-Berks complex, 8 to 25 percent slopes	8	523.9	0.001	\$ 671.40
Berks	UmB	Urban land-Duffield complex, 0 to 8 percent slopes	8	13070.6	0.024	\$ 676.42
Berks	UmD	Urban land-Duffield complex, 8 to 25 percent slopes	8	2337.2	0.004	\$ 671.40
Berks	UnB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	162.2	0	\$ 671.40
Berks	UnD	Urban land-Gladstone complex, 8 to 25 percent slopes	8	134.9	0	\$ 671.40

Berks	UpB	Urban land-Joanna complex, 0 to 8 percent slopes	8	192.6	0	\$ 671.40
Berks	UpD	Urban land-Joanna complex, 8 to 25 percent slopes	8	413.3	0.001	\$ 671.40
Berks	UsB	Urban land-Laidig complex, 0 to 8 percent slopes	8	356.7	0.001	\$ 671.40
Berks	UsD	Urban land-Laidig complex, 8 to 25 percent slopes	8	957.3	0.002	\$ 671.40
Berks	UxB	Urban land-Penn complex, 0 to 8 percent slopes	8	1439.3	0.003	\$ 671.40
Berks	UxD	Urban land-Penn complex, 8 to 25 percent slopes	8	564.1	0.001	\$ 671.40
Blair	Lo	Linden soils	1	1393.4	0.004	\$ 1,256.30
Blair	AbB	Albrights gravelly silt loam, 3 to 8 percent slopes	2	1063	0.003	\$ 1,146.43
Blair	BeB	Bedington channery silt loam, 3 to 8 percent slopes	2	671.7	0.002	\$ 1,330.29
Blair	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	1351.3	0.004	\$ 971.85
Blair	BuB	Buchanan gravelly silt loam, 3 to 8 percent slopes	2	2273.3	0.007	\$ 1,150.79
Blair	CbB	Clarksburg silt loam, 3 to 8 percent slopes	2	3548	0.011	\$ 1,321.66
Blair	CvB	Clymer loam, 3 to 8 percent slopes	2	983.2	0.003	\$ 1,317.22
Blair	EdB	Edom silty clay loam, 3 to 8 percent slopes	2	1396.2	0.004	\$ 1,150.79
Blair	EIB	Elliber very channery loam, 3 to 8 percent slopes	2	34.8	0	\$ 1,185.29
Blair	ErB	Ernest silt loam, 3 to 8 percent slopes	2	1809.4	0.005	\$ 1,159.80
Blair	GpB	Gilpin channery silt loam, 3 to 8 percent slopes	2	745	0.002	\$ 1,136.34
Blair	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	26.4	0	\$ 1,469.33
Blair	HgB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	1057.7	0.003	\$ 1,320.86
Blair	HuB	Hublersburg cherty silt loam, 3 to 8 percent slopes	2	19649.9	0.058	\$ 1,366.77
Blair	LaB	Laidig channery loam, 3 to 8 percent slopes	2	1175.1	0.003	\$ 1,150.79
Blair	LkB	Leck kill channery silt loam, 3 to 8 percent slopes	2	1655.3	0.005	\$ 1,300.71
Blair	Lp	Lobdell silt loam	2	916.1	0.003	\$ 1,291.46
Blair	MeB	Meckesville gravelly silt loam, 3 to 8 percent slopes	2	1322.2	0.004	\$ 1,150.79
Blair	MnB	Mertz channery silt loam, 3 to 8 percent slopes	2	818.3	0.002	\$ 1,238.81
Blair	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	2052.5	0.006	\$ 1,155.71
Blair	MrB	Morrison sandy loam, 3 to 8 percent slopes	2	1801.7	0.005	\$ 1,146.68
Blair	MuB	Murrill gravelly silt loam, 3 to 8 percent slopes	2	3012.4	0.009	\$ 1,298.50
Blair	WhB	Wharton silt loam, 3 to 8 percent slopes	2	824.2	0.002	\$ 939.05
Blair	AbC	Albrights gravelly silt loam, 8 to 15 percent slopes	3	501.7	0.001	\$ 1,063.94
Blair	Ba	Basher soils	3	3693.2	0.011	\$ 1,291.46
Blair	BeC	Bedington channery silt loam, 8 to 15 percent slopes	3	1374.9	0.004	\$ 1,251.87
Blair	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	4214.7	0.012	\$ 931.93
Blair	BoB	Blairton silt loam, 3 to 8 percent slopes	3	783.6	0.002	\$ 937.06

Blair	BuC	Buchanan gravelly silt loam, 8 to 15 percent slopes	3	1415	0.004	\$ 1,075.32
Blair	CaB	Cavode silt loam, 3 to 8 percent slopes	3	566.6	0.002	\$ 1,074.88
Blair	CbC	Clarksburg silt loam, 8 to 15 percent slopes	3	811.8	0.002	\$ 1,226.79
Blair	EdC	Edom silty clay loam, 8 to 15 percent slopes	3	1915.2	0.006	\$ 1,066.20
Blair	EmB	Edom-Weikert complex, 3 to 8 percent slopes	3	284.2	0.001	\$ 1,071.33
Blair	EmC	Edom-Weikert complex, 8 to 15 percent slopes	3	736.1	0.002	\$ 836.88
Blair	ErC	Ernest silt loam, 8 to 15 percent slopes	3	2536.3	0.008	\$ 1,069.68
Blair	GpC	Gilpin channery silt loam, 8 to 15 percent slopes	3	675.3	0.002	\$ 1,096.37
Blair	HcC	Hagerstown silty clay loam, 8 to 15 percent slopes	3	53.5	0	\$ 1,369.43
Blair	HgC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	246.2	0.001	\$ 1,249.96
Blair	Ho	Holly silt loam	3	4104.4	0.012	\$ 1,155.71
Blair	HuC	Hublersburg cherty silt loam, 8 to 15 percent slopes	3	4791.1	0.014	\$ 1,342.51
Blair	HxB2	Hublersburg cherty silty clay loam, 3 to 8 percent slopes, eroded	3	1463.4	0.004	\$ 1,333.03
Blair	LaC	Laidig channery loam, 8 to 15 percent slopes	3	1589.1	0.005	\$ 1,109.11
Blair	LkC	Leck kill channery silt loam, 8 to 15 percent slopes	3	3281.1	0.01	\$ 1,287.73
Blair	LmB	Leetonia flaggy loamy sand, 3 to 8 percent slopes	3	1874.2	0.006	\$ 801.61
Blair	MeC	Meckesville gravelly silt loam, 8 to 15 percent slopes	3	1740.8	0.005	\$ 1,106.91
Blair	MnC	Mertz channery silt loam, 8 to 15 percent slopes	3	724.2	0.002	\$ 1,199.66
Blair	MrC	Morrison sandy loam, 8 to 15 percent slopes	3	2501.3	0.007	\$ 1,104.88
Blair	MuC	Murrill gravelly silt loam, 8 to 15 percent slopes	3	2218.8	0.007	\$ 1,222.50
Blair	PeB	Penlaw silt loam, 0 to 8 percent slopes	3	1.8	0	\$ 986.16
Blair	Ty	Tyler silt loam	3	1057.8	0.003	\$ 1,109.11
Blair	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	1246.7	0.004	\$ 1,135.92
Blair	WhC	Wharton silt loam, 8 to 15 percent slopes	3	220	0.001	\$ 861.36
Blair	WvB	Wharton variant silt loam, 3 to 8 percent slopes	3	1919.2	0.006	\$ 1,273.50
Blair	AnB	Andover variant loam, 3 to 8 percent slopes	4	480	0.001	\$ 1,035.41
Blair	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	9143.9	0.027	\$ 890.95
Blair	BmC	Berks-Weikert channery silt loams, 8 to 15 percent slopes	4	957.2	0.003	\$ 803.06
Blair	BoC	Blairton silt loam, 8 to 15 percent slopes	4	843.8	0.002	\$ 888.90
Blair	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	6238.8	0.018	\$ 1,084.38
Blair	BrC	Brinkerton silt loam, 8 to 15 percent slopes	4	642.3	0.002	\$ 1,031.40
Blair	EdD	Edom silty clay loam, 15 to 25 percent slopes	4	1310.7	0.004	\$ 976.48
Blair	EID	Elliber very channery loam, 15 to 25 percent slopes	4	14.6	0	\$ 1,098.50
Blair	GpD	Gilpin channery silt loam, 15 to 25 percent slopes	4	611.7	0.002	\$ 1,055.28

Blair	HxC2	Hublersburg cherty silty clay loam, 8 to 15 percent slopes, eroded	4	3288.3	0.01	\$ 1,222.50
Blair	LaD	Laidig channery loam, 15 to 25 percent slopes	4	561	0.002	\$ 1,019.77
Blair	LkD	Leck kill channery silt loam, 15 to 25 percent slopes	4	4477.9	0.013	\$ 1,111.22
Blair	MnD	Mertz channery silt loam, 15 to 25 percent slopes	4	409	0.001	\$ 1,161.60
Blair	MrD	Morrison sandy loam, 15 to 25 percent slopes	4	1141.4	0.003	\$ 1,059.66
Blair	MuD	Murrill gravelly silt loam, 15 to 25 percent slopes	4	454.6	0.001	\$ 1,104.62
Blair	OuC	Opequon silty clay loam, 8 to 15 percent slopes	4	4047.4	0.012	\$ 1,132.18
Blair	Pu	Purdy silt loam	4	1995	0.006	\$ 1,071.42
Blair	VaC	Vanderlip loamy sand, 3 to 25 percent slopes	4	370.6	0.001	\$ 909.31
Blair	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	2021.1	0.006	\$ 903.11
Blair	AcB	Albrights very stony silt loam, 3 to 8 percent slopes	6	853.2	0.003	\$ 671.40
Blair	AcD	Albrights very stony silt loam, 8 to 25 percent slopes	6	1527.5	0.005	\$ 671.40
Blair	BdD	Bedington very stony silt loam, 8 to 25 percent slopes	6	1234	0.004	\$ 671.40
Blair	BmD	Berks-Weikert channery silt loams, 15 to 25 percent slopes	6	1170.8	0.003	\$ 671.40
Blair	CyB	Clymer very stony loam, 3 to 8 percent slopes	6	3200.1	0.009	\$ 671.40
Blair	CyD	Clymer very stony loam, 8 to 25 percent slopes	6	1822.1	0.005	\$ 671.40
Blair	EmD	Edom-Weikert complex, 15 to 25 percent slopes	6	666.9	0.002	\$ 708.24
Blair	HeB	Hagerstown-Rock outcrop complex, 0 to 8 percent slopes	6	625.4	0.002	\$ 957.32
Blair	HeD	Hagerstown-Rock outcrop complex, 8 to 25 percent slopes	6	2830.2	0.008	\$ 828.26
Blair	HhB	Hazleton very stony sandy loam, 3 to 8 percent slopes	6	4031.2	0.012	\$ 671.40
Blair	HhC	Hazleton very stony sandy loam, 8 to 15 percent slopes	6	6947.6	0.021	\$ 671.40
Blair	HxD2	Hublersburg cherty silty clay loam, 15 to 25 percent slopes, eroded	6	2015.5	0.006	\$ 671.40
Blair	LnD	Lehew very stony loam, 8 to 25 percent slopes	6	1406.5	0.004	\$ 671.40
Blair	MkB	Meckesville very stony silt loam, 3 to 8 percent slopes	6	2580.1	0.008	\$ 671.40
Blair	MkD	Meckesville very stony silt loam, 8 to 25 percent slopes	6	13911	0.041	\$ 671.40
Blair	MsB	Morrison very stony sandy loam, 3 to 8 percent slopes	6	2267.6	0.007	\$ 671.40
Blair	MsD	Morrison very stony sandy loam, 8 to 25 percent slopes	6	5350.5	0.016	\$ 671.40
Blair	OuD	Opequon silty clay loam, 15 to 25 percent slopes	6	1626.3	0.005	\$ 1,132.18
Blair	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	3116.1	0.009	\$ 671.40
Blair	AoB	Andover variant extremely stony loam, 3 to 8 percent slopes	7	1196.7	0.004	\$ 671.40
Blair	BmF	Berks-Weikert channery silt loams, 25 to 70 percent slopes	7	18313	0.054	\$ 671.40
Blair	BxB	Buchanan extremely stony silt loam, 3 to 8 percent slopes	7	4550	0.013	\$ 671.40
Blair	BxD	Buchanan extremely stony silt loam, 8 to 25 percent slopes	7	9121.6	0.027	\$ 671.40
Blair	HhF	Hazleton very stony sandy loam, 25 to 70 percent slopes	7	15954.9	0.047	\$ 671.40

Blair	LeB	Laidig extremely stony loam, 3 to 8 percent slopes	7	5907.3	0.017	\$ 671.40
Blair	LeD	Laidig extremely stony loam, 8 to 25 percent slopes	7	17548.2	0.052	\$ 671.40
Blair	LeF	Laidig extremely stony loam, 25 to 45 percent slopes	7	26550.1	0.079	\$ 671.40
Blair	LLF	Leck kill channery silt loam, very steep	7	7916.3	0.023	\$ 671.40
Blair	LnF	Lehew very stony loam, 25 to 50 percent slopes	7	3269.8	0.01	\$ 671.40
Blair	MsF	Morrison very stony sandy loam, 25 to 50 percent slopes	7	1622.6	0.005	\$ 671.40
Blair	MxB	Murrill extremely stony silt loam, 3 to 8 percent slopes	7	854.1	0.003	\$ 671.40
Blair	MxD	Murrill extremely stony silt loam, 8 to 25 percent slopes	7	1000.3	0.003	\$ 671.40
Blair	OxF	Opequon-Hagerstown-Rock outcrop complex, 25 to 50 percent slopes	7	5667.4	0.017	\$ 671.40
Blair	UD	Udifluents-Dystrochrepts complex	7	7747.1	0.023	\$ 671.40
Blair	US	Udorthents, strip mine	7	1600.3	0.005	\$ 671.40
Blair	VdD	Vanderlip very stony loamy sand, 3 to 25 percent slopes	7	325.9	0.001	\$ 671.40
Blair	Ux	Urban land	8	2017.9	0.006	\$ 671.40
Blair	UYB	Urban land-Berks complex, 0 to 8 percent slopes	8	1221.8	0.004	\$ 671.40
Blair	UYD	Urban land-Berks complex, 8 to 25 percent slopes	8	937.1	0.003	\$ 671.40
Bradford/Sulliv Ln		Linden soils	1	6864.6	0.007	\$ 1,256.30
Bradford/Sulliv AgB		Alton gravelly sandy loam, 0 to 8 percent slopes	2	8414.3	0.008	\$ 1,136.34
Bradford/Sulliv BaB		Braceville silt loam, 0 to 8 percent slopes	2	2101.2	0.002	\$ 1,171.19
Bradford/Sulliv CnB		Chenango gravelly loam, 0 to 8 percent slopes	2	10393.7	0.01	\$ 1,109.11
Bradford/Sulliv LoB		Lordstown channery silt loam, 3 to 8 percent slopes	2	11474.3	0.011	\$ 1,144.62
Bradford/Sulliv MaB		Mardin channery silt loam, 3 to 8 percent slopes	2	11153	0.011	\$ 1,213.09
Bradford/Sulliv OgB		Oquaga channery silt loam, 3 to 8 percent slopes	2	11307.3	0.011	\$ 976.48
Bradford/Sulliv Po		Pope soils	2	8501	0.008	\$ 1,306.98
Bradford/Sulliv UnB		Unadilla silt loam, 3 to 8 percent slopes	2	1637.5	0.002	\$ 1,293.68
Bradford/Sulliv WbB		Wellsboro channery silt loam, 3 to 8 percent slopes	2	21313.7	0.021	\$ 1,207.18
Bradford/Sulliv WrB		Wurtsboro channery loam, 3 to 8 percent slopes	2	23.5	0	\$ 1,035.41
Bradford/Sulliv CnC		Chenango gravelly loam, 8 to 15 percent slopes	3	49.3	0	\$ 1,073.15
Bradford/Sulliv LaC		Lackawanna channery silt loam, 8 to 15 percent slopes	3	14.9	0	\$ 1,185.29
Bradford/Sulliv LoC		Lordstown channery silt loam, 8 to 15 percent slopes	3	17825.7	0.017	\$ 1,106.99
Bradford/Sulliv MaC		Mardin channery silt loam, 8 to 15 percent slopes	3	27845.5	0.027	\$ 1,104.03
Bradford/Sulliv MoB		Morris channery silt loam, 3 to 8 percent slopes	3	41753	0.04	\$ 946.14
Bradford/Sulliv MoC		Morris channery silt loam, 8 to 15 percent slopes	3	41712.7	0.04	\$ 943.78
Bradford/Sulliv OgC		Oquaga channery silt loam, 8 to 15 percent slopes	3	17682.9	0.017	\$ 779.66
Bradford/Sulliv ReA		Rexford silt loam, 0 to 3 percent slopes	3	2487	0.002	\$ 990.83

Bradford/Sulliv ReB	Rexford silt loam, 3 to 8 percent slopes	3	2732.8	0.003	\$ 1,001.97
Bradford/Sulliv ReC	Rexford silt loam, 8 to 12 percent slopes	3	1275.7	0.001	\$ 976.48
Bradford/Sulliv UnC	Unadilla silt loam, 8 to 15 percent slopes	3	970.3	0.001	\$ 1,202.91
Bradford/Sulliv VaC	Valois gravelly loam, 8 to 15 percent slopes	3	2	0	\$ 893.39
Bradford/Sulliv VoB	Volusia channery silt loam, 3 to 8 percent slopes	3	77246.7	0.075	\$ 987.99
Bradford/Sulliv VoC	Volusia channery silt loam, 8 to 15 percent slopes	3	113828.3	0.11	\$ 991.20
Bradford/Sulliv WbC	Wellsboro channery silt loam, 8 to 15 percent slopes	3	25233.1	0.024	\$ 1,104.88
Bradford/Sulliv WmB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	1197.8	0.001	\$ 1,079.21
Bradford/Sulliv WrC	Wurtsboro channery loam, 8 to 15 percent slopes	3	2.3	0	\$ 1,003.51
Bradford/Sulliv ArC	Arnot very channery loam, rocky, 3 to 15 percent slopes	4	5713.4	0.006	\$ 810.79
Bradford/Sulliv CaA	Canadice silty clay loam, 0 to 3 percent slopes	4	632.7	0.001	\$ 818.48
Bradford/Sulliv CpA	Chippewa silt loam, 0 to 3 percent slopes	4	8860.2	0.009	\$ 779.66
Bradford/Sulliv CpB	Chippewa silt loam, 3 to 8 percent slopes	4	9950.6	0.01	\$ 779.66
Bradford/Sulliv LoD	Lordstown channery silt loam, 15 to 25 percent slopes	4	19006.5	0.018	\$ 1,022.01
Bradford/Sulliv MaD	Mardin channery silt loam, 15 to 25 percent slopes	4	16047.4	0.016	\$ 943.78
Bradford/Sulliv OgD	Oquaga channery silt loam, 15 to 25 percent slopes	4	14567.5	0.014	\$ 779.66
Bradford/Sulliv VoD	Volusia channery silt loam, 15 to 25 percent slopes	4	17809.9	0.017	\$ 870.79
Bradford/Sulliv WbD	Wellsboro channery silt loam, 15 to 25 percent slopes	4	9229	0.009	\$ 990.29
Bradford/Sulliv WmC	Wyoming gravelly sandy loam, 8 to 15 percent slopes	4	2153.3	0.002	\$ 955.54
Bradford/Sulliv WmD	Wyoming gravelly sandy loam, 15 to 25 percent slopes	4	2168.4	0.002	\$ 779.66
Bradford/Sulliv WrD	Wurtsboro channery loam, 15 to 25 percent slopes	4	2.5	0	\$ 976.48
Bradford/Sulliv Ho	Holly soils	5	15730.6	0.015	\$ 671.40
Bradford/Sulliv AsD	Arnot-Rock outcrop complex, 3 to 25 percent slopes	6	15560.6	0.015	\$ 671.40
Bradford/Sulliv LpB	Lordstown very stony silt loam, 3 to 8 percent slopes	6	905.4	0.001	\$ 671.40
Bradford/Sulliv LpD	Lordstown very stony silt loam, 8 to 25 percent slopes	6	9624.7	0.009	\$ 671.40
Bradford/Sulliv VaE	Valois gravelly loam, 25 to 40 percent slopes	6	3.6	0	\$ 671.40
Bradford/Sulliv WoC	Wyoming very stony sandy loam, 3 to 15 percent slopes	6	1718.4	0.002	\$ 671.40
Bradford/Sulliv Ao	Aquepts, rubbly	7	2521.3	0.002	\$ 671.40
Bradford/Sulliv DyF	Dystrudepts, deep-Wellsboro-Oquaga association, steep, rubbly	7	132994.4	0.129	\$ 671.40
Bradford/Sulliv LbB	Lackawanna channery silt loam, 0 to 8 percent slopes, extremely stony	7	67.4	0	\$ 671.40
Bradford/Sulliv LbD	Lackawanna channery silt loam, 8 to 25 percent slopes, extremely stony	7	63.7	0	\$ 671.40
Bradford/Sulliv MbB	Mardin channery silt loam, 3 to 8 percent slopes, extremely stony	7	160.6	0	\$ 671.40
Bradford/Sulliv MbD	Mardin channery silt loam, 8 to 25 percent slopes, extremely stony	7	2029.6	0.002	\$ 671.40
Bradford/Sulliv MsB	Morris channery silt loam, 3 to 8 percent slopes, extremely stony	7	41805.7	0.04	\$ 671.40

Bradford/Sulliv MsD	Morris channery silt loam, 8 to 25 percent slopes, extremely stony	7	23045.3	0.022	\$ 671.40
Bradford/Sulliv NoB	Norwich channery silt loam, 0 to 8 percent slopes, extremely stony	7	7676.1	0.007	\$ 671.40
Bradford/Sulliv OsB	Oquaga extremely stony silt loam, 3 to 8 percent slopes	7	28897.3	0.028	\$ 671.40
Bradford/Sulliv OsD	Oquaga extremely stony silt loam, 8 to 25 percent slopes	7	46561.4	0.045	\$ 671.40
Bradford/Sulliv SxB	Swartswood extremely stony loam, 3 to 8 percent slopes	7	75	0	\$ 671.40
Bradford/Sulliv SxD	Swartswood extremely stony loam, 8 to 25 percent slopes	7	1.4	0	\$ 671.40
Bradford/Sulliv Uc	Udifluents, cobbly	7	23312.4	0.023	\$ 671.40
Bradford/Sulliv VsB	Volusia channery silt loam, 3 to 8 percent slopes, extremely stony	7	716.2	0.001	\$ 671.40
Bradford/Sulliv VsD	Volusia channery silt loam, 8 to 25 percent slopes, extremely stony	7	2180.8	0.002	\$ 671.40
Bradford/Sulliv WgB	Wellsboro channery silt loam, 3 to 8 percent slopes, extremely stony	7	25912.9	0.025	\$ 671.40
Bradford/Sulliv WgD	Wellsboro channery silt loam, 8 to 25 percent slopes, extremely stony	7	40839	0.04	\$ 671.40
Bradford/Sulliv WmF	Wyoming gravelly sandy loam, 25 to 45 percent slopes	7	1809	0.002	\$ 671.40
Bradford/Sulliv WtB	Wurtsboro extremely stony loam, 3 to 8 percent slopes	7	36.3	0	\$ 671.40
Bradford/Sulliv WtD	Wurtsboro extremely stony loam, 8 to 25 percent slopes	7	16.5	0	\$ 671.40
Bradford/Sulliv Md	Medisaprists, ponded	8	2147.5	0.002	\$ 671.40
Bucks	BeA Bedington channery silt loam, 0 to 3 percent slopes	1	685.8	0.002	\$ 1,500.96
Bucks	BsA Brownsburg silt loam, 0 to 3 percent slopes	1	344.7	0.001	\$ 1,545.71
Bucks	CdA Chester silt loam, 0 to 3 percent slopes	1	191.9	0	\$ 1,612.81
Bucks	DaA Delaware fine sandy loam, 0 to 3 percent slopes	1	3627.5	0.009	\$ 1,594.97
Bucks	DuA Duncannon silt loam, 0 to 3 percent slopes	1	2870.3	0.007	\$ 1,426.40
Bucks	LgA Lansdale loam, 0 to 3 percent slopes	1	647.6	0.002	\$ 1,480.01
Bucks	Lt Linden loam	1	403.5	0.001	\$ 1,301.75
Bucks	McA Matapeake silt loam, 0 to 3 percent slopes	1	384.9	0.001	\$ 1,620.02
Bucks	AIA Alton gravelly loam, 0 to 3 percent slopes	2	2238.1	0.006	\$ 1,304.70
Bucks	AIB Alton gravelly loam, 3 to 8 percent slopes	2	336.3	0.001	\$ 1,280.26
Bucks	ArB Arendtsville gravelly silt loam, 3 to 8 percent slopes	2	1702.5	0.004	\$ 1,438.23
Bucks	BeB Bedington channery silt loam, 3 to 8 percent slopes	2	1312.4	0.003	\$ 1,330.29
Bucks	BrB Brecknock channery silt loam, 3 to 8 percent slopes	2	212.8	0.001	\$ 1,303.66
Bucks	BsB Brownsburg silt loam, 3 to 8 percent slopes	2	2088.2	0.005	\$ 1,539.71
Bucks	CaB Califon loam, 3 to 8 percent slopes	2	109.7	0	\$ 1,270.49
Bucks	CdB Chester silt loam, 3 to 8 percent slopes	2	1263.1	0.003	\$ 1,605.55
Bucks	CmB Clarksburg silt loam, 3 to 8 percent slopes	2	1004.8	0.003	\$ 1,321.66
Bucks	CyB Culleoka-Weikert channery silt loams, 3 to 8 percent slopes	2	1208.2	0.003	\$ 1,300.71
Bucks	DaB Delaware fine sandy loam, 3 to 8 percent slopes	2	224.9	0.001	\$ 1,572.50

Bucks	DfB	Duffield silt loam, 3 to 8 percent slopes	2	1794.6	0.005	\$ 1,524.01
Bucks	DuB	Duncannon silt loam, 3 to 8 percent slopes	2	1310.2	0.003	\$ 1,429.75
Bucks	EcB	Edgemont channery loam, 3 to 8 percent slopes	2	92.2	0	\$ 1,292.57
Bucks	FoA	Fountainville silt loam, 0 to 3 percent slopes	2	147.6	0	\$ 1,364.09
Bucks	FoB	Fountainville silt loam, 3 to 8 percent slopes	2	1243.2	0.003	\$ 1,370.62
Bucks	GIB	Gladstone gravelly loam, 3 to 8 percent slopes	2	1235.2	0.003	\$ 1,356.75
Bucks	GrA	Glenville silt loam, 0 to 3 percent slopes	2	959.2	0.002	\$ 1,346.08
Bucks	GrB	Glenville silt loam, 3 to 8 percent slopes	2	1286.4	0.003	\$ 1,346.08
Bucks	LgB	Lansdale loam, 3 to 8 percent slopes	2	5642.5	0.014	\$ 1,497.60
Bucks	LkA	Lawrenceville silt loam, 0 to 3 percent slopes	2	5295.6	0.013	\$ 1,384.77
Bucks	LkB	Lawrenceville silt loam, 3 to 8 percent slopes	2	5133.7	0.013	\$ 1,386.16
Bucks	LmA	Lehigh channery silt loam, 0 to 3 percent slopes	2	911.1	0.002	\$ 1,298.05
Bucks	LmB	Lehigh channery silt loam, 3 to 8 percent slopes	2	4034.1	0.01	\$ 1,284.30
Bucks	MaB	Manor loam, 3 to 8 percent slopes	2	241.9	0.001	\$ 1,372.94
Bucks	McB	Matapeake silt loam, 3 to 8 percent slopes	2	235.1	0.001	\$ 1,501.47
Bucks	MdA	Mattapex silt loam, 0 to 3 percent slopes	2	273.5	0.001	\$ 1,463.80
Bucks	MIA	Mount Lucas silt loam, 0 to 3 percent slopes	2	856.7	0.002	\$ 1,180.07
Bucks	MIB	Mount Lucas silt loam, 3 to 8 percent slopes	2	3372.3	0.008	\$ 1,181.68
Bucks	NbB	Neshaminy silt loam, 3 to 8 percent slopes	2	1829.1	0.005	\$ 1,401.99
Bucks	PeA	Penn channery silt loam, 0 to 3 percent slopes	2	440.8	0.001	\$ 1,332.81
Bucks	PeB	Penn channery silt loam, 3 to 8 percent slopes	2	4335	0.011	\$ 1,308.22
Bucks	PkB	Penn-Klinesville channery silt loams, 3 to 8 percent slopes, mlra148	2	2166.6	0.005	\$ 1,269.66
Bucks	PnB	Penn-Lansdale complex, 3 to 8 percent slopes	2	2338.5	0.006	\$ 1,342.51
Bucks	RaA	Raritan silt loam, 0 to 3 percent slopes	2	46.4	0	\$ 1,370.13
Bucks	RaB	Raritan silt loam, 3 to 8 percent slopes	2	70.3	0	\$ 1,341.44
Bucks	ReA	Readington silt loam, 0 to 3 percent slopes	2	3307.5	0.008	\$ 1,332.81
Bucks	ReB	Readington silt loam, 3 to 8 percent slopes	2	10014.2	0.025	\$ 1,317.00
Bucks	Ro	Rowland silt loam	2	1383.6	0.003	\$ 1,332.81
Bucks	StB	Steinsburg gravelly loam, 3 to 8 percent slopes	2	857.6	0.002	\$ 1,238.81
Bucks	WaB	Washington silt loam, 3 to 8 percent slopes	2	844.1	0.002	\$ 1,495.57
Bucks	AbA	Abbottstown silt loam, 0 to 3 percent slopes	3	9291.6	0.023	\$ 1,115.44
Bucks	AbB	Abbottstown silt loam, 3 to 8 percent slopes	3	18361.1	0.046	\$ 1,112.24
Bucks	AbC	Abbottstown silt loam, 8 to 15 percent slopes	3	1453.7	0.004	\$ 1,276.13
Bucks	AmA	Amwell silt loam, 0 to 3 percent slopes	3	3646.1	0.009	\$ 1,290.64

Bucks	AmB	Amwell silt loam, 3 to 8 percent slopes	3	5133.9	0.013	\$ 1,297.61
Bucks	AmC	Amwell silt loam, 8 to 15 percent slopes	3	116.5	0	\$ 1,261.25
Bucks	ArC	Arendtsville gravelly silt loam, 8 to 15 percent slopes	3	1742.8	0.004	\$ 1,305.87
Bucks	BeC	Bedington channery silt loam, 8 to 15 percent slopes	3	424.2	0.001	\$ 1,251.87
Bucks	BrC	Brecknock channery silt loam, 8 to 15 percent slopes	3	301.1	0.001	\$ 1,268.98
Bucks	BsC	Brownsburg silt loam, 8 to 15 percent slopes	3	221.9	0.001	\$ 1,465.43
Bucks	BwB	Buckingham silt loam, 3 to 8 percent slopes	3	5988.1	0.015	\$ 1,291.46
Bucks	CbA	Chalfont silt loam, 0 to 3 percent slopes	3	4742.7	0.012	\$ 1,358.16
Bucks	CbB	Chalfont silt loam, 3 to 8 percent slopes	3	1918.5	0.005	\$ 1,331.73
Bucks	CdC	Chester silt loam, 8 to 15 percent slopes	3	638.9	0.002	\$ 1,595.32
Bucks	CyC	Culleoka-Weikert channery silt loams, 8 to 15 percent slopes	3	1661.2	0.004	\$ 1,217.02
Bucks	DgC	Duffield-Ryder silt loams, 8 to 15 percent slopes	3	1358.6	0.003	\$ 1,370.48
Bucks	EcC	Edgemont channery loam, 8 to 15 percent slopes	3	168.9	0	\$ 1,221.72
Bucks	FoC	Fountainville silt loam, 8 to 15 percent slopes	3	74.6	0	\$ 1,294.05
Bucks	GlC	Gladstone gravelly loam, 8 to 15 percent slopes	3	1221.2	0.003	\$ 1,300.86
Bucks	Ho	Holly silt loam	3	90.3	0	\$ 1,155.71
Bucks	KIB	Klinesville very channery silt loam, 3 to 8 percent slopes	3	3181.1	0.008	\$ 958.44
Bucks	LgC	Lansdale loam, 8 to 15 percent slopes	3	1876.1	0.005	\$ 1,437.77
Bucks	LmC	Lehigh channery silt loam, 8 to 15 percent slopes	3	778	0.002	\$ 1,233.86
Bucks	MaC	Manor loam, 8 to 15 percent slopes	3	556.7	0.001	\$ 1,251.87
Bucks	MIC	Mount Lucas silt loam, 8 to 15 percent slopes	3	538.6	0.001	\$ 1,144.62
Bucks	NbC	Neshaminy silt loam, 8 to 15 percent slopes	3	724.1	0.002	\$ 1,328.12
Bucks	NkA	Nockamixon silt loam, 0 to 3 percent slopes	3	431.2	0.001	\$ 1,304.70
Bucks	NkB	Nockamixon silt loam, 3 to 8 percent slopes	3	1184.7	0.003	\$ 1,304.70
Bucks	NkC	Nockamixon silt loam, 8 to 15 percent slopes	3	179.1	0	\$ 1,267.84
Bucks	Ot	Othello silt loams, 0 to 2 percent slopes, Northern Coastal Plain	3	1445.1	0.004	\$ 878.69
Bucks	PeC	Penn channery silt loam, 8 to 15 percent slopes	3	1576.5	0.004	\$ 1,233.70
Bucks	PkC	Penn-Klinesville channery silt loams, 8 to 15 percent slopes	3	1539.1	0.004	\$ 1,010.76
Bucks	PnC	Penn-Lansdale complex, 8 to 15 percent slopes	3	879.5	0.002	\$ 1,280.26
Bucks	RaC	Raritan silt loam, 8 to 15 percent slopes	3	11.6	0	\$ 1,313.21
Bucks	ReC	Readington silt loam, 8 to 15 percent slopes	3	1012.7	0.003	\$ 1,302.19
Bucks	RIA	Reaville channery silt loam, 0 to 3 percent slopes	3	3086.3	0.008	\$ 1,120.57
Bucks	RIB	Reaville channery silt loam, 3 to 8 percent slopes	3	15513.3	0.039	\$ 1,118.55
Bucks	RIC	Reaville channery silt loam, 8 to 15 percent slopes	3	4187.1	0.011	\$ 1,079.47

Bucks	StC	Steinsburg gravelly loam, 8 to 15 percent slopes	3	995.7	0.003	\$ 1,131.18
Bucks	WaC	Washington silt loam, 8 to 15 percent slopes	3	38.4	0	\$ 1,401.58
Bucks	WeB	Weikert channery silt loam, 0 to 8 percent slopes	3	25.2	0	\$ 969.44
Bucks	ArD	Arendtsville gravelly silt loam, 15 to 25 percent slopes	4	683.3	0.002	\$ 1,228.27
Bucks	Bo	Bowmansville-Knauers silt loams	4	16599.4	0.042	\$ 1,183.29
Bucks	BrD	Brecknock channery silt loam, 15 to 25 percent slopes	4	36.8	0	\$ 1,231.84
Bucks	CwA	Croton silt loam, occasionally ponded, 0 to 3 percent slopes	4	9569.2	0.024	\$ 1,024.25
Bucks	CwB	Croton silt loam, 3 to 8 percent slopes	4	6372.6	0.016	\$ 899.13
Bucks	DdA	Doylestown silt loam, 0 to 3 percent slopes	4	5394.5	0.014	\$ 1,111.22
Bucks	DdB	Doylestown silt loam, 3 to 8 percent slopes	4	3374.9	0.008	\$ 1,111.22
Bucks	GD	Gladstone gravelly loam, 15 to 25 percent slopes	4	520	0.001	\$ 1,226.79
Bucks	GnD	Gladstone-Parker gravelly loams, 15 to 25 percent slopes	4	65.9	0	\$ 1,163.88
Bucks	Ha	Hatboro silt loam	4	4846.1	0.012	\$ 1,123.84
Bucks	KIC	Klinesville very channery silt loam, 8 to 15 percent slopes	4	4157.6	0.01	\$ 912.39
Bucks	LfA	Lamington silt loam, 0 to 3 percent slopes	4	279.4	0.001	\$ 891.44
Bucks	LgD	Lansdale loam, 15 to 25 percent slopes	4	243.2	0.001	\$ 1,342.51
Bucks	MaD	Manor loam, 15 to 25 percent slopes	4	187.1	0	\$ 1,189.86
Bucks	PeD	Penn channery silt loam, 15 to 25 percent slopes	4	304.1	0.001	\$ 1,008.04
Bucks	PkD	Penn-Klinesville channery silt loams, 15 to 25 percent slopes	4	250.5	0.001	\$ 1,000.33
Bucks	PnD	Penn-Lansdale complex, 15 to 25 percent slopes	4	1338.3	0.003	\$ 1,196.96
Bucks	StD	Steinsburg gravelly loam, 15 to 25 percent slopes	4	272.1	0.001	\$ 1,088.93
Bucks	ToA	Towhee silt loam, 0 to 3 percent slopes	4	3556.8	0.009	\$ 1,029.17
Bucks	ToB	Towhee silt loam, 3 to 8 percent slopes	4	2807.3	0.007	\$ 1,039.85
Bucks	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	63.7	0	\$ 779.66
Bucks	Fl	Fluvaquents	5	1259	0.003	\$ 671.40
Bucks	GmB	Gladstone gravelly loam, 0 to 8 percent slopes, very bouldery	6	9.8	0	\$ 671.40
Bucks	GmD	Gladstone gravelly loam, 8 to 25 percent slopes, very bouldery	6	1239.6	0.003	\$ 671.40
Bucks	KID	Klinesville very channery silt loam, 15 to 25 percent slopes	6	2743.4	0.007	\$ 781.75
Bucks	MbD	Manor loam, 8 to 25 percent slopes, extremely stony	6	185.1	0	\$ 671.40
Bucks	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	13.5	0	\$ 671.40
Bucks	WfD	Weikert-Culleoka complex, 15 to 25 percent slopes	6	706.3	0.002	\$ 935.45
Bucks	BrxD	Brecknock channery silt loam, 8 to 25 percent slopes, extremely stony	7	116.7	0	\$ 671.40
Bucks	BrxF	Brecknock channery silt loam, 25 to 60 percent slopes, extremely stony	7	224.2	0.001	\$ 671.40
Bucks	CwxB	Croton silt loam, 0 to 8 percent slopes, extremely stony	7	623	0.002	\$ 671.40

Bucks	EdB	Edgemont channery sandy loam, 0 to 8 percent slopes, extremely stony	7	257.9	0.001	\$ 671.40
Bucks	EdD	Edgemont channery sandy loam, 8 to 25 percent slopes, extremely stony	7	691.9	0.002	\$ 671.40
Bucks	EdF	Edgemont channery sandy loam, 25 to 60 percent slopes, extremely stony	7	334.1	0.001	\$ 671.40
Bucks	GmF	Gladstone gravelly loam, 25 to 55 percent slopes, very bouldery	7	48.4	0	\$ 671.40
Bucks	KIE	Klinesville very channery silt loam, 25 to 45 percent slopes	7	409.1	0.001	\$ 671.40
Bucks	LhB	Lansdale loam, 0 to 8 percent slopes, extremely stony	7	637.3	0.002	\$ 671.40
Bucks	LhD	Lansdale loam, 8 to 25 percent slopes, extremely stony	7	1563.8	0.004	\$ 671.40
Bucks	LhE	Lansdale loam, 25 to 50 percent slopes, extremely stony	7	1243.3	0.003	\$ 671.40
Bucks	LnB	Lehigh channery silt loam, 0 to 8 percent slopes, extremely stony	7	79.7	0	\$ 671.40
Bucks	LnD	Lehigh channery silt loam, 8 to 25 percent slopes, extremely stony	7	520.2	0.001	\$ 671.40
Bucks	MbF	Manor loam, 25 to 60 percent slopes, extremely stony	7	104.5	0	\$ 671.40
Bucks	MmB	Mount Lucas silt loam, 0 to 8 percent slopes, extremely stony	7	7053.5	0.018	\$ 671.40
Bucks	MmD	Mount Lucas silt loam, 8 to 25 percent slopes, extremely stony	7	2293.7	0.006	\$ 671.40
Bucks	NhB	Neshaminy gravelly silt loam, 0 to 8 percent slopes, extremely bouldery	7	5160.6	0.013	\$ 671.40
Bucks	NhD	Neshaminy gravelly silt loam, 8 to 25 percent slopes, extremely bouldery	7	7156.3	0.018	\$ 671.40
Bucks	NhF	Neshaminy gravelly silt loam, 25 to 60 percent slopes, extremely bouldery	7	1048.6	0.003	\$ 671.40
Bucks	PIE	Penn-Klinesville channery silt loams, 25 to 45 percent slopes, extremely stony	7	3656	0.009	\$ 671.40
Bucks	Ps	Psammments, dredged river material	7	681.2	0.002	\$ 671.40
Bucks	TrB	Towhee silt loam, 0 to 8 percent slopes, extremely stony	7	10382.4	0.026	\$ 671.40
Bucks	Ua	Udorthents, gravelly	7	2301.7	0.006	\$ 671.40
Bucks	Ub	Udorthents, loamy	7	984.9	0.002	\$ 671.40
Bucks	UcB	Udorthents, sandy	7	2122.9	0.005	\$ 671.40
Bucks	UdB	Udorthents, shale and sandstone	7	1506.4	0.004	\$ 671.40
Bucks	UeB	Udorthents, sanitary landfill	7	472.1	0.001	\$ 671.40
Bucks	UfB	Udorthents, schist and gneiss	7	592.3	0.001	\$ 671.40
Bucks	DAM	Dams	8	40.6	0	\$ 671.40
Bucks	Na	Nanticoke-Hatboro silt loams	8	603.4	0.002	\$ 709.01
Bucks	UfuB	Urban land, 0 to 8 percent slopes	8	13658	0.034	\$ 671.40
Bucks	Ufw	Urban land, occasionally flooded	8	408.3	0.001	\$ 671.40
Bucks	UgB	Urban land-Abbottstown complex, 0 to 8 percent slopes	8	11437	0.029	\$ 671.40
Bucks	UhB	Urban land-Berks complex, 0 to 8 percent slopes	8	166.7	0	\$ 671.40
Bucks	UkB	Urban land-Chester complex, 0 to 8 percent slopes	8	8271.6	0.021	\$ 678.43
Bucks	UkD	Urban land-Chester complex, 8 to 25 percent slopes	8	2403.8	0.006	\$ 699.13
Bucks	UIB	Urban land-Delaware complex, 0 to 8 percent slopes	8	1008.2	0.003	\$ 671.40

Bucks	UmB	Urban land-Doylestown complex, 0 to 8 percent slopes	8	1178	0.003	\$ 671.40
Bucks	UnB	Urban land-Duffield complex, 0 to 8 percent slopes	8	5743	0.014	\$ 676.42
Bucks	UoB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	76.2	0	\$ 671.40
Bucks	UoD	Urban land-Gladstone complex, 8 to 25 percent slopes	8	64.2	0	\$ 671.40
Bucks	UpB	Urban land-Glenville complex, 0 to 8 percent slopes	8	685.7	0.002	\$ 671.40
Bucks	UrB	Urban land-Lansdale complex, 0 to 8 percent slopes	8	7464.4	0.019	\$ 671.40
Bucks	UrC	Urban land-Lansdale complex, 8 to 15 percent slopes	8	2926.4	0.007	\$ 802.75
Bucks	UsB	Urban land-Lawrenceville complex, 0 to 8 percent slopes	8	9193.7	0.023	\$ 671.40
Bucks	UtB	Urban land-Matapeake complex, 0 to 8 percent slopes	8	12119.2	0.03	\$ 671.40
Bucks	UuB	Urban land-Mattapex complex, 0 to 8 percent slopes	8	72.6	0	\$ 671.40
Bucks	UvB	Urban land-Neshaminy complex, 0 to 8 percent slopes	8	581	0.001	\$ 671.40
Bucks	UvD	Urban land-Neshaminy complex, 8 to 25 percent slopes	8	135.5	0	\$ 671.40
Bucks	Uw	Urban land-Othello complex	8	198.3	0	\$ 671.40
Bucks	UxB	Urban land-Penn complex, 0 to 8 percent slopes	8	1262.4	0.003	\$ 671.40
Bucks	UxD	Urban land-Penn complex, 8 to 25 percent slopes	8	572.7	0.001	\$ 671.40
Bucks	UyB	Urban land-Reaville complex, 0 to 8 percent slopes	8	1585.2	0.004	\$ 671.40
Bucks	UzaB	Urban land-Udorthents, gravelly complex, 0 to 8 percent slopes	8	419.3	0.001	\$ 671.40
Bucks	UzbB	Urban land-Udorthents, sandy complex, 0 to 8 percent slopes	8	1027.1	0.003	\$ 671.40
Bucks	UzcaB	Urban land-Udorthents, schist and gneiss complex, 0 to 8 percent slopes	8	32	0	\$ 671.40
Bucks	UzcB	Urban land-Udorthents, shale and sandstone complex, 0 to 8 percent slopes	8	963.4	0.002	\$ 671.40
Bucks	UzcD	Urban land-Udorthents, shale and sandstone complex, 8 to 25 percent slopes	8	14.6	0	\$ 671.40
Butler	Po	Pope loam	1	408.4	0.001	\$ 1,354.98
Butler	WhA	Wheeling silt loam, 0 to 3 percent slopes	1	308.5	0.001	\$ 1,326.31
Butler	BeA	Braceville loam, 0 to 3 percent slopes	2	419.2	0.001	\$ 1,210.73
Butler	BeB	Braceville loam, 3 to 8 percent slopes	2	1854.7	0.004	\$ 1,154.89
Butler	BuB	Buchanan loam, 3 to 8 percent slopes	2	6274.1	0.012	\$ 1,138.00
Butler	CfB	Canfield silt loam, 3 to 8 percent slopes	2	1646.3	0.003	\$ 1,150.79
Butler	CmB	Clymer loam, 3 to 8 percent slopes	2	3080.7	0.006	\$ 1,285.87
Butler	CoA	Cookport loam, 0 to 3 percent slopes	2	1281.7	0.003	\$ 1,150.79
Butler	CoB	Cookport loam, 3 to 8 percent slopes	2	9986.5	0.02	\$ 1,163.06
Butler	ErB	Ernest silt loam, 3 to 8 percent slopes	2	10255.6	0.02	\$ 1,302.56
Butler	GIB	Gilpin silt loam, 3 to 8 percent slopes	2	9718.5	0.019	\$ 1,138.41
Butler	GoB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	5976.7	0.012	\$ 1,050.00
Butler	GrA	Gresham silt loam, 0 to 3 percent slopes	2	507.7	0.001	\$ 1,005.33

Butler	GrB	Gresham silt loam, 3 to 8 percent slopes	2	6019.6	0.012	\$ 968.14
Butler	HaB	Hazleton channery loam, 3 to 8 percent slopes	2	13158.9	0.026	\$ 1,263.68
Butler	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	1517	0.003	\$ 1,222.89
Butler	MrB	Morristown channery silt loam, 0 to 8 percent slopes	2	659.5	0.001	\$ 779.66
Butler	Ph	Philo loam	2	2802.1	0.006	\$ 1,322.68
Butler	RdB	Riverhead sandy loam, 3 to 8 percent slopes	2	1028.5	0.002	\$ 1,128.02
Butler	TaA	Tilsit silt loam, 0 to 3 percent slopes	2	1288.4	0.003	\$ 1,059.66
Butler	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	8533.8	0.017	\$ 1,013.02
Butler	TeB	Titusville silt loam, 3 to 8 percent slopes	2	3995.3	0.008	\$ 1,117.12
Butler	VcB	Vandergrift-Cavode silt loams, 3 to 8 percent slopes	2	790.5	0.002	\$ 1,054.84
Butler	WaA	Wharton silt loam, 0 to 3 percent slopes	2	730.8	0.001	\$ 1,142.55
Butler	WaB	Wharton silt loam, 3 to 8 percent slopes	2	20014	0.039	\$ 1,140.07
Butler	WhB	Wheeling silt loam, 3 to 8 percent slopes	2	688.9	0.001	\$ 1,326.31
Butler	WoB	Wooster gravelly silt loam, 3 to 8 percent slopes	2	139.3	0	\$ 1,222.89
Butler	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	3	26325.3	0.052	\$ 1,125.93
Butler	BaB	Bethesda channery silt loam, 0 to 8 percent slopes	3	463.4	0.001	\$ 779.66
Butler	BeC	Braceville loam, 8 to 15 percent slopes	3	348.2	0.001	\$ 1,121.74
Butler	BuC	Buchanan loam, 8 to 15 percent slopes	3	10340.2	0.02	\$ 1,070.12
Butler	CeA	Caneadea silt loam, 0 to 3 percent slopes	3	769.7	0.002	\$ 1,073.15
Butler	CeB	Caneadea silt loam, 3 to 8 percent slopes	3	1803.4	0.004	\$ 1,099.86
Butler	CfC	Canfield silt loam, 8 to 15 percent slopes	3	543.2	0.001	\$ 1,113.33
Butler	ClA	Cavode silt loam, 0 to 3 percent slopes	3	1247.3	0.002	\$ 1,037.63
Butler	ClB	Cavode silt loam, 3 to 8 percent slopes	3	11660.9	0.023	\$ 1,037.63
Butler	ClC	Cavode silt loam, 8 to 15 percent slopes	3	14042.3	0.028	\$ 999.42
Butler	CmC	Clymer silt loam, 8 to 15 percent slopes	3	0.5	0	\$ 1,291.08
Butler	CoC	Cookport loam, 8 to 15 percent slopes	3	6782	0.013	\$ 1,087.81
Butler	ErC	Ernest silt loam, 8 to 15 percent slopes	3	13286.6	0.026	\$ 1,209.15
Butler	FaB	Fairpoint channery silt loam, 0 to 8 percent slopes	3	2288.4	0.004	\$ 779.66
Butler	FeA	Fredon loam, 0 to 3 percent slopes	3	557.3	0.001	\$ 1,127.76
Butler	FeB	Fredon loam, 3 to 8 percent slopes	3	716	0.001	\$ 1,127.51
Butler	GlC	Gilpin silt loam, 8 to 15 percent slopes	3	6766.5	0.013	\$ 1,119.64
Butler	GnC	Gilpin-Upshur complex, 8 to 15 percent slopes	3	277.8	0.001	\$ 1,074.88
Butler	GoC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	7047.1	0.014	\$ 1,001.24
Butler	GpC	Gilpin-Wharton silt loams, 8 to 15 percent slopes	3	25398.7	0.05	\$ 976.48

Butler	GrC	Gresham silt loam, 8 to 15 percent slopes	3	1037.8	0.002	\$ 926.69
Butler	HaC	Hazleton channery loam, 8 to 15 percent slopes	3	16881.1	0.033	\$ 1,135.51
Butler	MoC	Monongahela silt loam, 8 to 15 percent slopes	3	231.6	0	\$ 1,146.68
Butler	RaA	Ravenna silt loam, 0 to 3 percent slopes	3	213	0	\$ 1,145.85
Butler	RaB	Ravenna silt loam, 3 to 8 percent slopes	3	2678.3	0.005	\$ 1,146.68
Butler	RaC	Ravenna silt loam, 8 to 15 percent slopes	3	177.1	0	\$ 1,029.17
Butler	RdC	Riverhead sandy loam, 8 to 15 percent slopes	3	888.2	0.002	\$ 1,053.08
Butler	TeC	Titusville silt loam, 8 to 15 percent slopes	3	2452.1	0.005	\$ 1,072.29
Butler	UaB	Udorthents, acid material, gently sloping	3	1557.7	0.003	\$ 671.40
Butler	VcC	Vandergrift-Cavode silt loams, 8 to 15 percent slopes	3	2306.1	0.005	\$ 994.86
Butler	WaC	Wharton silt loam, 8 to 15 percent slopes	3	7474.2	0.015	\$ 1,150.79
Butler	WoC	Wooster gravelly silt loam, 8 to 15 percent slopes	3	105.4	0	\$ 1,181.28
Butler	AnA	Andover loam, 0 to 3 percent slopes	4	1013.8	0.002	\$ 1,048.68
Butler	AnB	Andover loam, 3 to 8 percent slopes	4	3125.5	0.006	\$ 1,055.28
Butler	AnC	Andover loam, 8 to 15 percent slopes	4	717.9	0.001	\$ 1,051.76
Butler	BaD	Bethesda channery silt loam, 8 to 25 percent slopes	4	2864.4	0.006	\$ 779.66
Butler	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	2832.6	0.006	\$ 1,111.22
Butler	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	14022.8	0.028	\$ 1,125.93
Butler	BrC	Brinkerton silt loam, 8 to 15 percent slopes	4	4404.1	0.009	\$ 1,032.74
Butler	Cd	Canadice silty clay loam	4	2965.3	0.006	\$ 949.91
Butler	CeC	Caneadea silt loam, 8 to 15 percent slopes	4	306.4	0.001	\$ 1,030.96
Butler	CfD	Canfield silt loam, 15 to 25 percent slopes	4	67.3	0	\$ 779.66
Butler	CID	Cavode silt loam, 15 to 25 percent slopes	4	4141.3	0.008	\$ 976.48
Butler	CoD	Cookport loam, 15 to 25 percent slopes	4	6191.8	0.012	\$ 985.70
Butler	ErD	Ernest silt loam, 15 to 25 percent slopes	4	5.9	0	\$ 987.99
Butler	FaD	Fairpoint channery silt loam, 8 to 25 percent slopes	4	2039.4	0.004	\$ 779.66
Butler	FrA	Frenchtown silt loam, 0 to 3 percent slopes	4	1455.8	0.003	\$ 1,035.41
Butler	FrB	Frenchtown silt loam, 3 to 8 percent slopes	4	1871.3	0.004	\$ 1,074.88
Butler	GmD	Gilpin channery silt loam, 15 to 25 percent slopes	4	5036.8	0.01	\$ 985.70
Butler	GnD	Gilpin-Upshur complex, 15 to 30 percent slopes	4	670.2	0.001	\$ 1,039.85
Butler	GoD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	11368.6	0.022	\$ 779.66
Butler	GpD	Gilpin-Wharton complex, 15 to 25 percent slopes	4	25979.4	0.051	\$ 936.68
Butler	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	18773.1	0.037	\$ 1,059.66
Butler	MrD	Morristown channery silt loam, 8 to 25 percent slopes	4	274.6	0.001	\$ 779.66

Butler	TrD	Titusville and Riverhead soils, 15 to 30 percent slopes	4	1196.4	0.002	\$ 779.66
Butler	VcD	Vandergrift-Cavode silt loams, 15 to 25 percent slopes	4	1542.2	0.003	\$ 946.61
Butler	WoD	Wooster gravelly silt loam, 15 to 25 percent slopes	4	196.4	0	\$ 1,105.72
Butler	BxB	Buchanan loam, 0 to 8 percent slopes, extremely stony	6	2370.4	0.005	\$ 671.40
Butler	BxD	Buchanan loam, 8 to 25 percent slopes, extremely stony	6	18762.9	0.037	\$ 671.40
Butler	HaE	Hazleton channery loam, 25 to 35 percent slopes	6	7174.7	0.014	\$ 671.40
Butler	HbB	Hazleton loam, 0 to 8 percent slopes, extremely stony	6	2337.6	0.005	\$ 671.40
Butler	HgD	Hazleton and Gilpin soils, 8 to 25 percent slopes, extremely stony	6	15158.3	0.03	\$ 671.40
Butler	UaD	Udorthents, acid material, moderately steep	6	11567.6	0.023	\$ 671.40
Butler	UcD	Udorthents, calcareous material, moderately steep	6	169.3	0	\$ 671.40
Butler	WoF	Wooster gravelly silt loam, 25 to 50 percent slopes	6	149.2	0	\$ 1,068.38
Butler	AoB	Andover loam, 0 to 8 percent slopes, extremely stony	7	2082.4	0.004	\$ 671.40
Butler	AoC	Andover loam, 8 to 15 percent slopes, extremeley stony	7	1728	0.003	\$ 671.40
Butler	BbF	Bethesda and Fairpoint channery silt loams, 25 to 70 percent slopes	7	812.5	0.002	\$ 671.40
Butler	CeD	Caneadea silt loam, 15 to 25 percent slopes	7	828.7	0.002	\$ 957.88
Butler	GoF	Gilpin-Weikert channery silt loams, 25 to 70 percent slopes	7	12247	0.024	\$ 671.40
Butler	HgF	Hazleton and Gilpin soils, 25 to 70 percent slopes, extremely stony	7	14602.2	0.029	\$ 671.40
Butler	UaF	Udorthents, acid material, very steep	7	10169.9	0.02	\$ 671.40
Butler	UcF	Udorthents, calcareous material, very steep	7	108.8	0	\$ 671.40
Butler	DAM	Dams	8	5.6	0	\$ 671.40
Butler	Dd	Dumps, industrial waste	8	309.4	0.001	\$ 671.40
Butler	Dm	Dumps, mine	8	329.3	0.001	\$ 671.40
Butler	Pn	Pits, sand and gravel	8	412.2	0.001	\$ 671.40
Butler	UB	Urban land	8	31.7	0	\$ 671.40
Butler	UeB	Urban land-Ernest complex, 0 to 8 percent slopes	8	2368.2	0.005	\$ 671.40
Butler	UeC	Urban land-Ernest complex, 8 to 15 percent slopes	8	433.4	0.001	\$ 671.40
Butler	UgD	Urban land-Gilpin complex, 15 to 25 percent slopes	8	316.8	0.001	\$ 671.40
Cambria	AbB	Albrights silt loam, 3 to 8 percent slopes	2	667.7	0.002	\$ 1,177.25
Cambria	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	1297.4	0.003	\$ 1,066.20
Cambria	CeA	Cookport and Ernest soils, 0 to 3 percent slopes	2	847.4	0.002	\$ 1,142.55
Cambria	CeB	Cookport and Ernest soils, 3 to 8 percent slopes	2	30563.1	0.069	\$ 1,142.55
Cambria	GnB	Gilpin silt loam, 3 to 8 percent slopes	2	15638.1	0.035	\$ 1,083.52
Cambria	GwB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	2799	0.006	\$ 1,044.27
Cambria	HaB	Hazleton channery loam, 3 to 8 percent slopes	2	11687.4	0.026	\$ 1,324.50

Cambria	LaB	Laidig loam, 3 to 8 percent slopes	2	10704.5	0.024	\$ 1,150.79
Cambria	LkB	Leck kill silt loam, 3 to 8 percent slopes	2	283.8	0.001	\$ 1,342.51
Cambria	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	2607.4	0.006	\$ 1,234.55
Cambria	Po	Pope silt loam, 0 to 3 percent slopes, occasionally flooded	2	640.6	0.001	\$ 1,234.55
Cambria	RaB	Rayne silt loam, 3 to 8 percent slopes	2	437.5	0.001	\$ 1,215.06
Cambria	WaB	Wharton silt loam, 3 to 8 percent slopes	2	16393.3	0.037	\$ 939.05
Cambria	AbC	Albrights silt loam, 8 to 15 percent slopes	3	370.1	0.001	\$ 1,142.55
Cambria	BeC	Berks channery silt loam, 8 to 15 percent slopes	3	826.9	0.002	\$ 983.40
Cambria	BmB	Blairton silt loam, 3 to 8 percent slopes	3	7470.3	0.017	\$ 937.06
Cambria	CaA	Cavode silt loam, 0 to 3 percent slopes	3	938.6	0.002	\$ 1,070.55
Cambria	CaB	Cavode silt loam, 3 to 8 percent slopes	3	15268.5	0.034	\$ 1,074.88
Cambria	CaC	Cavode silt loam, 8 to 15 percent slopes	3	2359.7	0.005	\$ 1,033.18
Cambria	CeC	Cookport and Ernest soils, 8 to 15 percent slopes	3	17844.6	0.04	\$ 1,106.99
Cambria	GtC	Gilpin-Rayne silt loams, 8 to 15 percent slopes	3	11519.2	0.026	\$ 1,109.11
Cambria	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	3689.4	0.008	\$ 987.99
Cambria	HaC	Hazleton channery loam, 8 to 15 percent slopes	3	4905	0.011	\$ 1,253.78
Cambria	LaC	Laidig loam, 8 to 15 percent slopes	3	5869.6	0.013	\$ 1,109.11
Cambria	LkC	Leck kill silt loam, 8 to 15 percent slopes	3	559.4	0.001	\$ 1,306.24
Cambria	RaC	Rayne silt loam, 8 to 15 percent slopes	3	313.1	0.001	\$ 1,148.74
Cambria	WaC	Wharton silt loam, 8 to 15 percent slopes	3	3514.3	0.008	\$ 861.36
Cambria	WgC	Wharton-Gilpin silt loams, 8 to 15 percent slopes	3	21065	0.047	\$ 936.68
Cambria	AmB	Armagh silt loam, 0 to 8 percent slopes	4	1344.9	0.003	\$ 943.78
Cambria	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	10603.7	0.024	\$ 1,022.01
Cambria	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	999.3	0.002	\$ 943.78
Cambria	BmC	Blairton silt loam, 8 to 15 percent slopes	4	2427.4	0.005	\$ 888.90
Cambria	BpC	Blairton-Berks channery silt loams, 8 to 15 percent slopes	4	1624.1	0.004	\$ 936.68
Cambria	BtB	Brinkerton soils, 3 to 8 percent slopes	4	23451.8	0.053	\$ 1,089.96
Cambria	CeD	Cookport and Ernest soils, 15 to 25 percent slopes	4	1956.2	0.004	\$ 1,066.20
Cambria	GtD	Gilpin-Rayne silt loams, 15 to 25 percent slopes	4	5421.7	0.012	\$ 1,022.01
Cambria	GwD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	3618.6	0.008	\$ 779.66
Cambria	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	3389.7	0.008	\$ 1,218.98
Cambria	LkD	Leck kill silt loam, 15 to 25 percent slopes	4	300.6	0.001	\$ 1,191.30
Cambria	RaD	Rayne silt loam, 15 to 25 percent slopes	4	803.9	0.002	\$ 1,109.11
Cambria	WgD	Wharton-Gilpin silt loams, 15 to 25 percent slopes	4	17773.5	0.04	\$ 871.29

Cambria	BnB	Blairton very stony silt loam, 3 to 8 percent slopes	6	707.7	0.002	\$ 831.21
Cambria	CbB	Cavode very stony silt loam, 0 to 8 percent slopes	6	948	0.002	\$ 671.40
Cambria	CvB	Cookport and Ernest very stony soils, 0 to 8 percent slopes	6	21688.5	0.049	\$ 671.40
Cambria	CvD	Cookport and Ernest very stony soils, 8 to 25 percent slopes	6	25503.3	0.057	\$ 671.40
Cambria	GpB	Gilpin very stony silt loam, 3 to 8 percent slopes	6	2924.9	0.007	\$ 671.40
Cambria	GpD	Gilpin very stony silt loam, 8 to 25 percent slopes	6	4641.5	0.01	\$ 671.40
Cambria	HbB	Hazleton channery sandy loam, 3 to 8 percent slopes, extremely stony	6	11251	0.025	\$ 671.40
Cambria	LtB	Leetonia very stony loamy sand, 3 to 8 percent slopes	6	3727.6	0.008	\$ 671.40
Cambria	UDC	Udorthents, strip mine, sloping	6	9137.3	0.021	\$ 671.40
Cambria	BvB	Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely stony	7	2895.2	0.007	\$ 671.40
Cambria	GWF	Gilpin-Weikert channery silt loams, 25 to 70 percent slopes	7	9093.4	0.02	\$ 671.40
Cambria	HbD	Hazleton channery sandy loam, 8 to 25 percent slopes, extremely stony	7	17785.2	0.04	\$ 671.40
Cambria	HbF	Hazleton channery sandy loam, 25 to 70 percent slopes, extremely stony	7	235.9	0.001	\$ 671.40
Cambria	Hx	Hazleton extremely bouldery sandy loam	7	492.8	0.001	\$ 671.40
Cambria	LDF	Laidig soils, 25 to 70 percent slopes	7	33650.2	0.076	\$ 671.40
Cambria	McF	Macove-Gilpin channery silt loams, 35 to 70 percent slopes, extremely stony	7	1458.1	0.003	\$ 671.40
Cambria	NoB	Nolo very stony sandy loam, 0 to 8 percent slopes	7	3998.1	0.009	\$ 671.40
Cambria	UDF	Udorthents, strip mine, steep	7	10257.4	0.023	\$ 671.40
Cambria	DAM	Dams and impoundment structures	8	9	0	\$ 671.40
Cambria	Du	Dumps, mine	8	2400.4	0.005	\$ 671.40
Cameron/Elk	Ba	Barbour fine sandy loam	1	417.7	0.001	\$ 1,550.47
Cameron/Elk	AbB	Albrights silt loam, 3 to 8 percent slopes	2	1249.8	0.002	\$ 1,177.25
Cameron/Elk	Bb	Basher silt loam	2	2512	0.003	\$ 1,295.91
Cameron/Elk	BuB	Buchanan silt loam, 3 to 8 percent slopes	2	14487.6	0.018	\$ 1,185.69
Cameron/Elk	CeB	Clymer channery loam, 3 to 8 percent slopes	2	26.2	0	\$ 1,289.60
Cameron/Elk	CoA	Cookport channery loam, 0 to 3 percent slopes	2	6802.6	0.009	\$ 1,022.01
Cameron/Elk	CoB	Cookport channery loam, 3 to 8 percent slopes	2	29074	0.037	\$ 1,022.01
Cameron/Elk	Cr	Craigsville gravelly loam	2	17	0	\$ 1,013.02
Cameron/Elk	GpB	Gilpin silt loam, 3 to 8 percent slopes	2	13.9	0	\$ 1,083.52
Cameron/Elk	HaB	Hartleton channery silt loam, 3 to 8 percent slopes	2	17342.9	0.022	\$ 994.86
Cameron/Elk	HoB	Hazleton channery loam, 3 to 8 percent slopes	2	33409	0.042	\$ 1,324.50
Cameron/Elk	LeB	Leck Kill channery silt loam, 3 to 8 percent slopes	2	2171.3	0.003	\$ 1,295.17
Cameron/Elk	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	7988	0.01	\$ 1,234.55
Cameron/Elk	Po	Pope silt loam, 0 to 3 percent slopes, occasionally flooded	2	1289.2	0.002	\$ 1,234.55

Cameron/Elk	WaB	Wharton silt loam, 3 to 8 percent slopes	2	29428.4	0.037	\$ 939.05
Cameron/Elk	AbC	Albrights silt loam, 8 to 15 percent slopes	3	3426.3	0.004	\$ 1,142.55
Cameron/Elk	BuC	Buchanan silt loam, 8 to 15 percent slopes	3	24569.6	0.031	\$ 1,149.15
Cameron/Elk	CaA	Cavode silt loam, 0 to 3 percent slopes	3	2034.8	0.003	\$ 1,070.55
Cameron/Elk	CaB	Cavode silt loam, 3 to 8 percent slopes	3	12086.9	0.015	\$ 1,074.88
Cameron/Elk	CaC	Cavode silt loam, 8 to 15 percent slopes	3	3098.3	0.004	\$ 1,033.18
Cameron/Elk	CeC	Clymer channery loam, 8 to 15 percent slopes	3	217.6	0	\$ 1,248.04
Cameron/Elk	CoC	Cookport channery loam, 8 to 15 percent slopes	3	8598.7	0.011	\$ 983.40
Cameron/Elk	HaC	Hartleton channery silt loam, 8 to 15 percent slopes	3	14221.9	0.018	\$ 936.68
Cameron/Elk	HoC	Hazleton channery loam, 8 to 15 percent slopes	3	14264.9	0.018	\$ 1,253.78
Cameron/Elk	LeC	Leck Kill channery silt loam, 8 to 15 percent slopes	3	2624.5	0.003	\$ 1,258.36
Cameron/Elk	WaC	Wharton silt loam, 8 to 15 percent slopes	3	17582.7	0.022	\$ 861.36
Cameron/Elk	AbD	Albrights silt loam, 15 to 25 percent slopes	4	1391.1	0.002	\$ 941.89
Cameron/Elk	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	6862.7	0.009	\$ 1,022.01
Cameron/Elk	BrA	Brinkerton soils, 0 to 3 percent slopes	4	6194.8	0.008	\$ 1,089.96
Cameron/Elk	BrB	Brinkerton soils, 3 to 8 percent slopes	4	17107.9	0.022	\$ 1,089.96
Cameron/Elk	BuD	Buchanan silt loam, 15 to 25 percent slopes	4	11531.2	0.015	\$ 1,098.50
Cameron/Elk	HaD	Hartleton channery silt loam, 15 to 25 percent slopes	4	14968.1	0.019	\$ 900.69
Cameron/Elk	HoD	Hazleton channery loam, 15 to 25 percent slopes	4	8937.2	0.011	\$ 1,218.98
Cameron/Elk	LeD	Leck Kill channery silt loam, 15 to 25 percent slopes	4	6274.2	0.008	\$ 1,167.13
Cameron/Elk	NoA	Nolo loam, 0 to 3 percent slopes	4	3129	0.004	\$ 989.74
Cameron/Elk	NoB	Nolo loam, 3 to 8 percent slopes	4	1388.4	0.002	\$ 989.74
Cameron/Elk	WaD	Wharton silt loam, 15 to 25 percent slopes	4	3924.1	0.005	\$ 779.66
Cameron/Elk	BxB	Buchanan silt loam, 0 to 8 percent, very stony	6	7735	0.01	\$ 671.40
Cameron/Elk	BxD	Buchanan silt loam, 8 to 25 percent slopes, very stony	6	30138.5	0.038	\$ 671.40
Cameron/Elk	CdB	Cavode silt loam, 0 to 8 percent slopes, very stony	6	2662.8	0.003	\$ 671.40
Cameron/Elk	CdD	Cavode silt loam, 8 to 25 percent slopes, very stony	6	1226.6	0.002	\$ 671.40
Cameron/Elk	CfC	Clymer channery loam, 8 to 15 percent slopes, extremely stony	6	29.8	0	\$ 671.40
Cameron/Elk	CpB	Cookport channery loam, 0 to 8 percent slopes, very stony	6	36249.2	0.046	\$ 671.40
Cameron/Elk	CpD	Cookport channery loam, 8 to 25 percent slopes, very stony	6	29875.2	0.038	\$ 671.40
Cameron/Elk	HeB	Hartleton channery silt loam, 0 to 8 percent slopes, very stony	6	1353.8	0.002	\$ 671.40
Cameron/Elk	HeD	Hartleton channery silt loam, 8 to 25 percent slopes, very stony	6	2523.3	0.003	\$ 671.40
Cameron/Elk	HxB	Hazleton channery loam, 0 to 8 percent slopes, very stony	6	29080.4	0.037	\$ 671.40
Cameron/Elk	HxD	Hazleton channery loam, 8 to 25 percent slopes, very stony	6	37813.7	0.048	\$ 671.40

Cameron/Elk	MhD	Meckesville channery loam, 8 to 25 percent slopes, very stony	6	334.3	0	\$ 671.40
Cameron/Elk	WxB	Wharton silt loam, 0 to 8 percent slopes, very stony	6	2979	0.004	\$ 671.40
Cameron/Elk	WxD	Wharton silt loam, 8 to 25 percent slopes, very stony	6	3208.1	0.004	\$ 671.40
Cameron/Elk	BsB	Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely stony	7	6246.8	0.008	\$ 671.40
Cameron/Elk	CfB	Clymer channery loam, 0 to 8 percent slopes, extremely stony	7	41.6	0	\$ 671.40
Cameron/Elk	HaF	Hartleton channery silt loam, 25 to 60 percent slopes	7	121306.6	0.154	\$ 671.40
Cameron/Elk	HxF	Hazleton channery loam, 25 to 60 percent slopes, very stony	7	73085.8	0.093	\$ 671.40
Cameron/Elk	HyE	Hazleton channery loam, 8 to 35 percent slopes, extremely bouldery	7	1547.9	0.002	\$ 671.40
Cameron/Elk	LeF	Leck Kill channery silt loam, 25 to 60 percent slopes	7	41855.9	0.053	\$ 671.40
Cameron/Elk	NxB	Nolo loam, 0 to 8 percent slopes, very stony	7	4000.1	0.005	\$ 671.40
Cameron/Elk	Ub	Udifluents-Buchanan complex	7	6377.9	0.008	\$ 671.40
Cameron/Elk	Ud	Udorthents, sandstone and shale	7	7644.7	0.01	\$ 671.40
Cameron/Elk	UpF	Ungers-Meckesville complex, 25 to 50 percent slopes, extremely stony	7	757.8	0.001	\$ 671.40
Cameron/Elk	Us	Udorthents, sandstone and shale, smoothed	7	4329.4	0.005	\$ 671.40
Cameron/Elk	DAM	Dam	8	57.5	0	\$ 671.40
Carbon	AdA	Allenwood gravelly loam and silt loam, 0 to 3 percent slopes	1	457	0.002	\$ 1,412.22
Carbon	AgA	Allenwood gravelly silt loam, 0 to 3 percent slopes	1	583.8	0.002	\$ 1,412.22
Carbon	FtA	Fleetwood sandy loam, 0 to 3 percent slopes	1	171.3	0.001	\$ 1,306.24
Carbon	HtA	Hazleton loam, 0 to 3 percent slopes	1	1520.1	0.006	\$ 1,342.51
Carbon	MbA	Meckesville channery loam, 0 to 3 percent slopes	1	303.8	0.001	\$ 1,150.79
Carbon	Tf	Tioga fine sandy loam	1	439	0.002	\$ 1,298.87
Carbon	Tg	Tioga silt loam	1	193.2	0.001	\$ 1,298.87
Carbon	TmB	Tioga and Middlebury very stony loams, 0 to 8 percent slopes	1	1878.6	0.008	\$ 1,298.87
Carbon	AaA	Albrights channery loam, 0 to 3 percent slopes	2	32.5	0	\$ 1,125.93
Carbon	AaB2	Albrights channery loam, 3 to 8 percent slopes moderately eroded	2	55.9	0	\$ 1,158.98
Carbon	AbA	Albrights silt loam, 0 to 3 percent slopes	2	728.2	0.003	\$ 1,125.93
Carbon	AbB2	Albrights silt loam 3 to 8 percent slopes moderately eroded	2	1919.5	0.008	\$ 1,158.98
Carbon	AdB2	Allenwood gravelly loam and silt loam, 3 to 8 percent slopes, moderately eroded	2	1993.6	0.008	\$ 1,412.22
Carbon	AgB2	Allenwood gravelly silt loam, 3 to 8 percent slopes, moderately eroded	2	2955.3	0.012	\$ 1,412.22
Carbon	BcB2	Buchanan gravelly loam, 3 to 10 percent slopes, moderately eroded	2	764.8	0.003	\$ 1,022.01
Carbon	CmA	Comly silt loam, 0 to 3 percent slopes	2	277	0.001	\$ 1,138.41
Carbon	CmB2	Comly silt loam, 3 to 8 percent slopes, moderately eroded	2	1033.2	0.004	\$ 1,138.41
Carbon	DrA	Drifton loam, 0 to 3 percent slopes	2	1627.5	0.007	\$ 1,144.62
Carbon	DrB2	Drifton loam, 3 to 8 percent slopes, moderately eroded	2	352.8	0.001	\$ 1,144.62

Carbon	FtB2	Fleetwood sandy loam, 3 to 8 percent slopes, moderately eroded	2	190.8	0.001	\$ 1,306.24
Carbon	HaA	Hartleton channery silt loam, 0 to 3 percent slopes	2	287.2	0.001	\$ 1,022.01
Carbon	HaB2	Hartleton channery silt loam, 3 to 8 percent slopes, moderately eroded	2	3420.2	0.014	\$ 976.48
Carbon	HtB	Hazleton loam, 3 to 8 percent slopes	2	1516.8	0.006	\$ 1,342.51
Carbon	HtB2	Hazleton loam, 3 to 8 percent slopes, moderately eroded	2	725.1	0.003	\$ 1,342.51
Carbon	LaB2	Laidig gravelly loam, 3 to 8 percent slopes, moderately eroded	2	465.3	0.002	\$ 1,150.79
Carbon	MbB2	Meckesville channery loam, 3 to 8 percent slopes, moderately eroded	2	3407.8	0.014	\$ 1,150.79
Carbon	MdA	Middlebury silt loam, 0 to 3 percent slopes	2	1557.3	0.006	\$ 1,291.46
Carbon	MdB	Middlebury silt loam, 3 to 8 percent slopes	2	1152.1	0.005	\$ 1,291.46
Carbon	MeA3	Middlebury and Tioga silt loams, 0 to 3 percent slopes, severely eroded	2	287.1	0.001	\$ 1,257.60
Carbon	PkA	Pekin silt loam, 0 to 3 percent slopes	2	36.1	0	\$ 1,187.30
Carbon	SsB	Swartswood channery silt loam, 0 to 8 percent slopes	2	108.8	0	\$ 1,150.79
Carbon	TuA	Tunkhannock gravelly loam, 0 to 3 percent slopes	2	48.8	0	\$ 1,066.20
Carbon	TuB	Tunkhannock gravelly loam, 3 to 8 percent slopes	2	1807.4	0.007	\$ 1,066.20
Carbon	WaB2	Watson gravelly silt loam, 0 to 8 percent slopes, moderately eroded	2	521.1	0.002	\$ 1,138.41
Carbon	WsA	Watson silt loam, 0 to 3 percent slopes	2	880.8	0.004	\$ 1,132.18
Carbon	WsB2	Watson silt loam, 3 to 8 percent slopes, moderately eroded	2	1212.5	0.005	\$ 1,138.41
Carbon	WuA	Wurtsboro channery loam, 0 to 3 percent slopes	2	39.5	0	\$ 1,022.01
Carbon	WuB2	Wurtsboro channery loam, 3 to 8 percent slopes, moderately eroded	2	32.8	0	\$ 1,035.41
Carbon	AdC2	Allenwood gravelly loam and silt loam, 8 to 15 percent slopes, moderately eroded	3	188.1	0.001	\$ 1,342.51
Carbon	AgC2	Allenwood gravelly silt loam, 8 to 15 percent slopes, moderately eroded	3	427.8	0.002	\$ 1,342.51
Carbon	AnB	Alvira gravelly silt loam, 0 to 8 percent slopes	3	485.4	0.002	\$ 1,087.81
Carbon	CmC	Comly silt loam, 8 to 15 percent slopes	3	44.3	0	\$ 1,064.02
Carbon	CnC3	Comly silty clay loam, 8 to 15 percent slopes, severely eroded	3	189.5	0.001	\$ 1,064.02
Carbon	CtA	Conotton gravelly loam, 0 to 3 percent slopes	3	333.9	0.001	\$ 976.48
Carbon	CtB	Conotton gravelly loam, 3 to 8 percent slopes	3	51.2	0	\$ 976.48
Carbon	FtC2	Fleetwood sandy loam, 8 to 15 percent slopes, moderately eroded	3	310	0.001	\$ 1,230.68
Carbon	HaC2	Hartleton channery silt loam, 8 to 15 percent slopes, moderately eroded	3	716.2	0.003	\$ 929.55
Carbon	HtC2	Hazleton loam, 8 to 15 percent slopes, moderately eroded	3	381.4	0.002	\$ 1,268.98
Carbon	Hy	Holly silt loam	3	4243.9	0.017	\$ 1,150.79
Carbon	KcB2	Klinesville channery silt loam, 3 to 8 percent slopes, moderately eroded	3	1731.5	0.007	\$ 779.66
Carbon	LaC2	Laidig gravelly loam, 8 to 15 percent slopes, moderately eroded	3	1073.3	0.004	\$ 1,109.11
Carbon	LeA	Leck kill channery silt loam, 0 to 3 percent slopes	3	218.7	0.001	\$ 929.55
Carbon	LeB2	Leck kill channery silt loam, 3 to 8 percent slopes, moderately eroded	3	2890.9	0.012	\$ 929.55

Carbon	MbC2	Meckesville channery loam, 8 to 15 percent slopes, moderately eroded	3	739.3	0.003	\$ 1,109.11
Carbon	MoA	Montevallo channery silt loam, 0 to 3 percent slopes	3	167	0.001	\$ 779.66
Carbon	MoB2	Montevallo channery silt loam, 3 to 8 percent slopes, moderately eroded	3	6950.7	0.028	\$ 779.66
Carbon	MoB3	Montevallo channery silt loam, 3 to 8 percent slopes, severely eroded	3	2.7	0	\$ 779.66
Carbon	RsB	Rushtown shaly silt loam, 3 to 8 percent slopes	3	1.6	0	\$ 929.55
Carbon	SsC2	Swartswood channery silt loam, 8 to 15 percent slopes, moderately eroded	3	13.5	0	\$ 1,066.20
Carbon	TuC	Tunkhannock gravelly loam, 8 to 15 percent slopes	3	1497.5	0.006	\$ 929.55
Carbon	VoB	Volusia silt loam, 3 to 8 percent slopes	3	40.9	0	\$ 987.99
Carbon	WsC2	Watson silt loam, 8 to 15 percent slopes, moderately eroded	3	18.7	0	\$ 1,064.02
Carbon	WtC3	Watson silty clay loam, 8 to 15 percent slopes, severely eroded	3	10.9	0	\$ 1,064.02
Carbon	AgD2	Allenwood gravelly silt loam, 15 to 25 percent slopes, moderately eroded	4	14.5	0	\$ 1,230.68
Carbon	AmC3	Allenwood gravelly silty clay loam, 8 to 15 percent slopes, severely eroded	4	236.9	0.001	\$ 1,230.68
Carbon	AmD3	Allenwood gravelly silty clay loam, 15 to 25 percent slopes, severely eroded	4	59.3	0	\$ 1,230.68
Carbon	AsA	Alvira and Shelmadine silt loams, 0 to 3 percent slopes	4	1147.2	0.005	\$ 1,066.20
Carbon	AsB2	Alvira and Shelmadine silt loams, 3 to 8 percent slopes, moderately eroded	4	212.4	0.001	\$ 1,066.20
Carbon	HaC3	Hartleton channery silt loam, 8 to 15 percent slopes, severely eroded	4	761.6	0.003	\$ 881.15
Carbon	HaD2	Hartleton channery silt loam, 15 to 25 percent slopes, moderately eroded	4	42.6	0	\$ 881.15
Carbon	KcC2	Klinesville channery silt loam, 8 to 15 percent slopes, moderately eroded	4	1796.7	0.007	\$ 779.66
Carbon	LaD3	Laidig gravelly loam, 15 to 25 percent slopes, severely eroded	4	175.3	0.001	\$ 1,022.01
Carbon	LeC2	Leck kill channery silt loam, 8 to 15 percent slopes, moderately eroded	4	2227.5	0.009	\$ 881.15
Carbon	LeC3	Leck kill channery silt loam, 8 to 15 percent slopes, severely eroded	4	630.9	0.003	\$ 881.15
Carbon	MoC2	Montevallo channery silt loam, 8 to 15 percent slopes, moderately eroded	4	8206.4	0.033	\$ 779.66
Carbon	Pa	Papakating silty clay loam	4	814.9	0.003	\$ 779.66
Carbon	RsC	Rushtown shaly silt loam, 8 to 15 percent slopes	4	7.3	0	\$ 881.15
Carbon	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	974.5	0.004	\$ 1,022.01
Carbon	ShB2	Shelmadine silt loam, 3 to 8 percent slopes, moderately eroded	4	280.7	0.001	\$ 1,022.01
Carbon	TuD	Tunkhannock gravelly loam, 15 to 25 percent slopes	4	1823.8	0.007	\$ 881.15
Carbon	LsA	Lickdale and Tughill loams and silt loams, 0 to 3 percent slopes	5	72.6	0	\$ 671.40
Carbon	NoA	Norwich mucky silt loam, 0 to 3 percent slopes	5	42.6	0	\$ 671.40
Carbon	NoB	Norwich mucky silt loam, 3 to 8 percent slopes	5	14.8	0	\$ 671.40
Carbon	AcB	Albrights very stony loam, 0 to 8 percent slopes	6	6639.6	0.027	\$ 671.40
Carbon	AcD	Albrights very stony loam, 8 to 25 percent slopes	6	205.5	0.001	\$ 671.40
Carbon	ArB	Alvira very stony silt loam, 0 to 8 percent slopes	6	1973.3	0.008	\$ 671.40
Carbon	BhB	Buchanan very stony loam, 0 to 8 percent slopes	6	3897.1	0.016	\$ 671.40

Carbon	BhD	Buchanan very stony loam, 8 to 25 percent slopes	6	2142.7	0.009	\$ 671.40
Carbon	CoB	Comly very stony silt loam, 0 to 8 percent slopes	6	371.7	0.001	\$ 671.40
Carbon	CoD	Comly very stony silt loam, 8 to 25 percent slopes	6	168.6	0.001	\$ 671.40
Carbon	DeB	Dekalb very stony loam, 0 to 8 percent slopes	6	2240.9	0.009	\$ 671.40
Carbon	DeD	Dekalb very stony loam, 8 to 25 percent slopes	6	9866.2	0.04	\$ 671.40
Carbon	DsB	Drifton very stony loam, 0 to 8 percent slopes	6	4596.5	0.018	\$ 671.40
Carbon	FvB	Fleetwood very stony loam, shallow, 0 to 8 percent slopes	6	621.9	0.002	\$ 671.40
Carbon	FvD	Fleetwood very stony loam, shallow, 8 to 25 percent slopes	6	2112.7	0.008	\$ 671.40
Carbon	FwB	Fleetwood very stony sandy loam, 0 to 8 percent slopes	6	659	0.003	\$ 671.40
Carbon	FwD	Fleetwood very stony sandy loam, 8 to 25 percent slopes	6	1137.8	0.005	\$ 671.40
Carbon	HaD3	Hartleton channery silt loam, 15 to 25 percent slopes, severely eroded	6	146.3	0.001	\$ 671.40
Carbon	HsB	Hartleton very stony loam, 0 to 8 percent slopes	6	185.7	0.001	\$ 671.40
Carbon	HsD	Hartleton very stony loam, 8 to 25 percent slopes	6	183.6	0.001	\$ 671.40
Carbon	HvB	Hazleton very stony loam, 0 to 8 percent slopes	6	13666.7	0.055	\$ 671.40
Carbon	HvD	Hazleton very stony loam, 8 to 25 percent slopes	6	6701.3	0.027	\$ 671.40
Carbon	KcC3	Klinesville channery silt loam, 8 to 15 percent slopes, severely eroded	6	1019.5	0.004	\$ 671.40
Carbon	KcD2	Klinesville channery silt loam, 15 to 25 percent slopes, moderately eroded	6	1086.3	0.004	\$ 671.40
Carbon	KvD	Klinesville very stony silt loam, 8 to 25 percent slopes	6	255.2	0.001	\$ 671.40
Carbon	LdB	Laidig very stony loam, 3 to 8 percent slopes	6	1987.1	0.008	\$ 671.40
Carbon	LdD	Laidig very stony loam, 8 to 25 percent slopes	6	6017	0.024	\$ 671.40
Carbon	LeD2	Leck kill channery silt loam, 15 to 25 percent slopes, moderately eroded	6	324.5	0.001	\$ 671.40
Carbon	LeD3	Leck kill channery silt loam, 15 to 25 percent slopes, severely eroded	6	482.4	0.002	\$ 671.40
Carbon	LkB	Leck kill very stony loam, 0 to 8 percent slopes	6	1599.2	0.006	\$ 671.40
Carbon	LkD	Leck kill very stony loam, 8 to 25 percent slopes	6	7018.9	0.028	\$ 671.40
Carbon	LvB	Lordstown very stony silt loam, 0 to 8 percent slopes	6	825.2	0.003	\$ 671.40
Carbon	LvD	Lordstown very stony silt loam, 8 to 25 percent slopes	6	1903.3	0.008	\$ 671.40
Carbon	Ma	Made land	6	1969.7	0.008	\$ 671.40
Carbon	McB	Meckesville very stony loam, 0 to 8 percent slopes	6	9333.4	0.037	\$ 671.40
Carbon	McD	Meckesville very stony loam, 8 to 25 percent slopes	6	4600.8	0.018	\$ 671.40
Carbon	MoC3	Montevallo channery silt loam, 8 to 15 percent slopes, severely eroded	6	84.7	0	\$ 726.41
Carbon	MoD2	Montevallo channery silt loam, 15 to 25 percent slopes, moderately eroded	6	5934.7	0.024	\$ 671.40
Carbon	NaB	Natalie very stony loam, 0 to 8 percent slopes	6	689.3	0.003	\$ 671.40
Carbon	RsD	Rushtown shaly silt loam, 15 to 25 percent slopes	6	1.5	0	\$ 671.40
Carbon	SwB	Swartswood very stony loam, 0 to 8 percent slopes	6	2343.1	0.009	\$ 671.40

Carbon	SwD	Swartswood very stony loam, 8 to 25 percent slopes	6	1091.2	0.004	\$ 671.40
Carbon	WvB	Wurtsboro very stony loam, 0 to 8 percent slopes	6	2503.9	0.01	\$ 671.40
Carbon	WvD	Wurtsboro very stony loam, 8 to 25 percent slopes	6	240.3	0.001	\$ 671.40
Carbon	AtB	Alvira and Shelmadine very stony silt loams, 0 to 8 percent slopes	7	1490.5	0.006	\$ 671.40
Carbon	AvA	Andover very stony loam, 0 to 3 percent slopes	7	586.1	0.002	\$ 671.40
Carbon	CtD	Conotton gravelly loam, 15 to 25 percent slopes	7	27.2	0	\$ 671.40
Carbon	DeF	Dekalb very stony loam, 25 to 100 percent slopes	7	12779.3	0.051	\$ 671.40
Carbon	FvF	Fleetwood very stony loam, shallow, 25 to 100 percent slopes	7	1870.1	0.008	\$ 671.40
Carbon	KcD3	Klinesville channery silt loam, 15 to 25 percent slopes, severely eroded	7	1315.7	0.005	\$ 671.40
Carbon	KcE2	Klinesville channery silt loam, 25 to 35 percent slopes, moderately eroded	7	953.6	0.004	\$ 671.40
Carbon	KcE3	Klinesville channery silt loam, 25 to 35 percent slopes, severely eroded	7	1055.6	0.004	\$ 671.40
Carbon	KcF	Klinesville channery silt loam, 35 to 80 percent slopes	7	806.2	0.003	\$ 671.40
Carbon	KcF3	Klinesville channery silt loam, 35 to 80 percent slopes, severely eroded	7	120.2	0	\$ 671.40
Carbon	KvF	Klinesville very stony silt loam, 25 to 80 percent slopes	7	5141.1	0.021	\$ 671.40
Carbon	LkF	Leck kill very stony loam, 25 to 100 percent slopes	7	1582	0.006	\$ 671.40
Carbon	LtA	Lickdale and Tughill very stony loams, 0 to 8 percent slopes	7	1573.3	0.006	\$ 671.40
Carbon	LvF	Lordstown very stony silt loam, 25 to 80 percent slopes	7	361.3	0.001	\$ 671.40
Carbon	Mm	Mine dumps	7	987	0.004	\$ 671.40
Carbon	Mn	Mine dumps, coal	7	547.5	0.002	\$ 671.40
Carbon	MoD3	Montevallo channery silt loam, 15 to 25 percent slopes, severely eroded	7	153.5	0.001	\$ 671.40
Carbon	MoE2	Montevallo channery silt loam, 25 to 35 percent slopes, moderately eroded	7	3869.7	0.016	\$ 671.40
Carbon	MoE3	Montevallo channery silt loam, 25 to 35 percent slopes, severely eroded	7	504.7	0.002	\$ 671.40
Carbon	MoF2	Montevallo channery silt loam, 35 to 100 percent slopes, eroded	7	2589.4	0.01	\$ 671.40
Carbon	MrB	Morris channery silt loam, 0 to 8 percent slopes, extremely stony	7	1498.7	0.006	\$ 671.40
Carbon	NvB	Norwich soils, 0 to 8 percent slopes, extremely stony	7	643.1	0.003	\$ 671.40
Carbon	Ra	Riverwash	7	268.3	0.001	\$ 671.40
Carbon	Rc	Riverwash, coal	7	434.6	0.002	\$ 671.40
Carbon	RsE	Rushtown shaly silt loam, 25 to 35 percent slopes	7	8.4	0	\$ 671.40
Carbon	SmB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	3189	0.013	\$ 671.40
Carbon	Sr	Strip mines	7	4462.8	0.018	\$ 671.40
Carbon	VeB	Very stony land, 0 to 8 percent slopes	7	188.3	0.001	\$ 671.40
Carbon	VeD	Very stony land, 8 to 25 percent slopes	7	467.4	0.002	\$ 671.40
Carbon	VsB	Volusia very stony loam, 0 to 8 percent slopes	7	1271.6	0.005	\$ 671.40
Carbon	GP	Gravel pit	8	13.5	0	\$ 671.40

Carbon	Mu	Muck and Peat	8	577.3	0.002	\$ 671.40
Carbon	QU	Quarry	8	46	0	\$ 671.40
Carbon	SP	Sand pit	8	13.9	0	\$ 671.40
Carbon	VeF	Very stony land, 25 to 120 percent slopes	8	7465	0.03	\$ 671.40
Centre	Ch	Chagrin soils	1	1943.2	0.003	\$ 1,317.22
Centre	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	4823.6	0.007	\$ 1,468.68
Centre	HuA	Hublersburg silt loam, 0 to 3 percent slopes	1	727	0.001	\$ 1,360.28
Centre	MuA	Murrill channery silt loam, 0 to 3 percent slopes	1	1745.7	0.002	\$ 1,322.68
Centre	No	Nolin silt loam, local alluvium, 0 to 5 percent slopes	1	4942.6	0.007	\$ 1,376.08
Centre	AbB	Albrights silt loam, 3 to 8 percent slopes	2	1672.1	0.002	\$ 1,177.25
Centre	AlB	Allegheny silt loam, 2 to 8 percent slopes	2	461.7	0.001	\$ 1,255.69
Centre	Ba	Basher loam	2	3506.1	0.005	\$ 1,284.00
Centre	Bb	Barbour-Craigsville complex	2	297.6	0	\$ 1,266.86
Centre	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	1432	0.002	\$ 971.85
Centre	BtB	Buchanan loam, 2 to 8 percent slopes	2	1387.1	0.002	\$ 1,099.78
Centre	BuB	Buchanan channery loam, 3 to 8 percent slopes	2	3232	0.005	\$ 1,138.41
Centre	CkA	Clarksburg silt loam, 0 to 3 percent slopes	2	434	0.001	\$ 1,322.68
Centre	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	1316.4	0.002	\$ 1,321.66
Centre	CIB	Clymer sandy loam, 3 to 8 percent slopes	2	2826.7	0.004	\$ 1,293.31
Centre	CoB	Cookport loam, 3 to 8 percent slopes	2	163.3	0	\$ 976.48
Centre	Cr	Craigsville gravelly loam	2	34.5	0	\$ 1,013.02
Centre	EdB	Edom silt loam, 2 to 8 percent slopes	2	2903.1	0.004	\$ 1,154.89
Centre	ErB	Ernest channery silt loam, 3 to 8 percent slopes	2	1370.7	0.002	\$ 1,138.41
Centre	ErC	Ernest channery silt loam, 8 to 15 percent slopes	2	2792.6	0.004	\$ 1,134.26
Centre	GIB	Gilpin channery silt loam, 3 to 8 percent slopes	2	5636.7	0.008	\$ 1,136.34
Centre	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	24964.8	0.035	\$ 1,469.33
Centre	HcB	Hagerstown silty clay loam, 3 to 8 percent slopes	2	6434.5	0.009	\$ 1,478.72
Centre	HhB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	2436.1	0.003	\$ 1,320.86
Centre	HuB	Hublersburg silt loam, 3 to 8 percent slopes	2	9168	0.013	\$ 1,360.28
Centre	LaB	Laidig channery loam, 3 to 8 percent slopes	2	601	0.001	\$ 1,150.79
Centre	LkB	Leck Kill channery silt loam, 3 to 8 percent slopes	2	1293.4	0.002	\$ 1,300.71
Centre	Lx	Lindside soils	2	3141.3	0.004	\$ 1,326.31
Centre	MeB	Meckesville silt loam, 3 to 8 percent slopes	2	391.4	0.001	\$ 1,158.98
Centre	MnB	Millheim silt loam, 2 to 8 percent slopes	2	1872.3	0.003	\$ 1,142.55

Centre	MoB	Monongahela silt loam, 2 to 8 percent slopes	2	379.9	0.001	\$ 1,140.48
Centre	MrB	Morrison sandy loam, 2 to 8 percent slopes	2	9282.7	0.013	\$ 1,146.68
Centre	MuB	Murrill channery silt loam, 3 to 8 percent slopes	2	8707.1	0.012	\$ 1,322.68
Centre	Ph	Philo loam	2	2498.6	0.004	\$ 1,356.75
Centre	Po	Pope soils	2	1454.3	0.002	\$ 1,360.28
Centre	RaB	Rayne silt loam, 2 to 10 percent slopes	2	566.8	0.001	\$ 1,215.06
Centre	TaA	Tilsit silt loam, 0 to 3 percent slopes	2	39.6	0	\$ 1,150.79
Centre	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	324.2	0	\$ 1,150.79
Centre	UmB	Ungers channery loam, 3 to 8 percent slopes	2	1792.1	0.003	\$ 1,258.97
Centre	WhA	Wharton silt loam, 0 to 3 percent slopes	2	374.2	0.001	\$ 939.05
Centre	WhB	Wharton silt loam, 3 to 8 percent slopes	2	11302.8	0.016	\$ 939.05
Centre	AbC	Albrights silt loam, 8 to 15 percent slopes	3	1446.4	0.002	\$ 1,142.55
Centre	At	Atkins silt loam	3	4662.7	0.007	\$ 1,158.98
Centre	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	7426.6	0.01	\$ 931.93
Centre	BuC	Buchanan channery loam, 8 to 15 percent slopes	3	2436.1	0.003	\$ 1,068.38
Centre	CdA	Cavode silt loam, 0 to 3 percent slopes	3	373.6	0.001	\$ 1,070.55
Centre	CdB	Cavode silt loam, 3 to 8 percent slopes	3	4175.3	0.006	\$ 1,074.88
Centre	ClC	Clymer sandy loam, 8 to 15 percent slopes	3	658.3	0.001	\$ 1,228.73
Centre	EdC	Edom silt loam, 8 to 15 percent slopes	3	1833.9	0.003	\$ 1,068.38
Centre	GlC	Gilpin channery silt loam, 8 to 15 percent slopes	3	4255.4	0.006	\$ 1,096.37
Centre	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	2696.3	0.004	\$ 1,397.20
Centre	HcC	Hagerstown silty clay loam, 8 to 15 percent slopes	3	2076.3	0.003	\$ 1,369.43
Centre	HhC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	1626.2	0.002	\$ 1,249.96
Centre	HuC	Hublersburg silt loam, 8 to 15 percent slopes	3	1376.9	0.002	\$ 1,316.86
Centre	LaC	Laidig channery loam, 8 to 15 percent slopes	3	1334	0.002	\$ 1,109.11
Centre	LkC	Leck Kill channery silt loam, 8 to 15 percent slopes	3	4942.1	0.007	\$ 1,287.73
Centre	MeC	Meckesville silt loam, 8 to 15 percent slopes	3	1652.7	0.002	\$ 1,113.33
Centre	Mm	Melvin silt loam	3	4474	0.006	\$ 1,050.88
Centre	MnC	Millheim silt loam, 8 to 15 percent slopes	3	2083.3	0.003	\$ 1,059.66
Centre	MrC	Morrison sandy loam, 8 to 15 percent slopes	3	8649.8	0.012	\$ 1,104.88
Centre	MuC	Murrill channery silt loam, 8 to 15 percent slopes	3	2174	0.003	\$ 1,226.79
Centre	OhB	Opequon-Hagerstown complex, 3 to 8 percent slopes	3	13580.9	0.019	\$ 1,120.82
Centre	Ty	Tyler silt loam	3	483.1	0.001	\$ 1,098.50
Centre	UmC	Ungers channery loam, 8 to 15 percent slopes	3	1994.2	0.003	\$ 1,142.55

Centre	WhC	Wharton silt loam, 8 to 15 percent slopes	3	2005.1	0.003	\$ 861.36
Centre	WyA	Wyoming gravelly sandy loam, rarely flooded, 0 to 5 percent slopes	3	1118.9	0.002	\$ 1,083.52
Centre	AnB	Andover channery silt loam, 0 to 8 percent slopes	4	6427.5	0.009	\$ 1,042.06
Centre	AnC	Andover channery silt loam, 8 to 15 percent slopes	4	4348.2	0.006	\$ 1,035.41
Centre	ArA	Armagh silt loam, 0 to 3 percent slopes	4	755.2	0.001	\$ 985.70
Centre	ArB	Armagh silt loam, 3 to 8 percent slopes	4	1840.3	0.003	\$ 985.70
Centre	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	10356.8	0.015	\$ 890.95
Centre	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	469.8	0.001	\$ 1,089.53
Centre	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	3778.1	0.005	\$ 1,084.38
Centre	BrC	Brinkerton silt loam, 8 to 15 percent slopes	4	2548.2	0.004	\$ 1,028.72
Centre	Du	Dunning silty clay loam	4	1563.6	0.002	\$ 1,293.31
Centre	EdD	Edom silt loam, 15 to 25 percent slopes	4	198	0	\$ 901.17
Centre	ErD	Ernest channery silt loam, 15 to 25 percent slopes	4	582.2	0.001	\$ 1,055.72
Centre	GI D	Gilpin channery silt loam, 15 to 25 percent slopes	4	1801.2	0.003	\$ 1,055.28
Centre	HcD	Hagerstown silty clay loam, 15 to 25 percent slopes	4	594.9	0.001	\$ 1,300.35
Centre	HhD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	295.1	0	\$ 1,096.37
Centre	HuD	Hublersburg silt loam, 15 to 25 percent slopes	4	202.8	0	\$ 1,175.64
Centre	LaD	Laidig channery loam, 15 to 25 percent slopes	4	1025.7	0.001	\$ 1,019.77
Centre	LkD	Leck Kill channery silt loam, 15 to 25 percent slopes	4	6531.3	0.009	\$ 1,111.22
Centre	LvB	Leetonia sand, variant, 3 to 8 percent slopes	4	564.3	0.001	\$ 815.10
Centre	LvC	Leetonia sand, variant, 8 to 15 percent slopes	4	321.8	0	\$ 779.66
Centre	MaB	Markes silt loam, 2 to 10 percent slopes	4	212.4	0	\$ 910.37
Centre	MnD	Millheim silt loam, 15 to 25 percent slopes	4	340.1	0	\$ 971.85
Centre	MrD	Morrison sandy loam, 15 to 25 percent slopes	4	1120.7	0.002	\$ 1,059.66
Centre	MuD	Murrill channery silt loam, 15 to 25 percent slopes	4	177.6	0	\$ 1,094.23
Centre	NoA	Nolo silt loam, 0 to 3 percent slopes	4	1033.5	0.001	\$ 1,074.88
Centre	OhC	Opequon-Hagerstown complex, 8 to 15 percent slopes	4	12180.6	0.017	\$ 1,049.21
Centre	Pu	Purdy silt loam	4	413.9	0.001	\$ 994.86
Centre	UmD	Ungers channery loam, 15 to 25 percent slopes	4	415.5	0.001	\$ 1,026.49
Centre	VaC	Vanderlip loamy sand, 5 to 20 percent slopes	4	314.4	0	\$ 871.29
Centre	WeC	Weikert shaly silt loam, 5 to 15 percent slopes	4	2556.7	0.004	\$ 779.66
Centre	OxB	Opequon-Rock outcrop complex, 0 to 8 percent slopes	5	977.3	0.001	\$ 865.24
Centre	BID	Berks very stony silt loam, 8 to 25 percent slopes	6	1152.3	0.002	\$ 671.40
Centre	BsB	Brinkerton very stony silt loam, 0 to 8 percent slopes	6	496.6	0.001	\$ 671.40

Centre	CvB	Clymer very stony sandy loam, 0 to 8 percent slopes	6	26246.4	0.037	\$ 671.40
Centre	CvD	Clymer very stony sandy loam, 8 to 25 percent slopes	6	9647.1	0.014	\$ 671.40
Centre	EvB	Ernest very stony silt loam, 3 to 8 percent slopes	6	439	0.001	\$ 671.40
Centre	EvD	Ernest very stony silt loam, 8 to 25 percent slopes	6	449.9	0.001	\$ 671.40
Centre	LIB	Leck Kill very stony silt loam, 0 to 8 percent slopes	6	366.7	0.001	\$ 671.40
Centre	LID	Leck Kill very stony silt loam, 8 to 25 percent slopes	6	2227.9	0.003	\$ 671.40
Centre	MkB	Meckesville very stony silt loam, 0 to 8 percent slopes	6	463	0.001	\$ 671.40
Centre	MkD	Meckesville very stony silt loam, 8 to 25 percent slopes	6	1956.7	0.003	\$ 671.40
Centre	MsB	Morrison very stony sandy loam, 0 to 8 percent slopes	6	1924.3	0.003	\$ 671.40
Centre	MsD	Morrison very stony sandy loam, 8 to 25 percent slopes	6	6091.9	0.009	\$ 671.40
Centre	MvB	Murrill very stony silt loam, 0 to 8 percent slopes	6	1504.4	0.002	\$ 671.40
Centre	MvD	Murrill very stony silt loam, 8 to 25 percent slopes	6	287.3	0	\$ 671.40
Centre	OhD	Opequon-Hagerstown complex, 15 to 25 percent slopes	6	4623.5	0.006	\$ 671.40
Centre	OxD	Opequon-Rock outcrop complex, 8 to 25 percent slopes	6	2153.7	0.003	\$ 671.40
Centre	Pk	Philo and Atkins very stony soils	6	7083.7	0.01	\$ 1,286.47
Centre	UnB	Ungers very stony loam, 0 to 8 percent slopes	6	2500.2	0.004	\$ 671.40
Centre	UnD	Ungers very stony loam, 8 to 25 percent slopes	6	8919.9	0.013	\$ 671.40
Centre	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	1737.2	0.002	\$ 671.40
Centre	AcB	Albrights silt loam, 0 to 8 percent slopes, extremely stony	7	787.5	0.001	\$ 671.40
Centre	AcC	Albrights silt loam, 8 to 15 percent slopes, extremely stony	7	1705.6	0.002	\$ 671.40
Centre	AoB	Andover very stony loam, 0 to 8 percent slopes	7	7036.7	0.01	\$ 671.40
Centre	AoC	Andover very stony loam, 8 to 15 percent slopes	7	13167.7	0.018	\$ 671.40
Centre	BMF	Berks and Weikert soils, steep	7	28255.1	0.04	\$ 671.40
Centre	BxB	Buchanan extremely stony loam, 0 to 8 percent slopes	7	4297.8	0.006	\$ 671.40
Centre	BxD	Buchanan extremely stony loam, 8 to 25 percent slopes	7	11060	0.016	\$ 671.40
Centre	CA	Carlisle muck	7	650.3	0.001	\$ 1,351.43
Centre	CpB	Cookport channery loam, 0 to 8 percent slopes, extremely stony	7	9825.1	0.014	\$ 671.40
Centre	CpD	Cookport channery loam, 8 to 25 percent slopes, extremely stony	7	2747.2	0.004	\$ 671.40
Centre	HkE	Hazleton channery sandy loam, 25 to 80 percent slopes, rubbly	7	4174.4	0.006	\$ 671.40
Centre	HSB	Hazleton extremely stony sandy loam, gently sloping	7	30889.5	0.043	\$ 671.40
Centre	HSD	Hazleton extremely stony sandy loam, moderately steep	7	41478.9	0.058	\$ 671.40
Centre	HTF	Hazleton-Dekalb association, very steep	7	41767	0.059	\$ 671.40
Centre	LcB	Laidig extremely stony loam, 0 to 8 percent slopes	7	2480	0.003	\$ 671.40
Centre	LcD	Laidig extremely stony loam, 8 to 25 percent slopes	7	28940.5	0.041	\$ 671.40

Centre	LDF	Laidig extremely stony loam, steep	7	13255.3	0.019	\$ 671.40
Centre	LMF	Leck Kill and Calvin soils, steep	7	15670.2	0.022	\$ 671.40
Centre	LtB	Leetonia extremely stony loamy sand, 0 to 12 percent slopes	7	13653.7	0.019	\$ 671.40
Centre	MTF	Morrison very stony sandy loam, steep	7	1929.3	0.003	\$ 671.40
Centre	NsA	Nolo silt loam, 0 to 3 percent slopes, extremely stony	7	1223.6	0.002	\$ 671.40
Centre	ORF	Opequon-Hagerstown complex, steep	7	2857.4	0.004	\$ 671.40
Centre	Sm	Strip mines, acid	7	14592.9	0.021	\$ 671.40
Centre	QU	Quarry	8	886.6	0.001	\$ 671.40
Centre	Ru	Rubble land	8	7081.7	0.01	\$ 671.40
Centre	URB	Urban land-Hagerstown complex, gently sloping	8	2466.8	0.003	\$ 758.57
Centre	VrF	Varilla-Laidig complex, 25 to 60 percent slopes, very rubbly	8	49773.1	0.07	\$ 671.40
Chester	CdA	Chester silt loam, 0 to 3 percent slopes	1	1030.3	0.002	\$ 1,612.81
Chester	Cs	Comus silt loam	1	824.4	0.002	\$ 1,620.31
Chester	CtA	Conestoga silt loam, 0 to 3 percent slopes	1	1262	0.003	\$ 1,610.78
Chester	DfA	Duffield silt loam, 0 to 3 percent slopes	1	122.3	0	\$ 1,522.26
Chester	GgA	Glenelg silt loam, 0 to 3 percent slopes	1	2884.7	0.006	\$ 1,658.23
Chester	MaA	Manor loam, 0 to 3 percent slopes	1	152.7	0	\$ 1,571.61
Chester	NeA	Neshaminy silt loam, 0 to 3 percent slopes	1	220.8	0	\$ 1,412.22
Chester	NvA	Neshaminy silt loam, very deep over mafic gneiss, 0 to 3 percent slopes	1	903	0.002	\$ 1,412.22
Chester	BrB	Brecknock channery silt loam, 3 to 8 percent slopes	2	402.7	0.001	\$ 1,303.66
Chester	CaA	Califon loam, 0 to 3 percent slopes	2	1579.2	0.003	\$ 1,246.12
Chester	CaB	Califon loam, 3 to 8 percent slopes	2	9521.9	0.02	\$ 1,270.49
Chester	CdB	Chester silt loam, 3 to 8 percent slopes	2	4168	0.009	\$ 1,605.55
Chester	CIA	Clarksburg silt loam, 0 to 3 percent slopes	2	605.8	0.001	\$ 1,322.68
Chester	CIB	Clarksburg silt loam, 3 to 8 percent slopes	2	1038	0.002	\$ 1,321.66
Chester	Co	Codorus silt loam	2	7359.9	0.015	\$ 1,330.29
Chester	CtB	Conestoga silt loam, 3 to 8 percent slopes	2	8090.4	0.017	\$ 1,610.78
Chester	CwA	Conowingo silt loam, 0 to 3 percent slopes	2	413	0.001	\$ 1,109.11
Chester	DfB	Duffield silt loam, 3 to 8 percent slopes	2	164.4	0	\$ 1,524.01
Chester	EdB	Edgemont channery loam, 3 to 8 percent slopes	2	10106.7	0.021	\$ 1,292.57
Chester	Gb	Gibraltar silt loam	2	849.3	0.002	\$ 1,298.87
Chester	GdA	Gladstone gravelly loam, 0 to 3 percent slopes	2	1635.4	0.003	\$ 1,432.97
Chester	GdB	Gladstone gravelly loam, 3 to 8 percent slopes	2	46610.6	0.096	\$ 1,356.75
Chester	GgB	Glenelg silt loam, 3 to 8 percent slopes	2	60917.1	0.125	\$ 1,407.46

Chester	GIA	Glenville silt loam, 0 to 3 percent slopes	2	1198.8	0.002	\$ 1,346.08
Chester	GIB	Glenville silt loam, 3 to 8 percent slopes	2	9375.1	0.019	\$ 1,439.10
Chester	HIB	Hollinger silt loam, 3 to 8 percent slopes	2	123.1	0	\$ 1,608.17
Chester	JoB	Joanna loam, 3 to 8 percent slopes	2	1848.2	0.004	\$ 1,282.13
Chester	LcB	Lawrenceville silt loam, 3 to 8 percent slopes	2	6.2	0	\$ 1,386.16
Chester	LeA	Legore silt loam, 0 to 3 percent slopes	2	198	0	\$ 1,113.59
Chester	LeB	Legore silt loam, 3 to 8 percent slopes	2	2973.8	0.006	\$ 1,113.59
Chester	LhB	Lehigh channery silt loam, 3 to 8 percent slopes	2	51.9	0	\$ 1,284.30
Chester	Ln	Lindside silt loam	2	781.3	0.002	\$ 1,525.87
Chester	MaB	Manor loam, 3 to 8 percent slopes	2	12242.8	0.025	\$ 1,372.94
Chester	McA	Mattapex silt loam, 0 to 3 percent slopes	2	139.5	0	\$ 1,463.80
Chester	MIA	Mount Lucas silt loam, 0 to 3 percent slopes	2	375.1	0.001	\$ 1,180.07
Chester	MIB	Mount Lucas silt loam, 3 to 8 percent slopes	2	2836.5	0.006	\$ 1,181.68
Chester	MuB	Murrill gravelly loam, 3 to 8 percent slopes	2	30.5	0	\$ 1,285.50
Chester	NeB	Neshaminy silt loam, 3 to 8 percent slopes	2	1650.9	0.003	\$ 1,401.99
Chester	NvB	Neshaminy silt loam, very deep over mafic gneiss, 3 to 8 percent slopes	2	6230.2	0.013	\$ 1,412.22
Chester	PaB	Parker gravelly loam, 3 to 8 percent slopes	2	1042.2	0.002	\$ 1,160.62
Chester	PeB	Penn silt loam, 3 to 8 percent slopes	2	12978.7	0.027	\$ 1,331.73
Chester	RaB	Raritan silt loam, 3 to 8 percent slopes	2	11.8	0	\$ 1,341.44
Chester	ReA	Readington silt loam, 0 to 3 percent slopes	2	911.1	0.002	\$ 1,332.81
Chester	ReB	Readington silt loam, 3 to 8 percent slopes	2	1936.1	0.004	\$ 1,317.00
Chester	Ro	Rowland silt loam	2	816.8	0.002	\$ 1,332.81
Chester	BrC	Brecknock channery silt loam, 8 to 15 percent slopes	3	148.7	0	\$ 1,268.98
Chester	CaC	Califon loam, 8 to 15 percent slopes	3	213.5	0	\$ 1,218.43
Chester	CdC	Chester silt loam, 8 to 15 percent slopes	3	60.4	0	\$ 1,595.32
Chester	CtC	Conestoga silt loam, 8 to 15 percent slopes	3	1764	0.004	\$ 1,560.18
Chester	CwB	Conowingo silt loam, 3 to 8 percent slopes	3	999.9	0.002	\$ 1,109.11
Chester	CwC	Conowingo silt loam, 8 to 15 percent slopes	3	20.2	0	\$ 1,066.20
Chester	DfC	Duffield silt loam, 8 to 15 percent slopes	3	71	0	\$ 1,493.15
Chester	EdC	Edgemont channery loam, 8 to 15 percent slopes	3	8697	0.018	\$ 1,221.72
Chester	GdC	Gladstone gravelly loam, 8 to 15 percent slopes	3	26223.1	0.054	\$ 1,300.86
Chester	GgC	Glenelg silt loam, 8 to 15 percent slopes	3	19001.6	0.039	\$ 1,312.04
Chester	GIC	Glenville silt loam, 8 to 15 percent slopes	3	107.9	0	\$ 1,109.11
Chester	HIC	Hollinger silt loam, 8 to 15 percent slopes	3	168.6	0	\$ 1,552.60

Chester	Ho	Holly silt loam	3	1435.7	0.003	\$ 1,155.71
Chester	JoC	Joanna loam, 8 to 15 percent slopes	3	2832.2	0.006	\$ 1,248.04
Chester	LeC	Legore silt loam, 8 to 15 percent slopes	3	1149.2	0.002	\$ 1,022.01
Chester	LhC	Lehigh channery silt loam, 8 to 15 percent slopes	3	32.4	0	\$ 1,233.86
Chester	MaC	Manor loam, 8 to 15 percent slopes	3	23668.2	0.049	\$ 1,251.87
Chester	MIC	Mount Lucas silt loam, 8 to 15 percent slopes	3	40.7	0	\$ 1,144.62
Chester	NeC	Neshaminy silt loam, 8 to 15 percent slopes	3	519.8	0.001	\$ 1,328.12
Chester	NvC	Neshaminy silt loam, very deep over mafic gneiss, 8 to 15 percent slopes	3	1267	0.003	\$ 1,342.51
Chester	PaC	Parker gravelly loam, 8 to 15 percent slopes	3	3160.9	0.007	\$ 1,115.44
Chester	PdA	Penlaw silt loam, 0 to 3 percent slopes	3	716.5	0.001	\$ 1,109.11
Chester	PdB	Penlaw silt loam, 3 to 8 percent slopes	3	717.4	0.001	\$ 1,066.20
Chester	PeC	Penn silt loam, 8 to 15 percent slopes	3	5363.4	0.011	\$ 1,302.19
Chester	PfC	Penn channery silt loam, 8 to 15 percent slopes	3	21.5	0	\$ 1,233.70
Chester	Bo	Bowmansville-Knauers silt loams	4	860.5	0.002	\$ 1,183.29
Chester	BrD	Brecknock channery silt loam, 15 to 25 percent slopes	4	40.2	0	\$ 1,231.84
Chester	CpA	Cokesbury silt loam, 0 to 3 percent slopes	4	7148	0.015	\$ 1,228.03
Chester	CpB	Cokesbury silt loam, 3 to 8 percent slopes	4	3078.4	0.006	\$ 1,150.79
Chester	CyA	Croton silt loam, occasionally ponded, 0 to 3 percent slopes	4	974.4	0.002	\$ 1,024.25
Chester	CyB	Croton silt loam, 3 to 8 percent slopes	4	751.4	0.002	\$ 899.13
Chester	EdD	Edgemont channery loam, 15 to 25 percent slopes	4	3756.1	0.008	\$ 1,108.26
Chester	GaD	Gaila silt loam, 15 to 25 percent slopes	4	1460.5	0.003	\$ 1,109.11
Chester	GdD	Gladstone gravelly loam, 15 to 25 percent slopes	4	3681.4	0.008	\$ 1,226.79
Chester	GdE	Gladstone gravelly loam, 25 to 35 percent slopes	4	519	0.001	\$ 1,227.88
Chester	GeD	Gladstone-Parker gravelly loams, 15 to 25 percent slopes	4	4107.3	0.008	\$ 1,163.88
Chester	GgD	Glenelg silt loam, 15 to 25 percent slopes	4	1024.1	0.002	\$ 1,377.82
Chester	Ha	Hatboro silt loam	4	12857.8	0.026	\$ 1,123.84
Chester	HID	Hollinger silt loam, 15 to 25 percent slopes	4	192.2	0	\$ 1,440.43
Chester	JoD	Joanna loam, 15 to 25 percent slopes	4	422.9	0.001	\$ 1,140.48
Chester	LbA	Lamington silt loam, 0 to 3 percent slopes	4	40.3	0	\$ 891.44
Chester	LfD	Legore gravelly silt loam, 15 to 25 percent slopes	4	269.6	0.001	\$ 976.48
Chester	MaD	Manor loam, 15 to 25 percent slopes	4	14444.8	0.03	\$ 1,189.86
Chester	NeD	Neshaminy silt loam, 15 to 25 percent slopes	4	12.6	0	\$ 1,293.31
Chester	NvD	Neshaminy silt loam, very deep over mafic gneiss, 15 to 25 percent slopes	4	444.7	0.001	\$ 1,342.51
Chester	PaD	Parker gravelly loam, 15 to 25 percent slopes	4	2913	0.006	\$ 1,076.61

Chester	PeD	Penn silt loam, 15 to 25 percent slopes	4	1139.4	0.002	\$ 983.95
Chester	PeE	Penn silt loam, 25 to 35 percent slopes	4	115.9	0	\$ 983.95
Chester	Th	Thorndale silt loam	4	1081.3	0.002	\$ 881.15
Chester	ToA	Towhee silt loam, 0 to 3 percent slopes	4	1131.4	0.002	\$ 1,029.17
Chester	ToB	Towhee silt loam, 3 to 8 percent slopes	4	916.1	0.002	\$ 1,039.85
Chester	WaA	Watchung silt loam, 0 to 3 percent slopes	4	642.8	0.001	\$ 1,042.06
Chester	Ba	Baile silt loam	5	3616.4	0.007	\$ 671.40
Chester	BaB	Baile silt loam, 3 to 8 percent slopes	5	3037.9	0.006	\$ 671.40
Chester	CbB	Califon loam, 0 to 8 percent slopes, extremely stony	6	193.6	0	\$ 671.40
Chester	ChB	Chrome silt loam, 3 to 8 percent slopes	6	1916	0.004	\$ 898.26
Chester	ChC	Chrome silt loam, 8 to 15 percent slopes	6	1007.8	0.002	\$ 898.26
Chester	ChD	Chrome silt loam, 15 to 25 percent slopes	6	383.6	0.001	\$ 671.40
Chester	ChE	Chrome silt loam, 25 to 45 percent slopes	6	443.1	0.001	\$ 671.40
Chester	GfB	Gladstone gravelly loam, 0 to 8 percent slopes, very bouldery	6	417.8	0.001	\$ 671.40
Chester	GfD	Gladstone gravelly loam, 8 to 25 percent slopes, very bouldery	6	2136.9	0.004	\$ 671.40
Chester	GxB	Glenville silt loam, 0 to 8 percent slopes, extremely stony	6	23.8	0	\$ 671.40
Chester	LgB	Legore gravelly silt loam, 0 to 8 percent slopes, extremely stony	6	206.4	0	\$ 671.40
Chester	LgD	Legore gravelly silt loam, 8 to 25 percent slopes, extremely stony	6	205.9	0	\$ 671.40
Chester	MaE	Manor loam, 25 to 35 percent slopes	6	6755.5	0.014	\$ 671.40
Chester	MbB	Manor loam, 0 to 8 percent slopes, very stony	6	27.3	0	\$ 671.40
Chester	MbD	Manor loam, 8 to 25 percent slopes, very stony	6	209.7	0	\$ 671.40
Chester	PaE	Parker gravelly loam, 25 to 35 percent slopes	6	1782.1	0.004	\$ 671.40
Chester	PaF	Parker gravelly loam, 35 to 60 percent slopes	6	551.7	0.001	\$ 671.40
Chester	PbB	Parker loam, 0 to 8 percent slopes, extremely stony	6	82.1	0	\$ 671.40
Chester	PbD	Parker loam, 8 to 25 percent slopes, extremely stony	6	385.2	0.001	\$ 671.40
Chester	PgB	Penn silt loam, 0 to 8 percent slopes, very stony	6	94.7	0	\$ 671.40
Chester	PgD	Penn silt loam, 8 to 25 percent slopes, very stony	6	159.6	0	\$ 671.40
Chester	WaB	Watchung silt loam, 3 to 8 percent slopes	6	417.1	0.001	\$ 1,016.17
Chester	BbB	Baile silt loam, 0 to 8 percent slopes, very stony	7	1367.4	0.003	\$ 671.40
Chester	BxB	Brecknock channery silt loam, 0 to 8 percent slopes, extremely stony	7	56.5	0	\$ 671.40
Chester	BxD	Brecknock channery silt loam, 8 to 25 percent slopes, extremely stony	7	53.7	0	\$ 671.40
Chester	CqB	Cokesbury silt loam, 0 to 8 percent slopes, very stony	7	332.7	0.001	\$ 671.40
Chester	ExB	Edgemont channery sandy loam, 0 to 8 percent slopes, extremely stony	7	888.1	0.002	\$ 671.40
Chester	ExD	Edgemont channery sandy loam, 8 to 25 percent slopes, extremely stony	7	1209.4	0.002	\$ 671.40

Chester	ExF	Edgemont channery sandy loam, 25 to 60 percent slopes, extremely stony	7	1082.6	0.002	\$ 671.40
Chester	GfF	Gladstone gravelly loam, 25 to 50 percent slopes, very bouldery	7	870.1	0.002	\$ 671.40
Chester	HIE	Hollinger silt loam, 25 to 35 percent slopes	7	82.2	0	\$ 671.40
Chester	JpB	Joanna loam, 0 to 8 percent slopes, extremely stony	7	311.5	0.001	\$ 671.40
Chester	JpD	Joanna loam, 8 to 25 percent slopes, extremely stony	7	1213.2	0.002	\$ 671.40
Chester	JpF	Joanna loam, 25 to 50 percent slopes, extremely stony	7	97.7	0	\$ 671.40
Chester	LgF	Legore gravelly silt loam, 25 to 50 percent slopes, extremely stony	7	38.4	0	\$ 671.40
Chester	LkB	Lehigh channery silt loam, 0 to 8 percent slopes, extremely stony	7	6.8	0	\$ 671.40
Chester	MaF	Manor loam, 35 to 60 percent slopes	7	1804.7	0.004	\$ 671.40
Chester	MbF	Manor loam, 25 to 60 percent slopes, very stony	7	1171.2	0.002	\$ 671.40
Chester	MnB	Mount Lucas silt loam, 0 to 8 percent slopes, extremely stony	7	321	0.001	\$ 671.40
Chester	NfB	Neshaminy gravelly silt loam, 0 to 8 percent slopes, extremely bouldery	7	696.5	0.001	\$ 671.40
Chester	NfD	Neshaminy gravelly silt loam, 8 to 25 percent slopes, extremely bouldery	7	772.2	0.002	\$ 671.40
Chester	NfF	Neshaminy gravelly silt loam, 25 to 60 percent slopes, extremely bouldery	7	87.1	0	\$ 671.40
Chester	NxB	Neshaminy silt loam, very deep over mafic gneiss, 0 to 8 percent slopes, very ston	7	221.9	0	\$ 671.40
Chester	NxD	Neshaminy silt loam, very deep over mafic gneiss, 8 to 25 percent slopes, very sto	7	494.5	0.001	\$ 671.40
Chester	NxF	Neshaminy silt loam, very deep over mafic gneiss, 25 to 60 percent slopes, very st	7	288.2	0.001	\$ 671.40
Chester	PbF	Parker loam, 25 to 60 percent slopes, extremely stony	7	164.6	0	\$ 671.40
Chester	PgF	Penn silt loam, 25 to 50 percent slopes, very stony	7	70.6	0	\$ 671.40
Chester	TxB	Towhee silt loam, 0 to 8 percent slopes, very stony	7	495.4	0.001	\$ 671.40
Chester	UdlB	Udorthents, limestone, 0 to 8 percent slopes	7	309.6	0.001	\$ 671.40
Chester	Udp	Udorthents, sanitary landfill	7	86.6	0	\$ 671.40
Chester	UdsB	Udorthents, schist and gneiss, 0 to 8 percent slopes	7	421.5	0.001	\$ 671.40
Chester	UdsD	Udorthents, schist and gneiss, 8 to 25 percent slopes	7	19.8	0	\$ 671.40
Chester	UdtB	Udorthents, shale and sandstone, 0 to 8 percent slopes	7	454.3	0.001	\$ 671.40
Chester	DAM	Dams	8	8.2	0	\$ 671.40
Chester	Ura	Urban land, occasionally flooded	8	48.6	0	\$ 671.40
Chester	UrB	Urban land, 0 to 8 percent slopes	8	4883.5	0.01	\$ 671.40
Chester	UrbB	Urban land-Baile complex, 0 to 8 percent slopes	8	62.6	0	\$ 671.40
Chester	UrcB	Urban land-Califon complex, 0 to 8 percent slopes	8	366.2	0.001	\$ 671.40
Chester	UrdB	Urban land-Chester complex, 0 to 8 percent slopes	8	627.4	0.001	\$ 678.43
Chester	UrdD	Urban land-Chester complex, 8 to 25 percent slopes	8	30.9	0	\$ 699.13
Chester	UreB	Urban land-Chrome complex, 0 to 8 percent slopes	8	127.6	0	\$ 671.40
Chester	UrfB	Urban land-Cokesbury complex, 0 to 8 percent slopes	8	120.4	0	\$ 671.40

Chester	UrfD	Urban land-Cokesbury complex, 8 to 25 percent slopes	8	23.9	0	\$ 671.40
Chester	UrgB	Urban land-Conestoga complex, 0 to 8 percent slopes	8	3350.9	0.007	\$ 921.91
Chester	UrgD	Urban land-Conestoga complex, 8 to 25 percent slopes	8	365.8	0.001	\$ 699.13
Chester	UrhB	Urban land-Duffield complex, 0 to 8 percent slopes	8	58.1	0	\$ 676.42
Chester	UrkB	Urban land-Edgemont complex, 0 to 8 percent slopes	8	993.7	0.002	\$ 671.40
Chester	UrKD	Urban land-Edgemont complex, 8 to 25 percent slopes	8	607.4	0.001	\$ 671.40
Chester	UrlB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	7281.4	0.015	\$ 671.40
Chester	UrID	Urban land-Gladstone complex, 8 to 25 percent slopes	8	1615.5	0.003	\$ 671.40
Chester	UrmB	Urban land-Glenelg complex, 0 to 8 percent slopes	8	8271.6	0.017	\$ 671.40
Chester	UrmD	Urban land-Glenelg complex, 8 to 25 percent slopes	8	2569.5	0.005	\$ 671.40
Chester	UrnB	Urban land-Glenville complex, 0 to 8 percent slopes	8	230.4	0	\$ 671.40
Chester	Uro	Urban land-Hatboro complex	8	169.6	0	\$ 671.40
Chester	Urp	Urban land-Holly complex	8	21.4	0	\$ 671.40
Chester	UrqB	Urban land-Legore complex, 0 to 8 percent slopes	8	80.7	0	\$ 671.40
Chester	Urr	Urban land-Lindside complex	8	74.4	0	\$ 779.66
Chester	UrsB	Urban land-Manor complex, 0 to 8 percent slopes	8	610.7	0.001	\$ 779.66
Chester	UrsD	Urban land-Manor complex, 8 to 25 percent slopes	8	485.6	0.001	\$ 671.40
Chester	UrtB	Urban land-Mount Lucas complex, 0 to 8 percent slopes	8	26.7	0	\$ 671.40
Chester	UruB	Urban land-Neshaminy complex, 0 to 8 percent slopes	8	319.3	0.001	\$ 671.40
Chester	UrvB	Urban land-Parker complex, 0 to 8 percent slopes	8	22.4	0	\$ 671.40
Chester	UrvD	Urban land-Parker complex, 8 to 25 percent slopes	8	79.4	0	\$ 671.40
Chester	UrwB	Urban land-Penlaw complex, 0 to 8 percent slopes	8	183.7	0	\$ 671.40
Chester	UrxB	Urban land-Penn complex, 0 to 8 percent slopes	8	4317.2	0.009	\$ 671.40
Chester	UrxD	Urban land-Penn complex, 8 to 25 percent slopes	8	444.5	0.001	\$ 671.40
Chester	UryB	Urban land-Towhee complex, 0 to 8 percent slopes	8	30.9	0	\$ 671.40
Chester	UudB	Urban land-Udorthents, limestone complex, 0 to 8 percent slopes	8	5091.2	0.01	\$ 671.40
Chester	UudD	Urban land-Udorthents, limestone complex, 8 to 25 percent slopes	8	171	0	\$ 671.40
Chester	UugB	Urban land-Udorthents, schist and gneiss complex, 0 to 8 percent slopes	8	12762.1	0.026	\$ 671.40
Chester	UugD	Urban land-Udorthents, schist and gneiss complex, 8 to 25 percent slopes	8	3476.1	0.007	\$ 671.40
Chester	UuhB	Urban land-Udorthents, serpentine complex, 0 to 8 percent slopes	8	116.2	0	\$ 671.40
Chester	UusB	Urban land-Udorthents, shale and sandstone complex, 0 to 8 percent slopes	8	861.5	0.002	\$ 671.40
Chester	UusD	Urban land-Udorthents, shale and sandstone complex, 8 to 25 percent slopes	8	68.9	0	\$ 671.40
Clarion	AhA	Allegheny silt loam, 0 to 3 percent slopes	1	226.2	0.001	\$ 1,342.51
Clarion	CIA	Clymer channery loam, 0 to 3 percent slopes	1	893	0.002	\$ 1,287.73

Clarion	PmA	Pope fine sandy loam, 0 to 2 percent slopes, rarely flooded	1	865.2	0.002	\$ 1,363.81
Clarion	PoA	Pope silt loam. 0 to 2 percent slopes, occasionally flooded	1	510.5	0.001	\$ 1,356.75
Clarion	WsA	Wheeling silt loam, 0 to 3 percent slopes	1	597.5	0.002	\$ 1,287.73
Clarion	AhB	Allegheny silt loam, 3 to 8 percent slopes	2	525	0.001	\$ 1,280.26
Clarion	CIB	Clymer channery loam, 3 to 8 percent slopes	2	5468.4	0.014	\$ 1,287.73
Clarion	CmB	Clymer loam, 0 to 8 percent slopes	2	473.4	0.001	\$ 1,295.17
Clarion	CoA	Cookport loam, 0 to 3 percent slopes	2	1519.4	0.004	\$ 1,022.01
Clarion	CoB	Cookport loam, 3 to 8 percent slopes	2	16944	0.043	\$ 976.48
Clarion	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	56.7	0	\$ 1,329.93
Clarion	ErB	Ernest silt loam, 3 to 8 percent slopes	2	16069.5	0.041	\$ 1,302.56
Clarion	GcB	Gilpin channery silt loam, 3 to 8 percent slopes	2	2190.9	0.006	\$ 1,134.26
Clarion	GgB	Gilpin silt loam, 3 to 8 percent slopes	2	1631.2	0.004	\$ 1,138.41
Clarion	GwB	Gilpin-Weikert channery silt loams, 3 to 8, percent slopes	2	1902.1	0.005	\$ 1,050.00
Clarion	GyB	Guernsey silt loam, 3 to 8 percent slopes	2	348.3	0.001	\$ 1,270.86
Clarion	HaB	Hazleton channery loam, 3 to 8 percent slopes	2	127.3	0	\$ 1,324.50
Clarion	HnB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	1621	0.004	\$ 1,320.86
Clarion	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	235.1	0.001	\$ 1,222.89
Clarion	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	1359.4	0.003	\$ 1,222.89
Clarion	PeA	Philo loam, 0 to 3 percent slopes, occasionally flooded	2	2074.1	0.005	\$ 1,234.55
Clarion	PhA	Philo silt loam, 0 to 2 percent slopes, occasionally flooded	2	3679.9	0.009	\$ 1,367.33
Clarion	RnB	Rayne-Gilpin channery silt loams, 3 to 8 percent slopes	2	1348.3	0.003	\$ 1,158.98
Clarion	ScA	Sciotoville silt loam, 0 to 2 percent slopes	2	1292.2	0.003	\$ 1,313.57
Clarion	ScB	Sciotoville silt loam, 2 to 6 percent slopes	2	1208.2	0.003	\$ 1,331.73
Clarion	ShB	Shelocta silt loam, 3 to 8 percent slopes	2	66.8	0	\$ 1,207.18
Clarion	WhA	Wharton silt loam, 0 to 3 percent slopes	2	552.3	0.001	\$ 1,142.55
Clarion	WhB	Wharton silt loam, 3 to 8 percent slopes	2	5723.5	0.015	\$ 1,140.07
Clarion	WIB	Wheeling gravelly loam, 2 to 6 percent slopes	2	46.3	0	\$ 1,333.53
Clarion	WsB	Wheeling silt loam, 3 to 8 percent slopes	2	866.6	0.002	\$ 1,291.46
Clarion	AhC	Allegheny silt loam, 8 to 15 percent slopes	3	335.2	0.001	\$ 1,197.27
Clarion	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	11427.2	0.029	\$ 779.66
Clarion	CaA	Cavode silt loam, 0 to 3 percent slopes	3	2532.7	0.006	\$ 1,037.63
Clarion	CaB	Cavode silt loam, 3 to 8 percent slopes	3	25757.7	0.066	\$ 1,037.63
Clarion	CaC	Cavode silt loam, 8 to 15 percent slopes	3	10974.8	0.028	\$ 999.42
Clarion	ChC	Chenango gravelly silt loam, 8 to 15 percent slopes	3	394.8	0.001	\$ 1,074.54

Clarion	CIC	Clymer channery loam, 8 to 15 percent slopes	3	2461.3	0.006	\$ 1,217.02
Clarion	CmC	Clymer loam, 8 to 15 percent slopes	3	64.5	0	\$ 1,217.02
Clarion	CoC	Cookport loam, 8 to 15 percent slopes	3	6392.9	0.016	\$ 939.05
Clarion	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	64.8	0	\$ 1,236.49
Clarion	ErC	Ernest silt loam, 8 to 15 percent slopes	3	14873.7	0.038	\$ 1,209.15
Clarion	GcC	Gilpin channery silt loam, 8 to 15 percent slopes	3	4589.7	0.012	\$ 1,132.18
Clarion	GgC	Gilpin silt loam, 8 to 15 percent slopes	3	3549.1	0.009	\$ 1,119.64
Clarion	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	5013.1	0.013	\$ 1,001.24
Clarion	GyC	Guernsey silt loam, 8 to 15 percent slopes	3	235.9	0.001	\$ 1,096.37
Clarion	HaC	Hazleton channery loam, 8 to 15 percent slopes	3	412.1	0.001	\$ 1,253.78
Clarion	HnC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	1400.1	0.004	\$ 1,249.96
Clarion	ItB	Itmann extremely channery loam, 0 to 8 percent slopes	3	14	0	\$ 779.66
Clarion	MoC	Monongahela silt loam, 8 to 15 percent slopes	3	228.4	0.001	\$ 1,146.68
Clarion	RnC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	604.4	0.002	\$ 1,092.10
Clarion	ScC	Sciotoville silt loam, 6 to 12 percent slopes	3	221.6	0.001	\$ 1,224.84
Clarion	ShC	Shelocta silt loam, 8 to 15 percent slopes	3	105.9	0	\$ 1,152.84
Clarion	TyA	Tyler silt loam, 0 to 2 percent slopes	3	203.6	0.001	\$ 1,128.02
Clarion	TyB	Tyler silt loam, 2 to 6 percent slopes	3	99.4	0	\$ 1,128.02
Clarion	WgC	Wharton-Gilpin silt loams, 8 to 15 percent slopes	3	255.7	0.001	\$ 1,066.20
Clarion	WhC	Wharton silt loam, 8 to 15 percent slopes	3	5446	0.014	\$ 1,150.79
Clarion	WIC	Wheeling gravelly loam, 6 to 12 percent slopes	3	131.5	0	\$ 1,257.60
Clarion	WsC	Wheeling silt loam, 8 to 15 percent slopes	3	339.8	0.001	\$ 1,304.77
Clarion	ArA	Armagh silt loam, 0 to 3 percent slopes	4	2490.9	0.006	\$ 900.69
Clarion	ArB	Armagh silt loam, 3 to 8 percent slopes	4	2399.9	0.006	\$ 900.69
Clarion	AtA	Atkins-Philo complex, 0 to 3 percent slopes, frequently flooded	4	4787.2	0.012	\$ 1,083.52
Clarion	BkA	Brinkerton silt loam, 0 to 3 percent slopes	4	3473.3	0.009	\$ 1,111.22
Clarion	BkB	Brinkerton silt loam, 3 to 8 percent slopes	4	1207.2	0.003	\$ 1,125.93
Clarion	ChD	Chenango gravelly silt loam, 15 to 25 percent slopes	4	179.6	0	\$ 1,019.77
Clarion	EkA	Elkins silt loam, 0 to 3 percent slopes, occasionally flooded	4	934.3	0.002	\$ 779.66
Clarion	ErD	Ernest silt loam, 15 to 25 percent slopes	4	489.4	0.001	\$ 1,017.52
Clarion	GcD	Gilpin channery silt loam, 15 to 25 percent slopes	4	5938.5	0.015	\$ 985.70
Clarion	GgD	Gilpin silt loam, 15 to 25 percent slopes	4	3933.2	0.01	\$ 1,059.66
Clarion	GxA	Ginat silt loam, 0 to 2 percent slopes	4	341.3	0.001	\$ 1,026.49
Clarion	GyD	Guernsey silt loam, 15 to 25 percent slopes	4	78.1	0	\$ 1,026.49

Clarion	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	394.5	0.001	\$ 1,218.98
Clarion	HnD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	3784	0.01	\$ 1,096.37
Clarion	ItD	Itmann extremely channery loam, 8 to 25 percent slopes	4	92.5	0	\$ 779.66
Clarion	RnD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	206.8	0.001	\$ 1,013.02
Clarion	WgD	Wharton-Gilpin silt loams, 15 to 25 percent slopes	4	8560.5	0.022	\$ 992.57
Clarion	WhD	Wharton silt loam, 15 to 25 percent slopes	4	1885.7	0.005	\$ 1,078.34
Clarion	AeB	Aeric Epiaquents, 0 to 8 percent slopes	6	2757.6	0.007	\$ 671.40
Clarion	AsB	Armagh silt loam, 0 to 8 percent slopes, very stony	6	322	0.001	\$ 671.40
Clarion	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	6	29935.3	0.077	\$ 671.40
Clarion	BsB	Brinkerton mucky silt loam, 0 to 8 percent slopes, very stony	6	924.2	0.002	\$ 671.40
Clarion	CdB	Cavode silt loam, 0 to 8 percent slopes, very stony	6	2202.6	0.006	\$ 671.40
Clarion	CdD	Cavode silt loam, 8 to 25 percent slopes, very stony	6	589	0.002	\$ 671.40
Clarion	CnB	Clymer loam, 0 to 8 percent slopes, very stony	6	1903.2	0.005	\$ 671.40
Clarion	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	11019.3	0.028	\$ 671.40
Clarion	CpD	Cookport loam, 8 to 25 percent slopes, very stony	6	7859	0.02	\$ 671.40
Clarion	HsB	Hazleton channery sandy loam, 0 to 8 percent slopes, extremely stony	6	3430.7	0.009	\$ 671.40
Clarion	LF	Land fill	6	74.8	0	\$ 671.40
Clarion	RsB	Rayne-Gilpin channery silt loams, 0 to 8 percent slopes, very stony	6	107.9	0	\$ 671.40
Clarion	RsD	Rayne-Gilpin channery silt loams, 8 to 25 percent slopes, very stony	6	2212.2	0.006	\$ 671.40
Clarion	SeB	Sewell very channery sandy loam, 0 to 8 percent slopes	6	992.9	0.003	\$ 671.40
Clarion	SeD	Sewell very channery sandy loam, 8 to 25 percent slopes	6	1093.8	0.003	\$ 671.40
Clarion	UdB	Udorthents, 0 to 8 percent slopes	6	1281.9	0.003	\$ 671.40
Clarion	BhD	Bethesda very channery silt loam, 8 to 25 percent slopes, very stony	7	29431.6	0.075	\$ 671.40
Clarion	BhF	Bethesda very channery silt loams, 25 to 75 percent slopes, very stony	7	3406.9	0.009	\$ 671.40
Clarion	BxB	Buchanan loam, 0 to 8 percent slopes, extremely stony	7	7523	0.019	\$ 671.40
Clarion	BxD	Buchanan loam, 8 to 25 percent slopes, extremely stony	7	13186.6	0.034	\$ 671.40
Clarion	DkB	Dekalb-Hazleton channery sandy loams, 0 to 8 percent slopes, extremely stony	7	111.3	0	\$ 671.40
Clarion	DkD	Dekalb-Hazleton channery sandy loams, 8 to 25 percent slopes, extremely stony	7	143.6	0	\$ 671.40
Clarion	GcF	Gilpin channery silt loam, 25 to 60 percent slopes	7	320.4	0.001	\$ 671.40
Clarion	GwF	Gilpin-Weikert channery silt loams, 35 to 60 percent slopes	7	10294.8	0.026	\$ 671.40
Clarion	HnF	Hazleton channery sandy loam, 25 to 70 percent slopes	7	821.9	0.002	\$ 671.40
Clarion	HsD	Hazleton channery sandy loam, 8 to 25 percent slopes, extremely stony	7	17283	0.044	\$ 671.40
Clarion	HsF	Hazleton channery sandy loam, 25 to 60 percent slopes, extremely stony	7	9013.1	0.023	\$ 671.40
Clarion	LaD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stony	7	417.5	0.001	\$ 671.40

Clarion	LaF	Laidig gravelly loam, 25 to 50 percent slopes, extremely bouldery	7	10864.4	0.028	\$ 671.40
Clarion	RvA	Riverwash, 0 to 3 percent slopes	7	35.8	0	\$ 671.40
Clarion	ShF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes	7	98.4	0	\$ 671.40
Clarion	SxF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes, very stony	7	2066.3	0.005	\$ 671.40
Clarion	DAM	Dam	8	1.5	0	\$ 671.40
Clarion	Pk	Pits, quarries	8	16.7	0	\$ 671.40
Clarion	UgB	Urban land-Gilpin complex, 0 to 8 percent slopes	8	171.9	0	\$ 671.40
Clarion	UIA	Urban land, 0 to 3 percent slopes	8	31.3	0	\$ 671.40
Clarion	UIB	Urban land, 3 to 8 percent slopes	8	445.3	0.001	\$ 671.40
Clarion	UwB	Urban land-Wharton complex, 0 to 8 percent slopes	8	683.9	0.002	\$ 671.40
Clarion	UwD	Urban land-Wharton complex, 8-25 percent slopes	8	65.8	0	\$ 671.40
Clarion	VrG	Varilla very channery sandy loam, 50 to 80 percent slopes, extremely bouldery	8	1504.1	0.004	\$ 671.40
Clearfield	AlB	Allegheny silt loam, 3 to 8 percent slopes	2	653.1	0.001	\$ 1,280.26
Clearfield	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	1379.4	0.002	\$ 1,066.20
Clearfield	ClB	Clymer channery loam, 3 to 8 percent slopes	2	13574.6	0.018	\$ 1,287.73
Clearfield	CoB	Cookport channery loam, 3 to 8 percent slopes	2	31178	0.042	\$ 1,022.01
Clearfield	DeB	Dekalb channery loam, 3 to 8 percent slopes	2	939.2	0.001	\$ 976.48
Clearfield	ErB	Ernest silt loam, 3 to 8 percent slopes	2	22445	0.03	\$ 1,222.89
Clearfield	GIB	Gilpin channery silt loam, 3 to 8 percent slopes	2	24650	0.033	\$ 1,136.34
Clearfield	HcB	Hazleton-Clymer channery loams, 3 to 8 percent slopes	2	8862.8	0.012	\$ 1,284.00
Clearfield	HrB	Hartleton channery silt loam, 3 to 8 percent slopes	2	385.1	0.001	\$ 994.86
Clearfield	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	4224.7	0.006	\$ 1,228.73
Clearfield	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	9506.4	0.013	\$ 1,234.55
Clearfield	Po	Pope loam, 0 to 3 percent slopes, occasionally flooded	2	1442.7	0.002	\$ 1,234.55
Clearfield	RaB	Rayne silt loam, 3 to 8 percent slopes	2	4383.8	0.006	\$ 1,215.06
Clearfield	WhB	Wharton silt loam, 3 to 8 percent slopes	2	25532.4	0.035	\$ 939.05
Clearfield	92B	Bethesda very channery silt loam, 0 to 8 percent slopes	3	5897.6	0.008	\$ 779.66
Clearfield	BeC	Berks channery silt loam, 8 to 15 percent slopes	3	1354	0.002	\$ 983.40
Clearfield	CaB	Cavode silt loam, 3 to 8 percent slopes	3	7451.3	0.01	\$ 1,074.88
Clearfield	CaC	Cavode silt loam, 8 to 15 percent slopes	3	2232	0.003	\$ 1,033.18
Clearfield	ClC	Clymer channery loam, 8 to 15 percent slopes	3	4171.4	0.006	\$ 1,217.02
Clearfield	CoC	Cookport channery loam, 8 to 15 percent slopes	3	9467.9	0.013	\$ 983.40
Clearfield	DeC	Dekalb channery loam, 8 to 15 percent slopes	3	683.3	0.001	\$ 929.55
Clearfield	ErC	Ernest silt loam, 8 to 15 percent slopes	3	38394.3	0.052	\$ 1,154.89

Clearfield	GIC	Gilpin channery silt loam, 8 to 15 percent slopes	3	39219	0.053	\$ 1,096.37
Clearfield	HcC	Hazleton-Clymer channery loams, 8 to 15 percent slopes	3	6416.4	0.009	\$ 1,259.50
Clearfield	HrC	Hartleton channery silt loam, 8 to 15 percent slopes	3	54.8	0	\$ 936.68
Clearfield	RaC	Rayne silt loam, 8 to 15 percent slopes	3	2390.9	0.003	\$ 1,148.74
Clearfield	TyA	Tyler silt loam, 0 to 3 percent slopes	3	475.5	0.001	\$ 1,128.02
Clearfield	TyB	Tyler silt loam, 3 to 6 percent slopes	3	1122.3	0.002	\$ 1,017.52
Clearfield	WhC	Wharton silt loam, 8 to 15 percent slopes	3	22925.5	0.031	\$ 861.36
Clearfield	Ar	Armagh silt loam	4	321.5	0	\$ 900.69
Clearfield	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	12638.8	0.017	\$ 1,022.01
Clearfield	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	1063.7	0.001	\$ 943.78
Clearfield	BrA	Brinkerton soils, 0 to 3 percent slopes	4	2249.8	0.003	\$ 1,089.96
Clearfield	BrB	Brinkerton soils, 3 to 8 percent slopes	4	12334.2	0.017	\$ 1,089.96
Clearfield	DeD	Dekalb channery loam, 15 to 25 percent slopes	4	391.3	0.001	\$ 881.15
Clearfield	ErD	Ernest silt loam, 15 to 25 percent slopes	4	7428.5	0.01	\$ 1,108.69
Clearfield	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	4253.6	0.006	\$ 1,218.98
Clearfield	HrD	Hartleton channery silt loam, 15 to 25 percent slopes	4	41.9	0	\$ 900.69
Clearfield	NoA	Nolo loam, 0 to 3 percent slopes	4	668.2	0.001	\$ 989.74
Clearfield	NoB	Nolo loam, 3 to 8 percent slopes	4	1157.9	0.002	\$ 989.74
Clearfield	Pu	Purdy silt loam	4	485.7	0.001	\$ 1,037.63
Clearfield	RcD	Rayne-Gilpin complex, 15 to 25 percent slopes	4	45635.1	0.062	\$ 1,030.96
Clearfield	WhD	Wharton silt loam, 15 to 25 percent slopes	4	4355.6	0.006	\$ 779.66
Clearfield	92D	Bethesda very channery silt loam, 8 to 25 percent slopes	6	40429.4	0.055	\$ 671.40
Clearfield	94B	Aeric Epiaquents, gently sloping	6	797.9	0.001	\$ 671.40
Clearfield	CmB	Clymer very stony loam, 0 to 8 percent slopes	6	6808	0.009	\$ 671.40
Clearfield	CmC	Clymer very stony loam, 8 to 15 percent slopes	6	2606.7	0.004	\$ 671.40
Clearfield	CxB	Cookport channery loam, 0 to 8 percent slopes, very stony	6	20034.9	0.027	\$ 671.40
Clearfield	CxD	Cookport channery loam, 8 to 25 percent slopes, very stony	6	10165.7	0.014	\$ 671.40
Clearfield	DxB	Dekalb very stony loam, 0 to 8 percent slopes	6	1904.6	0.003	\$ 671.40
Clearfield	DxD	Dekalb very stony loam, 8 to 25 percent slopes	6	3127.9	0.004	\$ 671.40
Clearfield	HbD	Hazleton very stony loam, 8 to 25 percent slopes	6	22434	0.03	\$ 671.40
Clearfield	HdB	Hazleton-Clymer very stony loams, 0 to 8 percent slopes	6	23016.4	0.031	\$ 671.40
Clearfield	LeB	Leetonia very stony loamy fine sand, 0 to 12 percent slopes	6	228	0	\$ 671.40
Clearfield	95C	Cedarcreek extremely channery loam, strongly sloping	7	1647.4	0.002	\$ 671.40
Clearfield	95D	Cedarcreek extremely channery loam, moderately steep	7	70088.6	0.095	\$ 671.40

Clearfield	BvB	Buchanan silt loam, 0 to 8 percent slopes, extremely stony	7	3718.1	0.005	\$ 671.40
Clearfield	BvD	Buchanan silt loam, 8 to 25 percent slopes, extremely stony	7	8568.6	0.012	\$ 671.40
Clearfield	BxB	Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely stony	7	1479.7	0.002	\$ 671.40
Clearfield	GmB	Gilpin channery silt loam, 3 to 8 percent slopes, extremely stony	7	906.2	0.001	\$ 671.40
Clearfield	GmD	Gilpin channery silt loam, 8 to 25 percent slopes, extremely stony	7	2878	0.004	\$ 671.40
Clearfield	HbF	Hazleton very stony loam, 25 to 80 percent slopes	7	49351	0.067	\$ 671.40
Clearfield	NxB	Nolo very stony loam, 0 to 8 percent slopes	7	1602.5	0.002	\$ 671.40
Clearfield	RbF	Rayne channery silt loam, 25 to 65 percent slopes	7	64700	0.088	\$ 671.40
Clearfield	Ud	Udifluents, sandy	7	1719.1	0.002	\$ 671.40
Clearfield	Uo	Udorthents, shale	7	462.4	0.001	\$ 671.40
Clearfield	Up	Udorthents, smoothed	7	2312	0.003	\$ 671.40
Clearfield	DAM	Dams and impoundment structures	8	48.4	0	\$ 671.40
Clearfield	QU	Quarries	8	3.5	0	\$ 671.40
Clearfield	Ru	Rubble land-Dystrochrepts complex	8	1163.6	0.002	\$ 671.40
Clearfield	Ur	Urban land	8	998.8	0.001	\$ 671.40
Clinton	Ba	Barbour fine sandy loam	1	1809.9	0.003	\$ 1,550.47
Clinton	CeA	Clymer channery loam, 0 to 3 percent slopes	1	355.4	0.001	\$ 1,338.93
Clinton	HeA	Hagerstown silt loam, 0 to 3 percent slopes	1	1346.9	0.002	\$ 1,468.68
Clinton	Lo	Linden silt loam, occasionally flooded	1	4151.9	0.007	\$ 1,333.53
Clinton	Lr	Linden silt loam, rarely flooded	1	2851.1	0.005	\$ 1,391.69
Clinton	MuA	Murrill silt loam, 0 to 3 percent slopes	1	147.3	0	\$ 1,306.24
Clinton	TmA	Timberville silt loam, 0 to 3 percent slopes	1	350.6	0.001	\$ 1,391.69
Clinton	WhA	Wheeling silt loam, 0 to 3 percent slopes	1	124.2	0	\$ 1,391.69
Clinton	AgB	Allenwood gravelly silt loam, 3 to 8 percent slopes	2	876	0.002	\$ 1,405.41
Clinton	Bb	Barbour-Craigsville complex	2	3894.7	0.007	\$ 1,266.86
Clinton	Bc	Basher silt loam	2	1054	0.002	\$ 1,541.30
Clinton	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	934.2	0.002	\$ 971.85
Clinton	BhB	Buchanan gravelly loam, 3 to 8 percent slopes	2	393	0.001	\$ 1,059.66
Clinton	BuB	Buchanan-Andover gravelly loams, 3 to 8 percent slopes	2	5525.3	0.01	\$ 1,240.74
Clinton	CcA	Chenango gravelly loam, 0 to 3 percent slopes	2	32.8	0	\$ 1,313.57
Clinton	CcB	Chenango gravelly loam, 3 to 8 percent slopes	2	281.7	0	\$ 1,320.86
Clinton	CdB	Clymer loam, 3 to 8 percent slopes	2	2257.1	0.004	\$ 1,317.22
Clinton	CeB	Clymer channery loam, 3 to 8 percent slopes	2	2668.1	0.005	\$ 1,289.60
Clinton	CmA	Comly silt loam, 0 to 3 percent slopes	2	145.7	0	\$ 1,244.20

Clinton	CmB	Comly silt loam, 3 to 8 percent slopes	2	936.6	0.002	\$ 1,242.28
Clinton	CnB	Cookport silt loam, 3 to 8 percent slopes	2	1187.2	0.002	\$ 976.48
Clinton	CoA	Cookport loam, 0 to 3 percent slopes	2	98.6	0	\$ 1,284.00
Clinton	CoB	Cookport loam, 3 to 8 percent slopes	2	337.1	0.001	\$ 1,150.79
Clinton	Cr	Craigsville gravelly loam	2	3739.6	0.007	\$ 1,013.02
Clinton	GpB	Gilpin silt loam, 3 to 8 percent slopes	2	1379.4	0.002	\$ 1,083.52
Clinton	HeB	Hagerstown silt loam, 3 to 8 percent slopes	2	9453.4	0.016	\$ 1,469.33
Clinton	HfB	Hagerstown silty clay loam, 3 to 8 percent slopes	2	247.2	0	\$ 1,478.72
Clinton	HhA	Hartleton channery silt loam, 0 to 3 percent slopes	2	88.3	0	\$ 1,287.73
Clinton	HhB	Hartleton channery silt loam, 3 to 8 percent slopes	2	344	0.001	\$ 1,287.73
Clinton	HiB	Hazleton-Clymer channery loams, 3 to 8 percent slopes	2	2127.8	0.004	\$ 1,284.00
Clinton	HuB	Hustontown silt loam, 3 to 8 percent slopes	2	2011.5	0.004	\$ 1,201.25
Clinton	KrA	Kreamer silt loam, 0 to 3 percent slopes	2	438.7	0.001	\$ 1,150.79
Clinton	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	134.6	0	\$ 1,191.30
Clinton	LkB	Leck kill channery silt loam, 3 to 8 percent slopes	2	166.6	0	\$ 1,150.79
Clinton	MeB	Meckesville silt loam, 3 to 8 percent slopes	2	654.6	0.001	\$ 1,150.79
Clinton	MoB	Morrison channery sandy loam, 3 to 8 percent slopes	2	225.5	0	\$ 1,150.79
Clinton	MuB	Murrill silt loam, 3 to 8 percent slopes	2	309	0.001	\$ 1,249.96
Clinton	Pb	Philo silt loam	2	1683	0.003	\$ 1,356.75
Clinton	Pc	Philo-Linden silt loams	2	280.2	0	\$ 1,374.33
Clinton	TaA	Tilsit silt loam, 0 to 3 percent slopes	2	1543.2	0.003	\$ 1,150.79
Clinton	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	1738.2	0.003	\$ 1,150.79
Clinton	TmB	Timberville silt loam, 3 to 8 percent slopes	2	546.5	0.001	\$ 1,391.69
Clinton	UnB	Ungers loam, 3 to 8 percent slopes	2	2471.1	0.004	\$ 1,098.50
Clinton	WaA	Watson silt loam, 0 to 5 percent slopes	2	717.5	0.001	\$ 1,150.79
Clinton	WbB	Wharton silt loam, 3 to 8 percent slopes	2	2368.7	0.004	\$ 939.05
Clinton	ZoA	Zoar silt loam, 0 to 3 percent slopes	2	182.7	0	\$ 1,222.89
Clinton	AgC	Allenwood gravelly silt loam, 8 to 15 percent slopes	3	211.7	0	\$ 1,338.93
Clinton	BeC	Berks channery silt loam, 8 to 15 percent slopes	3	4122.4	0.007	\$ 931.93
Clinton	BuC	Buchanan-Andover gravelly loams, 8 to 15 percent slopes	3	5766	0.01	\$ 1,175.64
Clinton	CaB	Calvin channery silt loam, 3 to 8 percent slopes	3	804.6	0.001	\$ 1,074.88
Clinton	CeC	Clymer channery loam, 8 to 15 percent slopes	3	380.9	0.001	\$ 1,248.04
Clinton	CmC	Comly silt loam, 8 to 15 percent slopes	3	484.6	0.001	\$ 1,106.99
Clinton	GpC	Gilpin silt loam, 8 to 15 percent slopes	3	325.4	0.001	\$ 1,048.68

Clinton	HeC	Hagerstown silt loam, 8 to 15 percent slopes	3	2579.3	0.004	\$ 1,397.20
Clinton	HgC	Hagerstown-Opequon silty clay loams, 8 to 15 percent slopes, rocky	3	1380.6	0.002	\$ 1,306.24
Clinton	HhC	Hartleton channery silt loam, 8 to 15 percent slopes	3	243.1	0	\$ 1,191.30
Clinton	HIC	Hazleton-Clymer channery loams, 8 to 15 percent slopes	3	1466.8	0.003	\$ 1,259.50
Clinton	HuC	Hustontown silt loam, 8 to 15 percent slopes	3	299.1	0.001	\$ 1,218.98
Clinton	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	839.5	0.001	\$ 1,117.54
Clinton	LkC	Leck kill channery silt loam, 8 to 15 percent slopes	3	597.9	0.001	\$ 1,117.54
Clinton	MeC	Meckesville silt loam, 8 to 15 percent slopes	3	1458.3	0.003	\$ 1,117.54
Clinton	Mn	Melvin and Newark silt loams	3	2270.8	0.004	\$ 1,154.89
Clinton	MoC	Morrison channery sandy loam, 8 to 15 percent slopes	3	96.2	0	\$ 1,117.54
Clinton	MuC	Murrill silt loam, 8 to 15 percent slopes	3	41.3	0	\$ 1,191.30
Clinton	TaC	Tilsit silt loam, 8 to 15 percent slopes	3	269.2	0	\$ 1,083.52
Clinton	UnC	Ungers loam, 8 to 15 percent slopes	3	352.2	0.001	\$ 1,083.52
Clinton	WbC	Wharton silt loam, 8 to 15 percent slopes	3	395.8	0.001	\$ 861.36
Clinton	WyA	Wyoming very gravelly loam, 0 to 3 percent slopes	3	2275.1	0.004	\$ 1,201.25
Clinton	WyB	Wyoming very gravelly loam, 3 to 8 percent slopes	3	857.1	0.001	\$ 1,201.25
Clinton	AfD	Allegheny silt loam, 8 to 25 percent slopes	4	288.5	0.001	\$ 1,117.54
Clinton	AgD	Allenwood gravelly silt loam, 15 to 25 percent slopes	4	13.3	0	\$ 1,342.51
Clinton	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	3772.5	0.007	\$ 1,022.01
Clinton	BeD	Berks-Weikert complex, 15 to 25 percent slopes	4	5738.2	0.01	\$ 779.66
Clinton	BgA	Brinkerton silt loam, 0 to 3 percent slopes	4	311.2	0.001	\$ 1,125.93
Clinton	BhD	Buchanan gravelly loam, 8 to 25 percent slopes	4	1168.7	0.002	\$ 1,059.66
Clinton	CaC	Calvin channery silt loam, 8 to 15 percent slopes	4	330.8	0.001	\$ 1,006.23
Clinton	CdD	Clymer loam, 8 to 25 percent slopes	4	78.9	0	\$ 1,306.24
Clinton	GwD	Gilpin-Wharton silt loams, 15 to 25 percent slopes	4	648.6	0.001	\$ 1,104.88
Clinton	HID	Hazleton-Clymer channery loams, 15 to 25 percent slopes	4	308.7	0.001	\$ 1,213.09
Clinton	HuD	Hustontown silt loam, 15 to 25 percent slopes	4	2833.2	0.005	\$ 1,096.37
Clinton	LaD	Laidig gravelly loam, 15 to 25 percent slopes	4	404.7	0.001	\$ 1,048.68
Clinton	LkD	Leck kill channery silt loam, 15 to 25 percent slopes	4	858.2	0.001	\$ 1,048.68
Clinton	MeD	Meckesville silt loam, 15 to 25 percent slopes	4	550.3	0.001	\$ 1,048.68
Clinton	MuD	Murrill silt loam, 15 to 25 percent slopes	4	198.5	0	\$ 1,183.29
Clinton	NoA	Nolo silt loam, 0 to 3 percent slopes	4	4521.1	0.008	\$ 1,074.88
Clinton	Pu	Purdy silt loam, 0 to 3 percent slopes	4	343.3	0.001	\$ 900.69
Clinton	Fr	Freetown mucky peat	5	305	0.001	\$ 671.40

Clinton	Pt	Potomac gravelly sandy loam	5	125.5	0	\$ 671.40
Clinton	AeB	Aeric Epiaquents, gently sloping	6	631.4	0.001	\$ 671.40
Clinton	KcD	Klinesville channery silt loam, 15 to 25 percent slopes	6	27.1	0	\$ 671.40
Clinton	LkE	Leck kill channery silt loam, 25 to 35 percent slopes	6	1230.6	0.002	\$ 671.40
Clinton	LmD	Leck kill channery silt loam, 8 to 25 percent slopes, very stony	6	75.6	0	\$ 671.40
Clinton	MhD	Meckesville channery loam, 8 to 25 percent slopes, very stony	6	1722.8	0.003	\$ 671.40
Clinton	OhD	Opequon-Hagerstown silty clay loams, 15 to 25 percent slopes	6	1007.3	0.002	\$ 671.40
Clinton	OsD	Opequon-Hagerstown silty clay loams, 15 to 25 percent slopes, rocky	6	321.3	0.001	\$ 671.40
Clinton	WeB	Wharton silt loam, 0 to 8 percent slopes, very stony	6	4366.5	0.008	\$ 671.40
Clinton	WgB	Wharton-Cookport complex, 0 to 8 percent slopes, very stony	6	6580.5	0.011	\$ 671.40
Clinton	BeE	Berks-Weikert complex, 25 to 60 percent slopes	7	9919.8	0.017	\$ 671.40
Clinton	BmB	Buchanan gravelly loam, 0 to 8 percent slopes, extremely stony	7	2782.9	0.005	\$ 671.40
Clinton	BmC	Buchanan gravelly loam, 8 to 25 percent slopes, extremely stony	7	9636.8	0.017	\$ 671.40
Clinton	BxB	Buchanan-Andover gravelly loams, 0 to 8 percent slopes, extremely stony	7	1265.6	0.002	\$ 671.40
Clinton	BxC	Buchanan-Andover gravelly loams, 8 to 25 percent slopes, extremely stony	7	1020.3	0.002	\$ 671.40
Clinton	CbC	Cedarcreek extremely channery loam, strongly sloping	7	2375.3	0.004	\$ 671.40
Clinton	CbD	Cedarcreek extremely channery loam, moderately steep	7	2543	0.004	\$ 671.40
Clinton	CbE	Cedarcreek extremely channery loam, steep	7	1897.2	0.003	\$ 671.40
Clinton	CfB	Clymer channery loam, 0 to 8 percent slopes, extremely stony	7	28768.3	0.05	\$ 671.40
Clinton	CgB	Clymer-Cookport channery loams, 0 to 8 percent slopes, extremely stony	7	19118.3	0.033	\$ 671.40
Clinton	ChB	Clymer-Hazleton sandy loams, 0 to 8 percent slopes, extremely stony	7	5544.5	0.01	\$ 671.40
Clinton	CpB	Cookport channery loam, 0 to 8 percent slopes, extremely stony	7	27903.1	0.049	\$ 671.40
Clinton	CpD	Cookport channery loam, 8 to 25 percent slopes, extremely stony	7	34574.7	0.06	\$ 671.40
Clinton	HjC	Hazleton channery sandy loam, 8 to 25 percent slopes, extremely stony	7	8128.3	0.014	\$ 671.40
Clinton	HkE	Hazleton channery sandy loam, 25 to 80 percent slopes, rubbly	7	54969.1	0.096	\$ 671.40
Clinton	HmB	Hazleton-Clymer channery loams, 0 to 8 percent slopes, extremely stony	7	5791.6	0.01	\$ 671.40
Clinton	HmD	Hazleton-Clymer channery loams, 8 to 25 percent slopes, extremely stony	7	54905.5	0.096	\$ 671.40
Clinton	HoF	Hazleton-Laidig complex, 25 to 50 percent slopes, extremely stony	7	107959	0.188	\$ 671.40
Clinton	KcE	Klinesville channery silt loam, 25 to 80 percent slopes	7	113	0	\$ 671.40
Clinton	LdB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stony	7	276.1	0	\$ 671.40
Clinton	LdC	Laidig gravelly loam, 8 to 25 percent slopes, extremely stony	7	6499.8	0.011	\$ 671.40
Clinton	LnB	Leetonia channery sandy loam, 0 to 8 percent slopes, extremely stony	7	4598.6	0.008	\$ 671.40
Clinton	LnC	Leetonia channery sandy loam, 8 to 25 percent slopes, extremely stony	7	3572.9	0.006	\$ 671.40
Clinton	NsA	Nolo silt loam, 0 to 3 percent slopes, extremely stony	7	30.7	0	\$ 671.40

Clinton	OeE	Opequon silty clay loam, 25 to 60 percent slopes, very rocky	7	318	0.001	\$ 671.40
Clinton	PaE	Pennval silt loam, 15 to 35 percent slopes, very stony	7	799.8	0.001	\$ 671.40
Clinton	UoB	Ungers loam, 0 to 8 percent slopes, extremely stony	7	134.4	0	\$ 671.40
Clinton	UoC	Ungers loam, 8 to 25 percent slopes, extremely stony	7	1755.1	0.003	\$ 671.40
Clinton	UoE	Ungers loam, 25 to 50 percent slopes, extremely stony	7	3503.9	0.006	\$ 671.40
Clinton	UpF	Ungers-Meckesville complex, 25 to 50 percent slopes, extremely stony	7	21998.3	0.038	\$ 671.40
Clinton	RaF	Rock outcrop-Rubble land complex, 50 to 90 percent slopes	8	4730.6	0.008	\$ 671.40
Clinton	Rb	Rubble land	8	8450.7	0.015	\$ 671.40
Clinton	UrC	Urban land-Berks complex, 3 to 15 percent slopes	8	131.7	0	\$ 671.40
Clinton	UsB	Urban land-Comly complex, 0 to 8 percent slopes	8	221.8	0	\$ 671.40
Clinton	UsC	Urban land-Comly complex, 8 to 15 percent slopes	8	156.7	0	\$ 671.40
Clinton	Ut	Urban land-Linden complex	8	1337.6	0.002	\$ 671.40
Columbia	AeA	Allenwood silt loam, 0 to 3 percent slopes	1	282.5	0.001	\$ 1,392.66
Columbia	Ba	Barbour fine sandy loam	1	1055	0.003	\$ 1,303.30
Columbia	Bb	Barbour gravelly loam	1	1377.3	0.004	\$ 1,301.82
Columbia	Bc	Barbour silt loam	1	1174.6	0.004	\$ 1,298.87
Columbia	ChA	Chenango silt loam, 0 to 3 percent slopes	1	1762	0.006	\$ 1,230.68
Columbia	LIA	Leck kill channery silt loam, deep, 0 to 3 percent slopes	1	540.3	0.002	\$ 1,306.24
Columbia	Tf	Tioga fine sandy loam	1	674.8	0.002	\$ 1,298.87
Columbia	Tg	Tioga gravelly loam	1	57.4	0	\$ 1,303.30
Columbia	Ts	Tioga silt loam	1	1585.6	0.005	\$ 1,298.87
Columbia	Tt	Tioga silt loam, high bottom	1	367.4	0.001	\$ 1,303.22
Columbia	WaA	Washington silt loam, 0 to 3 percent slopes	1	97	0	\$ 1,445.73
Columbia	AaA	Albrights gravelly silt loam, 0 to 3 percent slopes	2	258.6	0.001	\$ 1,148.24
Columbia	AaB2	Albrights gravelly silt loam, 3 to 8 percent slopes, moderately eroded	2	3526.8	0.011	\$ 1,187.86
Columbia	AeB2	Allenwood silt loam, 3 to 12 percent slopes, moderately eroded	2	2557.9	0.008	\$ 1,392.66
Columbia	BaB	Bath channery silt loam, 3 to 8 percent slopes	2	133.9	0	\$ 1,259.50
Columbia	Bd	Basher fine sandy loam	2	742.2	0.002	\$ 1,298.87
Columbia	BeB2	Belmont silt loam, 3 to 12 percent slopes, moderately eroded	2	1735.9	0.006	\$ 1,275.83
Columbia	BkB2	Berks shaly silt loam, 3 to 12 percent slopes, moderately eroded	2	4353.1	0.014	\$ 959.56
Columbia	BrA	Braceville loam, 0 to 3 percent slopes	2	839.9	0.003	\$ 1,209.15
Columbia	BrB	Braceville loam, 3 to 8 percent slopes	2	292.4	0.001	\$ 1,175.23
Columbia	BuB	Buchanan cobbly loam, 3 to 8 percent slopes	2	424.6	0.001	\$ 1,053.08
Columbia	CaB2	Calvin shaly silt loam, neutral substratum, 3 to 12 percent slopes, moderately eroded	2	670.1	0.002	\$ 916.53

Columbia	CfB2	Canfield channery silt loam, 3 to 8 percent slopes, moderately eroded	2	1855.9	0.006	\$ 1,142.55
Columbia	CgA	Chenango gravelly sandy loam, 0 to 3 percent slopes	2	3409.7	0.011	\$ 1,158.25
Columbia	CgB2	Chenango gravelly sandy loam, 3 to 12 percent slopes, moderately eroded	2	925.5	0.003	\$ 1,154.48
Columbia	ChB2	Chenango silt loam, 3 to 12 percent slopes, moderately eroded	2	1049.6	0.003	\$ 1,227.18
Columbia	DaB2	Dekalb channery loam, 3 to 12 percent slopes, moderately eroded	2	469.5	0.001	\$ 993.21
Columbia	EoB	Edom complex, 3 to 8 percent slopes	2	63.2	0	\$ 1,199.26
Columbia	HhA	Hartleton channery silt loam, 0 to 3 percent slopes	2	419.7	0.001	\$ 1,050.88
Columbia	HhB2	Hartleton channery silt loam, 3 to 12 percent slopes, moderately eroded	2	25710.6	0.082	\$ 1,010.76
Columbia	LaB2	Lackawanna channery loam, 3 to 12 percent slopes, eroded	2	1258.3	0.004	\$ 1,220.93
Columbia	LeB2	Laidig gravelly loam, 3 to 12 percent slopes, moderately eroded	2	249.1	0.001	\$ 1,150.79
Columbia	LgB	Lawrenceville and Duncannon silt loams, 3 to 8 percent slopes	2	2176.6	0.007	\$ 1,197.59
Columbia	LkA	Leck kill channery silt loam, 0 to 3 percent slopes	2	340.5	0.001	\$ 1,306.24
Columbia	LkB2	Leck kill channery silt loam, 3 to 12 percent slopes, moderately eroded	2	14032.6	0.045	\$ 1,306.24
Columbia	LIB2	Leck kill channery silt loam, deep, 3 to 12 percent slopes, moderately eroded	2	10880.1	0.035	\$ 1,306.24
Columbia	LsB2	Lordstown channery silt loam, 3 to 12 percent slopes, moderately eroded	2	3389.2	0.011	\$ 1,144.62
Columbia	MaB	Mardin channery silt loam, 3 to 8 percent slopes	2	236	0.001	\$ 1,213.09
Columbia	Mb	Middlebury fine sandy loam	2	784.2	0.003	\$ 1,298.87
Columbia	Md	Middlebury silt loam	2	3220.7	0.01	\$ 1,298.87
Columbia	OcB2	Oquaga channery silt loam, 3 to 12 percent slopes, moderately eroded	2	1525.3	0.005	\$ 779.66
Columbia	PkA	Pekin silt loam, cobbly variant, 0 to 3 percent slopes	2	400.3	0.001	\$ 1,179.27
Columbia	PkB2	Pekin silt loam, cobbly variant, 3 to 8 percent slopes, moderately eroded	2	255.7	0.001	\$ 1,179.27
Columbia	WaB2	Washington silt loam, 3 to 12 percent slopes, moderately eroded	2	1321	0.004	\$ 1,445.73
Columbia	WbA	Watson silt loam, 0 to 3 percent slopes	2	425.9	0.001	\$ 1,171.19
Columbia	WbB2	Watson silt loam, 3 to 8 percent slopes, moderately eroded	2	5289.1	0.017	\$ 1,171.19
Columbia	WfB2	Wellsboro channery silt loam, 3 to 8 percent slopes, eroded	2	653.4	0.002	\$ 1,207.18
Columbia	WmB2	Westmoreland silt loam, 3 to 12 percent slopes, moderately eroded	2	330.4	0.001	\$ 1,230.68
Columbia	WnA	Wiltshire silt loam, 0 to 3 percent slopes	2	243.9	0.001	\$ 1,138.41
Columbia	WnB2	Wiltshire silt loam, 3 to 8 percent slopes, moderately eroded	2	1544.9	0.005	\$ 1,138.41
Columbia	WoB2	Wooster channery silt loam, 3 to 12 percent slopes, moderately eroded	2	2642.2	0.008	\$ 1,191.30
Columbia	AaC	Albrights gravelly silt loam, 8 to 15 percent slopes	3	551.9	0.002	\$ 1,096.97
Columbia	AeC2	Allenwood silt loam, 12 to 20 percent slopes, moderately eroded	3	213.5	0.001	\$ 1,217.96
Columbia	ArA	Alvira silt loam, 0 to 3 percent slopes	3	364.9	0.001	\$ 1,104.88
Columbia	ArB	Alvira silt loam, 3 to 8 percent slopes	3	319.1	0.001	\$ 1,106.57
Columbia	AsB2	Alvira shaly silt loam, 3 to 8 percent slopes, moderately eroded	3	1797.7	0.006	\$ 1,102.75

Columbia	AsC2	Alvira shaly silt loam, 8 to 15 percent slopes, moderately eroded	3	471.5	0.002	\$ 1,061.84
Columbia	At	Atherton loam	3	627.3	0.002	\$ 978.79
Columbia	BaC	Bath channery silt loam, 8 to 15 percent slopes	3	11.2	0	\$ 1,187.30
Columbia	BeC2	Belmont silt loam, 12 to 20 percent slopes, moderately eroded	3	349.6	0.001	\$ 1,034.16
Columbia	BkC2	Berks shaly silt loam, 12 to 20 percent slopes, moderately eroded	3	1393.7	0.004	\$ 817.35
Columbia	CaC2	Calvin shaly silt loam, neutral substratum, 12 to 20 percent slopes, moderately eroded	3	482.1	0.002	\$ 779.66
Columbia	CgC2	Chenango gravelly sandy loam, 12 to 20 percent slopes, moderately eroded	3	270.2	0.001	\$ 999.42
Columbia	DaC2	Dekalb channery loam, 12 to 20 percent slopes, moderately eroded	3	199.3	0.001	\$ 894.46
Columbia	EoC	Edom complex, 8 to 15 percent slopes	3	12.8	0	\$ 1,125.93
Columbia	HhC2	Hartleton channery silt loam, 12 to 20 percent slopes, moderately eroded	3	10737.4	0.034	\$ 888.02
Columbia	KaB2	Klinesville shaly silt loam, 3 to 12 percent slopes, moderately eroded	3	4511.8	0.014	\$ 793.84
Columbia	LeC2	Laidig gravelly loam, 12 to 20 percent slopes, moderately eroded	3	200.2	0.001	\$ 1,022.01
Columbia	LgC2	Lawrenceville and Duncannon silt loams, 8 to 12 percent slopes, moderately eroded	3	457.1	0.001	\$ 1,126.85
Columbia	LkC2	Leck kill channery silt loam, 12 to 20 percent slopes, moderately eroded	3	3964	0.013	\$ 1,191.30
Columbia	LIC2	Leck kill channery silt loam, deep, 12 to 20 percent slopes, moderately eroded	3	1503.4	0.005	\$ 1,191.30
Columbia	LpB2	Litz silt loam, 3 to 12 percent slopes, moderately eroded	3	1977.1	0.006	\$ 831.21
Columbia	LsC2	Lordstown channery silt loam, 12 to 20 percent slopes, moderately eroded	3	2336.3	0.007	\$ 1,106.99
Columbia	MaC	Mardin channery silt loam, 8 to 15 percent slopes	3	48.8	0	\$ 1,104.03
Columbia	MrB	Morris channery silt loam, 3 to 8 percent slopes	3	234.7	0.001	\$ 821.03
Columbia	OcC2	Oquaga channery silt loam, 12 to 20 percent slopes, moderately eroded	3	1029.9	0.003	\$ 779.66
Columbia	RaA	Ravenna channery silt loam, 0 to 3 percent slopes	3	206.4	0.001	\$ 1,142.55
Columbia	RaB	Ravenna channery silt loam, 3 to 8 percent slopes	3	812.7	0.003	\$ 1,102.75
Columbia	VoB	Volusia channery silt loam, 0 to 8 percent slopes	3	35.7	0	\$ 994.86
Columbia	WaC2	Washington silt loam, 12 to 20 percent slopes, moderately eroded	3	311.7	0.001	\$ 1,306.24
Columbia	WbC2	Watson silt loam, 8 to 15 percent slopes, moderately eroded	3	1100.2	0.004	\$ 1,109.53
Columbia	WcB2	Weikert channery silt loam, 3 to 12 percent slopes, moderately eroded	3	8467.5	0.027	\$ 779.66
Columbia	WfC2	Wellsboro channery silt loam, 8 to 15 percent slopes, eroded	3	86.9	0	\$ 1,104.88
Columbia	WmC2	Westmoreland silt loam, 12 to 20 percent slopes, moderately eroded	3	192.8	0.001	\$ 1,022.01
Columbia	WnC2	Wiltshire silt loam, 8 to 15 percent slopes, moderately eroded	3	181.1	0.001	\$ 1,057.47
Columbia	WoC2	Wooster channery silt loam, 12 to 20 percent slopes, moderately eroded	3	1011.9	0.003	\$ 1,109.11
Columbia	Zp	Zipp silt loam	3	525	0.002	\$ 1,257.60
Columbia	AnB2	Allis silt loam, neutral substratum, 3 to 8 percent slopes, moderately eroded	4	509.6	0.002	\$ 876.22
Columbia	BaD	Bath channery silt loam, 15 to 25 percent slopes	4	4	0	\$ 1,026.49
Columbia	CbD2	Calvin and Klinesville soils, neutral substrata, 20 to 35 percent slopes, moderately	4	351.7	0.001	\$ 779.66

Columbia	CgD3	Chenango gravelly sandy loam, 20 to 35 percent slopes, severely eroded	4	165.8	0.001	\$ 779.66
Columbia	CIA	Chippewa silt loam, 0 to 3 percent slopes	4	8.5	0	\$ 779.66
Columbia	HhC3	Hartleton channery silt loam, 12 to 20 percent slopes, severely eroded	4	2363.8	0.008	\$ 779.66
Columbia	HhD2	Hartleton channery silt loam, 20 to 35 percent slopes, moderately eroded	4	3438.3	0.011	\$ 779.66
Columbia	Hs	Holly silt loam	4	2519.9	0.008	\$ 1,117.54
Columbia	KaC2	Klinesville shaly silt loam, 12 to 20 percent slopes, moderately eroded	4	1915.3	0.006	\$ 779.66
Columbia	LaC2	Lackawanna channery loam, 12 to 20 percent slopes, eroded	4	472.6	0.002	\$ 1,140.48
Columbia	LkC3	Leck kill channery silt loam, 12 to 20 percent slopes, severely eroded	4	1186.6	0.004	\$ 1,191.30
Columbia	LkD2	Leck kill channery silt loam, 20 to 35 percent slopes, moderately eroded	4	1146	0.004	\$ 779.66
Columbia	LIC3	Leck kill channery silt loam, deep, 12 to 20 percent slopes, severely eroded	4	578.5	0.002	\$ 1,191.30
Columbia	Ln	Lickdale silt loam	4	403.3	0.001	\$ 976.48
Columbia	LpC2	Litz silt loam, 12 to 20 percent slopes, moderately eroded	4	543	0.002	\$ 779.66
Columbia	LsD2	Lordstown channery silt loam, 20 to 35 percent slopes, moderately eroded	4	1435.4	0.005	\$ 779.66
Columbia	OcD2	Oquaga channery silt loam, 20 to 35 percent slopes, moderately eroded	4	452.4	0.001	\$ 779.66
Columbia	Pa	Papakating silty clay loam	4	733.3	0.002	\$ 779.66
Columbia	SdA	Shelmadine silt loam, 0 to 3 percent slopes	4	1104.2	0.004	\$ 1,044.27
Columbia	SdB2	Shelmadine silt loam, 3 to 8 percent slopes, moderately eroded	4	4368.9	0.014	\$ 1,046.48
Columbia	WcC2	Weikert channery silt loam, 12 to 20 percent slopes, moderately eroded	4	8726.9	0.028	\$ 779.66
Columbia	WoD2	Wooster channery silt loam, 20 to 35 percent slopes, moderately eroded	4	275.9	0.001	\$ 779.66
Columbia	ASD	Arnot-Rock outcrop complex, 3 to 25 percent slopes	6	38	0	\$ 671.40
Columbia	BvB	Buchanan very stony loam, 0 to 8 percent slopes	6	1756.9	0.006	\$ 671.40
Columbia	DkB	Dekalb very stony loam, 0 to 12 percent slopes	6	4550.4	0.015	\$ 671.40
Columbia	DkD	Dekalb very stony loam, 12 to 35 percent slopes	6	13997.4	0.045	\$ 671.40
Columbia	EdB	Edgemont very stony loam, 0 to 12 percent slopes	6	1167.6	0.004	\$ 671.40
Columbia	EdD	Edgemont very stony loam, 12 to 35 percent slopes	6	230.7	0.001	\$ 671.40
Columbia	HhD3	Hartleton channery silt loam, 20 to 35 percent slopes, severely eroded	6	2502.4	0.008	\$ 671.40
Columbia	HrB	Hartleton very stony silt loam, 0 to 12 percent slopes	6	304.9	0.001	\$ 671.40
Columbia	HrD	Hartleton very stony silt loam, 12 to 35 percent slopes	6	304.6	0.001	\$ 671.40
Columbia	KaC3	Klinesville shaly silt loam, 12 to 20 percent slopes, severely eroded	6	1114.3	0.004	\$ 671.40
Columbia	KaD2	Klinesville shaly silt loam, 20 to 35 percent slopes, moderately eroded	6	1521.2	0.005	\$ 671.40
Columbia	KIB	Klinesville and leck kill very stony silt loams, 0 to 12 percent slopes	6	274.4	0.001	\$ 671.40
Columbia	KID	Klinesville and leck kill very stony silt loams, 12 to 35 percent slopes	6	1994.3	0.006	\$ 671.40
Columbia	LaD2	Lackawanna channery loam, 20 to 35 percent slopes, eroded	6	128.6	0	\$ 671.40
Columbia	LcB	Lackawanna very stony loam, 0 to 12 percent slopes, very stony	6	2003.4	0.006	\$ 671.40

Columbia	LcD	Lackawanna very stony loam, 12 to 35 percent slopes, very stony	6	2243.3	0.007	\$ 671.40
Columbia	LfB	Laidig very stony loam, 0 to 12 percent slopes	6	1428.1	0.005	\$ 671.40
Columbia	LfD	Laidig very stony loam, 12 to 35 percent slopes	6	675.2	0.002	\$ 671.40
Columbia	LkD3	Leck kill channery silt loam, 20 to 35 percent slopes, severely eroded	6	751.1	0.002	\$ 671.40
Columbia	LmB	Leck kill very stony silt loam, deep, 0 to 12 percent slopes	6	2525.9	0.008	\$ 671.40
Columbia	LmD	Leck kill very stony silt loam, deep, 12 to 35 percent slopes	6	5156.4	0.016	\$ 671.40
Columbia	LtB	Lordstown very stony silt loam, 0 to 12 percent slopes	6	679.2	0.002	\$ 671.40
Columbia	LtD	Lordstown very stony silt loam, 12 to 35 percent slopes	6	1194	0.004	\$ 671.40
Columbia	Ma	Made land	6	469.6	0.001	\$ 671.40
Columbia	MkB	Meckesville very stony loam, 3 to 8 percent slopes	6	340.3	0.001	\$ 671.40
Columbia	MkC	Meckesville very stony loam, 8 to 25 percent slopes	6	564.3	0.002	\$ 671.40
Columbia	OsB	Oquaga very stony silt loam, 0 to 12 percent slopes	6	875	0.003	\$ 671.40
Columbia	OsD	Oquaga very stony silt loam, 12 to 35 percent slopes	6	1974.5	0.006	\$ 671.40
Columbia	WcD2	Weikert channery silt loam, 20 to 35 percent slopes, moderately eroded	6	14953	0.048	\$ 671.40
Columbia	WeD	Weikert very stony silt loam, 12 to 35 percent slopes	6	294.4	0.001	\$ 671.40
Columbia	WhB	Wellsboro channery silt loam, 0 to 8 percent slopes, very stony	6	138.8	0	\$ 671.40
Columbia	WpD	Wooster very stony silt loam, 12 to 35 percent slopes	6	557.6	0.002	\$ 671.40
Columbia	WsB	Wooster and Canfield very stony loams, 0 to 12 percent slopes	6	628.7	0.002	\$ 671.40
Columbia	BbD	Bath channery silt loam, 8 to 25 percent slopes, extremely stony	7	4.5	0	\$ 671.40
Columbia	CbE2	Calvin and Klinesville soils, neutral substrata, 35 to 50 percent slopes, moderately	7	198.5	0.001	\$ 671.40
Columbia	CnB	Chippewa silt loam, 0 to 8 percent slopes, extremely stony	7	69.5	0	\$ 671.40
Columbia	DkF	Dekalb very stony loam, 35 to 100 percent slopes	7	9077.2	0.029	\$ 671.40
Columbia	HGB	Hazleton-Clymer association, gently sloping	7	705.6	0.002	\$ 671.40
Columbia	HGC	Hazleton-Clymer association, sloping	7	380.7	0.001	\$ 671.40
Columbia	KaD3	Klinesville shaly silt loam, 20 to 35 percent slopes, severely eroded	7	2365.3	0.008	\$ 671.40
Columbia	KkE	Klinesville and leck kill shaly silt loams, 35 to 70 percent slopes	7	2634.7	0.008	\$ 671.40
Columbia	KIF	Klinesville and leck kill very stony silt loams, 35 to 100 percent slopes	7	2599	0.008	\$ 671.40
Columbia	LdF	Lackawanna and Oquaga soils, 35 to 100 percent slopes, very rocky	7	2295.8	0.007	\$ 671.40
Columbia	LmE	Leck kill very stony silt loam, deep, 35 to 60 percent slopes	7	3912.4	0.012	\$ 671.40
Columbia	Lo	Lickdale very stony silt loam	7	126.9	0	\$ 671.40
Columbia	LrC3	Litz and weikert shaly silt loams, 12 to 20 percent slopes, severely eroded	7	290.4	0.001	\$ 671.40
Columbia	LrD3	Litz and weikert shaly silt loams, 20 to 35 percent slopes, severely eroded	7	728	0.002	\$ 671.40
Columbia	LrE2	Litz and weikert shaly silt loams, 35 to 50 percent slopes, moderately eroded	7	595.5	0.002	\$ 671.40
Columbia	LtF	Lordstown very stony silt loam, 35 to 100 percent slopes	7	2477.5	0.008	\$ 671.40

Columbia	Mn	Mine dumps	7	368.1	0.001	\$ 671.40
Columbia	MsB	Morris very stony silt loam, 0 to 8 percent slopes	7	226.1	0.001	\$ 671.40
Columbia	Rw	Riverwash	7	416.7	0.001	\$ 671.40
Columbia	Sh	Shelmadine very stony silt loam	7	1231.6	0.004	\$ 671.40
Columbia	St	Strip mine spoil	7	3457.3	0.011	\$ 671.40
Columbia	WcF2	Weikert channery silt loam, 35 to 80 percent slopes, moderately eroded	7	15427.5	0.049	\$ 671.40
Columbia	WeF	Weikert very stony silt loam, 35 to 80 percent slopes	7	2291.3	0.007	\$ 671.40
Columbia	WhD	Wellsboro channery silt loam, 8 to 25 percent slopes, extremely stony	7	206.8	0.001	\$ 671.40
Columbia	GP	Gravel pit	8	11.9	0	\$ 671.40
Columbia	Mu	Mucky peat	8	187.3	0.001	\$ 671.40
Columbia	Qu	Quarries	8	146.9	0	\$ 671.40
Crawford	HnA	Hanover silt loam, 0 to 3 percent slopes	1	703	0.001	\$ 1,319.41
Crawford	HvA	Haven silt loam, 0 to 3 percent slopes	1	4994.2	0.008	\$ 1,150.79
Crawford	426B	Mardin silt loam, 3 to 8 percent slopes	2	373.7	0.001	\$ 1,083.52
Crawford	BrA	Braceville gravelly loam, 0 to 3 percent slopes	2	1387.8	0.002	\$ 1,211.12
Crawford	BrB	Braceville gravelly loam, 3 to 8 percent slopes	2	7581.2	0.011	\$ 1,182.48
Crawford	CaA	Cambridge silt loam, 0 to 3 percent slopes	2	4310.8	0.006	\$ 1,115.02
Crawford	CaB	Cambridge silt loam, 3 to 8 percent slopes	2	53122.8	0.08	\$ 1,150.79
Crawford	CcB	Cambridge-Venango silt loams, 3 to 8 percent slopes	2	2226.5	0.003	\$ 1,142.55
Crawford	CoA	Chenango gravelly silt loam, 0 to 3 percent slopes	2	2311.4	0.003	\$ 1,152.60
Crawford	CoB	Chenango gravelly silt loam, 3 to 8 percent slopes	2	8252.7	0.012	\$ 1,153.17
Crawford	HnB	Hanover silt loam, 3 to 8 percent slopes	2	5936	0.009	\$ 1,286.24
Crawford	HvB	Haven silt loam, 3 to 8 percent slopes	2	5950	0.009	\$ 1,150.79
Crawford	Ot	Otego silt loam	2	57.3	0	\$ 1,197.27
Crawford	PeB	Pierpont silt loam, 2 to 6 percent slopes	2	89.8	0	\$ 999.60
Crawford	Ph	Philo silt loam	2	2473.9	0.004	\$ 1,356.75
Crawford	Po	Pope loam	2	3796.8	0.006	\$ 1,178.46
Crawford	ScA	Scio silt loam, 0 to 3 percent slopes	2	1999	0.003	\$ 1,212.70
Crawford	ScB	Scio silt loam, 3 to 8 percent slopes	2	3915.7	0.006	\$ 1,212.31
Crawford	VaB	Valois gravelly silt loam, 3 to 8 percent slopes	2	5164.1	0.008	\$ 1,140.48
Crawford	VmB	Valois-Cambridge complex, 3 to 8 percent slopes	2	8313.5	0.013	\$ 1,150.79
Crawford	426C	Mardin silt loam, 8 to 15 percent slopes	3	180.3	0	\$ 1,083.52
Crawford	AvA	Alvira silt loam, 0 to 3 percent slopes	3	1652.9	0.002	\$ 1,117.54
Crawford	AvB	Alvira silt loam, 3 to 8 percent slopes	3	6547.6	0.01	\$ 1,115.44

Crawford	CaC	Cambridge silt loam, 8 to 15 percent slopes	3	32004.6	0.048	\$ 1,079.21
Crawford	CeA	Caneadea silt loam, 0 to 3 percent slopes	3	1043.2	0.002	\$ 1,073.15
Crawford	CeB	Caneadea silt loam, 3 to 8 percent slopes	3	2277.9	0.003	\$ 1,099.86
Crawford	CoC	Chenango gravelly silt loam, 8 to 15 percent slopes	3	2000.4	0.003	\$ 1,074.54
Crawford	HnC	Hanover silt loam, 8 to 15 percent slopes	3	2252.7	0.003	\$ 1,214.66
Crawford	Hy	Holly silt loam	3	31663.2	0.048	\$ 1,167.13
Crawford	MaC	Mardin gravelly silt loam, 8 to 15 percent slopes	3	36.2	0	\$ 1,022.01
Crawford	PeC	Pierpont silt loam, 6 to 12 percent slopes	3	232.9	0	\$ 993.21
Crawford	PIA	Platea silt loam, 0 to 2 percent slopes	3	2264.1	0.003	\$ 1,083.95
Crawford	PIB	Platea silt loam, 2 to 6 percent slopes	3	11585.3	0.017	\$ 1,081.88
Crawford	PIC	Platea silt loam, 6 to 12 percent slopes	3	897.5	0.001	\$ 1,077.91
Crawford	Rh	Red Hook loam	3	23866.4	0.036	\$ 1,099.95
Crawford	St	Stanhope silt loam	3	889.5	0.001	\$ 1,074.88
Crawford	VaC	Valois gravelly silt loam, 8 to 15 percent slopes	3	7425.5	0.011	\$ 1,104.88
Crawford	VmC	Valois-Cambridge complex, 8 to 15 percent slopes	3	1175.2	0.002	\$ 1,121.74
Crawford	VnA	Venango silt loam, 0 to 3 percent slopes	3	28907	0.044	\$ 1,130.10
Crawford	VnB	Venango silt loam, 3 to 8 percent slopes	3	136776.2	0.206	\$ 1,140.48
Crawford	VnC	Venango silt loam, 8 to 15 percent slopes	3	10246	0.015	\$ 1,132.18
Crawford	WyA	Wyoming gravelly sandy loam, 0 to 3 percent slopes	3	1515.6	0.002	\$ 1,063.59
Crawford	WyB	Wyoming gravelly sandy loam, 3 to 8 percent	3	5060.3	0.008	\$ 1,059.22
Crawford	320A	Fredon silt loam, 0 to 3 percent slopes	4	60.6	0	\$ 993.03
Crawford	426D	Mardin silt loam, 15 to 25 percent slopes	4	107.7	0	\$ 1,083.09
Crawford	AaA	Alden mucky silt loam, 0 to 2 percent slopes	4	1663.4	0.003	\$ 887.04
Crawford	Ad	Alden silt loam	4	16214.4	0.024	\$ 874.25
Crawford	Ax	Aquolls-Eutrudepts complex, frequently flooded	4	869.8	0.001	\$ 779.66
Crawford	BeD	Bethesda channery silt loam, 8 to 25 percent slopes	4	36.3	0	\$ 779.66
Crawford	CaD	Cambridge silt loam, 15 to 25 percent slopes	4	10899.2	0.016	\$ 779.66
Crawford	Cd	Canadice silt loam	4	1755.6	0.003	\$ 953.19
Crawford	CpB	Chippewa silt loam, 0 to 8 percent slopes	4	6	0	\$ 985.70
Crawford	FhA	Frenchtown silt loam, 0 to 3 percent slopes	4	49756.3	0.075	\$ 1,035.41
Crawford	FhB	Frenchtown silt loam, 3 to 8 percent slopes	4	21671.2	0.033	\$ 1,074.88
Crawford	Ha	Halsey silt loam	4	8646.9	0.013	\$ 779.66
Crawford	Hz	Holly silty clay loam	4	15162.9	0.023	\$ 1,120.06
Crawford	Mh	Mill silt loam	4	32143.2	0.048	\$ 915.67

Crawford	PeD	Pierpont silt loam, 12 to 18 percent slopes	4	164.4	0	\$ 779.66
Crawford	SmA	Shelmadine silt loam, 0 to 3 percent slopes	4	730	0.001	\$ 1,026.49
Crawford	SmB	Shelmadine silt loam, 3 to 8 percent slopes	4	785.7	0.001	\$ 1,026.49
Crawford	VaD	Valois gravelly silt loam, 15 to 25 percent slopes	4	7530.3	0.011	\$ 1,026.49
Crawford	Wc	Wick silt loam	4	1209	0.002	\$ 919.99
Crawford	WyC	Wyoming gravelly sandy loam, 8 to 15 percent slopes	4	4181.4	0.006	\$ 923.82
Crawford	WyD	Wyoming gravelly sandy loam, 15 to 25 percent slopes	4	2754	0.004	\$ 885.08
Crawford	348A	Canandaigua mucky silt loam	5	55.7	0	\$ 671.40
Crawford	CM	Carlisle muck	5	9197.7	0.014	\$ 671.40
Crawford	CbB	Cambridge silt loam, 0 to 8 percent slopes, very stony	6	1070	0.002	\$ 671.40
Crawford	CbD	Cambridge silt loam, 8 to 25 percent slopes, very stony	6	2794.5	0.004	\$ 671.40
Crawford	FvB	Frenchtown silt loam, 0 to 8 percent slopes, very stony	6	3097.9	0.005	\$ 671.40
Crawford	HoB	Hanover silt loam, 0 to 8 percent slopes, very stony	6	509.7	0.001	\$ 671.40
Crawford	HoD	Hanover silt loam, 8 to 25 percent slopes, very stony	6	1935.6	0.003	\$ 671.40
Crawford	VoB	Venango silt loam, 0 to 8 percent slopes, very stony	6	1978.6	0.003	\$ 671.40
Crawford	VoC	Venango silt loam, 8 to 15 percent slopes, very stony	6	940	0.001	\$ 671.40
Crawford	GaF	Gageville silt loam, 18 to 50 percent slopes	7	647.8	0.001	\$ 671.40
Crawford	VLF	Valois soils, very steep	7	12217.1	0.018	\$ 671.40
Crawford	DAM	Dams	8	30.4	0	\$ 671.40
Crawford	QU	Quarries	8	18.7	0	\$ 671.40
Cumberland	AgA	Allegheny silt loam, 0 to 3 percent slopes	1	467.3	0.001	\$ 1,342.51
Cumberland	BoA	Birdsboro silt loam, 0 to 5 percent slopes	1	179.4	0.001	\$ 1,445.73
Cumberland	Ch	Chavies fine sandy loam	1	306.8	0.001	\$ 1,401.99
Cumberland	DuA	Duffield silt loam, 0 to 3 percent slopes	1	2344.4	0.007	\$ 1,430.76
Cumberland	DxA	Duncannon very fine sandy loam, 0 to 3 percent slopes	1	132.2	0	\$ 1,230.68
Cumberland	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	5602.9	0.016	\$ 1,468.68
Cumberland	HuA	Huntington silt loam, 0 to 5 percent slopes	1	12977.3	0.037	\$ 1,366.77
Cumberland	MuA	Murrill channery loam, 0 to 3 percent slopes	1	1872	0.005	\$ 1,301.45
Cumberland	Tg	Tioga soils	1	82.3	0	\$ 1,298.50
Cumberland	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	378.7	0.001	\$ 1,280.26
Cumberland	AtB	Athol gravelly loam, 3 to 8 percent slopes	2	781.1	0.002	\$ 1,388.79
Cumberland	BdB	Bedington shaly silt loam, 3 to 8 percent slopes	2	4634	0.013	\$ 1,330.29
Cumberland	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	22894.9	0.065	\$ 971.85
Cumberland	BhB	Berks stony silt loam, 3 to 8 percent slopes	2	1943.4	0.006	\$ 976.48

Cumberland	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	3881.4	0.011	\$ 1,289.60
Cumberland	DuB	Duffield silt loam, 3 to 8 percent slopes	2	15709.7	0.045	\$ 1,401.99
Cumberland	DxB	Duncannon very fine sandy loam, 3 to 8 percent slopes	2	32.7	0	\$ 1,230.68
Cumberland	EbB	Edgemont channery loam, 3 to 8 percent slopes	2	32.7	0	\$ 1,317.22
Cumberland	EdB	Edom silty clay loam, 3 to 8 percent slopes	2	3004.1	0.009	\$ 1,150.79
Cumberland	EtB	Ernest silt loam, 3 to 8 percent slopes	2	610.9	0.002	\$ 1,159.80
Cumberland	GnB	Glenville silt loam, 3 to 8 percent slopes	2	1301.2	0.004	\$ 1,346.08
Cumberland	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	33252.6	0.095	\$ 1,469.33
Cumberland	HcB	Hagerstown silt loam, rocky, 3 to 8 percent slopes	2	14276.1	0.041	\$ 1,412.22
Cumberland	HeB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	95.5	0	\$ 1,320.86
Cumberland	HgB	Highfield channery silt loam, 3 to 8 percent slopes	2	2444.3	0.007	\$ 1,258.36
Cumberland	LdB	Laidig channery loam, 3 to 8 percent slopes	2	3372.5	0.01	\$ 1,150.79
Cumberland	Ls	Lindside silt loam	2	1075.3	0.003	\$ 1,287.73
Cumberland	Mf	Middlebury soils	2	1372.5	0.004	\$ 1,298.87
Cumberland	MnA	Monongahela silt loam, 0 to 3 percent slopes	2	2768.9	0.008	\$ 1,226.01
Cumberland	MnB	Monongahela silt loam, 3 to 8 percent slopes	2	3675.4	0.01	\$ 1,155.71
Cumberland	MoB	Morrison sandy loam, 3 to 8 percent slopes	2	151.9	0	\$ 1,146.68
Cumberland	MuB	Murrill channery loam, 3 to 8 percent slopes	2	10239.8	0.029	\$ 1,301.45
Cumberland	NeB	Neshaminy gravelly silt loam, 3 to 8 percent slopes	2	833.7	0.002	\$ 1,383.04
Cumberland	SeB	Sideling gravelly loam, 3 to 8 percent slopes	2	2.4	0	\$ 1,163.06
Cumberland	AtC	Athol gravelly loam, 8 to 15 percent slopes	3	623.9	0.002	\$ 1,342.51
Cumberland	Aw	Atkins silt loam	3	5469.3	0.016	\$ 1,159.07
Cumberland	BdC	Bedington shaly silt loam, 8 to 15 percent slopes	3	2668.8	0.008	\$ 1,251.87
Cumberland	BeC	Berks shaly silt loam, 8 to 15 percent slopes	3	20056.3	0.057	\$ 891.93
Cumberland	BpB	Blairton silt loam, 3 to 8 percent slopes	3	4134.9	0.012	\$ 937.06
Cumberland	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	370.4	0.001	\$ 1,070.55
Cumberland	CcC	Catoctin channery silt loam, 8 to 15 percent slopes	3	649.1	0.002	\$ 981.10
Cumberland	DuC	Duffield silt loam, 8 to 15 percent slopes	3	4721.1	0.013	\$ 1,493.15
Cumberland	EbC	Edgemont channery loam, 8 to 15 percent slopes	3	20.5	0	\$ 1,203.23
Cumberland	EdC	Edom silty clay loam, 8 to 15 percent slopes	3	2457.6	0.007	\$ 1,066.20
Cumberland	EtC	Ernest silt loam, 8 to 15 percent slopes	3	3.1	0	\$ 1,069.68
Cumberland	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	4254.9	0.012	\$ 1,397.20
Cumberland	HcC	Hagerstown silt loam, rocky, 8 to 15 percent slopes	3	8977.7	0.026	\$ 1,342.51
Cumberland	HgC	Highfield channery silt loam, 8 to 15 percent slopes	3	2527.1	0.007	\$ 1,218.19

Cumberland	LdC	Laidig channery loam, 8 to 15 percent slopes	3	2374.9	0.007	\$ 1,109.11
Cumberland	Me	Melvin silt loam	3	3164	0.009	\$ 1,154.89
Cumberland	MnC	Monongahela silt loam, 8 to 15 percent slopes	3	564.8	0.002	\$ 1,064.29
Cumberland	MoC	Morrison sandy loam, 8 to 15 percent slopes	3	247.1	0.001	\$ 1,104.88
Cumberland	MuC	Murrill channery loam, 8 to 15 percent slopes	3	2356.3	0.007	\$ 1,228.97
Cumberland	NeC	Neshaminy gravelly silt loam, 8 to 15 percent slopes	3	818.5	0.002	\$ 1,317.22
Cumberland	Pe	Penlaw silt loam	3	1849.8	0.005	\$ 1,104.88
Cumberland	SeC	Sideling gravelly loam, 8 to 15 percent slopes	3	1.6	0	\$ 1,013.02
Cumberland	Ty	Tyler silt loam	3	832.3	0.002	\$ 1,109.11
Cumberland	Wa	Warners silt loam	3	749.1	0.002	\$ 1,106.91
Cumberland	AnB	Andover gravelly loam, 0 to 8 percent slopes	4	998.7	0.003	\$ 1,035.41
Cumberland	AtD	Athol gravelly loam, 15 to 25 percent slopes	4	293.5	0.001	\$ 1,230.68
Cumberland	BdD	Bedington shaly silt loam, 15 to 25 percent slopes	4	695.1	0.002	\$ 1,148.74
Cumberland	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	1543.2	0.004	\$ 890.95
Cumberland	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	2980.4	0.008	\$ 1,089.53
Cumberland	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	3219.8	0.009	\$ 1,084.38
Cumberland	EdD	Edom silty clay loam, 15 to 25 percent slopes	4	1082.6	0.003	\$ 976.48
Cumberland	Fa	Fairplay marl	4	1.3	0	\$ 1,197.27
Cumberland	HaD	Hagerstown silt loam, 15 to 25 percent slopes	4	128	0	\$ 1,333.53
Cumberland	Hc	Hatboro silt loam	4	9.2	0	\$ 1,123.84
Cumberland	HcD	Hagerstown silt loam, rocky, 15 to 25 percent slopes	4	380.5	0.001	\$ 779.66
Cumberland	Pu	Purdy silt loam	4	2139.1	0.006	\$ 1,071.42
Cumberland	WeB	Weikert very channery silt loam, 3 to 8 percent slopes	4	2249.3	0.006	\$ 790.62
Cumberland	WeC	Weikert very channery silt loam, 8 to 15 percent slopes	4	8069.2	0.023	\$ 796.33
Cumberland	BhD	Berks stony silt loam, 8 to 25 percent slopes	6	2329.5	0.007	\$ 976.48
Cumberland	BxB	Buchanan very stony loam, 0 to 8 percent slopes	6	4902.7	0.014	\$ 671.40
Cumberland	BxC	Buchanan very stony loam, 8 to 25 percent slopes	6	1140.5	0.003	\$ 671.40
Cumberland	CmB	Clymer very stony loam, 0 to 8 percent slopes	6	847	0.002	\$ 671.40
Cumberland	CmD	Clymer very stony loam, 8 to 25 percent slopes	6	4107.5	0.012	\$ 671.40
Cumberland	De	Deposit gravelly loam, 0 to 8 percent slopes, very stony	6	9.9	0	\$ 671.40
Cumberland	EcB	Edgemont channery loam, 0 to 8 percent slopes, very stony	6	1043.2	0.003	\$ 671.40
Cumberland	EcD	Edgemont channery loam, 8 to 25 percent slopes, very stony	6	3795.3	0.011	\$ 671.40
Cumberland	EdE	Edom silty clay loam, 25 to 40 percent slopes	6	226.9	0.001	\$ 671.40
Cumberland	GoB	Glenville very stony silt loam, 0 to 8 percent slopes	6	2887.5	0.008	\$ 671.40

Cumberland	HdB	Hagerstown-Rock outcrop complex, 0 to 8 percent slopes	6	2645.9	0.008	\$ 957.32
Cumberland	HdD	Hagerstown-Rock outcrop complex, 8 to 25 percent slopes	6	4455.5	0.013	\$ 828.26
Cumberland	HhB	Highfield very stony silt loam, 0 to 8 percent slopes	6	1140.3	0.003	\$ 671.40
Cumberland	HhD	Highfield very stony silt loam, 8 to 25 percent slopes	6	4083.7	0.012	\$ 671.40
Cumberland	LgB	Laidig very stony loam, 0 to 8 percent slopes	6	615.4	0.002	\$ 671.40
Cumberland	LgD	Laidig very stony loam, 8 to 25 percent slopes	6	10719.6	0.03	\$ 671.40
Cumberland	LpB	Lehew very stony loam, 0 to 8 percent slopes	6	49	0	\$ 671.40
Cumberland	LpD	Lehew very stony loam, 8 to 25 percent slopes	6	177.3	0.001	\$ 671.40
Cumberland	NhB	Neshaminy very stony silt loam, 0 to 8 percent slopes	6	304.3	0.001	\$ 671.40
Cumberland	NhD	Neshaminy very stony silt loam, 8 to 25 percent slopes	6	289.4	0.001	\$ 671.40
Cumberland	TsB	Trego gravelly silt loam, 3 to 8 percent slopes, very stony	6	21.5	0	\$ 671.40
Cumberland	TsC	Trego gravelly silt loam, 8 to 15 percent slopes, very stony	6	12.8	0	\$ 671.40
Cumberland	WeD	Weikert very channery silt loam, 15 to 25 percent slopes	6	7164.9	0.02	\$ 671.40
Cumberland	AoB	Andover very stony loam, 0 to 8 percent slopes	7	3351	0.01	\$ 671.40
Cumberland	BbB	Bagtown cobbly loam, 0 to 8 percent slopes, extremely stony	7	24.6	0	\$ 671.40
Cumberland	BbD	Bagtown cobbly loam, 8 to 25 percent slopes, extremely stony	7	19.1	0	\$ 671.40
Cumberland	DbE	Dekalb-Bagtown complex, 25 to 65 percent slopes, extremely stony	7	360.1	0.001	\$ 671.40
Cumberland	EcF	Edgemont channery loam, 25 to 70 percent slopes, very stony	7	1710.2	0.005	\$ 671.40
Cumberland	HdF	Hagerstown-Rock outcrop complex, 25 to 60 percent slopes	7	546.9	0.002	\$ 671.40
Cumberland	HfB	Hazleton extremely stony sandy loam, 0 to 8 percent slopes	7	3886.8	0.011	\$ 671.40
Cumberland	HfD	Hazleton extremely stony sandy loam, 8 to 25 percent slopes	7	11229.2	0.032	\$ 671.40
Cumberland	HfF	Hazleton extremely stony sandy loam, 25 to 60 percent slopes	7	15107.8	0.043	\$ 671.40
Cumberland	HhF	Highfield very stony silt loam, 25 to 50 percent slopes	7	1613	0.005	\$ 671.40
Cumberland	LCE	Laidig and Hazleton soils, 25 to 60 percent slopes, extremely stony	7	297.3	0.001	\$ 671.40
Cumberland	WkF	Weikert and Klinsville very shaly silt loams, 25 to 75 percent slopes	7	5513.8	0.016	\$ 671.40
Cumberland	Dy	Dystrochrepts, bouldery	8	2092.1	0.006	\$ 671.40
Cumberland	Pt	Pits and quarries	8	913.1	0.003	\$ 671.40
Cumberland	Ub	Urban land and Udorthents	8	3712.3	0.011	\$ 671.40
Cumberland	UhB	Urban land-Hagerstown complex, 0 to 8 percent slopes	8	5.4	0	\$ 671.40
Dauphin	Bb	Barbour silt loam	1	998	0.003	\$ 1,295.91
Dauphin	BeA	Bedington shaly silt loam, 0 to 3 percent slopes	1	322.2	0.001	\$ 1,500.96
Dauphin	CnA	Chavies fine sandy loam, 0 to 3 percent slopes	1	625.4	0.002	\$ 1,302.56
Dauphin	DvA	Duncannon very fine sandy loam, 0 to 3 percent slopes	1	708.8	0.002	\$ 1,230.68
Dauphin	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	940	0.003	\$ 1,468.68

Dauphin	Ta	Tioga fine sandy loam	1	1344.9	0.004	\$ 1,376.08
Dauphin	Tg	Tioga fine sandy loam, high bottom	1	2012.5	0.006	\$ 1,376.08
Dauphin	AbA	Albrights silt loam, 0 to 3 percent slopes	2	637.6	0.002	\$ 1,146.68
Dauphin	AbB2	Albrights silt loam, 3 to 10 percent slopes, moderately eroded	2	1717.1	0.005	\$ 1,109.11
Dauphin	AbgB	Albrights silt loam, 3 to 8 percent slopes	2	164.5	0	\$ 1,152.84
Dauphin	AsB2	Athol silt loam, 3 to 8 percent slopes, moderately eroded	2	1129.8	0.003	\$ 1,342.51
Dauphin	Bc	Basher silt loam	2	3277.7	0.009	\$ 1,295.91
Dauphin	BeB2	Bedington shaly silt loam, 3 to 8 percent slopes, moderately eroded	2	6403.8	0.018	\$ 1,330.29
Dauphin	BegB	Bedington channery silt loam, 3 to 8 percent slopes	2	94.5	0	\$ 1,330.29
Dauphin	BhB2	Berks channery silt loam, 3 to 8 percent slopes, moderately eroded	2	831.4	0.002	\$ 989.09
Dauphin	BkB2	Berks shaly silt loam, 3 to 8 percent slopes, moderately eroded	2	24336.1	0.068	\$ 989.09
Dauphin	BkgB	Berks channery silt loam, 3 to 8 percent slopes	2	4.2	0	\$ 971.85
Dauphin	BrB2	Brecknock channery silt loam, 3 to 8 percent slopes, moderately eroded	2	2880.7	0.008	\$ 1,303.66
Dauphin	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	429.4	0.001	\$ 1,289.60
Dauphin	CIA	Calvin-Leck Kill shaly silt loams, 0 to 3 percent slopes	2	1636.6	0.005	\$ 1,134.76
Dauphin	ClB2	Calvin-Leck Kill shaly silt loams, 3 to 8 percent slopes, moderately eroded	2	39425.6	0.11	\$ 1,126.76
Dauphin	CmB2	Captina silt loam, 3 to 8 percent slopes, moderately eroded	2	298	0.001	\$ 1,169.16
Dauphin	CnB2	Chavies fine sandy loam, 3 to 8 percent slopes, moderately eroded	2	1111.7	0.003	\$ 1,268.98
Dauphin	CoB2	Comly silt loam, 2 to 8 percent slopes, moderately eroded	2	1665.7	0.005	\$ 1,137.58
Dauphin	DcB2	Dekalb channery sandy loam, 3 to 8 percent slopes, moderately eroded	2	1030.7	0.003	\$ 960.22
Dauphin	DuB2	Duffield silt loam, 3 to 8 percent slopes, moderately eroded	2	1798.3	0.005	\$ 1,571.01
Dauphin	DvB2	Duncannon very fine sandy loam, 3 to 8 percent slopes, moderately eroded	2	1804	0.005	\$ 1,230.68
Dauphin	HaB2	Hagerstown silt loam, 3 to 8 percent slopes, moderately eroded	2	7681	0.022	\$ 1,383.39
Dauphin	Hu	Huntington silt loam, local alluvium	2	463.8	0.001	\$ 1,177.25
Dauphin	HugB	Hustontown silt loam, 3 to 8 percent slopes	2	146.2	0	\$ 1,144.20
Dauphin	LaB2	Laidig gravelly loam, 3 to 8 percent slopes, moderately eroded	2	2383.1	0.007	\$ 1,150.79
Dauphin	LeB2	Lawrenceville very fine sandy loam, 2 to 8 percent slopes, moderately eroded	2	674.3	0.002	\$ 1,203.23
Dauphin	LegB	Leck Kill channery silt loam, 3 to 8 percent slopes	2	352.9	0.001	\$ 1,309.91
Dauphin	LhB2	Lehigh silt loam, 3 to 8 percent slopes, moderately eroded	2	434.2	0.001	\$ 1,252.25
Dauphin	LrB2	Lewisberry gravelly sandy loam, 3 to 8 percent slopes, moderately eroded	2	1990.7	0.006	\$ 1,033.18
Dauphin	Lt	Lindside silt loam	2	1184.1	0.003	\$ 1,287.73
Dauphin	Lw	Lindside silt loam, coal overwash	2	1391.3	0.004	\$ 1,334.97
Dauphin	NeC2	Neshaminy gravelly silt loam, 3 to 12 percent slopes, moderately eroded	2	2460	0.007	\$ 1,335.33
Dauphin	PeB2	Penn shaly silt loam, 3 to 8 percent slopes, moderately eroded	2	5999	0.017	\$ 1,308.22

Dauphin	Ph	Philo silt loam	2	984.2	0.003	\$ 1,356.75
Dauphin	RdB	Readington silt loam, 3 to 8 percent slopes, moderately eroded	2	648.6	0.002	\$ 1,317.00
Dauphin	At	Atkins silt loam	3	6446.3	0.018	\$ 1,159.07
Dauphin	BeC2	Bedington shaly silt loam, 8 to 15 percent slopes, moderately eroded	3	2212.9	0.006	\$ 1,251.87
Dauphin	BegC	Bedington channery silt loam, 8 to 15 percent slopes	3	9.6	0	\$ 1,251.87
Dauphin	BhC2	Berks channery silt loam, 8 to 15 percent slopes, moderately eroded	3	826.5	0.002	\$ 891.93
Dauphin	BkC2	Berks shaly silt loam, 8 to 15 percent slopes, moderately eroded	3	11730.5	0.033	\$ 891.93
Dauphin	BrC2	Brecknock channery silt loam, 8 to 20 percent slopes, moderately eroded	3	1086.2	0.003	\$ 1,268.98
Dauphin	C1C2	Calvin-Leck Kill shaly silt loams, 8 to 15 percent slopes, moderately eroded	3	17619.9	0.049	\$ 1,041.79
Dauphin	CnC2	Chavies fine sandy loam, 8 to 15 percent slopes, moderately eroded	3	338.8	0.001	\$ 1,158.98
Dauphin	DcC2	Dekalb channery sandy loam, 8 to 15 percent slopes, moderately eroded	3	1640.1	0.005	\$ 912.78
Dauphin	HaC2	Hagerstown silt loam, 8 to 15 percent slopes, moderately eroded	3	1172.2	0.003	\$ 1,309.91
Dauphin	KaB2	Klinesville shaly silt loam, 3 to 8 percent slopes, moderately eroded	3	536.5	0.002	\$ 789.79
Dauphin	LaC2	Laidig gravelly loam, 8 to 20 percent slopes, moderately eroded	3	3213.3	0.009	\$ 1,104.88
Dauphin	LegC	Leck Kill channery silt loam, 8 to 15 percent slopes	3	536.4	0.002	\$ 1,274.63
Dauphin	LrC2	Lewisberry gravelly sandy loam, 8 to 15 percent slopes, moderately eroded	3	2289.2	0.006	\$ 950.85
Dauphin	PeC2	Penn shaly silt loam, 8 to 15 percent slopes, moderately eroded	3	1359.6	0.004	\$ 1,233.70
Dauphin	AnB	Andover gravelly loam, 3 to 8 percent slopes	4	299.1	0.001	\$ 992.57
Dauphin	BegD	Bedington channery silt loam, 15 to 25 percent slopes	4	18.1	0	\$ 1,148.74
Dauphin	BkD2	Berks shaly silt loam, 15 to 25 percent slopes, moderately eroded	4	3995.2	0.011	\$ 798.93
Dauphin	BrgA	Brinkerton silt loam, 0 to 3 percent slopes	4	71.9	0	\$ 1,089.53
Dauphin	BtA	Brinkerton and Armagh silt loams, 0 to 3 percent slopes	4	1747.2	0.005	\$ 1,035.41
Dauphin	BtB2	Brinkerton and Armagh silt loams, 3 to 8 percent slopes, moderately eroded	4	2724.1	0.008	\$ 1,035.41
Dauphin	CkC2	Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes, moderately eroded	4	4703.4	0.013	\$ 876.22
Dauphin	Cr	Croton silt loam, occasionally ponded, 0 to 3 percent slopes	4	804.3	0.002	\$ 1,024.25
Dauphin	KaC2	Klinesville shaly silt loam, 8 to 15 percent slopes, moderately eroded	4	727.6	0.002	\$ 779.66
Dauphin	LfgD	Leck Kill-Calvin channery silt loams, 15 to 25 percent slopes	4	497.5	0.001	\$ 961.15
Dauphin	LrD2	Lewisberry gravelly sandy loam, 15 to 25 percent slopes, moderately eroded	4	1263	0.004	\$ 873.76
Dauphin	Wa	Watchung silt loam	4	627.3	0.002	\$ 1,042.06
Dauphin	WeC2	Weikert shaly silt loam, 5 to 15 percent slopes, moderately eroded	4	594	0.002	\$ 779.66
Dauphin	Rv	Riverwash	5	2059.6	0.006	\$ 671.40
Dauphin	BvB	Buchanan very stony loam, 0 to 8 percent slopes	6	1433.5	0.004	\$ 671.40
Dauphin	CaB	Calvin very stony silt loam, 0 to 8 percent slopes	6	628.1	0.002	\$ 671.40
Dauphin	CaD	Calvin very stony silt loam, 8 to 25 percent slopes	6	5498.7	0.015	\$ 671.40

Dauphin	CkD2	Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes, moderately eroded	6	5292.9	0.015	\$ 784.89
Dauphin	CkgD	Calvin-Klinesville channery silt loams, 15 to 25 percent slopes	6	32.3	0	\$ 784.89
Dauphin	DIB	Dekalb and Lehew very stony sandy loams, 0 to 8 percent slopes	6	6853.9	0.019	\$ 671.40
Dauphin	DID	Dekalb and Lehew very stony sandy loams, 8 to 25 percent slopes	6	18374.8	0.051	\$ 671.40
Dauphin	DlgB	Dekalb and Lehew sandy loams, 0 to 8 percent slopes, very stony	6	122.3	0	\$ 671.40
Dauphin	HvgB	Hustontown silt loam, 0 to 8 percent slopes, very stony	6	26.8	0	\$ 1,114.18
Dauphin	KaD2	Klinesville shaly silt loam, 15 to 25 percent slopes, moderately eroded	6	2938.7	0.008	\$ 671.40
Dauphin	LdB	Laidig very stony loam, 0 to 8 percent slopes	6	2391.7	0.007	\$ 671.40
Dauphin	LdD	Laidig very stony loam, 8 to 25 percent slopes	6	24994.2	0.07	\$ 671.40
Dauphin	LggB	Leck Kill channery silt loam, 0 to 8 percent slopes, very stony	6	33.9	0	\$ 671.40
Dauphin	LggD	Leck Kill channery silt loam, 8 to 25 percent slopes, very stony	6	115	0	\$ 671.40
Dauphin	LsD	Lewisberry very stony sandy loam, 5 to 25 percent slopes	6	761.6	0.002	\$ 671.40
Dauphin	MfgB	Meckesville gravelly loam, 3 to 8 percent slopes, extremely stony	6	238.7	0.001	\$ 671.40
Dauphin	NsB	Neshaminy very stony silt loam, 0 to 8 percent slopes	6	927.6	0.003	\$ 671.40
Dauphin	NsD	Neshaminy very stony silt loam, 8 to 25 percent slopes	6	1100.2	0.003	\$ 671.40
Dauphin	WeD2	Weikert shaly silt loam, 15 to 25 percent slopes, moderately eroded	6	613.2	0.002	\$ 671.40
Dauphin	AoB	Andover very stony loam, 0 to 8 percent slopes	7	1181.3	0.003	\$ 671.40
Dauphin	AogB	Andover gravelly loam, 0 to 8 percent slopes, extremely stony	7	56.6	0	\$ 671.40
Dauphin	BxgB	Buchanan gravelly loam, 0 to 8 percent slopes, extremely stony	7	101	0	\$ 671.40
Dauphin	BxgD	Buchanan gravelly loam, 8 to 25 percent slopes, extremely stony	7	205.1	0.001	\$ 671.40
Dauphin	CaF	Calvin very stony silt loam, 25 to 75 percent slopes	7	1143.4	0.003	\$ 671.40
Dauphin	DIF	Dekalb and Lehew very stony sandy loams, 25 to 80 percent slopes	7	34502.7	0.097	\$ 671.40
Dauphin	DlgF	Dekalb and Lehew sandy loams, 25 to 80 percent slopes, very stony	7	110.7	0	\$ 671.40
Dauphin	HegB	Hazleton very channery loam, 0 to 8 percent slopes, extremely stony	7	60.5	0	\$ 671.40
Dauphin	HegD	Hazleton very channery loam, 8 to 25 percent slopes, extremely stony	7	257.3	0.001	\$ 671.40
Dauphin	HegF	Hazleton very channery loam, 25 to 60 percent slopes, extremely stony	7	604.3	0.002	\$ 671.40
Dauphin	KaE2	Klinesville shaly silt loam, 25 to 50 percent slopes, moderately eroded	7	5629.4	0.016	\$ 671.40
Dauphin	LdgD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stony	7	1717.8	0.005	\$ 671.40
Dauphin	LdgF	Laidig gravelly loam, 25 to 60 percent slopes, extremely stony	7	112	0	\$ 671.40
Dauphin	LfgF	Leck Kill-Calvin channery silt loams, 25 to 50 percent slopes	7	75.1	0	\$ 671.40
Dauphin	LsF	Lewisberry very stony sandy loam, 25 to 60 percent slopes	7	557.2	0.002	\$ 671.40
Dauphin	Ma	Made land, sanitary fill	7	121.8	0	\$ 671.40
Dauphin	Md	Mine dumps	7	841.1	0.002	\$ 671.40
Dauphin	MfgD	Meckesville gravelly loam, 8 to 25 percent slopes, extremely stony	7	528.5	0.001	\$ 671.40

Dauphin	MfgF	Meckesville gravelly loam, 25 to 35 percent slopes, extremely stony	7	13.5	0	\$ 671.40
Dauphin	Mu	Muck	7	174.8	0	\$ 671.40
Dauphin	St	Strip mine spoil	7	319.6	0.001	\$ 671.40
Dauphin	UdgB	Udorthents, shale and sandstone, 0 to 8 percent slopes	7	40.2	0	\$ 671.40
Dauphin	UdgD	Udorthents, shale and sandstone, 8 to 25 percent slopes	7	6.2	0	\$ 671.40
Dauphin	Wc	Watchung very stony silt loam	7	379.7	0.001	\$ 671.40
Dauphin	WeE2	Weikert shaly silt loam, 25 to 40 percent slopes, moderately eroded	7	4191	0.012	\$ 671.40
Dauphin	GP	Gravel pits	8	62.2	0	\$ 671.40
Dauphin	VsC	Very stony land, sloping	8	625.8	0.002	\$ 671.40
Delaware	CdA	Chester silt loam, 0 to 3 percent slopes	1	179.5	0.001	\$ 1,612.81
Delaware	Cn	Congaree silt loam	1	264.7	0.002	\$ 1,620.31
Delaware	GeA	Glenelg channery loam, 0 to 3 percent slopes	1	227.1	0.002	\$ 1,502.36
Delaware	NaA	Neshaminy gravelly silt loam, 0 to 3 percent slopes	1	221.8	0.002	\$ 1,412.22
Delaware	SaA	Sassafras loam, 0 to 2 percent slopes	1	38.3	0	\$ 1,356.75
Delaware	AgB2	Aldino silt loam, 3 to 8 percent slopes, moderately eroded	2	26.8	0	\$ 1,084.38
Delaware	BeA	Beltsville silt loam, 0 to 3 percent slopes	2	673.4	0.006	\$ 1,146.68
Delaware	BeB2	Beltsville silt loam, 3 to 8 percent slopes, moderately eroded	2	732.1	0.006	\$ 1,028.72
Delaware	BrB2	Brandywine loam, 3 to 8 percent slopes, moderately eroded	2	26.4	0	\$ 1,013.02
Delaware	ByA	Butlertown silt loam, 0 to 3 percent slopes	2	267.4	0.002	\$ 1,349.29
Delaware	CaaA	Califon loam, 0 to 3 percent slopes	2	25.3	0	\$ 1,246.12
Delaware	CdB	Chester silt loam, 3 to 8 percent slopes	2	1588.1	0.013	\$ 1,605.55
Delaware	Ch	Chewacla silt loam	2	2012.1	0.016	\$ 1,333.03
Delaware	Cm	Codorus silt loam	2	24.4	0	\$ 1,330.29
Delaware	CoA	Conowingo silt loam, 0 to 3 percent slopes	2	6.1	0	\$ 1,109.11
Delaware	GdB	Gladstone gravelly loam, 3 to 8 percent slopes	2	21.1	0	\$ 1,356.75
Delaware	GeB	Glenelg channery loam, 3 to 8 percent slopes	2	13565.8	0.111	\$ 1,465.43
Delaware	GnA	Glenville silt loam 0 to 3 percent slopes	2	293.6	0.002	\$ 1,346.08
Delaware	GnB	Glenville silt loam, 3 to 8 percent slopes	2	2075	0.017	\$ 1,346.08
Delaware	GnB2	Glenville silt loam, 3 to 8 percent slopes, moderately eroded	2	5013.8	0.041	\$ 1,115.86
Delaware	MgB2	Manor loam, 3 to 8 percent slopes, moderately eroded	2	1346.4	0.011	\$ 1,372.94
Delaware	MoB2	Montalto channery silt loam, 3 to 8 percent slopes, moderately eroded	2	2.4	0	\$ 1,317.22
Delaware	NaB2	Neshaminy gravelly silt loam, 3 to 8 percent slopes, moderately eroded	2	2902.2	0.024	\$ 1,383.04
Delaware	SaB2	Sassafras loam, 2 to 5 percent slopes	2	134.9	0.001	\$ 1,356.75
Delaware	WnA	Woodstown loam, 0 to 2 percent slopes, Northern Coastal Plain	2	208.9	0.002	\$ 1,344.30

Delaware	BrC	Brandywine loam, 8 to 15 percent slopes	3	102.3	0.001	\$ 987.99
Delaware	BrC2	Brandywine loam, 8 to 15 percent slopes, moderately eroded	3	12.7	0	\$ 985.70
Delaware	ByB2	Butlertown silt loam, 3 to 8 percent slopes, moderately eroded	3	878.5	0.007	\$ 1,280.64
Delaware	CdC	Chester silt loam, 8 to 15 percent slopes	3	118.4	0.001	\$ 1,595.32
Delaware	CoB2	Conowingo silt loam, 3 to 8 percent slopes, moderately eroded	3	228.6	0.002	\$ 1,109.11
Delaware	GdC	Gladstone gravelly loam, 8 to 15 percent slopes	3	21.7	0	\$ 1,261.40
Delaware	GeB3	Glenelg channery silt loam, 3 to 8 percent slopes, severely eroded	3	796.2	0.007	\$ 1,320.86
Delaware	GeC	Glenelg channery silt loam, 8 to 15 percent slopes	3	2351.5	0.019	\$ 1,322.68
Delaware	GeC2	Glenelg channery silt loam, 8 to 15 percent slopes, moderately eroded	3	7928.3	0.065	\$ 1,330.94
Delaware	GnC2	Glenville silt loam, 8 to 15 percent slopes, moderately eroded	3	112.3	0.001	\$ 1,109.11
Delaware	MgB3	Manor loam, 3 to 8 percent slopes, severely eroded	3	7.7	0	\$ 1,161.03
Delaware	MgC	Manor loam, 8 to 15 percent slopes	3	3173.7	0.026	\$ 1,251.87
Delaware	Mn	Melvin silt loam	3	398.4	0.003	\$ 1,154.89
Delaware	NaC2	Neshaminy gravelly silt loam, 8 to 15 percent slopes, moderately eroded	3	1107.6	0.009	\$ 1,317.22
Delaware	OtA	Othello silt loams, 0 to 2 percent slopes, Northern Coastal Plain	3	490.9	0.004	\$ 878.69
Delaware	BrC3	Brandywine loam, 8 to 15 percent slopes, severely eroded	4	765.5	0.006	\$ 931.93
Delaware	BrD	Brandywine loam, 15 to 25 percent slopes	4	261.4	0.002	\$ 941.42
Delaware	BrD2	Brandywine loam, 15 to 25 percent slopes, moderately eroded	4	40.3	0	\$ 779.66
Delaware	CkC3	Chrome gravelly silty clay loam, 8 to 15 percent slopes, severely eroded	4	311.4	0.003	\$ 837.59
Delaware	GeC3	Glenelg channery silt loam, 8 to 15 percent slopes, severely eroded	4	4180.2	0.034	\$ 1,224.84
Delaware	GeD	Glenelg channery silt loam, 15 to 25 percent slopes	4	1494	0.012	\$ 1,206.87
Delaware	GeD2	Glenelg channery silt loam, 15 to 25 percent slopes, moderately eroded	4	856.9	0.007	\$ 1,236.49
Delaware	Ha	Hatboro silt loam	4	2.7	0	\$ 1,123.84
Delaware	MgD	Manor loam, 15 to 25 percent slopes	4	2105	0.017	\$ 1,189.86
Delaware	NaC3	Neshaminy gravelly silt loam, 8 to 15 percent slopes, severely eroded	4	149.2	0.001	\$ 1,225.23
Delaware	NaD	Neshaminy gravelly silt loam, 15 to 25 percent slopes	4	138.6	0.001	\$ 1,293.31
Delaware	WaA	Watchung silt loam, 0 to 3 percent slopes	4	6.2	0	\$ 1,042.06
Delaware	We	Wehadkee silt loam	4	3350.9	0.027	\$ 779.66
Delaware	CaA	Calvert silt loam, 0 to 3 percent slopes	5	7.2	0	\$ 671.40
Delaware	Tm	Tidal marsh	5	1039.1	0.009	\$ 671.40
Delaware	WoA	Worsham silt loam, 0 to 3 percent slopes	5	1439.6	0.012	\$ 671.40
Delaware	BrD3	Brandywine loam, 15 to 25 percent slopes, severely eroded	6	725.5	0.006	\$ 878.69
Delaware	BrE	Brandywine loam, 25 to 40 percent slopes	6	635.4	0.005	\$ 671.40
Delaware	BsB	Brandywine very stony loam, 0 to 8 percent slopes	6	2.6	0	\$ 671.40

Delaware	BsD	Brandywine very stony loam, 8 to 25 percent slopes	6	271.4	0.002	\$ 671.40
Delaware	CaB	Calvert silt loam, 3 to 8 percent slopes	6	12.9	0	\$ 671.40
Delaware	CaB2	Calvert silt loam, 3 to 8 percent slopes, moderately eroded	6	0.7	0	\$ 671.40
Delaware	CkB	Chrome silt loam, 3 to 8 percent slopes	6	213.2	0.002	\$ 898.26
Delaware	CkC	Chrome silt loam, 8 to 15 percent slopes	6	170.5	0.001	\$ 898.26
Delaware	CkD	Chrome silt loam, 15 to 25 percent slopes	6	71	0.001	\$ 671.40
Delaware	CkD3	Chrome gravelly silty clay loam, 15 to 25 percent slopes, severely eroded	6	112.4	0.001	\$ 671.40
Delaware	GeD3	Glenelg channery silt loam, 15 to 25 percent slopes, severely eroded	6	1258.7	0.01	\$ 671.40
Delaware	GeE	Glenelg channery silt loam, 25 to 35 percent slopes	6	709.3	0.006	\$ 671.40
Delaware	GmD	Glenelg very stony silt loam, 15 to 25 percent slopes	6	0.1	0	\$ 671.40
Delaware	GsB	Glenville very stony silt loam, 0 to 8 percent slopes	6	1166.3	0.01	\$ 671.40
Delaware	Mc	Made land, silt and clay materials	6	12224.6	0.1	\$ 671.40
Delaware	Md	Made land, gabbro and diabase materials	6	2671.7	0.022	\$ 671.40
Delaware	MhE	Manor loam and channery loam, 25 to 35 percent slopes	6	1005.9	0.008	\$ 671.40
Delaware	MmD	Manor very stony loam, 8 to 25 percent slopes	6	117.8	0.001	\$ 671.40
Delaware	NaD3	Neshaminy gravelly silt loam, 15 to 25 percent slopes, severely eroded	6	152.6	0.001	\$ 671.40
Delaware	WoB	Worsham silt loam, 3 to 8 percent slopes	6	15	0	\$ 671.40
Delaware	WoB2	Worsham silt loam, 3 to 8 percent slopes, moderately eroded	6	10.3	0	\$ 671.40
Delaware	BsF	Brandywine very stony loam, 25 to 50 percent slopes	7	262.2	0.002	\$ 671.40
Delaware	BvF	Brecknock very stony loam, 25 to 50 percent slopes	7	5.4	0	\$ 671.40
Delaware	GeE3	Glenelg channery silt loam, 25 to 35 percent slopes, severely eroded	7	202.2	0.002	\$ 671.40
Delaware	Ma	Made land, gravelly materials	7	10215.9	0.084	\$ 671.40
Delaware	Me	Made land, schist and gneiss materials	7	14642.1	0.12	\$ 671.40
Delaware	Mf	Made land, sanitary land fill	7	211.9	0.002	\$ 671.40
Delaware	MhE3	Manor loam and channery loam, 25 to 35 percent slopes, severely eroded	7	398	0.003	\$ 671.40
Delaware	MkF	Manor soils, 35 to 60 percent slopes	7	581.5	0.005	\$ 671.40
Delaware	MmF	Manor very stony loam, 25 to 60 percent slopes	7	2.1	0	\$ 671.40
Delaware	MrD	Montalto very stony silt loam, 8 to 25 percent slopes	7	2	0	\$ 671.40
Delaware	NsB	Neshaminy very stony silt loam, 0 to 8 percent slopes	7	116.9	0.001	\$ 671.40
Delaware	NsD	Neshaminy very stony silt loam, 8 to 25 percent slopes	7	1114.6	0.009	\$ 671.40
Delaware	NsF	Neshaminy very stony silt loam, 25 to 45 percent slopes	7	758.3	0.006	\$ 671.40
Delaware	WcB	Watchung very stony silt loam, 0 to 8 percent slopes	7	2.3	0	\$ 671.40
Delaware	WsB	Worsham very stony silt loam, 0 to 8 percent slopes	7	315.1	0.003	\$ 671.40
Delaware	UgB	Urban land, 0 to 8 percent slopes	8	22	0	\$ 671.40

Delaware	Ur1B	Urban land-Gladstone complex, 0 to 8 percent slopes	8	61	0.001	\$ 671.40
Delaware	Ur1D	Urban land-Gladstone complex, 8 to 25 percent slopes	8	45	0	\$ 671.40
Delaware	UrmB	Urban land-Glenelg complex, 0 to 8 percent slopes	8	576.3	0.005	\$ 671.40
Delaware	UrmD	Urban land-Glenelg complex, 8 to 25 percent slopes	8	58.4	0	\$ 671.40
Delaware	UugB	Urban land-Udorthents, schist and gneiss complex, 0 to 8 percent slopes	8	155.2	0.001	\$ 671.40
Delaware	UugD	Urban land-Udorthents, schist and gneiss complex, 8 to 25 percent slopes	8	15.9	0	\$ 671.40
Erie	Ha	Hamlin silt loam	1	1095.7	0.002	\$ 1,263.30
Erie	UdA	Unadilla silt loam, 0 to 3 percent slopes	1	729.9	0.001	\$ 1,194.89
Erie	CaB	Cambridge silt loam, 3 to 8 percent slopes	2	2703.1	0.005	\$ 1,150.79
Erie	CnA	Chenango gravelly silt loam, 0 to 3 percent slopes	2	3536.4	0.007	\$ 1,152.60
Erie	CnB	Chenango gravelly silt loam, 3 to 8 percent slopes	2	9882.4	0.019	\$ 1,153.17
Erie	CsB	Colonie loamy fine sand, 3 to 8 percent slopes	2	1823.9	0.004	\$ 931.93
Erie	EnA	Elnora fine sandy loam, 0 to 3 percent slopes	2	1647.2	0.003	\$ 983.86
Erie	EnB	Elnora fine sandy loam, 3 to 8 percent slopes	2	1685.8	0.003	\$ 983.86
Erie	FcA	Fitchville silt loam, 0 to 2 percent slopes	2	1272.3	0.002	\$ 1,213.49
Erie	FcB	Fitchville silt loam, 2 to 6 percent slopes	2	1089.4	0.002	\$ 1,213.49
Erie	GfB	Glenford silt loam, 2 to 6 percent slopes	2	851.7	0.002	\$ 1,230.68
Erie	HbA	Harbor fine sandy loam, 0 to 2 percent slopes	2	497.8	0.001	\$ 1,079.21
Erie	HbB	Harbor fine sandy loam, 2 to 6 percent slopes	2	475.3	0.001	\$ 1,030.96
Erie	MaB	Mardin gravelly silt loam, 3 to 8 percent slopes	2	535.8	0.001	\$ 1,061.84
Erie	MdB	Mardin silt loam, 3 to 8 percent slopes	2	9714.2	0.019	\$ 1,083.52
Erie	Ot	Otego silt loam	2	4810.9	0.009	\$ 1,197.27
Erie	PeB	Pierpont silt loam, 2 to 6 percent slopes	2	1286.8	0.002	\$ 999.60
Erie	PtA	Pompton silt loam, 0 to 3 percent slopes	2	4521.6	0.009	\$ 1,207.18
Erie	PtB	Pompton silt loam, 3 to 8 percent slopes	2	19539.3	0.038	\$ 1,210.34
Erie	ScA	Scio silt loam, 0 to 3 percent slopes	2	1046.3	0.002	\$ 1,212.70
Erie	ScB	Scio silt loam, 3 to 8 percent slopes	2	933.1	0.002	\$ 1,212.31
Erie	TyA	Tyner sandy loam, 0 to 3 percent slopes	2	395.8	0.001	\$ 915.19
Erie	TyB	Tyner sandy loam, 3 to 8 percent slopes	2	350.3	0.001	\$ 910.37
Erie	VaB	Valois silt loam, 3 to 8 percent slopes	2	1430.9	0.003	\$ 1,137.58
Erie	CaC	Cambridge silt loam, 8 to 15 percent slopes	3	3139.7	0.006	\$ 1,079.21
Erie	CeA	Caneadea silt loam, 0 to 3 percent slopes	3	89	0	\$ 1,073.15
Erie	CeB	Caneadea silt loam, 3 to 8 percent slopes	3	933	0.002	\$ 1,099.86
Erie	CnC	Chenango gravelly silt loam, 8 to 15 percent slopes	3	3136.4	0.006	\$ 1,074.54

Erie	CoC	Collamer silt loam, 8 to 15 percent slopes	3	39.7	0	\$ 1,132.18
Erie	CsC	Colonie loamy fine sand, 8 to 15 percent slopes	3	235.8	0	\$ 884.10
Erie	GfC	Glenford silt loam, 6 to 12 percent slopes	3	146.9	0	\$ 1,195.28
Erie	HbC	Harbor fine sandy loam, 6 to 12 percent slopes	3	108.6	0	\$ 978.79
Erie	HkB	Harborcreek-Tyner complex, 0 to 8 percent slopes	3	9232.9	0.018	\$ 826.13
Erie	HkC	Harborcreek-Tyner complex, 8 to 15 percent slopes	3	1047.9	0.002	\$ 836.27
Erie	HnA	Hornell silt loam, 0 to 2 percent slopes	3	6.8	0	\$ 943.78
Erie	HnB	Hornell silt loam, 2 to 6 percent slopes	3	12.8	0	\$ 861.36
Erie	MaC	Mardin gravelly silt loam, 8 to 15 percent slopes	3	748.1	0.001	\$ 1,022.01
Erie	MdC	Mardin silt loam, 8 to 15 percent slopes	3	10727.5	0.021	\$ 1,083.52
Erie	MnA	Minoa fine sandy loam, 0 to 3 percent slopes	3	2765.9	0.005	\$ 1,013.02
Erie	MnB	Minoa fine sandy loam, 3 to 8 percent slopes	3	553.5	0.001	\$ 1,027.38
Erie	NgA	Niagara silt loam, 0 to 3 percent slopes	3	1348.9	0.003	\$ 949.91
Erie	NgB	Niagara silt loam, 3 to 8 percent slopes	3	671.7	0.001	\$ 989.37
Erie	NgC	Niagara silt loam, 8 to 15 percent slopes	3	24.8	0	\$ 1,019.32
Erie	OkB	Oakville fine sand, 0 to 8 percent slopes	3	405.9	0.001	\$ 779.66
Erie	PaA	Painesville fine sandy loam, 0 to 2 percent slopes	3	1698.7	0.003	\$ 1,100.20
Erie	PeC	Pierpont silt loam, 6 to 12 percent slopes	3	1265.9	0.002	\$ 993.21
Erie	PIA	Platea silt loam, 0 to 2 percent slopes	3	2554.9	0.005	\$ 1,083.95
Erie	PIB	Platea silt loam, 2 to 6 percent slopes	3	22049.2	0.043	\$ 1,081.88
Erie	PIC	Platea silt loam, 6 to 12 percent slopes	3	5120	0.01	\$ 1,077.91
Erie	PtC	Pompton silt loam, 8 to 15 percent slopes	3	4045.8	0.008	\$ 1,202.43
Erie	RhA	Red Hook silt loam, 0 to 3 percent slopes	3	6348.4	0.012	\$ 1,119.22
Erie	RhB	Red Hook silt loam, 3 to 8 percent slopes	3	15427.6	0.03	\$ 1,126.76
Erie	ScC	Scio silt loam, 8 to 15 percent slopes	3	233.8	0	\$ 1,224.61
Erie	Se	Sebring silt loam, 0 to 2 percent slopes	3	1368.6	0.003	\$ 1,083.52
Erie	St	Stanhope silt loam	3	5935	0.011	\$ 1,074.88
Erie	VaC	Valois silt loam, 8 to 15 percent slopes	3	2181.1	0.004	\$ 1,129.27
Erie	VeA	Venango silt loam, 0 to 3 percent slopes	3	12765	0.025	\$ 1,130.10
Erie	VeB	Venango silt loam, 3 to 8 percent slopes	3	105971.9	0.205	\$ 1,140.48
Erie	VeC	Venango silt loam, 8 to 15 percent slopes	3	28394.1	0.055	\$ 1,132.18
Erie	VIA	Volusia gravelly silt loam, 0 to 3 percent slopes	3	74.6	0	\$ 967.21
Erie	VIB	Volusia gravelly silt loam, 3 to 8 percent slopes	3	1232.6	0.002	\$ 969.07
Erie	VIC	Volusia gravelly silt loam, 8 to 15 percent slopes	3	574.6	0.001	\$ 881.15

Erie	VmA	Volusia-Fremont silt loams, 0 to 3 percent slopes	3	1558.5	0.003	\$ 948.49
Erie	VmB	Volusia-Fremont silt loams, 3 to 8 percent slopes	3	7286.8	0.014	\$ 971.85
Erie	VmC	Volusia-Fremont silt loams, 8 to 15 percent slopes	3	947.1	0.002	\$ 953.19
Erie	Wa	Wakeville silt loam	3	2003.4	0.004	\$ 1,035.41
Erie	AdA	Alden mucky silt loam, 0 to 2 percent slopes	4	1692	0.003	\$ 887.04
Erie	Ax	Aquolls-Eutrudepts complex, frequently flooded	4	9747.7	0.019	\$ 779.66
Erie	CaD	Cambridge silt loam, 15 to 25 percent slopes	4	1994.2	0.004	\$ 779.66
Erie	Cb	Canadice silt loam	4	1895	0.004	\$ 953.19
Erie	Cd	Canandaigua silt loam, loamy substratum	4	631.7	0.001	\$ 1,023.81
Erie	CnD	Chenango gravelly silt loam, 15 to 25 percent slopes	4	1913.2	0.004	\$ 1,002.87
Erie	CoD	Collamer silt loam, 15 to 25 percent slopes	4	81.7	0	\$ 1,022.01
Erie	CsD	Colonie loamy fine sand, 15 to 25 percent slopes	4	205.2	0	\$ 836.27
Erie	CtA	Conneaut silt loam, 0 to 2 percent slopes	4	2783.6	0.005	\$ 1,006.23
Erie	FrA	Fredon silt loam, 0 to 3 percent slopes	4	9287.8	0.018	\$ 993.03
Erie	Ge	Getzville silt loam	4	2743.5	0.005	\$ 1,033.63
Erie	HkD	Harborcreek-Tyner complex, 15 to 25 percent slopes	4	417.3	0.001	\$ 836.27
Erie	La	Lamson silt loam	4	4473.5	0.009	\$ 779.66
Erie	MaD	Mardin gravelly silt loam, 15 to 25 percent slopes	4	467.6	0.001	\$ 981.10
Erie	MdD	Mardin silt loam, 15 to 25 percent slopes	4	11841.7	0.023	\$ 1,083.09
Erie	Mh	Mill silt loam	4	50573.5	0.098	\$ 915.67
Erie	PeD	Pierpont silt loam, 12 to 18 percent slopes	4	968.3	0.002	\$ 779.66
Erie	VaD	Valois silt loam, 15 to 25 percent slopes	4	2563.6	0.005	\$ 1,127.26
Erie	VID	Volusia gravelly silt loam, 15 to 25 percent slopes	4	35	0	\$ 833.74
Erie	Wc	Wick silt loam	4	4412	0.009	\$ 919.99
Erie	Aa	Adrian muck	5	449.9	0.001	\$ 671.40
Erie	Cc	Canandaigua mucky silt loam	5	7675.1	0.015	\$ 671.40
Erie	Cm	Carlisle muck	5	1593.2	0.003	\$ 671.40
Erie	MdE	Mardin silt loam, 25 to 40 percent slopes	6	1112.2	0.002	\$ 1,085.67
Erie	VaE	Valois silt loam, 25 to 40 percent slopes	6	2389.2	0.005	\$ 1,134.26
Erie	GaF	Gageville silt loam, 18 to 50 percent slopes	7	6799.7	0.013	\$ 671.40
Erie	LtF	Lordstown channery silt loam, 40 to 70 percent slopes	7	2092.2	0.004	\$ 671.40
Erie	RoF	Rock outcrop-Lordstown complex, 45 to 100 percent slopes	7	363.1	0.001	\$ 671.40
Erie	TvF	Towerville and Valois soils, 40 to 70 percent slopes	7	5231.4	0.01	\$ 671.40
Erie	TxF	Tyner and Harborcreek soils, 25 to 60 percent slopes	7	1732.8	0.003	\$ 779.66

Erie	UaC	Udorthents, loamy, 0 to 15 percent slopes	7	5883.4	0.011	\$ 671.40
Erie	UbC	Udorthents, sandy, 0 to 15 percent slopes	7	2752	0.005	\$ 671.40
Erie	DAM	Dams	8	12.5	0	\$ 671.40
Erie	Rv	Riverwash	8	43.7	0	\$ 671.40
Erie	Ue	Urban land	8	7445.9	0.014	\$ 671.40
Erie	UhB	Urban land-Chenango complex, 0 to 8 percent slopes	8	230.5	0	\$ 671.40
Erie	UIB	Urban land-Elnora complex, 0 to 8 percent slopes	8	861.3	0.002	\$ 671.40
Erie	UmB	Urban land-Fremont complex, 0 to 8 percent slopes	8	1830.7	0.004	\$ 671.40
Erie	UpB	Urban land-Pompton complex, 0 to 8 percent slopes	8	3306.7	0.006	\$ 699.13
Erie	UrA	Urban land-Red Hook complex, 0 to 3 percent slopes	8	793.9	0.002	\$ 671.40
Erie	UtB	Urban land-Tyner-Harborcreek complex, 0 to 8 percent slopes	8	4421.8	0.009	\$ 671.40
Erie	UuB	Urban land-Udorthents complex, 0 to 8 percent slopes	8	751.2	0.001	\$ 671.40
Erie	UvB	Urban land-Venango complex, 0 to 8 percent slopes	8	6275.3	0.012	\$ 671.40
Erie	UvC	Urban land-Venango complex, 8 to 15 percent slopes	8	583.7	0.001	\$ 671.40
Fayette	ChA	Chavies fine sandy loam, 0 to 2 percent slopes	1	958.2	0.002	\$ 1,401.99
Fayette	AbB	Albrights silt loam, 3 to 8 percent slopes	2	1673.9	0.003	\$ 1,177.25
Fayette	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	448.9	0.001	\$ 1,263.30
Fayette	BnB	Buchanan loam, 3 to 8 percent slopes	2	639.6	0.001	\$ 1,099.78
Fayette	ChB	Chavies fine sandy loam, 3 to 8 percent slopes, rarely flooded	2	360.5	0.001	\$ 1,215.06
Fayette	ClB	Clarksburg silt loam, 3 to 8 percent slopes	2	11303.2	0.022	\$ 1,239.19
Fayette	CmB	Clymer channery loam, 3 to 8 percent slopes	2	3906.2	0.008	\$ 1,287.73
Fayette	CoA	Cookport loam, 0 to 3 percent slopes	2	90.5	0	\$ 1,022.01
Fayette	CoB	Cookport loam, 3 to 8 percent slopes	2	2929.6	0.006	\$ 976.48
Fayette	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	6960.3	0.014	\$ 1,329.93
Fayette	DoB	Dormont silt loam, 3 to 8 percent slopes	2	4623.8	0.009	\$ 1,331.73
Fayette	ErB	Ernest silt loam, 3 to 8 percent slopes	2	9113.3	0.018	\$ 1,222.89
Fayette	GcA	Gilpin channery silt loam, 0 to 3 percent slopes	2	336.8	0.001	\$ 1,096.37
Fayette	GcB	Gilpin channery silt loam, 3 to 8 percent slopes	2	10912.2	0.021	\$ 1,136.34
Fayette	GwB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	259.1	0.001	\$ 1,050.00
Fayette	GyB	Guernsey silt loam, 3 to 8 percent slopes	2	8319.2	0.016	\$ 1,270.86
Fayette	HaB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	810.4	0.002	\$ 1,320.86
Fayette	LeB	Leck Kill channery silt loam, 3 to 8 percent slopes	2	474.4	0.001	\$ 1,302.56
Fayette	Ln	Lindsay silt loam, 0 to 3 percent slopes, occasionally flooded	2	3109.2	0.006	\$ 1,358.52
Fayette	Lo	Lobdell silt loam, 0 to 3 percent slopes, occasionally flooded	2	1570.9	0.003	\$ 1,278.39

Fayette	LwB	Lowell silty clay loam, 3 to 8 percent slopes	2	1306.6	0.003	\$ 1,342.51
Fayette	MeB	Matewan channery loam, 3 to 8 percent slopes	2	1310.3	0.003	\$ 1,057.47
Fayette	MIB	Meckesville silt loam, 3 to 8 percent slopes	2	77.7	0	\$ 1,328.12
Fayette	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1004.7	0.002	\$ 1,222.89
Fayette	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	5330.9	0.01	\$ 1,222.89
Fayette	Ph	Philo loam, 0 to 3 percent slopes, occasionally flooded	2	3197.3	0.006	\$ 1,234.55
Fayette	RnB	Rayne-Gilpin channery silt loams, 3 to 8 percent slopes	2	254.4	0	\$ 1,171.19
Fayette	WgB	Wharton-Gilpin silt loams, 3 to 8 percent slopes	2	463.7	0.001	\$ 957.88
Fayette	WrA	Wharton silt loam, 0 to 3 percent slopes	2	245.2	0	\$ 939.05
Fayette	WrB	Wharton silt loam, 3 to 8 percent slopes	2	9987.9	0.02	\$ 939.05
Fayette	AbC	Albrights silt loam, 8 to 15 percent slopes	3	2072.9	0.004	\$ 1,142.55
Fayette	AgC	Allegheny silt loam, 8 to 15 percent slopes	3	305.1	0.001	\$ 1,185.29
Fayette	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	874.5	0.002	\$ 779.66
Fayette	BhB	Bethesda very channery silt loam, 0 to 8 percent slopes, very stony	3	268.8	0.001	\$ 779.66
Fayette	BnC	Buchanan loam, 8 to 15 percent slopes	3	519.6	0.001	\$ 1,059.66
Fayette	CaA	Cavode silt loam, 0 to 3 percent slopes	3	105.5	0	\$ 1,070.55
Fayette	CaB	Cavode silt loam, 3 to 8 percent slopes	3	2970	0.006	\$ 1,074.88
Fayette	CaC	Cavode silt loam, 8 to 15 percent slopes	3	886.5	0.002	\$ 1,033.18
Fayette	CIC	Clarksburg silt loam, 8 to 15 percent slopes	3	9983.4	0.02	\$ 1,120.90
Fayette	CmC	Clymer channery loam, 8 to 15 percent slopes	3	2391.3	0.005	\$ 1,217.02
Fayette	CoC	Cookport loam, 8 to 15 percent slopes	3	1056.5	0.002	\$ 939.05
Fayette	Cq	Craigsville gravelly sandy loam	3	65.7	0	\$ 779.66
Fayette	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	9169.7	0.018	\$ 1,236.49
Fayette	DoC	Dormont silt loam, 8 to 15 percent slopes	3	13180.7	0.026	\$ 1,242.28
Fayette	ErC	Ernest silt loam, 8 to 15 percent slopes	3	9831	0.019	\$ 1,154.89
Fayette	FaB	Fairpoint very channery silt loam, 0 to 8 percent slopes	3	2214.8	0.004	\$ 779.66
Fayette	FpB	Fairpoint very channery silt loam, 0 to 8 percent slopes, very stony	3	1299.1	0.003	\$ 779.66
Fayette	GcC	Gilpin channery silt loam, 8 to 15 percent slopes	3	11812.6	0.023	\$ 1,096.37
Fayette	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	319.8	0.001	\$ 1,001.24
Fayette	GyC	Guernsey silt loam, 8 to 15 percent slopes	3	13675.4	0.027	\$ 1,096.37
Fayette	HaC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	536.9	0.001	\$ 1,249.96
Fayette	ItB	Itmann extremely channery loam, 0 to 8 percent slopes	3	775.8	0.002	\$ 779.66
Fayette	LeC	Leck Kill channery silt loam, 8 to 15 percent slopes	3	624.4	0.001	\$ 1,265.19
Fayette	LIB	Library silt loam, 0 to 8 percent slopes	3	1076.7	0.002	\$ 1,183.29

Fayette	LIC	Library silt loam, 8 to 15 percent slopes	3	84.8	0	\$ 1,092.10
Fayette	LwC	Lowell silty clay loam, 8 to 15 percent slopes, eroded	3	1411.6	0.003	\$ 1,218.98
Fayette	MeC	Matewan channery loam, 8 to 15 percent slopes	3	1051.9	0.002	\$ 985.70
Fayette	MIC	Meckesville silt loam, 8 to 15 percent slopes	3	600.9	0.001	\$ 1,291.46
Fayette	MoC	Monongahela silt loam, 8 to 15 percent slopes	3	1251.1	0.002	\$ 1,146.68
Fayette	RnC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	104.8	0	\$ 1,087.81
Fayette	TyA	Tyler silt loam, 0 to 2 percent slopes	3	338.2	0.001	\$ 1,128.02
Fayette	WeA	Weinbach silt loam, 0 to 2 percent slopes	3	866.3	0.002	\$ 1,125.93
Fayette	WgC	Wharton-Gilpin silt loams, 8 to 15 percent slopes	3	2054.3	0.004	\$ 936.68
Fayette	WrC	Wharton silt loam, 8 to 15 percent slopes	3	10057.4	0.02	\$ 861.36
Fayette	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	2425.7	0.005	\$ 1,022.01
Fayette	BkA	Brinkerton soils, 0 to 3 percent slopes	4	1887.2	0.004	\$ 1,089.96
Fayette	BkB	Brinkerton soils, 3 to 8 percent slopes	4	3056.8	0.006	\$ 1,089.96
Fayette	BnD	Buchanan loam, 15 to 25 percent slopes	4	146.3	0	\$ 993.95
Fayette	CaD	Cavode silt loam, 15 to 25 percent slopes	4	335.1	0.001	\$ 943.78
Fayette	CmD	Clymer channery loam, 15 to 25 percent slopes	4	1247.2	0.002	\$ 939.05
Fayette	CoD	Cookport loam, 15 to 25 percent slopes	4	124.6	0	\$ 943.78
Fayette	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	2739.1	0.005	\$ 1,081.36
Fayette	DoD	Dormont silt loam, 15 to 25 percent slopes	4	4179.6	0.008	\$ 1,096.37
Fayette	DrD	Dormont-Culleoka complex, 15 to 25 percent slopes	4	14677.2	0.029	\$ 1,060.09
Fayette	Ek	Elkins silt loam, 0 to 3 percent slopes, occasionally flooded	4	352.8	0.001	\$ 779.66
Fayette	ErD	Ernest silt loam, 15 to 25 percent slopes	4	1730.6	0.003	\$ 1,108.69
Fayette	FaC	Fairpoint very channery silt loam, 8 to 15 percent slopes	4	851.7	0.002	\$ 909.40
Fayette	GcD	Gilpin channery silt loam, 15 to 25 percent slopes	4	12126.4	0.024	\$ 1,055.28
Fayette	GwD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	808.5	0.002	\$ 779.66
Fayette	GxA	Ginat silt loam, 0 to 2 percent slopes	4	255.9	0.001	\$ 1,026.49
Fayette	GyD	Guernsey silt loam, 15 to 25 percent slopes	4	3543.3	0.007	\$ 1,026.49
Fayette	HaD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	473.3	0.001	\$ 1,096.37
Fayette	Hy	Holly silt loam, 0 to 2 percent slopes	4	1471.6	0.003	\$ 1,181.28
Fayette	ItD	Itmann extremely channery loam, 8 to 25 percent slopes	4	1177.9	0.002	\$ 779.66
Fayette	LeD	Leck Kill channery silt loam, 15 to 25 percent slopes	4	1039.6	0.002	\$ 1,138.41
Fayette	LwD	Lowell silty clay loam, 15 to 25 percent slopes, eroded	4	391.7	0.001	\$ 1,061.84
Fayette	MeD	Matewan channery loam, 15 to 25 percent slopes	4	517.5	0.001	\$ 883.60
Fayette	MID	Meckesville silt loam, 15 to 25 percent slopes	4	457.8	0.001	\$ 1,218.98

Fayette	Mn	Melvin and Newark silt loams	4	2390	0.005	\$ 1,037.63
Fayette	Pu	Purdy silt loam, 0 to 2 percent slopes	4	104.4	0	\$ 1,037.63
Fayette	RnD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	151.4	0	\$ 1,030.96
Fayette	ThA	Thorndale silt loam, 0 to 3 percent slopes	4	465.5	0.001	\$ 779.66
Fayette	ThB	Thorndale silt loam, 3 to 8 percent slopes	4	1081.8	0.002	\$ 779.66
Fayette	WgD	Wharton-Gilpin silt loams, 15 to 25 percent slopes	4	4039.5	0.008	\$ 871.29
Fayette	WrD	Wharton silt loam, 15 to 25 percent slopes	4	4997	0.01	\$ 779.66
Fayette	AeB	Albrights silt loam, 0 to 8 percent slopes, very stony	6	1049.5	0.002	\$ 671.40
Fayette	AeD	Albrights silt loam, 8 to 25 percent slopes, very stony	6	2230.8	0.004	\$ 671.40
Fayette	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	6	3120.4	0.006	\$ 671.40
Fayette	BhD	Bethesda very channery silt loam, 8 to 25 percent slopes, very stony	6	1515.1	0.003	\$ 671.40
Fayette	BlB	Brinkerton mucky silt loam, 0 to 8 percent slopes, very stony	6	80.9	0	\$ 671.40
Fayette	CeB	Cavode silt loam, 0 to 8 percent slopes, very stony	6	201.2	0	\$ 671.40
Fayette	CeD	Cavode silt loam, 8 to 25 percent slopes, very stony	6	48	0	\$ 671.40
Fayette	CnB	Clymer loam, 0 to 8 percent slopes, very stony	6	286.9	0.001	\$ 671.40
Fayette	CnD	Clymer loam, 8 to 25 percent slopes, very stony	6	1000.5	0.002	\$ 671.40
Fayette	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	3348.2	0.007	\$ 671.40
Fayette	CpD	Cookport loam, 8 to 25 percent slopes, very stony	6	2784	0.005	\$ 671.40
Fayette	FaD	Fairpoint very channery silt loam, 15 to 25 percent slopes	6	7532.8	0.015	\$ 671.40
Fayette	FpD	Fairpoint very channery silt loam, 8 to 25 percent slopes, very stony	6	7978.8	0.016	\$ 671.40
Fayette	HeB	Hazleton channery sandy loam, 3 to 8 percent slopes, extremely stony	6	803.7	0.002	\$ 671.40
Fayette	HsB	Hazleton channery sandy loam, 0 to 8 percent slopes, very bouldery	6	199.3	0	\$ 671.40
Fayette	HsD	Hazleton channery sandy loam, 8 to 25 percent slopes, very bouldery	6	1326.8	0.003	\$ 671.40
Fayette	HxD	Hazleton-Clymer complex, 8 to 25 percent slopes, extremely stony	6	8553.7	0.017	\$ 671.40
Fayette	MkB	Meckesville channery silt loam, 0 to 8 percent slopes, extremely stony	6	80.2	0	\$ 671.40
Fayette	RgB	Rayne channery silt loam, 0 to 8 percent slopes, very stony	6	1663.2	0.003	\$ 671.40
Fayette	RgD	Rayne channery silt loam, 8 to 25 percent slopes, very stony	6	5440.8	0.011	\$ 671.40
Fayette	UaB	Udorthents, 0 to 8 percent slopes	6	1265	0.002	\$ 671.40
Fayette	UaD	Udorthents, 8 to 25 percent slopes	6	395.9	0.001	\$ 671.40
Fayette	WrE	Wharton silt loam, 25 to 35 percent slopes	6	657.3	0.001	\$ 671.40
Fayette	WsB	Wharton silt loam, 0 to 8 percent slopes, very stony	6	1467.4	0.003	\$ 671.40
Fayette	WsD	Wharton silt loam, 8 to 25 percent slopes, very stony	6	2864	0.006	\$ 671.40
Fayette	AnB	Andover gravelly loam, 0 to 8 percent slopes, very stony	7	1874.6	0.004	\$ 671.40
Fayette	BeF	Bethesda very channery silt loam, 25 to 75 percent slopes	7	1008	0.002	\$ 671.40

Fayette	BhF	Bethesda very channery silt loam, 25 to 75 percent slopes, very stony	7	652.4	0.001	\$ 671.40
Fayette	BuB	Buchanan loam, 0 to 8 percent slopes, extremely stony	7	5654.8	0.011	\$ 671.40
Fayette	BuD	Buchanan loam, 8 to 25 percent slopes, extremely stony	7	15394.6	0.03	\$ 671.40
Fayette	CrB	Craigsville-Buchanan complex, 0 to 8 percent slopes, extremely stony	7	2881.6	0.006	\$ 671.40
Fayette	DeB	Dekalb-Hazleton channery sandy loams, 0 to 8 percent slopes, extremely stony	7	1146.8	0.002	\$ 671.40
Fayette	DeD	Dekalb-Hazleton channery sandy loams, 8 to 25 percent slopes, extremely stony	7	1845.2	0.004	\$ 671.40
Fayette	DeF	Dekalb-Hazleton channery sandy loams, 25 to 80 percent slopes, extremely stony	7	865.8	0.002	\$ 671.40
Fayette	DrE	Dormont-Culleoka complex, 25 to 50 percent slopes	7	12623	0.025	\$ 671.40
Fayette	FaF	Fairpoint very channery silt loam, 25 to 75 percent slopes	7	835.4	0.002	\$ 671.40
Fayette	FpF	Fairpoint very channery silt loam, 25 to 75 percent slopes, very stony	7	3937.6	0.008	\$ 671.40
Fayette	GoF	Gilpin-Rock outcrop complex, 45 to 100 percent slopes	7	1901.2	0.004	\$ 671.40
Fayette	GwF	Gilpin-Weikert channery silt loams, 25 to 60 percent slopes	7	14153.5	0.028	\$ 671.40
Fayette	HeD	Hazleton channery sandy loam, 15 to 25 percent slopes, extremely stony	7	4865	0.01	\$ 671.40
Fayette	HeF	Hazleton channery sandy loam, 25 to 70 percent slopes, extremely stony	7	8073.2	0.016	\$ 671.40
Fayette	HxB	Hazleton-Clymer complex, 0 to 8 percent slopes, extremely stony	7	3208.6	0.006	\$ 671.40
Fayette	IxF	Iltmann extremely channery loam, 25 to 70 percent slopes	7	652.8	0.001	\$ 671.40
Fayette	LaB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stony	7	106.8	0	\$ 671.40
Fayette	LaD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stony	7	7535.5	0.015	\$ 671.40
Fayette	LaE	Laidig gravelly loam, 25 to 35 percent slopes, extremely stony	7	5043.2	0.01	\$ 671.40
Fayette	LbF	Laidig-Hazleton complex, 35 to 80 percent slopes, bouldery	7	2965.7	0.006	\$ 671.40
Fayette	LkB	Leck Kill channery silt loam, 0 to 8 percent slopes, extremely stony	7	479.2	0.001	\$ 671.40
Fayette	LkD	Leck Kill channery silt loam, 8 to 25 percent slopes, extremely stony	7	2548	0.005	\$ 671.40
Fayette	LkF	Leck Kill channery silt loam, 25 to 60 percent slopes, extremely stony	7	4132.1	0.008	\$ 671.40
Fayette	LxF	Lowell-Culleoka complex, 25 to 80 percent slopes, very rocky	7	6107.8	0.012	\$ 671.40
Fayette	MbF	Macove-Gilpin channery silt loams, 35 to 70 percent slopes, bouldery	7	3898	0.008	\$ 671.40
Fayette	McF	Macove-Gilpin channery silt loams, 35 to 70 percent slopes, extremely stony	7	28289	0.055	\$ 671.40
Fayette	MeF	Matewan channery loam, 25 to 50 percent slopes	7	787.9	0.002	\$ 671.40
Fayette	MkD	Meckesville channery silt loam, 8 to 25 percent slopes, extremely stony	7	4704.6	0.009	\$ 671.40
Fayette	MkF	Meckesville channery silt loam, 25 to 70 percent slopes, extremely stony	7	10134	0.02	\$ 671.40
Fayette	NoB	Nolo loam, 0 to 8 percent slopes, very stony	7	49.5	0	\$ 671.40
Fayette	ShF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes	7	9350.2	0.018	\$ 671.40
Fayette	SxF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes, very stony	7	2498.3	0.005	\$ 671.40
Fayette	WsE	Wharton silt loam, 25 to 35 percent slopes, very stony	7	277.4	0.001	\$ 671.40
Fayette	DAM	Dam	8	27.4	0	\$ 671.40

Fayette	Qu	Quarries	8	479.5	0.001	\$ 671.40
Fayette	UbB	Urban land, 0 to 8 percent slopes	8	5090	0.01	\$ 671.40
Fayette	UbC	Urban land, 8 to 15 percent slopes	8	1531	0.003	\$ 671.40
Fayette	UeB	Urban land-Culleoka complex, 0 to 8 percent slopes	8	670.1	0.001	\$ 671.40
Fayette	UeD	Urban land-Culleoka complex, 8 to 25 percent slopes	8	199.4	0	\$ 671.40
Fayette	UgB	Urban land-Gilpin complex, 0 to 8 percent slopes	8	43.2	0	\$ 671.40
Fayette	UgD	Urban land-Gilpin complex, 8 to 25 percent slopes	8	126.6	0	\$ 671.40
Fayette	UhB	Urban land-Guernsey complex, 0 to 8 percent slopes	8	1293.3	0.003	\$ 671.40
Fayette	UhD	Urban land-Guernsey complex, 8 to 25 percent slopes	8	1074.4	0.002	\$ 671.40
Fayette	UmB	Urban land-Monongahela complex, 0 to 8 percent slopes	8	2339.8	0.005	\$ 671.40
Fayette	UwB	Urban land-Wharton complex, 0 to 8 percent slopes	8	145.3	0	\$ 671.40
Fayette	UwD	Urban land-Wharton complex, 8 to 25 percent slopes	8	56.9	0	\$ 671.40
Franklin	DsA	Duffield silt loam, 0 to 3 percent slopes	1	802.5	0.002	\$ 1,430.76
Franklin	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	8044.9	0.016	\$ 1,468.68
Franklin	MrA	Murrill gravelly loam, 0 to 3 percent slopes	1	1194	0.002	\$ 1,265.19
Franklin	Po	Pope silt loam	1	625.5	0.001	\$ 1,346.08
Franklin	AgB	Allegheny loam, 3 to 8 percent slopes	2	2080.3	0.004	\$ 1,343.58
Franklin	Bf	Basher fine sandy loam	2	980.3	0.002	\$ 1,295.91
Franklin	BhB	Bedington channery silt loam, 3 to 8 percent slopes	2	6711.1	0.014	\$ 1,261.40
Franklin	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	23434.1	0.047	\$ 971.85
Franklin	BIA	Blairton channery silt loam, 0 to 3 percent slopes	2	599.3	0.001	\$ 932.41
Franklin	BIB	Blairton channery silt loam, 3 to 8 percent slopes	2	5305.5	0.011	\$ 970.00
Franklin	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	6199.6	0.013	\$ 1,150.79
Franklin	CaB	Calvin channery loam, 3 to 8 percent slopes	2	94.1	0	\$ 984.32
Franklin	CoB	Carbo silty clay loam, 3 to 8 percent slopes	2	3186.9	0.006	\$ 1,089.53
Franklin	CsA	Clarksburg silt loam, 0 to 3 percent slopes	2	10510.7	0.021	\$ 1,277.64
Franklin	CvA	Covegap cobbly sandy loam, 0 to 3 percent slopes	2	97.9	0	\$ 1,294.43
Franklin	CvB	Covegap cobbly sandy loam, 3 to 8 percent slopes	2	3645.2	0.007	\$ 1,294.43
Franklin	Dg	Deposit gravelly loam	2	264.2	0.001	\$ 1,259.12
Franklin	DoB	Downsville gravelly loam, 3 to 8 percent slopes	2	720.9	0.001	\$ 1,342.87
Franklin	DrB	Dryrun gravelly loam, 3 to 8 percent slopes	2	2360	0.005	\$ 1,225.23
Franklin	DsB	Duffield silt loam, 3 to 8 percent slopes	2	10805.1	0.022	\$ 1,401.99
Franklin	EcB	Edgemont channery loam, 3 to 8 percent slopes	2	97.2	0	\$ 990.29
Franklin	EeB	Edom-Carbo silty clay loams, 3 to 8 percent slopes	2	2790.1	0.006	\$ 1,109.11

Franklin	ErB	Ernest silt loam, 3 to 8 percent slopes	2	1324.5	0.003	\$ 1,159.80
Franklin	Fu	Funkstown silt loam	2	6357.8	0.013	\$ 1,434.23
Franklin	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	22588.8	0.046	\$ 1,469.33
Franklin	HbB	Hagerstown-Carbo silty clay loams, 3 to 8 percent slopes	2	16948	0.034	\$ 1,299.98
Franklin	HcB	Hagerstown-Carbo silty clay loams, 3 to 8 percent slopes, very rocky	2	10921.9	0.022	\$ 1,276.13
Franklin	HSB	Highfield and Catoctin channery silt loams, 3 to 8 percent slopes	2	1142.9	0.002	\$ 1,130.93
Franklin	HwB	Hustontown silt loam, 3 to 8 percent slopes	2	352.5	0.001	\$ 1,144.20
Franklin	Jg	Jugtown silt loam	2	3001.8	0.006	\$ 1,306.24
Franklin	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	557.6	0.001	\$ 1,137.58
Franklin	Ln	Lindside silt loam	2	310.9	0.001	\$ 1,287.73
Franklin	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	2421.7	0.005	\$ 1,155.71
Franklin	MrB	Murrill gravelly loam, 3 to 8 percent slopes	2	16415.6	0.033	\$ 1,309.91
Franklin	MuB	Murrill cobbly sandy loam, 3 to 8 percent slopes	2	1480.9	0.003	\$ 1,300.71
Franklin	MyB	Myersville silt loam, 3 to 8 percent slopes	2	284.2	0.001	\$ 1,381.30
Franklin	PcB	Pecktonville gravelly silt loam, 3 to 8 percent slopes	2	39.9	0	\$ 1,291.08
Franklin	Ph	Philo silt loam	2	4714.2	0.01	\$ 1,281.01
Franklin	RyB	Ryder-Nollville channery silt loams, 3 to 8 percent slopes	2	1380.1	0.003	\$ 1,215.06
Franklin	SeB	Sideling gravelly loam, 3 to 8 percent slopes	2	3138.7	0.006	\$ 1,163.06
Franklin	SwB	Swanpond-Edom complex, 0 to 8 percent slopes	2	2213.9	0.004	\$ 1,154.48
Franklin	TrB	Trego gravelly silt loam, 3 to 8 percent slopes	2	1329.9	0.003	\$ 1,022.01
Franklin	WuB	Wurno-Nollville channery silt loams, 3 to 8 percent slopes	2	79.5	0	\$ 1,070.55
Franklin	As	Atkins silt loam	3	5836.7	0.012	\$ 1,151.20
Franklin	BhC	Bedington channery silt loam, 8 to 15 percent slopes	3	1912.3	0.004	\$ 1,166.32
Franklin	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	8671.7	0.018	\$ 931.93
Franklin	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	1354.1	0.003	\$ 1,075.32
Franklin	CaC	Calvin channery loam, 8 to 15 percent slopes	3	390.5	0.001	\$ 945.67
Franklin	CtB	Clearbrook channery silt loam, 0 to 8 percent slopes	3	3759.5	0.008	\$ 964.88
Franklin	CvC	Covegap cobbly sandy loam, 8 to 15 percent slopes	3	1347.7	0.003	\$ 1,269.73
Franklin	DsC	Duffield silt loam, 8 to 15 percent slopes	3	1141.3	0.002	\$ 1,493.15
Franklin	EcC	Edgemont channery loam, 8 to 15 percent slopes	3	159.9	0	\$ 985.70
Franklin	EeC	Edom-Carbo silty clay loams, 8 to 15 percent slopes	3	2013.1	0.004	\$ 1,017.52
Franklin	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	1549.7	0.003	\$ 1,397.20
Franklin	HbC	Hagerstown-Carbo silty clay loams, 8 to 15 percent slopes	3	6490.2	0.013	\$ 1,227.96
Franklin	Hm	Hatboro silt loam	3	136.4	0	\$ 1,064.02

Franklin	HSC	Highfield and Catoctin channery silt loams, 8 to 15 percent slopes	3	344.8	0.001	\$ 1,108.69
Franklin	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	1565.9	0.003	\$ 1,092.52
Franklin	Me	Melvin silt loam	3	3299.1	0.007	\$ 1,154.89
Franklin	MrC	Murrill gravelly loam, 8 to 15 percent slopes	3	5783.8	0.012	\$ 1,244.20
Franklin	MuC	Murrill cobbly sandy loam, 8 to 15 percent slopes	3	1217	0.002	\$ 1,234.55
Franklin	MyC	Myersville silt loam, 8 to 15 percent slopes	3	149.5	0	\$ 1,315.40
Franklin	PcC	Pecktonville gravelly silt loam, 8 to 15 percent slopes	3	77.4	0	\$ 1,222.89
Franklin	Pg	Penlaw silt loam, 0 to 3 percent slopes	3	2107.1	0.004	\$ 1,068.38
Franklin	RaB	Rohrersville silt loam, 3 to 8 percent slopes	3	808.4	0.002	\$ 1,022.01
Franklin	RyC	Ryder-Nollville channery silt loams, 8 to 15 percent slopes	3	6377.6	0.013	\$ 1,150.79
Franklin	SeC	Sideling gravelly loam, 8 to 15 percent slopes	3	4333.7	0.009	\$ 1,013.02
Franklin	TrC	Trego gravelly silt loam, 8 to 15 percent slopes	3	163.9	0	\$ 943.78
Franklin	Ty	Tyler silt loam, 0 to 3 percent slopes	3	1591.7	0.003	\$ 1,102.75
Franklin	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	13084.3	0.026	\$ 1,135.92
Franklin	WuC	Wurno-Nollville channery silt loams, 8 to 15 percent slopes	3	295.9	0.001	\$ 1,030.96
Franklin	AnB	Andover gravelly loam, 3 to 8 percent slopes	4	3222	0.007	\$ 992.57
Franklin	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	3391.5	0.007	\$ 1,089.53
Franklin	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	5076.5	0.01	\$ 1,084.38
Franklin	CaD	Calvin channery loam, 15 to 25 percent slopes	4	354.2	0.001	\$ 859.37
Franklin	DoD	Downsville gravelly loam, 8 to 25 percent slopes	4	93.5	0	\$ 1,212.31
Franklin	Du	Dunning silt loam	4	1095.9	0.002	\$ 1,172.81
Franklin	EeD	Edom-Carbo silty clay loams, 15 to 25 percent slopes	4	206.2	0	\$ 934.31
Franklin	Fa	Fairplay marl	4	1053.3	0.002	\$ 1,197.27
Franklin	HbD	Hagerstown-Carbo silty clay loams, 15 to 25 percent slopes	4	918.5	0.002	\$ 1,200.45
Franklin	HcC	Hagerstown-Carbo silty clay loams, 8 to 15 percent slopes, very rocky	4	5793.1	0.012	\$ 1,157.76
Franklin	HSD	Highfield and Catoctin channery silt loams, 15 to 25 percent slopes	4	69.1	0	\$ 1,050.44
Franklin	Ma	Markes channery silt loam, 0 to 8 percent slopes	4	76.1	0	\$ 948.02
Franklin	Mb	Maurertown silt loam	4	1830.7	0.004	\$ 1,027.38
Franklin	MyD	Myersville silt loam, 15 to 25 percent slopes	4	24.9	0	\$ 1,211.12
Franklin	PcD	Pecktonville gravelly silt loam, 15 to 25 percent slopes	4	129.9	0	\$ 1,144.20
Franklin	Pu	Purdy silty clay loam	4	1703.9	0.003	\$ 1,071.42
Franklin	RyD	Ryder-Nollville channery silt loams, 15 to 25 percent slopes	4	1466.8	0.003	\$ 1,039.85
Franklin	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	12287	0.025	\$ 903.11
Franklin	WkB	Weikert very channery silt loam, 3 to 8 percent slopes	4	3119.5	0.006	\$ 790.62

Franklin	WkC	Weikert very channery silt loam, 8 to 15 percent slopes	4	7594.4	0.015	\$ 796.33
Franklin	WuD	Wurno-Nollville channery silt loams, 15 to 25 percent slopes	4	394.8	0.001	\$ 971.85
Franklin	LeA	Lantz silt loam, 0 to 3 percent slopes	5	153.5	0	\$ 671.40
Franklin	BaB	Bagtown cobbly loam, 3 to 8 percent slopes, very stony	6	391.2	0.001	\$ 671.40
Franklin	BaC	Bagtown cobbly loam, 8 to 15 percent slopes, very stony	6	746.5	0.002	\$ 671.40
Franklin	Dm	Deposit gravelly loam, 0 to 8 percent slopes, very stony	6	1998.6	0.004	\$ 671.40
Franklin	EdB	Edgemont channery loam, 0 to 8 percent slopes, very stony	6	317.4	0.001	\$ 671.40
Franklin	EdD	Edgemont channery loam, 8 to 25 percent slopes, very stony	6	952	0.002	\$ 671.40
Franklin	HkB	Hagerstown-Rock outcrop complex, 3 to 8 percent slopes	6	6085.4	0.012	\$ 671.40
Franklin	HkD	Hagerstown-Rock outcrop complex, 8 to 35 percent slopes	6	8689.6	0.018	\$ 671.40
Franklin	RcB	Rohrersville silt loam, 0 to 15 percent slopes, very stony	6	881	0.002	\$ 671.40
Franklin	SrB	Sideling gravelly loam, 0 to 8 percent slopes, extremely stony	6	1290.2	0.003	\$ 671.40
Franklin	ThB	Thurmont gravelly loam, 3 to 8 percent slopes, stony	6	354	0.001	\$ 671.40
Franklin	ThC	Thurmont gravelly loam, 8 to 15 percent slopes, stony	6	183.2	0	\$ 671.40
Franklin	ToD	Thurmont gravelly loam, 8 to 25 percent slopes, very stony	6	1350.7	0.003	\$ 671.40
Franklin	TsB	Trego gravelly silt loam, 3 to 8 percent slopes, very stony	6	1609.4	0.003	\$ 671.40
Franklin	TsC	Trego gravelly silt loam, 8 to 15 percent slopes, very stony	6	1281.5	0.003	\$ 671.40
Franklin	VaD	Vanderlip cobbly loamy sand, 0 to 25 percent slopes	6	852.7	0.002	\$ 671.40
Franklin	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	8488.5	0.017	\$ 671.40
Franklin	WkD	Weikert very channery silt loam, 15 to 25 percent slopes	6	6109.3	0.012	\$ 671.40
Franklin	WtB	Weverton very flaggy loam, 0 to 8 percent slopes	6	256.3	0.001	\$ 671.40
Franklin	WtC	Weverton very flaggy loam, 8 to 25 percent slopes	6	543.1	0.001	\$ 671.40
Franklin	AoB	Andover gravelly loam, 0 to 8 percent slopes, very stony	7	1726.9	0.003	\$ 671.40
Franklin	BbB	Bagtown cobbly loam, 0 to 8 percent slopes, extremely stony	7	2422.3	0.005	\$ 671.40
Franklin	BbD	Bagtown cobbly loam, 8 to 25 percent slopes, extremely stony	7	8881.2	0.018	\$ 671.40
Franklin	BcE	Bagtown cobbly loam, 15 to 45 percent slopes, rubbly	7	2264.8	0.005	\$ 671.40
Franklin	BxB	Buchanan cobbly loam, 0 to 8 percent slopes, extremely stony	7	2673.4	0.005	\$ 671.40
Franklin	BxD	Buchanan cobbly loam, 8 to 25 percent slopes, extremely stony	7	3863.6	0.008	\$ 671.40
Franklin	DbE	Dekalb-Bagtown complex, 25 to 65 percent slopes, extremely stony	7	4032.3	0.008	\$ 671.40
Franklin	DED	Dekalb and Hazleton soils, 3 to 25 percent slopes, rubbly	7	2274.8	0.005	\$ 671.40
Franklin	DEF	Dekalb and Hazleton soils, 25 to 75 percent slopes, rubbly	7	15598.1	0.032	\$ 671.40
Franklin	EdF	Edgemont channery loam, 25 to 70 percent slopes, very stony	7	311.3	0.001	\$ 671.40
Franklin	HRB	Hazleton and Dekalb soils, 0 to 8 percent slopes, extremely stony	7	1722.3	0.003	\$ 671.40
Franklin	HRD	Hazleton and Dekalb soils, 8 to 25 percent slopes, extremely stony	7	5979.9	0.012	\$ 671.40

Franklin	HRF	Hazleton and Dekalb soils, 25 to 75 percent slopes, extremely stony	7	11544.7	0.023	\$ 671.40
Franklin	HTB	Highfield and Catoclin channery silt loams, 0 to 8 percent slopes, extremely stony	7	348.6	0.001	\$ 671.40
Franklin	HTD	Highfield and Catoclin channery silt loams, 8 to 25 percent slopes, extremely ston	7	790.4	0.002	\$ 671.40
Franklin	HTF	Highfield and Catoclin channery silt loams, 25 to 50 percent slopes, extremely sto	7	551.8	0.001	\$ 671.40
Franklin	LbB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stony	7	651.4	0.001	\$ 671.40
Franklin	LbD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stony	7	4799.4	0.01	\$ 671.40
Franklin	LCE	Laidig and Hazleton soils, 25 to 60 percent slopes, extremely stony	7	2850.9	0.006	\$ 671.40
Franklin	LgB	Leetonia gravelly loamy sand, 0 to 15 percent slopes, extremely stony	7	961.3	0.002	\$ 671.40
Franklin	LhD	Lehew very channery fine sandy loam, 8 to 25 percent slopes, extremely stony	7	1409.4	0.003	\$ 671.40
Franklin	MvB	Murrill gravelly loam, 3 to 8 percent slopes, extremely stony	7	1192.8	0.002	\$ 671.40
Franklin	MvD	Murrill gravelly loam, 8 to 25 percent slopes, extremely stony	7	1770.6	0.004	\$ 671.40
Franklin	PeE	Pecktonville-Rock outcrop complex, 25 to 45 percent slopes	7	35.4	0	\$ 671.40
Franklin	SrD	Sideling gravelly loam, 8 to 25 percent slopes, extremely stony	7	23707.9	0.048	\$ 671.40
Franklin	SSF	Sideling and Hazleton soils 25 to 60 percent slopes, extremely stony	7	13431.3	0.027	\$ 671.40
Franklin	VaE	Vanderlip cobbly loamy sand, 25 to 50 percent slopes	7	718.6	0.001	\$ 671.40
Franklin	WkF	Weikert very channery silt loam, 25 to 60 percent slopes	7	9776.2	0.02	\$ 671.40
Franklin	WtF	Weverton-Rock outcrop complex, 25 to 45 percent slopes	7	497.1	0.001	\$ 671.40
Franklin	DAM	Dam	8	2.7	0	\$ 671.40
Franklin	Q	Quarries	8	936.8	0.002	\$ 671.40
Franklin	UbB	Urban land-Berks complex, 0 to 8 percent slopes	8	1119.7	0.002	\$ 671.40
Franklin	UbC	Urban land-Berks complex, 8 to 15 percent slopes	8	194.3	0	\$ 671.40
Franklin	UdB	Urban land-Duffield complex, 0 to 8 percent slopes	8	879.3	0.002	\$ 671.40
Franklin	UdC	Urban land-Duffield complex, 8 to 15 percent slopes	8	113.5	0	\$ 671.40
Franklin	UhB	Urban land-Hagerstown complex, 0 to 8 percent slopes	8	3479.3	0.007	\$ 671.40
Fulton	Be	Barbour fine sandy loam	1	1213.1	0.004	\$ 1,541.00
Fulton	Po	Pope silt loam	1	564.1	0.002	\$ 1,346.08
Fulton	AgB	Allegheny loam, 3 to 8 percent slopes	2	335	0.001	\$ 1,343.58
Fulton	Bf	Basher fine sandy loam	2	4616	0.016	\$ 1,295.91
Fulton	BhB	Bedington channery silt loam, 3 to 8 percent slopes	2	92.6	0	\$ 1,261.40
Fulton	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	3068.3	0.011	\$ 971.85
Fulton	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	1047.7	0.004	\$ 1,150.79
Fulton	CaB	Calvin channery loam, 3 to 8 percent slopes	2	3845.2	0.014	\$ 984.32
Fulton	CkB	Calvin-Leck kill channery silt loams, 3 to 8 percent slopes	2	7040.9	0.025	\$ 1,126.76
Fulton	CsB	Clarksburg silt loam, 3 to 8 percent slopes	2	3074.4	0.011	\$ 1,197.67

Fulton	EgB	Elliber very channery silt loam, 3 to 8 percent slopes	2	111.8	0	\$ 1,214.27
Fulton	ErB	Ernest silt loam, 3 to 8 percent slopes	2	1905.4	0.007	\$ 1,159.80
Fulton	FrB	Frankstown channery silt loam, 3 to 8 percent slopes	2	401.2	0.001	\$ 1,304.40
Fulton	Fu	Funkstown silt loam	2	68.5	0	\$ 1,389.96
Fulton	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	2546.3	0.009	\$ 1,469.33
Fulton	HbB	Hagerstown-Carbo silty clay loams, 3 to 8 percent slopes	2	222.3	0.001	\$ 1,299.98
Fulton	HwB	Hustontown silt loam, 3 to 8 percent slopes	2	3847.8	0.014	\$ 1,144.20
Fulton	Jg	Jugtown-Lindside silt loams	2	593.4	0.002	\$ 1,291.46
Fulton	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	298.5	0.001	\$ 1,137.58
Fulton	Ln	Lindside silt loam	2	35.2	0	\$ 1,287.73
Fulton	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	1736.1	0.006	\$ 1,155.71
Fulton	MrB	Murrill gravelly loam, 3 to 8 percent slopes	2	2209.2	0.008	\$ 1,309.91
Fulton	PcB	Pecktonville gravelly silt loam, 3 to 8 percent slopes	2	54.5	0	\$ 1,291.08
Fulton	Ph	Philo silt loam	2	1102.9	0.004	\$ 1,281.01
Fulton	SeB	Sideling gravelly loam, 3 to 8 percent slopes	2	335	0.001	\$ 1,163.06
Fulton	WuB	Wurno-Nollville channery silt loams, 3 to 8 percent slopes	2	616.8	0.002	\$ 1,070.55
Fulton	As	Atkins silt loam	3	3053.5	0.011	\$ 1,151.20
Fulton	BhC	Bedington channery silt loam, 8 to 15 percent slopes	3	251.2	0.001	\$ 1,166.32
Fulton	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	6708.4	0.024	\$ 931.93
Fulton	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	856.2	0.003	\$ 1,075.32
Fulton	CaC	Calvin channery loam, 8 to 15 percent slopes	3	12943.3	0.046	\$ 945.67
Fulton	CoC	Carbo silty clay loam, 8 to 15 percent slopes	3	213.8	0.001	\$ 1,139.66
Fulton	EgC	Elliber very channery silt loam, 8 to 15 percent slopes	3	365.3	0.001	\$ 1,209.55
Fulton	FrC	Frankstown channery silt loam, 8 to 15 percent slopes	3	809.8	0.003	\$ 1,270.86
Fulton	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	1951.7	0.007	\$ 1,397.20
Fulton	KaB	Klinesville channery silt loam, 3 to 8 percent slopes	3	2214.1	0.008	\$ 835.26
Fulton	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	651.9	0.002	\$ 1,092.52
Fulton	Me	Melvin silt loam	3	786.2	0.003	\$ 1,154.89
Fulton	MrC	Murrill gravelly loam, 8 to 15 percent slopes	3	1659.9	0.006	\$ 1,244.20
Fulton	PcC	Pecktonville gravelly silt loam, 8 to 15 percent slopes	3	163	0.001	\$ 1,222.89
Fulton	Pg	Penlaw silt loam, 0 to 3 percent slopes	3	1523	0.005	\$ 1,068.38
Fulton	SeC	Sideling gravelly loam, 8 to 15 percent slopes	3	920.5	0.003	\$ 1,013.02
Fulton	Ty	Tyler silt loam, 0 to 3 percent slopes	3	456.9	0.002	\$ 1,102.75
Fulton	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	1390	0.005	\$ 1,135.92

Fulton	WuC	Wurno-Nollville channery silt loams, 8 to 15 percent slopes	3	1998.9	0.007	\$ 1,030.96
Fulton	AnB	Andover gravelly loam, 3 to 8 percent slopes	4	589.1	0.002	\$ 992.57
Fulton	BhD	Bedington channery silt loam, 15 to 25 percent slopes	4	389.6	0.001	\$ 1,106.99
Fulton	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	4734.5	0.017	\$ 890.95
Fulton	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	212.7	0.001	\$ 1,089.53
Fulton	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	1292	0.005	\$ 1,084.38
Fulton	CaD	Calvin channery loam, 15 to 25 percent slopes	4	5996.1	0.021	\$ 859.37
Fulton	CoD	Carbo silty clay loam, 15 to 25 percent slopes	4	553.5	0.002	\$ 1,116.28
Fulton	EgD	Elliber very channery silt loam, 15 to 25 percent slopes	4	259.7	0.001	\$ 1,020.22
Fulton	FrD	Frankstown channery silt loam, 15 to 25 percent slopes	4	547	0.002	\$ 1,181.28
Fulton	HkE	Hagerstown-Rock outcrop complex, 8 to 35 percent slopes	4	668	0.002	\$ 779.66
Fulton	KaC	Klinesville channery silt loam, 8 to 15 percent slopes	4	17684.1	0.063	\$ 793.22
Fulton	Pu	Purdy silty clay loam	4	158.4	0.001	\$ 1,071.42
Fulton	SeD	Sideling gravelly loam, 15 to 25 percent slopes	4	675.2	0.002	\$ 953.19
Fulton	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	9407.3	0.034	\$ 903.11
Fulton	WuD	Wurno-Nollville channery silt loams, 15 to 25 percent slopes	4	1955.3	0.007	\$ 971.85
Fulton	CrC	Cedarcreek very channery loam, 3 to 25 percent slopes	6	323.9	0.001	\$ 671.40
Fulton	FrE	Frankstown channery silt loam, 25 to 35 percent slopes	6	731.5	0.003	\$ 671.40
Fulton	KaD	Klinesville channery silt loam, 15 to 25 percent slopes	6	14301.4	0.051	\$ 671.40
Fulton	SrB	Sideling gravelly loam, 0 to 8 percent slopes, extremely stony	6	272.6	0.001	\$ 671.40
Fulton	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	6615.4	0.024	\$ 671.40
Fulton	AoB	Andover gravelly loam, 0 to 8 percent slopes, very stony	7	1071.2	0.004	\$ 671.40
Fulton	BxB	Buchanan cobbly loam, 0 to 8 percent slopes, extremely stony	7	1970.2	0.007	\$ 671.40
Fulton	BxD	Buchanan cobbly loam, 8 to 25 percent slopes, extremely stony	7	6718.4	0.024	\$ 671.40
Fulton	CpB	Cookport channery loam, 0 to 8 percent slopes, extremely stony	7	1360.1	0.005	\$ 671.40
Fulton	CpD	Cookport channery loam, 8 to 25 percent slopes, extremely stony	7	25.7	0	\$ 671.40
Fulton	CrF	Cedarcreek extremely channery loam, 25 to 80 percent slopes	7	321.8	0.001	\$ 671.40
Fulton	DEF	Dekalb and Hazleton soils, 25 to 75 percent slopes, rubbly	7	2004.8	0.007	\$ 671.40
Fulton	HOD	Hazleton and Clymer soils, 8 to 25 percent slopes, extremely stony	7	2056.3	0.007	\$ 671.40
Fulton	HRB	Hazleton and Dekalb soils, 0 to 8 percent slopes, extremely stony	7	2378	0.008	\$ 671.40
Fulton	HRD	Hazleton and Dekalb soils, 8 to 25 percent slopes, extremely stony	7	7061.5	0.025	\$ 671.40
Fulton	HRF	Hazleton and Dekalb soils, 25 to 75 percent slopes, extremely stony	7	19204.1	0.068	\$ 671.40
Fulton	KWF	Klinesville and Weikert soils, 25 to 60 percent slopes	7	41996	0.15	\$ 671.40
Fulton	LbB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stony	7	492.8	0.002	\$ 671.40

Fulton	LbD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stony	7	17411.1	0.062	\$ 671.40
Fulton	LCE	Laidig and Hazleton soils, 25 to 60 percent slopes, extremely stony	7	6437.4	0.023	\$ 671.40
Fulton	MvD	Murrill gravelly loam, 8 to 25 percent slopes, extremely stony	7	568.6	0.002	\$ 671.40
Fulton	PeE	Pecktonville-Rock outcrop complex, 25 to 45 percent slopes	7	39	0	\$ 671.40
Fulton	SrD	Sideling gravelly loam, 8 to 25 percent slopes, extremely stony	7	8928.4	0.032	\$ 671.40
Fulton	SSF	Sideling and Hazleton soils 25 to 60 percent slopes, extremely stony	7	11636.3	0.041	\$ 671.40
Fulton	Q	Quarries	8	255.1	0.001	\$ 671.40
Greene/Washi	GdA	Glenford silt loam, 0 to 3 percent slopes	1	1797.3	0.002	\$ 1,329.93
Greene/Washi	Hu	Huntington silt loam	1	6830.8	0.007	\$ 1,374.33
Greene/Washi	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	1155.1	0.001	\$ 1,263.30
Greene/Washi	CaB	Culleoka channery silt loam, 3 to 8 percent slopes	2	17110.6	0.019	\$ 1,329.93
Greene/Washi	Cg	Chagrin silt loam, 0 to 3 percent slopes, occasionally flooded	2	4	0	\$ 1,328.12
Greene/Washi	DaB	Dekalb channery loam, 3 to 8 percent slopes	2	1063.5	0.001	\$ 976.48
Greene/Washi	DoB	Dormont silt loam, 3 to 8 percent slopes	2	17624.8	0.019	\$ 1,331.73
Greene/Washi	GdB	Glenford silt loam, 3 to 8 percent slopes	2	16711.3	0.018	\$ 1,329.93
Greene/Washi	GeB	Guernsey silt loam, 3 to 8 percent slopes	2	10796.7	0.012	\$ 1,270.86
Greene/Washi	Nw	Newark silt loam	2	25281.3	0.027	\$ 1,161.03
Greene/Washi	Sk	Skidmore gravelly loam	2	42.3	0	\$ 884.88
Greene/Washi	AgC	Allegheny silt loam, 8 to 15 percent slopes	3	400.6	0	\$ 1,185.29
Greene/Washi	BoB	Brooke silty clay loam, 3 to 8 percent slopes	3	3437.1	0.004	\$ 1,109.11
Greene/Washi	CaC	Culleoka channery silt loam, 8 to 15 percent slopes	3	25743	0.028	\$ 1,236.49
Greene/Washi	CkB	Culleoka-Upshur complex, 3 to 8 percent slopes	3	671.1	0.001	\$ 1,263.30
Greene/Washi	DaC	Dekalb channery loam, 8 to 15 percent slopes	3	614.5	0.001	\$ 929.55
Greene/Washi	DoC	Dormont silt loam, 8 to 15 percent slopes	3	88168.9	0.096	\$ 1,242.28
Greene/Washi	GdC	Glenford silt loam, 8 to 15 percent slopes	3	6545.8	0.007	\$ 1,236.49
Greene/Washi	GeC	Guernsey silt loam, 8 to 15 percent slopes	3	25299.9	0.027	\$ 1,096.37
Greene/Washi	LbA	Library silty clay loam, 0 to 3 percent slopes	3	1096.6	0.001	\$ 1,115.44
Greene/Washi	LbB	Library silty clay loam, 3 to 8 percent slopes	3	2447.7	0.003	\$ 1,183.29
Greene/Washi	LbC	Library silty clay loam, 8 to 15 percent slopes	3	522.7	0.001	\$ 1,092.10
Greene/Washi	UkB	Udorthents, strip mine, gently sloping	3	4013.2	0.004	\$ 671.40
Greene/Washi	WeB	Weikert-Culleoka complex, 3 to 8 percent slopes	3	15193.4	0.016	\$ 1,002.60
Greene/Washi	BoC	Brooke silty clay loam, 8 to 15 percent slopes	4	2972	0.003	\$ 1,066.20
Greene/Washi	CaD	Culleoka channery silt loam, 15 to 25 percent slopes	4	41173.7	0.045	\$ 1,081.36
Greene/Washi	CkC	Culleoka-Upshur complex, 8 to 15 percent slopes	4	1687.5	0.002	\$ 1,179.27

Greene/Washi CkD	Culleoka-Upshur complex, 15 to 25 percent slopes	4	2332.1	0.003	\$ 1,046.48
Greene/Washi DaD	Dekalb channery loam, 15 to 25 percent slopes	4	818.4	0.001	\$ 881.15
Greene/Washi DoD	Dormont silt loam, 15 to 25 percent slopes	4	47844.1	0.052	\$ 1,096.37
Greene/Washi DtD	Dormont-Culleoka complex, 15 to 25 percent slopes	4	145537.5	0.158	\$ 1,060.09
Greene/Washi Fa	Fluvaquents, loamy	4	25459.4	0.028	\$ 779.66
Greene/Washi GeD	Guernsey silt loam, 15 to 25 percent slopes	4	13065.6	0.014	\$ 1,026.49
Greene/Washi Py	Purdy silt loam	4	1192.6	0.001	\$ 1,037.63
Greene/Washi UdB	Udorthents, smoothed, gently sloping	4	3896.7	0.004	\$ 779.66
Greene/Washi UkD	Udorthents, strip mine, moderately steep	4	7306.4	0.008	\$ 671.40
Greene/Washi WeC	Weikert-Culleoka complex, 8 to 15 percent slopes	4	11566	0.013	\$ 1,081.36
Greene/Washi BoD	Brooke silty clay loam, 15 to 25 percent slopes	6	2644.3	0.003	\$ 881.15
Greene/Washi DbD	Dekalb very stony loam, 8 to 25 percent slopes	6	980.4	0.001	\$ 671.40
Greene/Washi UdD	Udorthents, smoothed, moderately steep	6	822.4	0.001	\$ 671.40
Greene/Washi WeD	Weikert-Culleoka complex, 15 to 25 percent slopes	6	23362.7	0.025	\$ 922.38
Greene/Washi DaF	Dekalb channery loam, 25 to 80 percent slopes	7	1138.8	0.001	\$ 671.40
Greene/Washi DtF	Dormont-Culleoka complex, 25 to 50 percent slopes	7	287608.2	0.312	\$ 671.40
Greene/Washi UdF	Udorthents, smoothed, steep	7	1006.9	0.001	\$ 671.40
Greene/Washi UkF	Udorthents, strip mine, steep	7	10224.4	0.011	\$ 671.40
Greene/Washi DAM	Dam	8	43.6	0	\$ 671.40
Greene/Washi Du	Dumps, mine	8	4029	0.004	\$ 671.40
Greene/Washi Us	Urban land	8	5614.3	0.006	\$ 671.40
Huntingdon Ba	Barbour soils	1	1579.7	0.003	\$ 1,303.22
Huntingdon Bb	Barbour soils, high bottom	1	1525	0.003	\$ 1,298.50
Huntingdon AbB	Albrights silt loam, 3 to 8 percent slopes	2	2515	0.004	\$ 1,146.43
Huntingdon Bc	Basher silt loam, neutral variant	2	2023.3	0.004	\$ 1,310.13
Huntingdon BeB	Bedington channery silt loam, 3 to 8 percent slopes	2	343.5	0.001	\$ 1,261.40
Huntingdon BkB	Berks channery silt loam, 3 to 8 percent slopes	2	7224.5	0.013	\$ 971.85
Huntingdon BnB	Birdsboro gravelly loam, 2 to 10 percent slopes	2	1127.1	0.002	\$ 1,417.30
Huntingdon BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	5906.8	0.01	\$ 1,289.60
Huntingdon CaB	Calvin shaly silt loam, 3 to 8 percent slopes	2	4054.4	0.007	\$ 943.02
Huntingdon CbB	Clarksburg silt loam, 2 to 8 percent slopes	2	3583.4	0.006	\$ 1,321.66
Huntingdon ClB	Clymer channery loam, 3 to 8 percent slopes	2	562.4	0.001	\$ 1,289.60
Huntingdon ErB	Ernest silt loam, 3 to 8 percent slopes	2	6325.4	0.011	\$ 1,159.80
Huntingdon HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	3422	0.006	\$ 1,469.33

Huntingdon	HhB	Hazleton channery loam, 3 to 8 percent slopes	2	1628.6	0.003	\$ 1,331.73
Huntingdon	HuB	Hublersburg silt loam, 2 to 8 percent slopes	2	3873.5	0.007	\$ 1,360.28
Huntingdon	HxB	Hublersburg cherty silt loam, 3 to 8 percent slopes	2	989.3	0.002	\$ 1,366.77
Huntingdon	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	538.9	0.001	\$ 1,150.79
Huntingdon	MoB	Monongahela silt loam, 2 to 10 percent slopes	2	3215.1	0.006	\$ 1,138.41
Huntingdon	MrB	Morrison sandy loam, 2 to 8 percent slopes	2	4031.1	0.007	\$ 1,146.68
Huntingdon	MuB	Murrill gravelly loam, 3 to 8 percent slopes	2	2420.4	0.004	\$ 1,285.50
Huntingdon	Ne	Newark silt loam	2	5801.6	0.01	\$ 1,320.86
Huntingdon	Ph	Philo and Basher silt loams	2	6751.1	0.012	\$ 1,335.33
Huntingdon	Po	Philo and Basher silt loams, high bottom	2	2982.4	0.005	\$ 1,315.40
Huntingdon	RaB	Raritan silt loam, 2 to 10 percent slopes	2	629.8	0.001	\$ 1,211.12
Huntingdon	ReB	Rayne channery silt loam, 3 to 8 percent slopes	2	252.6	0	\$ 1,215.06
Huntingdon	TaB	Tilsit silt loam, 3 to 8 percent slopes	2	90.6	0	\$ 1,150.79
Huntingdon	AbC	Albrights silt loam, 8 to 15 percent slopes	3	809.1	0.001	\$ 1,063.94
Huntingdon	At	Atkins silt loam	3	11924.8	0.021	\$ 1,159.07
Huntingdon	BeC	Bedington channery silt loam, 8 to 15 percent slopes	3	761.9	0.001	\$ 1,166.32
Huntingdon	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	22757.7	0.04	\$ 931.93
Huntingdon	BoB	Blairton silt loam, 2 to 8 percent slopes	3	1079.4	0.002	\$ 937.06
Huntingdon	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	2934.4	0.005	\$ 1,070.55
Huntingdon	CaC	Calvin shaly silt loam, 8 to 15 percent slopes	3	7936.3	0.014	\$ 854.58
Huntingdon	ClC	Clymer channery loam, 8 to 15 percent slopes	3	404.6	0.001	\$ 1,248.04
Huntingdon	EeB	Edom-Opequon complex, 3 to 8 percent slopes	3	209.8	0	\$ 1,102.07
Huntingdon	EgB	Edom-Weikert complex, 3 to 8 percent slopes	3	2384.7	0.004	\$ 1,071.33
Huntingdon	EgC	Edom-Weikert complex, 8 to 15 percent slopes	3	8812.5	0.015	\$ 836.88
Huntingdon	ErC	Ernest silt loam, 8 to 15 percent slopes	3	2796.6	0.005	\$ 1,069.68
Huntingdon	HhC	Hazleton channery loam, 8 to 15 percent slopes	3	2406.8	0.004	\$ 1,257.60
Huntingdon	HuC	Hublersburg silt loam, 8 to 15 percent slopes	3	1880.5	0.003	\$ 1,316.86
Huntingdon	HxC	Hublersburg cherty silt loam, 8 to 15 percent slopes	3	2645.2	0.005	\$ 1,342.51
Huntingdon	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	1030.9	0.002	\$ 1,104.88
Huntingdon	MeC	Meckesville silt loam, 8 to 15 percent slopes	3	1101.9	0.002	\$ 1,117.54
Huntingdon	MrC	Morrison sandy loam, 8 to 15 percent slopes	3	5127.9	0.009	\$ 1,104.88
Huntingdon	MuC	Murrill gravelly loam, 8 to 15 percent slopes	3	2379	0.004	\$ 1,216.63
Huntingdon	OpB3	Opequon clay loam, 3 to 8 percent slopes, eroded	3	319.9	0.001	\$ 936.68
Huntingdon	ReC	Rayne channery silt loam, 8 to 15 percent slopes	3	107.9	0	\$ 1,148.74

Huntingdon	Ty	Tyler silt loam	3	926.8	0.002	\$ 1,109.11
Huntingdon	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	811.2	0.001	\$ 1,135.92
Huntingdon	WhB	Wharton silt loam, 2 to 10 percent slopes	3	511.4	0.001	\$ 1,085.41
Huntingdon	AnB	Andover cobbly loam, 0 to 8 percent slopes	4	1858.2	0.003	\$ 1,037.63
Huntingdon	BeD	Bedington channery silt loam, 15 to 25 percent slopes	4	652	0.001	\$ 1,106.99
Huntingdon	BoC	Blairton silt loam, 8 to 15 percent slopes	4	613.3	0.001	\$ 888.90
Huntingdon	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	2010.2	0.004	\$ 1,089.53
Huntingdon	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	7688.6	0.014	\$ 1,084.38
Huntingdon	BuD	Buchanan gravelly loam, 15 to 25 percent slopes	4	320	0.001	\$ 1,022.01
Huntingdon	EeC	Edom-Opequon complex, 8 to 15 percent slopes	4	628.2	0.001	\$ 1,004.51
Huntingdon	EeD	Edom-Opequon complex, 15 to 25 percent slopes	4	594.6	0.001	\$ 788.33
Huntingdon	EIC	Elliber very cherty loam, 5 to 15 percent slopes	4	778.7	0.001	\$ 1,117.54
Huntingdon	HcC3	Hagerstown silty clay loam, 8 to 15 percent slopes, eroded	4	5406.9	0.01	\$ 1,236.80
Huntingdon	HcD3	Hagerstown silty clay loam, 15 to 25 percent slopes	4	2534.7	0.004	\$ 1,300.35
Huntingdon	HeD	Hagerstown-Rock outcrop complex, 5 to 25 percent slopes	4	1769.1	0.003	\$ 1,216.94
Huntingdon	HhD	Hazleton channery loam, 15 to 25 percent slopes	4	2147.5	0.004	\$ 1,220.39
Huntingdon	HuD	Hublersburg silt loam, 15 to 25 percent slopes	4	171.9	0	\$ 1,175.64
Huntingdon	HxD	Hublersburg cherty silt loam, 15 to 25 percent slopes	4	1824.9	0.003	\$ 1,234.55
Huntingdon	KIC	Klinesville shaly silt loam, 8 to 15 percent slopes	4	3521.6	0.006	\$ 779.66
Huntingdon	LaD	Laidig gravelly loam, 15 to 25 percent slopes	4	802.4	0.001	\$ 1,022.01
Huntingdon	MrD	Morrison sandy loam, 15 to 25 percent slopes	4	1230.4	0.002	\$ 1,059.66
Huntingdon	MuD	Murrill gravelly loam, 15 to 25 percent slopes	4	922.6	0.002	\$ 1,121.74
Huntingdon	OpC3	Opequon clay loam, 8 to 15 percent slopes, eroded	4	1830.3	0.003	\$ 779.66
Huntingdon	Pu	Purdy silt loam	4	995.5	0.002	\$ 1,071.42
Huntingdon	ReD	Rayne channery silt loam, 15 to 25 percent slopes	4	74.2	0	\$ 1,109.11
Huntingdon	VaD	Vanderlip loamy sand, 5 to 25 percent slopes	4	6252	0.011	\$ 858.87
Huntingdon	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	3241	0.006	\$ 903.11
Huntingdon	AcB	Albrights very stony silt loam, 0 to 8 percent slopes	6	420.9	0.001	\$ 671.40
Huntingdon	AcD	Albrights very stony silt loam, 8 to 25 percent percent slopes	6	3264.2	0.006	\$ 671.40
Huntingdon	BlD	Berks-Weikert channery silt loams, 15 to 25 percent slopes	6	20927.4	0.037	\$ 671.40
Huntingdon	CaD	Calvin shaly silt loam, 15 to 25 percent slopes	6	5850	0.01	\$ 671.40
Huntingdon	CvB	Clymer very stony loam, 3 to 8 percent slopes	6	3063.6	0.005	\$ 671.40
Huntingdon	CvC	Clymer very stony loam, 8 to 15 percent slopes	6	6956.8	0.012	\$ 671.40
Huntingdon	EgD	Edom-Weikert complex, 15 to 25 percent slopes	6	10864	0.019	\$ 708.24

Huntingdon	EID	Elliber very cherty loam, 15 to 30 percent slopes	6	918.5	0.002	\$ 671.40
Huntingdon	HsB	Hazleton-Dekalb extremely stony sandy loams, 0 to 8 percent slopes	6	5065.7	0.009	\$ 671.40
Huntingdon	KID	Klinesville shaly silt loam, 15 to 25 percent slopes	6	4729.5	0.008	\$ 671.40
Huntingdon	MkB	Meckesville very stony silt loam, 3 to 8 percent slopes	6	258.2	0	\$ 671.40
Huntingdon	MkD	Meckesville very stony silt loam, 8 to 25 percent slopes	6	10250.4	0.018	\$ 671.40
Huntingdon	MsB	Morrison very stony sandy loam, 2 to 8 percent slopes	6	1837.9	0.003	\$ 671.40
Huntingdon	MsD	Morrison very stony sandy loam, 8 to 25 percent slopes	6	7349.6	0.013	\$ 671.40
Huntingdon	OpD3	Opequon clay loam, 15 to 25 percent slopes, eroded	6	4107.1	0.007	\$ 671.40
Huntingdon	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	8797.4	0.015	\$ 671.40
Huntingdon	AoB	Andover extremely stony loam, 0 to 8 percent slopes	7	9265.3	0.016	\$ 671.40
Huntingdon	BMF	Berks-Weikert association, steep	7	64096.3	0.113	\$ 671.40
Huntingdon	BxB	Buchanan extremely stony loam, 3 to 8 percent slopes	7	2950.3	0.005	\$ 671.40
Huntingdon	BxD	Buchanan extremely stony loam, 8 to 25 percent slopes	7	25236.8	0.044	\$ 671.40
Huntingdon	CpB	Cookport channery loam, 0 to 8 percent slopes, extremely stony	7	2600.7	0.005	\$ 671.40
Huntingdon	CpD	Cookport channery loam, 8 to 25 percent slopes, extremely stony	7	492	0.001	\$ 671.40
Huntingdon	DEF	Dekalb and Hazleton soils, 25 to 75 percent slopes, rubbly	7	14.4	0	\$ 671.40
Huntingdon	EgF	Edom-Weikert complex, 25 to 60 percent slopes	7	5285.2	0.009	\$ 671.40
Huntingdon	GpB	Gilpin channery silt loam, 3 to 8 percent slopes, extremely stony	7	268.8	0	\$ 671.40
Huntingdon	GpD	Gilpin channery silt loam, 8 to 25 percent slopes, extremely stony	7	355	0.001	\$ 671.40
Huntingdon	HTD	Hazleton-Dekalb association, moderately steep	7	21653.5	0.038	\$ 671.40
Huntingdon	HTF	Hazleton-Dekalb association, steep	7	59127.9	0.104	\$ 671.40
Huntingdon	KoF	Klinesville-Rock outcrop complex, 35 to 80 percent slopes	7	585.1	0.001	\$ 671.40
Huntingdon	LcD	Laidig extremely stony loam, 8 to 30 percent slopes	7	22996.5	0.04	\$ 671.40
Huntingdon	LDF	Laidig extremely stony loam, steep	7	5410.9	0.01	\$ 671.40
Huntingdon	LeB	Leetonia extremely stony loamy sand, 0 to 12 percent slopes	7	2924.5	0.005	\$ 671.40
Huntingdon	NsB	Nolo stony silt loam, 0 to 8 percent slopes, extremely stony	7	273.3	0	\$ 671.40
Huntingdon	ORF	Opequon soils, steep	7	6956.9	0.012	\$ 671.40
Huntingdon	RgF	Rayne-Gilpin channery silt loams, 25 to 65 percent slopes	7	166.9	0	\$ 671.40
Huntingdon	Ru	Rubble land	7	20144.1	0.035	\$ 671.40
Huntingdon	SM	Strip mines	7	2435.9	0.004	\$ 671.40
Huntingdon	VrF	Vanderlip-Rock outcrop complex, 25 to 60 percent slopes	7	3979.2	0.007	\$ 671.40
Huntingdon	Qu	Quarries	8	1153.6	0.002	\$ 671.40
Huntingdon	Ur	Urban land	8	1654.1	0.003	\$ 671.40
Indiana	AhA	Allegheny silt loam, 0 to 3 percent slopes	1	1151.3	0.002	\$ 1,342.51

Indiana	ChA	Chavies fine sandy loam, 0 to 2 percent slopes	1	483	0.001	\$ 1,401.99
Indiana	PmA	Pope fine sandy loam, 0 to 2 percent slopes, rarely flooded	1	1818.4	0.003	\$ 1,363.81
Indiana	PoA	Pope silt loam, 0 to 2 percent slopes, occasionally flooded	1	1622.8	0.003	\$ 1,356.75
Indiana	AhB	Allegheny silt loam, 3 to 8 percent slopes	2	1630.8	0.003	\$ 1,263.30
Indiana	BuB	Buchanan loam, 3 to 8 percent slopes	2	858.3	0.002	\$ 1,099.78
Indiana	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	205	0	\$ 1,239.19
Indiana	CIB	Clymer channery loam, 3 to 8 percent slopes	2	11645.9	0.022	\$ 1,287.73
Indiana	CoA	Cookport loam, 0 to 3 percent slopes	2	2485.5	0.005	\$ 1,022.01
Indiana	CoB	Cookport loam, 3 to 8 percent slopes	2	9292.9	0.017	\$ 976.48
Indiana	CtA	Cotaco silt loam, 0 to 3 percent slopes, rarely flooded	2	969.6	0.002	\$ 1,253.78
Indiana	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	1410.3	0.003	\$ 1,329.93
Indiana	DoB	Dormont silt loam, 3 to 8 percent slopes	2	69.8	0	\$ 1,331.73
Indiana	ErA	Ernest silt loam, 0 to 3 percent slopes	2	726.4	0.001	\$ 1,193.29
Indiana	ErB	Ernest silt loam, 3 to 8 percent slopes	2	34347	0.064	\$ 1,302.56
Indiana	GcA	Gilpin channery silt loam, 0 to 3 percent slopes	2	4300.6	0.008	\$ 1,130.10
Indiana	GcB	Gilpin channery silt loam, 3 to 8 percent slopes	2	37285.7	0.07	\$ 1,134.26
Indiana	GuB	Gilpin-Upshur complex, 3 to 8 percent slopes	2	2588.1	0.005	\$ 1,074.88
Indiana	GwB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	2695.1	0.005	\$ 1,050.00
Indiana	GyB	Guernsey silt loam, 3 to 8 percent slopes	2	507.5	0.001	\$ 1,270.86
Indiana	HnB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	8602.3	0.016	\$ 1,320.86
Indiana	LoA	Lobdell silt loam, 0 to 2 percent slopes, occasionally flooded	2	2973.7	0.006	\$ 1,315.40
Indiana	MeB	Matewan channery loam, 3 to 8 percent slopes	2	256.9	0	\$ 1,057.47
Indiana	MoA	Monongahela silt loam, 0 to 2 percent slopes	2	2356.1	0.004	\$ 1,320.86
Indiana	MoB	Monongahela silt loam, 2 to 6 percent slopes	2	3593.3	0.007	\$ 1,320.86
Indiana	PhA	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	5805.1	0.011	\$ 1,302.56
Indiana	RnB	Rayne-Gilpin channery silt loams, 3 to 8 percent slopes	2	357.7	0.001	\$ 1,158.98
Indiana	VaB	Vandergrift silt loam, 3 to 8 percent slopes	2	451.4	0.001	\$ 1,218.98
Indiana	WhA	Wharton silt loam, 0 to 3 percent slopes	2	5313.2	0.01	\$ 1,142.55
Indiana	WhB	Wharton silt loam, 3 to 8 percent slopes	2	15361.1	0.029	\$ 1,140.07
Indiana	AhC	Allegheny silt loam, 8 to 15 percent slopes	3	437.9	0.001	\$ 1,185.29
Indiana	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	3621.8	0.007	\$ 779.66
Indiana	BhB	Bethesda very channery silt loam, 0 to 8 percent slopes, very stony	3	720.4	0.001	\$ 779.66
Indiana	BuC	Buchanan loam, 8 to 15 percent slopes	3	6139.8	0.011	\$ 1,059.66
Indiana	CaA	Cavode silt loam, 0 to 3 percent slopes	3	1767.1	0.003	\$ 1,037.63

Indiana	CaB	Cavode silt loam, 3 to 8 percent slopes	3	8002.4	0.015	\$ 1,037.63
Indiana	CaC	Cavode silt loam, 8 to 15 percent slopes	3	5028.5	0.009	\$ 999.42
Indiana	CkC	Clarksburg silt loam, 8 to 15 percent slopes	3	654.9	0.001	\$ 1,120.90
Indiana	ClC	Clymer channery loam, 8 to 15 percent slopes	3	4051	0.008	\$ 1,217.02
Indiana	CoC	Cookport loam, 8 to 15 percent slopes	3	2401.6	0.004	\$ 939.05
Indiana	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	2026.2	0.004	\$ 1,236.49
Indiana	DoC	Dormont silt loam, 8 to 15 percent slopes	3	30.4	0	\$ 1,242.28
Indiana	ErC	Ernest silt loam, 8 to 15 percent slopes	3	23163.2	0.043	\$ 1,209.15
Indiana	FaB	Fairpoint very channery silt loam, 0 to 8 percent slopes	3	455.4	0.001	\$ 779.66
Indiana	GcC	Gilpin channery silt loam, 8 to 15 percent slopes	3	36657.7	0.069	\$ 1,132.18
Indiana	GuC	Gilpin-Upshur complex, 8 to 15 percent slopes	3	3463.6	0.006	\$ 1,074.88
Indiana	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	12297.9	0.023	\$ 1,001.24
Indiana	GyC	Guernsey silt loam, 8 to 15 percent slopes	3	644	0.001	\$ 1,096.37
Indiana	HnC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	8041.6	0.015	\$ 1,249.96
Indiana	ItB	Itmann extremely channery loam, 0 to 8 percent slopes	3	340.5	0.001	\$ 779.66
Indiana	MeC	Matewan channery loam, 8 to 15 percent slopes	3	172.8	0	\$ 985.70
Indiana	MoC	Monongahela silt loam, 6 to 12 percent slopes	3	600.3	0.001	\$ 1,218.98
Indiana	RnC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	12625.8	0.024	\$ 1,092.10
Indiana	TyA	Tyler silt loam, 0 to 2 percent slopes	3	1201.6	0.002	\$ 1,128.02
Indiana	TyB	Tyler silt loam, 2 to 6 percent slopes	3	664.6	0.001	\$ 1,128.02
Indiana	VaC	Vandergrift silt loam, 8 to 15 percent slopes	3	171.4	0	\$ 1,081.36
Indiana	WhC	Wharton silt loam, 8 to 15 percent slopes	3	7338	0.014	\$ 1,150.79
Indiana	ArA	Armagh silt loam, 0 to 3 percent slopes	4	221.5	0	\$ 900.69
Indiana	ArB	Armagh silt loam, 3 to 8 percent slopes	4	299.7	0.001	\$ 900.69
Indiana	AtA	Atkins-Philo complex, 0 to 3 percent slopes, frequently flooded	4	8967.8	0.017	\$ 1,083.52
Indiana	BkA	Brinkerton silt loam, 0 to 3 percent slopes	4	3010.8	0.006	\$ 1,111.22
Indiana	BkB	Brinkerton silt loam, 3 to 8 percent slopes	4	4982.7	0.009	\$ 1,125.93
Indiana	BuD	Buchanan loam, 15 to 25 percent slopes	4	166.9	0	\$ 993.95
Indiana	CaD	Cavode silt loam, 15 to 25 percent slopes	4	879.4	0.002	\$ 976.48
Indiana	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	415.7	0.001	\$ 1,081.36
Indiana	DrD	Dormont-Culleoka complex, 15 to 25 percent slopes	4	937.2	0.002	\$ 1,060.09
Indiana	ErD	Ernest silt loam, 15 to 25 percent slopes	4	610.3	0.001	\$ 987.99
Indiana	GcD	Gilpin channery silt loam, 15 to 25 percent slopes	4	19721.4	0.037	\$ 985.70
Indiana	GuD	Gilpin-Upshur complex, 15 to 25 percent slopes	4	3037.5	0.006	\$ 810.79

Indiana	GwD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	28020.1	0.052	\$ 779.66
Indiana	HnD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	7542.8	0.014	\$ 1,096.37
Indiana	HoA	Holly silt loam, 0 to 2 percent slopes, frequently flooded	4	3381.3	0.006	\$ 1,181.28
Indiana	ItD	Itmann extremely channery loam, 8 to 25 percent slopes	4	1132.4	0.002	\$ 779.66
Indiana	MeD	Matewan channery loam, 15 to 25 percent slopes	4	233.8	0	\$ 883.60
Indiana	NoA	Nolo silt loam, 0 to 3 percent slopes	4	398.9	0.001	\$ 1,074.88
Indiana	NoB	Nolo silt loam, 3 to 8 percent slopes	4	438.9	0.001	\$ 994.86
Indiana	PuA	Purdy silt loam, 0 to 2 percent slopes	4	785.6	0.001	\$ 1,037.63
Indiana	RnD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	7501.8	0.014	\$ 1,013.02
Indiana	WhD	Wharton silt loam, 15 to 25 percent slopes	4	718.7	0.001	\$ 1,078.34
Indiana	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	6	12509	0.023	\$ 671.40
Indiana	BhD	Bethesda very channery silt loam, 8 to 25 percent slopes, very stony	6	10064.7	0.019	\$ 671.40
Indiana	BsB	Brinkerton mucky silt loam, 0 to 8 percent slopes, very stony	6	263.2	0	\$ 671.40
Indiana	CdB	Cavode silt loam, 0 to 8 percent slopes, very stony	6	365.7	0.001	\$ 671.40
Indiana	CdD	Cavode silt loam, 8 to 25 percent slopes, very stony	6	69.3	0	\$ 671.40
Indiana	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	799.9	0.001	\$ 671.40
Indiana	CpD	Cookport loam, 8 to 25 percent slopes, very stony	6	668.2	0.001	\$ 671.40
Indiana	EsB	Ernest silt loam, 0 to 8 percent slopes, very stony	6	1421.8	0.003	\$ 671.40
Indiana	EsD	Ernest silt loam, 8 to 25 percent slopes, very stony	6	1166.8	0.002	\$ 671.40
Indiana	FaD	Fairpoint very channery silt loam, 8 to 25 percent slopes	6	1447.1	0.003	\$ 671.40
Indiana	GnB	Gilpin channery silt loam, 0 to 8 percent slopes, very stony	6	1236.6	0.002	\$ 671.40
Indiana	GnD	Gilpin channery silt loam, 8 to 25 percent slopes, very stony	6	4064.9	0.008	\$ 671.40
Indiana	HsB	Hazleton channery sandy loam, 0 to 8 percent slopes, extremely stony	6	213.4	0	\$ 671.40
Indiana	HxD	Hazleton-Clymer complex, 8 to 25 percent slopes, extremely stony	6	4256.6	0.008	\$ 671.40
Indiana	RsB	Rayne-Gilpin channery silt loams, 0 to 8 percent slopes, very stony	6	1189.8	0.002	\$ 671.40
Indiana	RsD	Rayne-Gilpin channery silt loams, 8 to 25 percent slopes, very stony	6	5146.1	0.01	\$ 671.40
Indiana	UdB	Udorthents, 0 to 8 percent slopes	6	52.9	0	\$ 671.40
Indiana	BhF	Bethesda very channery silt loam, 25 to 75 percent slopes, very stony	7	13491.6	0.025	\$ 671.40
Indiana	BxB	Buchanan loam, 0 to 8 percent slopes, extremely stony	7	4152.4	0.008	\$ 671.40
Indiana	BxD	Buchanan loam, 8 to 25 percent slopes, extremely stony	7	3671.3	0.007	\$ 671.40
Indiana	DkB	Dekalb-Hazleton channery sandy loams, 0 to 8 percent slopes, extremely stony	7	877.5	0.002	\$ 671.40
Indiana	DkD	Dekalb-Hazleton channery sandy loams, 8 to 25 percent slopes, extremely stony	7	1681.8	0.003	\$ 671.40
Indiana	DkF	Dekalb-Hazleton channery sandy loams, 25 to 80 percent slopes, extremely stony	7	1055.6	0.002	\$ 671.40
Indiana	DrE	Dormont-Culleoka complex, 25 to 50 percent slopes	7	307.2	0.001	\$ 671.40

Indiana	FaF	Fairpoint very channery silt loam, 25 to 75 percent slopes	7	106.2	0	\$ 671.40
Indiana	GcF	Gilpin channery silt loam, 25 to 60 percent slopes	7	12239.9	0.023	\$ 671.40
Indiana	GoF	Gilpin-Rock outcrop complex, 45 to 100 percent slopes	7	562	0.001	\$ 671.40
Indiana	GuE	Gilpin-Upshur complex, 25 to 45 percent slopes	7	1219	0.002	\$ 671.40
Indiana	GwF	Gilpin-Weikert channery silt loams, 25 to 60 percent slopes	7	18380.8	0.034	\$ 671.40
Indiana	GxF	Gilpin-Weikert channery silt loams, 25 to 100 percent slopes, very stony	7	1886.4	0.004	\$ 671.40
Indiana	HnF	Hazleton channery sandy loam, 25 to 70 percent slopes	7	3108.4	0.006	\$ 671.40
Indiana	HsD	Hazleton channery sandy loam, 8 to 25 percent slopes, extremely stony	7	784.4	0.001	\$ 671.40
Indiana	HsF	Hazleton channery sandy loam, 25 to 70 percent slopes, extremely stony	7	3662.4	0.007	\$ 671.40
Indiana	HxB	Hazleton-Clymer complex, 0 to 8 percent slopes, extremely stony	7	5030.4	0.009	\$ 671.40
Indiana	IxF	Iltmann extremely channery loam, 25 to 70 percent slopes	7	270.9	0.001	\$ 671.40
Indiana	LaB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stony	7	37.7	0	\$ 671.40
Indiana	LaD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stony	7	1011.2	0.002	\$ 671.40
Indiana	LaE	Laidig gravelly loam, 25 to 35 percent slopes, extremely stony	7	172.5	0	\$ 671.40
Indiana	LkF	Leck Kill channery silt loam, 25 to 60 percent slopes, extremely stony	7	450.9	0.001	\$ 671.40
Indiana	McF	Macove-Gilpin channery silt loams, 35 to 70 percent slopes, extremely stony	7	943.2	0.002	\$ 671.40
Indiana	MeF	Matewan channery loam, 25 to 50 percent slopes	7	156.3	0	\$ 671.40
Indiana	MkD	Meckesville channery silt loam, 8 to 25 percent slopes, extremely stony	7	269.7	0.001	\$ 671.40
Indiana	ShF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes	7	3377.4	0.006	\$ 671.40
Indiana	SxF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes, very stony	7	7215	0.014	\$ 671.40
Indiana	DAM	Dam	8	4.6	0	\$ 671.40
Indiana	DU	Dumps, fly ash	8	749	0.001	\$ 671.40
Indiana	Pk	Pits, quarries	8	63.5	0	\$ 671.40
Jefferson	AhA	Allegheny silt loam, 0 to 3 percent slopes	1	105.6	0	\$ 1,342.51
Jefferson	ChA	Chavies fine sandy loam, 0 to 3 percent slopes, rarely flooded	1	1518.7	0.004	\$ 1,267.09
Jefferson	PmA	Pope fine sandy loam, 0 to 2 percent slopes, rarely flooded	1	282.1	0.001	\$ 1,363.81
Jefferson	PoA	Pope silt loam, 0 to 2 percent slopes, occasionally flooded	1	194.2	0	\$ 1,356.75
Jefferson	AhB	Allegheny silt loam, 3 to 8 percent slopes	2	258.5	0.001	\$ 1,280.26
Jefferson	BuB	Buchanan loam, 3 to 8 percent slopes	2	2060.9	0.005	\$ 1,185.69
Jefferson	ClB	Clymer channery loam, 3 to 8 percent slopes	2	1494.4	0.004	\$ 1,287.73
Jefferson	CoA	Cookport loam, 0 to 3 percent slopes	2	2156.2	0.005	\$ 1,022.01
Jefferson	CoB	Cookport loam, 3 to 8 percent slopes	2	4832.5	0.011	\$ 976.48
Jefferson	CtA	Cotaco silt loam, 0 to 3 percent slopes, rarely flooded	2	558.1	0.001	\$ 1,253.78
Jefferson	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	255.2	0.001	\$ 1,329.93

Jefferson	ErA	Ernest silt loam, 0 to 3 percent slopes	2	1304.2	0.003	\$ 1,193.29
Jefferson	ErB	Ernest silt loam, 3 to 8 percent slopes	2	28664.2	0.068	\$ 1,222.89
Jefferson	GcA	Gilpin channery silt loam, 0 to 3 percent slopes	2	1612.1	0.004	\$ 1,130.10
Jefferson	GcB	Gilpin channery silt loam, 3 to 8 percent slopes	2	13547.3	0.032	\$ 1,136.34
Jefferson	GgA	Gilpin silt loam, 0 to 3 percent slopes	2	3259.4	0.008	\$ 1,111.22
Jefferson	GgB	Gilpin silt loam, 3 to 8 percent slopes	2	18626.2	0.044	\$ 1,083.52
Jefferson	GuB	Gilpin-Upshur complex, 3 to 8 percent slopes	2	48.3	0	\$ 1,074.88
Jefferson	GwB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	1966.4	0.005	\$ 1,050.00
Jefferson	GyB	Guernsey silt loam, 3 to 8 percent slopes	2	1175.9	0.003	\$ 1,342.51
Jefferson	HIB	Hartleton channery silt loam, 3 to 8 percent slopes	2	912.3	0.002	\$ 994.86
Jefferson	HnB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	10655.2	0.025	\$ 1,320.86
Jefferson	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1064.1	0.003	\$ 1,225.62
Jefferson	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	305.9	0.001	\$ 1,222.89
Jefferson	PhA	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	3568	0.008	\$ 1,234.55
Jefferson	RnB	Rayne-Gilpin channery silt loams, 3 to 8 percent slopes	2	1464.1	0.003	\$ 1,158.98
Jefferson	ShB	Shelocta silt loam, 3 to 8 percent slopes	2	170	0	\$ 1,207.18
Jefferson	WhA	Wharton silt loam, 0 to 3 percent slopes	2	967.6	0.002	\$ 939.05
Jefferson	WhB	Wharton silt loam, 3 to 8 percent slopes	2	1605.1	0.004	\$ 939.05
Jefferson	AhC	Allegheny silt loam, 8 to 15 percent slopes	3	170.3	0	\$ 1,197.27
Jefferson	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	5773	0.014	\$ 779.66
Jefferson	BhB	Bethesda very channery silt loam, 0 to 8 percent slopes, very stony	3	904.3	0.002	\$ 779.66
Jefferson	BuC	Buchanan loam, 8 to 15 percent slopes	3	1341.8	0.003	\$ 1,149.15
Jefferson	CaA	Cavode silt loam, 0 to 3 percent slopes	3	2889	0.007	\$ 1,070.55
Jefferson	CaB	Cavode silt loam, 3 to 8 percent slopes	3	14904.1	0.035	\$ 1,074.88
Jefferson	CaC	Cavode silt loam, 8 to 15 percent slopes	3	9493.1	0.023	\$ 1,033.18
Jefferson	CIC	Clymer channery loam, 8 to 15 percent slopes	3	1210.9	0.003	\$ 1,217.02
Jefferson	CoC	Cookport loam, 8 to 15 percent slopes	3	758	0.002	\$ 939.05
Jefferson	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	118.3	0	\$ 1,236.49
Jefferson	ErC	Ernest silt loam, 8 to 15 percent slopes	3	11771.2	0.028	\$ 1,154.89
Jefferson	GcC	Gilpin channery silt loam, 8 to 15 percent slopes	3	17969	0.043	\$ 1,096.37
Jefferson	GgC	Gilpin silt loam, 8 to 15 percent slopes	3	22830.3	0.054	\$ 1,048.68
Jefferson	GuC	Gilpin-Upshur complex, 8 to 15 percent slopes	3	26.8	0	\$ 1,074.88
Jefferson	GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	1841.5	0.004	\$ 1,001.24
Jefferson	GyC	Guernsey silt loam, 8 to 15 percent slopes	3	96.8	0	\$ 1,096.37

Jefferson	HIC	Hartleton channery silt loam, 8 to 15 percent slopes	3	464.3	0.001	\$ 936.68
Jefferson	HnC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	6168.8	0.015	\$ 1,249.96
Jefferson	RnC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	345.9	0.001	\$ 1,092.10
Jefferson	TyA	Tyler silt loam, 0 to 2 percent slopes	3	237.4	0.001	\$ 1,128.02
Jefferson	WhC	Wharton silt loam, 8 to 15 percent slopes	3	352.2	0.001	\$ 861.36
Jefferson	ArA	Armagh silt loam, 0 to 3 percent slopes	4	1147.4	0.003	\$ 900.69
Jefferson	ArB	Armagh silt loam, 3 to 8 percent slopes	4	1088.9	0.003	\$ 900.69
Jefferson	AtA	Atkins-Philo complex, 0 to 3 percent slopes, frequently flooded	4	9659.7	0.023	\$ 1,083.52
Jefferson	BkA	Brinkerton soils, 0 to 3 percent slopes	4	7255.7	0.017	\$ 1,089.96
Jefferson	BkB	Brinkerton soils, 3 to 8 percent slopes	4	9262.6	0.022	\$ 1,089.96
Jefferson	GcD	Gilpin channery silt loam, 15 to 25 percent slopes	4	17351.9	0.041	\$ 1,055.28
Jefferson	GgD	Gilpin silt loam, 15 to 25 percent slopes	4	13905.1	0.033	\$ 976.48
Jefferson	GuD	Gilpin-Upshur complex, 15 to 25 percent slopes	4	20.5	0	\$ 810.79
Jefferson	GwD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	4006.2	0.01	\$ 779.66
Jefferson	HID	Hartleton channery silt loam, 15 to 25 percent slopes	4	826.8	0.002	\$ 900.69
Jefferson	HnD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	3905	0.009	\$ 1,096.37
Jefferson	NoA	Nolo silt loam, 0 to 3 percent slopes	4	475.2	0.001	\$ 1,074.88
Jefferson	NoB	Nolo silt loam, 3 to 8 percent slopes	4	356.5	0.001	\$ 994.86
Jefferson	PuA	Purdy silt loam, 0 to 2 percent slopes	4	1193.4	0.003	\$ 1,037.63
Jefferson	RnD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	699.9	0.002	\$ 1,013.02
Jefferson	WhD	Wharton silt loam, 15 to 25 percent slopes	4	710.2	0.002	\$ 971.85
Jefferson	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	6	15671.1	0.037	\$ 671.40
Jefferson	BhD	Bethesda very channery silt loam, 8 to 25 percent slopes, very stony	6	11843.9	0.028	\$ 671.40
Jefferson	BsB	Brinkerton mucky silt loam, 0 to 8 percent slopes, very stony	6	3409.1	0.008	\$ 671.40
Jefferson	CdB	Cavode silt loam, 0 to 8 percent slopes, very stony	6	1847.9	0.004	\$ 671.40
Jefferson	CdD	Cavode silt loam, 8 to 25 percent slopes, very stony	6	906.3	0.002	\$ 671.40
Jefferson	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	10244.3	0.024	\$ 671.40
Jefferson	CpD	Cookport loam, 8 to 25 percent slopes, very stony	6	2738.4	0.007	\$ 671.40
Jefferson	EsB	Ernest silt loam, 0 to 8 percent slopes, very stony	6	4962.8	0.012	\$ 671.40
Jefferson	EsD	Ernest silt loam, 8 to 25 percent slopes, very stony	6	2668	0.006	\$ 671.40
Jefferson	HsB	Hazleton channery sandy loam, 0 to 8 percent slopes, extremely stony	6	8769.1	0.021	\$ 671.40
Jefferson	RsB	Rayne-Gilpin channery silt loams, 0 to 8 percent slopes, very stony	6	2904.4	0.007	\$ 671.40
Jefferson	RsD	Rayne-Gilpin channery silt loams, 8 to 25 percent slopes, very stony	6	7871.6	0.019	\$ 671.40
Jefferson	UdB	Udorthents, 0 to 8 percent slopes	6	613.5	0.001	\$ 671.40

Jefferson	BhF	Bethesda very channery silt loam, 25 to 75 percent slopes, very stony	7	8890.2	0.021	\$ 671.40
Jefferson	BxB	Buchanan loam, 0 to 8 percent slopes, extremely stony	7	7362.5	0.018	\$ 671.40
Jefferson	BxD	Buchanan loam, 8 to 25 percent slopes, extremely stony	7	5940.8	0.014	\$ 671.40
Jefferson	DkB	Dekalb-Hazleton channery sandy loams, 0 to 8 percent slopes, extremely stony	7	2253.1	0.005	\$ 671.40
Jefferson	DkD	Dekalb-Hazleton channery sandy loams, 8 to 25 percent slopes, extremely stony	7	813.8	0.002	\$ 671.40
Jefferson	GcF	Gilpin channery silt loam, 25 to 60 percent slopes	7	5528.4	0.013	\$ 671.40
Jefferson	GwF	Gilpin-Weikert channery silt loams, 25 to 60 percent slopes	7	7227.3	0.017	\$ 671.40
Jefferson	HlF	Hartleton channery silt loam, 25 to 60 percent slopes	7	185.5	0	\$ 671.40
Jefferson	HnF	Hazleton channery sandy loam, 25 to 70 percent slopes	7	1669.1	0.004	\$ 671.40
Jefferson	HsD	Hazleton channery sandy loam, 8 to 25 percent slopes, extremely stony	7	17096.9	0.041	\$ 671.40
Jefferson	HsF	Hazleton channery sandy loam, 25 to 70 percent slopes, extremely stony	7	4591	0.011	\$ 671.40
Jefferson	IxF	Itmann extremely channery loam, 25 to 70 percent slopes	7	159.3	0	\$ 671.40
Jefferson	LaF	Laidig channery loam, 25 to 50 percent slopes, extremely bouldery	7	929.1	0.002	\$ 671.40
Jefferson	NsB	Nolo silt loam, 0 to 8 percent slopes, very stony	7	766.5	0.002	\$ 671.40
Jefferson	ShF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes	7	951.1	0.002	\$ 671.40
Jefferson	SxF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes, very stony	7	2521.2	0.006	\$ 671.40
Jefferson	Pk	Pits, quarry	8	63.7	0	\$ 671.40
Jefferson	VrG	Varilla very channery sandy loam, 50 to 80 percent slopes, extremely bouldery	8	600.1	0.001	\$ 671.40
Juniata/Mifflin	As	Ashton silt loam	1	916.7	0.002	\$ 1,427.41
Juniata/Mifflin	AbB	Allegheny loam, 2 to 8 percent slopes	2	4744.1	0.009	\$ 1,343.58
Juniata/Mifflin	AdB	Allenwood gravelly silt loam, 2 to 8 percent slopes	2	1294.4	0.003	\$ 1,405.41
Juniata/Mifflin	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	9144.4	0.018	\$ 971.85
Juniata/Mifflin	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	4267.4	0.008	\$ 1,289.60
Juniata/Mifflin	CaB	Chavies loam, 2 to 8 percent slopes	2	1598.8	0.003	\$ 1,262.99
Juniata/Mifflin	EdB	Edom silty clay loam, 3 to 8 percent slopes	2	3907.7	0.008	\$ 1,150.79
Juniata/Mifflin	EeB	Edom-Klinesville complex, 3 to 8 percent slopes	2	1748.8	0.003	\$ 1,004.51
Juniata/Mifflin	ErB	Ernest silt loam, 2 to 8 percent slopes	2	6062.1	0.012	\$ 1,320.86
Juniata/Mifflin	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	9911.7	0.019	\$ 1,469.33
Juniata/Mifflin	HcB	Hagerstown silty clay loam, 3 to 8 percent slopes	2	4521.3	0.009	\$ 1,478.72
Juniata/Mifflin	HhB	Hazleton channery loam, 3 to 8 percent slopes	2	679.1	0.001	\$ 1,331.73
Juniata/Mifflin	KrB	Kreamer cherty silt loam, 2 to 8 percent slopes	2	3454.6	0.007	\$ 1,070.55
Juniata/Mifflin	LaB	Laidig channery loam, 3 to 8 percent slopes	2	1257.9	0.002	\$ 1,150.79
Juniata/Mifflin	MeB	Mertz cherty silt loam, 3 to 8 percent slopes	2	4319.6	0.008	\$ 1,238.81
Juniata/Mifflin	MnB	Millheim silt loam, 3 to 8 percent slopes	2	369.4	0.001	\$ 1,142.55

Juniata/Mifflin MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1434.7	0.003	\$ 1,226.01
Juniata/Mifflin MoB	Monongahela silt loam, 3 to 8 percent slopes	2	5332.2	0.01	\$ 1,155.71
Juniata/Mifflin MrB	Morrison gravelly sandy loam, 3 to 8 percent slopes	2	3680.2	0.007	\$ 1,109.11
Juniata/Mifflin MuB	Murrill gravelly loam, 3 to 8 percent slopes	2	4356.3	0.008	\$ 1,285.50
Juniata/Mifflin Ne	Newark silt loam	2	734	0.001	\$ 1,320.86
Juniata/Mifflin No	Nolin silt loam	2	2458.8	0.005	\$ 1,270.11
Juniata/Mifflin Ph	Philo silt loam	2	3244.5	0.006	\$ 1,356.75
Juniata/Mifflin Po	Pope soils	2	1059.9	0.002	\$ 1,360.28
Juniata/Mifflin WaB	Watson gravelly silt loam, 2 to 8 percent slopes	2	1239.7	0.002	\$ 1,159.56
Juniata/Mifflin AdC	Allenwood gravelly silt loam, 8 to 15 percent slopes	3	785.3	0.002	\$ 1,338.93
Juniata/Mifflin AlB	Alvira silt loam, 2 to 8 percent slopes	3	985.4	0.002	\$ 1,106.57
Juniata/Mifflin At	Atkins silt loam	3	6919.8	0.013	\$ 1,159.07
Juniata/Mifflin BkC	Berks channery silt loam, 8 to 15 percent slopes	3	21039.6	0.041	\$ 931.93
Juniata/Mifflin BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	2862.3	0.006	\$ 1,070.55
Juniata/Mifflin EdC	Edom silty clay loam, 8 to 15 percent slopes	3	5629.2	0.011	\$ 1,066.20
Juniata/Mifflin EeC	Edom-Klinesville complex, 8 to 15 percent slopes	3	2793.3	0.005	\$ 779.66
Juniata/Mifflin EfB	Edom-Weikert complex, 3 to 8 percent slopes	3	3026.8	0.006	\$ 1,071.33
Juniata/Mifflin EfC	Edom-Weikert complex, 8 to 15 percent slopes	3	5014.8	0.01	\$ 836.88
Juniata/Mifflin ElB	Elliber very cherty loam, 3 to 8 percent slopes	3	523.6	0.001	\$ 1,158.98
Juniata/Mifflin ErC	Ernest silt loam, 8 to 15 percent slopes	3	2306.3	0.004	\$ 1,069.68
Juniata/Mifflin Ev	Evendale cherty silt loam	3	898	0.002	\$ 1,029.80
Juniata/Mifflin HcC	Hagerstown silty clay loam, 8 to 15 percent slopes	3	5497.1	0.011	\$ 1,369.43
Juniata/Mifflin HhC	Hazleton channery loam, 8 to 15 percent slopes	3	1631.1	0.003	\$ 1,257.60
Juniata/Mifflin KIB	Klinesville shaly silt loam, 3 to 8 percent slopes	3	960.1	0.002	\$ 789.79
Juniata/Mifflin KrC	Kreamer cherty silt loam, 8 to 15 percent slopes	3	730.2	0.001	\$ 996.23
Juniata/Mifflin LaC	Laidig channery loam, 8 to 15 percent slopes	3	2763.1	0.005	\$ 1,109.11
Juniata/Mifflin Ma	Melvin silt loam	3	2118	0.004	\$ 1,050.88
Juniata/Mifflin MeC	Mertz cherty silt loam, 8 to 15 percent slopes	3	8339.6	0.016	\$ 1,199.66
Juniata/Mifflin MnC	Millheim silt loam, 8 to 15 percent slopes	3	359.6	0.001	\$ 1,066.20
Juniata/Mifflin MrC	Morrison gravelly sandy loam, 8 to 15 percent slopes	3	7670.8	0.015	\$ 1,068.38
Juniata/Mifflin MuC	Murrill gravelly loam, 8 to 15 percent slopes	3	2203.9	0.004	\$ 1,216.63
Juniata/Mifflin OpB	Opequon silty clay loam, 3 to 8 percent slopes-mlra147	3	2277.8	0.004	\$ 1,154.89
Juniata/Mifflin Pe	Penlaw silt loam	3	1700.8	0.003	\$ 1,104.88
Juniata/Mifflin Ty	Tyler silt loam	3	2739.3	0.005	\$ 1,109.11

Juniata/Mifflin WaC	Watson gravelly silt loam, 8 to 15 percent slopes	3	258	0	\$ 1,082.57
Juniata/Mifflin WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	1291.5	0.002	\$ 1,135.92
Juniata/Mifflin AdD	Allenwood gravelly silt loam, 15 to 25 percent slopes	4	140.1	0	\$ 1,181.28
Juniata/Mifflin AnB	Andover gravelly loam, 2 to 8 percent slopes	4	2865.8	0.006	\$ 992.57
Juniata/Mifflin BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	2400.1	0.005	\$ 1,089.53
Juniata/Mifflin BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	11051.2	0.021	\$ 1,084.38
Juniata/Mifflin EdD	Edom silty clay loam, 15 to 25 percent slopes	4	2540	0.005	\$ 976.48
Juniata/Mifflin EeD	Edom-Klinesville complex, 15 to 25 percent slopes	4	931.4	0.002	\$ 779.66
Juniata/Mifflin EIC	Elliber very cherty loam, 8 to 15 percent slopes	4	1924.4	0.004	\$ 1,117.54
Juniata/Mifflin HcD	Hagerstown silty clay loam, 15 to 25 percent slopes	4	824.1	0.002	\$ 1,300.35
Juniata/Mifflin HhD	Hazleton channery loam, 15 to 25 percent slopes	4	1184.1	0.002	\$ 1,220.39
Juniata/Mifflin KIC	Klinesville shaly silt loam, 8 to 15 percent slopes	4	3580.9	0.007	\$ 779.66
Juniata/Mifflin LaD	Laidig channery loam, 15 to 25 percent slopes	4	559.4	0.001	\$ 1,019.77
Juniata/Mifflin MeD	Mertz cherty silt loam, 15 to 25 percent slopes	4	3960.8	0.008	\$ 1,161.60
Juniata/Mifflin MrD	Morrison gravelly sandy loam, 15 to 25 percent slopes	4	5773.3	0.011	\$ 1,028.72
Juniata/Mifflin OpC	Opequon silty clay loam, 8 to 15 percent slopes	4	4054.2	0.008	\$ 1,132.18
Juniata/Mifflin Pu	Purdy silt loam	4	3215.7	0.006	\$ 994.86
Juniata/Mifflin VaC	Vanderlip loamy sand, 5 to 15 percent slopes	4	583.2	0.001	\$ 912.78
Juniata/Mifflin WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	2684.3	0.005	\$ 903.11
Juniata/Mifflin BID	Berks-Weikert channery silt loams, 15 to 25 percent slopes	6	17704.3	0.034	\$ 671.40
Juniata/Mifflin EfD	Edom-Weikert complex, 15 to 25 percent slopes	6	2940.7	0.006	\$ 708.24
Juniata/Mifflin EID	Elliber very cherty loam, 15 to 25 percent slopes	6	1968	0.004	\$ 671.40
Juniata/Mifflin HeB	Hagerstown-Rock outcrop complex, 0 to 8 percent slopes	6	295.9	0.001	\$ 957.32
Juniata/Mifflin HeD	Hagerstown-Rock outcrop complex, 8 to 25 percent slopes	6	1181.7	0.002	\$ 828.26
Juniata/Mifflin KID	Klinesville shaly silt loam, 15 to 25 percent slopes	6	2286	0.004	\$ 671.40
Juniata/Mifflin OpD	Opequon silty clay loam, 15 to 25 percent slopes	6	2985.2	0.006	\$ 1,132.18
Juniata/Mifflin WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	4118.3	0.008	\$ 671.40
Juniata/Mifflin AoB	Andover extremely stony loam, 0 to 8 percent slopes	7	10060.7	0.019	\$ 671.40
Juniata/Mifflin AoC	Andover extremely stony loam, 8 to 15 percent slopes	7	2920.4	0.006	\$ 671.40
Juniata/Mifflin BMF	Berks-Weikert association, steep	7	35605.6	0.069	\$ 671.40
Juniata/Mifflin BxB	Buchanan extremely stony loam, 3 to 8 percent slopes	7	5570.4	0.011	\$ 671.40
Juniata/Mifflin BxD	Buchanan extremely stony loam, 8 to 15 percent slopes	7	13618.5	0.026	\$ 671.40
Juniata/Mifflin EIF	Elliber very cherty loam, 25 to 60 percent slopes	7	5328.8	0.01	\$ 671.40
Juniata/Mifflin HSB	Hazleton-Dekalb extremely stony sandy loams, gently sloping	7	6846.8	0.013	\$ 671.40

Juniata/Mifflin HSD	Hazleton-Dekalb extremely stony sandy loams, moderately steep	7	17067.4	0.033	\$ 671.40
Juniata/Mifflin HTF	Hazleton-Dekalb association, steep	7	84865.9	0.164	\$ 671.40
Juniata/Mifflin KIF	Klinesville shaly silt loam, 25 to 50 percent slopes	7	603.6	0.001	\$ 671.40
Juniata/Mifflin LcB	Laidig extremely stony loam, 3 to 8 percent slopes	7	1785.9	0.003	\$ 671.40
Juniata/Mifflin LcD	Laidig extremely stony loam, 8 to 25 percent slopes	7	43149.4	0.083	\$ 671.40
Juniata/Mifflin LDF	Laidig extremely stony loam, steep	7	7073.4	0.014	\$ 671.40
Juniata/Mifflin LtB	Leetonia extremely stony loamy sand, 0 to 12 percent slopes	7	3219.1	0.006	\$ 671.40
Juniata/Mifflin ORF	Opequon-Hagerstown complex, steep	7	5968.4	0.012	\$ 671.40
Juniata/Mifflin Ru	Rubble land	7	12126.5	0.023	\$ 671.40
Juniata/Mifflin GP	Gravel pit	8	3.5	0	\$ 671.40
Juniata/Mifflin IW	Industrial waste	8	9.6	0	\$ 671.40
Juniata/Mifflin QU	Quarry	8	477.2	0.001	\$ 671.40
Lackawana Po	Pope soils	1	659.7	0.002	\$ 1,368.80
Lackawana Pp	Pope soils, rarely flooded	1	369.8	0.001	\$ 1,369.29
Lackawana BaB	Bath channery silt loam, 3 to 8 percent slopes	2	540.6	0.002	\$ 1,259.50
Lackawana BcB	Braceville gravelly loam, 2 to 6 percent slopes	2	133.6	0	\$ 1,168.67
Lackawana LaB	Lackawanna channery loam, 3 to 8 percent slopes	2	783.9	0.003	\$ 1,251.11
Lackawana LeB	Lordstown channery silt loam, 3 to 8 percent slopes	2	541.1	0.002	\$ 1,144.62
Lackawana LfB	Lordstown flaggy silt loam, 3 to 8 percent slopes	2	292.8	0.001	\$ 1,106.99
Lackawana McB	Mardin channery silt loam, 3 to 8 percent slopes	2	1048.4	0.004	\$ 1,213.09
Lackawana OcB	Oquaga channery loam, 3 to 8 percent slopes	2	1676.3	0.006	\$ 990.29
Lackawana OfB	Oquaga flaggy loam, 3 to 8 percent slopes	2	1351.5	0.005	\$ 990.29
Lackawana Ph	Philo silt loam	2	603.9	0.002	\$ 1,363.81
Lackawana SwB	Swartswood channery loam, 3 to 8 percent slopes	2	1023.3	0.003	\$ 1,146.68
Lackawana UnB	Unadilla silt loam, 3 to 8 percent slopes	2	30.4	0	\$ 1,185.29
Lackawana WcB	Wellsboro channery loam, 3 to 8 percent slopes	2	4284.5	0.014	\$ 1,207.18
Lackawana WkB	Wurtsboro channery loam, 3 to 8 percent slopes	2	1684.5	0.006	\$ 1,035.41
Lackawana BaC	Bath channery silt loam, 8 to 15 percent slopes	3	544.3	0.002	\$ 1,187.30
Lackawana Hm	Holly silt loam	3	1921.3	0.006	\$ 1,083.52
Lackawana LaC	Lackawanna channery loam, 8 to 15 percent slopes	3	849.5	0.003	\$ 1,153.66
Lackawana LeC	Lordstown channery silt loam, 8 to 15 percent slopes	3	416.5	0.001	\$ 1,106.99
Lackawana LfC	Lordstown flaggy silt loam, 8 to 15 percent slopes	3	382.4	0.001	\$ 1,068.38
Lackawana McC	Mardin channery silt loam, 8 to 15 percent slopes	3	1331.4	0.004	\$ 1,104.03
Lackawana MfB	Mardin flaggy silt loam, 3 to 8 percent slopes	3	540.5	0.002	\$ 1,211.12

Lackawana	MrA	Morris channery loam, 0 to 3 percent slopes	3	1426.8	0.005	\$ 950.85
Lackawana	MrB	Morris channery loam, 3 to 8 percent slopes	3	11602.8	0.039	\$ 946.14
Lackawana	MrC	Morris channery loam, 8 to 15 percent slopes	3	4895.4	0.016	\$ 981.10
Lackawana	MsB	Morris flaggy loam, 3 to 8 percent slopes	3	3213.2	0.011	\$ 900.69
Lackawana	MsC	Morris flaggy loam, 8 to 15 percent slopes	3	1554.6	0.005	\$ 943.78
Lackawana	OcC	Oquaga channery loam, 8 to 15 percent slopes	3	1687.9	0.006	\$ 992.57
Lackawana	OfC	Oquaga flaggy loam, 8 to 15 percent slopes	3	1806.4	0.006	\$ 987.99
Lackawana	ReA	Rexford loam, 0 to 5 percent slopes	3	259.7	0.001	\$ 962.55
Lackawana	SwC	Swartswood channery loam, 8 to 15 percent slopes	3	889.2	0.003	\$ 1,066.20
Lackawana	VcA	Volusia channery silt loam, 0 to 3 percent slopes	3	1100.6	0.004	\$ 953.19
Lackawana	VcB	Volusia channery silt loam, 3 to 8 percent slopes	3	4662.4	0.016	\$ 987.99
Lackawana	VcC	Volusia channery silt loam, 8 to 18 percent slopes	3	2073	0.007	\$ 991.20
Lackawana	VfB	Volusia flaggy silt loam, 3 to 8 percent slopes	3	1723.1	0.006	\$ 994.86
Lackawana	VfC	Volusia flaggy silt loam, 8 to 15 percent slopes	3	672.3	0.002	\$ 1,002.15
Lackawana	WcC	Wellsboro channery loam, 8 to 15 percent slopes	3	6013.7	0.02	\$ 1,104.88
Lackawana	WfB	Wellsboro flaggy loam, 3 to 8 percent slopes	3	1092.8	0.004	\$ 1,205.21
Lackawana	WkC	Wurtsboro channery loam, 8 to 15 percent slopes	3	1655.2	0.006	\$ 1,003.51
Lackawana	WyA	Wyoming gravelly sandy loam, 0 to 3 percent slopes	3	428.7	0.001	\$ 1,079.21
Lackawana	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	1642.9	0.006	\$ 1,079.21
Lackawana	BaD	Bath channery silt loam, 15 to 25 percent slopes	4	467.5	0.002	\$ 1,026.49
Lackawana	LaD	Lackawanna channery loam, 15 to 25 percent slopes	4	883.8	0.003	\$ 1,106.99
Lackawana	LeD	Lordstown channery silt loam, 15 to 25 percent slopes	4	765.9	0.003	\$ 1,019.77
Lackawana	McD	Mardin channery silt loam, 15 to 25 percent slopes	4	770.2	0.003	\$ 943.78
Lackawana	MfC	Mardin flaggy silt loam, 8 to 15 percent slopes	4	711	0.002	\$ 1,088.67
Lackawana	NcA	Norwich and Chippewa channery silt loams, 0 to 3 percent slopes	4	2626.4	0.009	\$ 779.66
Lackawana	NcB	Norwich and Chippewa channery silt loams, 3 to 8 percent slopes	4	1869.7	0.006	\$ 779.66
Lackawana	OcD	Oquaga channery loam, 15 to 25 percent slopes	4	1694.7	0.006	\$ 943.78
Lackawana	SwD	Swartswood channery loam, 15 to 25 percent slopes	4	449.5	0.002	\$ 983.40
Lackawana	WcD	Wellsboro channery loam, 15 to 25 percent slopes	4	2477.8	0.008	\$ 990.29
Lackawana	WfC	Wellsboro flaggy loam, 8 to 15 percent slopes	4	1762	0.006	\$ 1,102.75
Lackawana	Wy	Wyalusing silt loam	4	31.1	0	\$ 976.48
Lackawana	WyC	Wyoming gravelly sandy loam, 8 to 15 percent slopes	4	790.3	0.003	\$ 955.54
Lackawana	WyD	Wyoming gravelly sandy loam, 15 to 25 percent slopes	4	684.6	0.002	\$ 779.66
Lackawana	At	Atherton loam, ponded	5	242.4	0.001	\$ 671.40

Lackawana	HO	Holly silt loam, ponded	5	1793.4	0.006	\$ 671.40
Lackawana	ArC	Arnot very channery silt loam, very rocky, 3 to 15 percent slopes	6	3712.9	0.012	\$ 671.40
Lackawana	DYD	Dystrochrepts and Rock outcrop, moderately steep	6	10272.6	0.035	\$ 671.40
Lackawana	111B	Edgemere-Shohola complex, 3 to 15 percent slopes, very rubbly	7	412	0.001	\$ 671.40
Lackawana	11A	Edgemere extremely stony loam, 0 to 3 percent slopes, very rubbly	7	8.3	0	\$ 671.40
Lackawana	7B	Shohola-Edgemere complex, 0 to 8 percent slopes, very rubbly	7	491.9	0.002	\$ 671.40
Lackawana	7C	Shohola-Edgemere complex, 8 to 15 percent slopes, very rubbly	7	57.1	0	\$ 671.40
Lackawana	AsB	Arnot-Rock outcrop complex, 0 to 8 percent slopes	7	3563	0.012	\$ 671.40
Lackawana	AsD	Arnot-Rock outcrop complex, 8 to 25 percent slopes	7	12897	0.043	\$ 671.40
Lackawana	ASE	Arnot-Rock outcrop complex, steep	7	8849.9	0.03	\$ 671.40
Lackawana	BbB	Bath channery silt loam, 3 to 8 percent slopes, rubbly	7	3010.4	0.01	\$ 671.40
Lackawana	BbD	Bath channery silt loam, 8 to 25 percent slopes, rubbly	7	4231.7	0.014	\$ 671.40
Lackawana	DYE	Dystrochrepts and Rock outcrop, steep	7	8837.7	0.03	\$ 671.40
Lackawana	FA	Fluvents and Fluvaquents	7	1437.1	0.005	\$ 671.40
Lackawana	FF	Fluvents and Fluvaquents, cobbly	7	28.5	0	\$ 671.40
Lackawana	LbB	Lackawanna channery loam, 3 to 8 percent slopes, rubbly	7	1402.8	0.005	\$ 671.40
Lackawana	LbD	Lackawanna channery loam, 8 to 25 percent slopes, rubbly	7	4311.5	0.014	\$ 671.40
Lackawana	LCE	Lackawanna and Bath soils, steep, rubbly	7	2907.3	0.01	\$ 671.40
Lackawana	LxB	Lordstown extremely stony silt loam, 3 to 8 percent slopes	7	2238.8	0.008	\$ 671.40
Lackawana	LxD	Lordstown extremely stony silt loam, 8 to 25 percent slopes	7	8498.4	0.029	\$ 671.40
Lackawana	MhB	Mardin channery silt loam, 3 to 8 percent slopes, rubbly	7	3705.4	0.012	\$ 671.40
Lackawana	MhD	Mardin channery silt loam, 8 to 25 percent slopes, rubbly	7	3915.8	0.013	\$ 671.40
Lackawana	MxB	Morris channery loam, 0 to 8 percent slopes, rubbly	7	9383.2	0.032	\$ 671.40
Lackawana	MxD	Morris channery loam, 8 to 25 percent slopes, rubbly	7	2231.4	0.007	\$ 671.40
Lackawana	NxB	Norwich and Chippewa channery silt loams, 0 to 8 percent slopes, rubbly	7	12770.5	0.043	\$ 671.40
Lackawana	OxB	Oquaga extremely stony loam, 3 to 8 percent slopes	7	2992	0.01	\$ 671.40
Lackawana	OxD	Oquaga extremely stony loam, 8 to 25 percent slopes	7	13442.7	0.045	\$ 671.40
Lackawana	OYE	Oquaga and Lordstown extremely stony loams, steep	7	9098.9	0.031	\$ 671.40
Lackawana	RoD	Rock outcrop-Arnot complex, 3 to 25 percent slopes	7	83.2	0	\$ 671.40
Lackawana	SxB	Swartswood extremely stony loam, 3 to 8 percent slopes	7	2371.4	0.008	\$ 671.40
Lackawana	SxD	Swartswood extremely stony loam, 8 to 25 percent slopes	7	4809.7	0.016	\$ 671.40
Lackawana	VxB	Volusia channery silt loam, 0 to 8 percent slopes, rubbly	7	8587.3	0.029	\$ 671.40
Lackawana	VxD	Volusia channery silt loam, 8 to 25 percent slopes, rubbly	7	1640.7	0.006	\$ 671.40
Lackawana	WgB	Wellsboro channery loam, 3 to 8 percent slopes, rubbly	7	4696.9	0.016	\$ 671.40

Lackawana	WgD	Wellsboro channery loam, 8 to 25 percent slopes, rubbly	7	8943.7	0.03	\$ 671.40
Lackawana	WxB	Wurtsboro extremely stony loam, 3 to 8 percent slopes	7	1305.9	0.004	\$ 671.40
Lackawana	WxD	Wurtsboro extremely stony loam, 8 to 25 percent slopes	7	1020.4	0.003	\$ 671.40
Lackawana	WyE	Wyoming gravelly sandy loam, 25 to 45 percent slopes	7	255.3	0.001	\$ 671.40
Lackawana	MK	Medisaprists and Medihemists	8	1873	0.006	\$ 671.40
Lancaster	BdA	Bedington silt loam, 0 to 3 percent slopes	1	1956.9	0.003	\$ 1,561.08
Lancaster	BuA	Bucks silt loam, 0 to 3 percent slopes	1	364	0.001	\$ 1,610.78
Lancaster	CbA	Chester silt loam, 0 to 3 percent slopes	1	4567.9	0.007	\$ 1,612.81
Lancaster	Cm	Comus silt loam	1	2132.2	0.003	\$ 1,620.31
Lancaster	CnA	Conestoga silt loam, 0 to 3 percent slopes	1	2046.3	0.003	\$ 1,610.78
Lancaster	DbA	Duffield silt loam, 0 to 3 percent slopes	1	21490.9	0.034	\$ 1,522.26
Lancaster	EcA	Elk silt loam, 0 to 3 percent slopes	1	1208.6	0.002	\$ 1,362.05
Lancaster	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	14917.1	0.024	\$ 1,627.47
Lancaster	HfA	Hollinger silt loam, 0 to 3 percent slopes	1	200.2	0	\$ 1,608.17
Lancaster	LdA	Letort silt loam, 0 to 3 percent slopes	1	807.3	0.001	\$ 1,610.78
Lancaster	Lg	Linden silt loam	1	1537	0.002	\$ 1,299.61
Lancaster	1GeB	Gladstone gravelly loam, 3 to 8 percent slopes	2	223.5	0	\$ 1,356.75
Lancaster	1JnB	Joanna loam, 3 to 8 percent slopes	2	96	0	\$ 1,282.13
Lancaster	1LmB	Lehigh silt loam, 3 to 8 percent slopes	2	289.7	0	\$ 1,252.25
Lancaster	1Me	Middlebury silt loam	2	183.4	0	\$ 1,298.87
Lancaster	1MIB	Mount Lucas silt loam, 3 to 8 percent slopes	2	1.6	0	\$ 1,181.68
Lancaster	1MuB	Murrill gravelly loam, 3 to 8 percent slopes	2	24.7	0	\$ 1,285.50
Lancaster	1NaB	Neshaminy silt loam, 3 to 8 percent slopes	2	20.8	0	\$ 1,401.99
Lancaster	BdB	Bedington silt loam, 3 to 8 percent slopes	2	18206.2	0.029	\$ 1,242.28
Lancaster	BrB	Brecknock gravelly silt loam, 3 to 8 percent slopes	2	1986	0.003	\$ 1,315.40
Lancaster	BuB	Bucks silt loam, 3 to 8 percent slopes	2	13830.3	0.022	\$ 1,610.78
Lancaster	CbB	Chester silt loam, 3 to 8 percent slopes	2	42014.6	0.067	\$ 1,605.55
Lancaster	CkA	Clarksburg silt loam, 0 to 5 percent slopes	2	12698	0.02	\$ 1,322.68
Lancaster	CnB	Conestoga silt loam, 3 to 8 percent slopes	2	10017.3	0.016	\$ 1,610.78
Lancaster	DbB	Duffield silt loam, 3 to 8 percent slopes	2	50769	0.081	\$ 1,524.01
Lancaster	EcB	Elk silt loam, 3 to 8 percent slopes	2	2098.9	0.003	\$ 1,320.14
Lancaster	Eu	Elk-Urban land complex	2	514.9	0.001	\$ 1,288.85
Lancaster	GbB	Glenelg silt loam, 3 to 8 percent slopes	2	17393.2	0.028	\$ 1,407.46
Lancaster	GdB	Glenville silt loam, 3 to 8 percent slopes	2	17243.3	0.027	\$ 1,439.10

Lancaster	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	40714.5	0.065	\$ 1,525.87
Lancaster	HfB	Hollinger silt loam, 3 to 8 percent slopes	2	3264.2	0.005	\$ 1,608.17
Lancaster	LaB	Lansdale loam, 3 to 8 percent slopes	2	7898	0.013	\$ 1,497.60
Lancaster	LbB	Lehigh silt loam, 3 to 8 percent slopes	2	1089.2	0.002	\$ 1,252.25
Lancaster	LdB	Letort silt loam, 3 to 8 percent slopes	2	15620.7	0.025	\$ 1,610.78
Lancaster	Ln	Lindside silt loam	2	8795.9	0.014	\$ 1,525.87
Lancaster	MaB	Manor silt loam, 3 to 8 percent slopes	2	8124.9	0.013	\$ 1,316.49
Lancaster	MdB	Mount Lucas silt loam, 3 to 8 percent slopes	2	1002.3	0.002	\$ 1,181.68
Lancaster	Nc	Newark silt loam	2	4202.6	0.007	\$ 1,218.98
Lancaster	Nd	Newark silt loam, schist substratum	2	6123.2	0.01	\$ 1,436.77
Lancaster	Ne	Nolin silt loam	2	2507.1	0.004	\$ 1,270.11
Lancaster	RaB	Readington silt loam, 3 to 10 percent slopes	2	5360.5	0.009	\$ 1,317.00
Lancaster	Rd	Rowland silt loam	2	2760.7	0.004	\$ 1,579.36
Lancaster	UaB	Ungers loam, 3 to 8 percent slopes	2	8972.6	0.014	\$ 1,291.08
Lancaster	1DfC	Duffield-Ryder silt loams, 8 to 15 percent slopes	3	0.6	0	\$ 1,370.48
Lancaster	1GeC	Gladstone gravelly loam, 8 to 15 percent slopes	3	66.5	0	\$ 1,300.86
Lancaster	1JnC	Joanna loam, 8 to 15 percent slopes	3	172.7	0	\$ 1,248.04
Lancaster	1MuC	Murrill gravelly loam, 8 to 15 percent slopes	3	4.6	0	\$ 1,216.63
Lancaster	1NaC	Neshaminy silt loam, 8 to 15 percent slopes	3	3.2	0	\$ 1,328.12
Lancaster	AbB	Abbottstown silt loam, 3 to 8 percent slopes	3	2043.8	0.003	\$ 1,112.24
Lancaster	BdC	Bedington silt loam, 8 to 15 percent slopes	3	12929	0.021	\$ 1,173.21
Lancaster	Bm	Blairton silt loam, 3 to 10 percent slopes	3	1651.9	0.003	\$ 1,096.80
Lancaster	Bo	Bowmansville silt loam	3	4389	0.007	\$ 1,491.23
Lancaster	BrC	Brecknock gravelly silt loam, 8 to 15 percent slopes	3	1112.6	0.002	\$ 1,279.89
Lancaster	BuC	Bucks silt loam, 8 to 15 percent slopes	3	5669.1	0.009	\$ 1,557.46
Lancaster	CbC	Chester silt loam, 8 to 15 percent slopes	3	11880.8	0.019	\$ 1,595.32
Lancaster	CnC	Conestoga silt loam, 8 to 15 percent slopes	3	472.8	0.001	\$ 1,560.18
Lancaster	EcC	Elk silt loam, 8 to 15 percent slopes	3	657.1	0.001	\$ 1,457.26
Lancaster	GbC	Glenelg silt loam, 8 to 15 percent slopes	3	22878.6	0.036	\$ 1,312.04
Lancaster	HbC	Hagerstown silty clay loam, 8 to 15 percent slopes	3	11335.2	0.018	\$ 1,507.10
Lancaster	HfC	Hollinger silt loam, 8 to 15 percent slopes	3	2384.4	0.004	\$ 1,552.60
Lancaster	Hg	Holly silt loam	3	2786.8	0.004	\$ 1,155.71
Lancaster	LaC	Lansdale loam, 8 to 15 percent slopes	3	5718	0.009	\$ 1,437.77
Lancaster	LbC	Lehigh silt loam, 8 to 15 percent slopes	3	276	0	\$ 1,214.66

Lancaster	LdC	Letort silt loam, 8 to 15 percent slopes	3	3728.2	0.006	\$ 1,557.46
Lancaster	MaC	Manor silt loam, 8 to 15 percent slopes	3	13208.2	0.021	\$ 1,293.31
Lancaster	Pa	Penlaw silt loam	3	1100.7	0.002	\$ 1,143.38
Lancaster	PeC	Pequea silt loam, 8 to 15 percent slopes	3	5077.1	0.008	\$ 1,282.13
Lancaster	UaC	Ungers loam, 8 to 15 percent slopes	3	5239.5	0.008	\$ 1,223.67
Lancaster	1DfD	Duffield-Ryder silt loams, 15 to 25 percent slopes	4	1.7	0	\$ 1,117.12
Lancaster	1JnD	Joanna loam, 15 to 25 percent slopes	4	8.4	0	\$ 1,140.48
Lancaster	1ToA	Towhee silt loam, 0 to 3 percent slopes	4	0.6	0	\$ 1,029.17
Lancaster	BeD	Bedington channery silt loam, 15 to 25 percent slopes	4	9815.6	0.016	\$ 1,148.74
Lancaster	BuD	Bucks silt loam, 15 to 25 percent slopes	4	918.7	0.001	\$ 1,443.41
Lancaster	Ff	Fluvaquents and Udifluvents, loamy	4	1418	0.002	\$ 779.66
Lancaster	GbD	Glenelg silt loam, 15 to 25 percent slopes	4	6749.1	0.011	\$ 1,377.82
Lancaster	HbD	Hagerstown silty clay loam, 15 to 30 percent slopes	4	2149.9	0.003	\$ 1,449.04
Lancaster	HfD	Hollinger silt loam, 15 to 25 percent slopes	4	283.3	0	\$ 1,440.43
Lancaster	LaD	Lansdale loam, 15 to 25 percent slopes	4	2268	0.004	\$ 1,342.51
Lancaster	MaD	Manor silt loam, 15 to 25 percent slopes	4	13550.9	0.022	\$ 1,189.30
Lancaster	PeD	Pequea silt loam, 15 to 25 percent slopes	4	6070.1	0.01	\$ 1,162.25
Lancaster	UaD	Ungers loam, 15 to 25 percent slopes	4	916.6	0.001	\$ 1,120.48
Lancaster	Ba	Baile silt loam	5	1473.4	0.002	\$ 671.40
Lancaster	1GfD	Gladstone gravelly loam, 8 to 25 percent slopes, very bouldery	6	57.9	0	\$ 671.40
Lancaster	BsB	Brecknock very stony silt loam, 3 to 8 percent slopes	6	808	0.001	\$ 671.40
Lancaster	BsC	Brecknock very stony silt loam, 8 to 25 percent slopes	6	1299.1	0.002	\$ 671.40
Lancaster	BxC	Bucks very stony silt loam, 8 to 25 percent slopes	6	477.6	0.001	\$ 671.40
Lancaster	CIB	Clymer very stony loam, 3 to 8 percent slopes	6	1779.3	0.003	\$ 671.40
Lancaster	CID	Clymer very stony loam, 8 to 25 percent slopes	6	3722.7	0.006	\$ 671.40
Lancaster	MbB	Manor very stony silt loam, 3 to 8 percent slopes	6	1450.5	0.002	\$ 671.40
Lancaster	MbD	Manor very stony silt loam, 8 to 25 percent slopes	6	7971.9	0.013	\$ 671.40
Lancaster	MeB	Mount Lucas very stony silt loam, 3 to 12 percent slopes	6	2048.3	0.003	\$ 671.40
Lancaster	1EdB	Edgemont channery sandy loam, 0 to 8 percent slopes, extremely stony	7	156.8	0	\$ 671.40
Lancaster	1EdD	Edgemont channery sandy loam, 8 to 25 percent slopes, extremely stony	7	1105.9	0.002	\$ 671.40
Lancaster	1EdF	Edgemont channery sandy loam, 25 to 60 percent slopes, extremely stony	7	212.6	0	\$ 671.40
Lancaster	1GfF	Gladstone gravelly loam, 25 to 55 percent slopes, very bouldery	7	11.8	0	\$ 671.40
Lancaster	1JpB	Joanna loam, 0 to 8 percent slopes, extremely stony	7	269.8	0	\$ 671.40
Lancaster	1JpD	Joanna loam, 8 to 25 percent slopes, extremely stony	7	1103.1	0.002	\$ 671.40

Lancaster	1JpF	Joanna loam, 25 to 60 percent slopes, extremely stony	7	136.4	0	\$ 671.40
Lancaster	1NhB	Neshaminy gravelly silt loam, 0 to 8 percent slopes, extremely bouldery	7	43.8	0	\$ 671.40
Lancaster	1NhD	Neshaminy gravelly silt loam, 8 to 25 percent slopes, extremely bouldery	7	552.5	0.001	\$ 671.40
Lancaster	AsB	Abbottstown extremely stony silt loam, 3 to 8 percent slopes	7	326.5	0.001	\$ 671.40
Lancaster	CIF	Clymer very stony loam, 25 to 50 percent slopes	7	770.9	0.001	\$ 671.40
Lancaster	MbF	Manor very stony silt loam, 25 to 60 percent slopes	7	18250.2	0.029	\$ 671.40
Lancaster	PeE	Pequea silt loam, 25 to 50 percent slopes	7	2685.6	0.004	\$ 671.40
Lancaster	RbB	Readington extremely stony silt loam, 3 to 8 percent slopes	7	1230.4	0.002	\$ 671.40
Lancaster	UbB	Ungers extremely stony loam, 3 to 8 percent slopes	7	2783.5	0.004	\$ 671.40
Lancaster	UbD	Ungers extremely stony loam, 8 to 25 percent slopes	7	15722	0.025	\$ 671.40
Lancaster	UbE	Ungers extremely stony loam, 25 to 50 percent slopes	7	4024.7	0.006	\$ 671.40
Lancaster	Ud	Udorthents, loamy	7	1358.7	0.002	\$ 671.40
Lancaster	WbB	Watchung extremely stony silt loam, 0 to 8 percent slopes	7	48.1	0	\$ 671.40
Lancaster	DAM	Dams	8	2	0	\$ 671.40
Lancaster	Rc	Rock outcrop	8	102.6	0	\$ 671.40
Lancaster	Uc	Urban land	8	8550.4	0.014	\$ 671.40
Lawrence	Cg	Chagrin silt loam	1	1172.6	0.005	\$ 1,399.67
Lawrence	Po	Pope silt loam	1	23.9	0	\$ 1,356.75
Lawrence	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	27.4	0	\$ 1,263.30
Lawrence	BcB	Braceville loam, 3 to 8 percent slopes	2	2258	0.01	\$ 1,154.89
Lawrence	BgB	Bogart loam, 2 to 6 percent slopes	2	7.6	0	\$ 1,188.10
Lawrence	CdB	Canfield silt loam, 3 to 8 percent slopes	2	29667.9	0.128	\$ 1,150.79
Lawrence	ChB	Chili silt loam, 3 to 8 percent slopes	2	5109.6	0.022	\$ 1,063.41
Lawrence	CmB	Clymer loam, 3 to 8 percent slopes	2	213.6	0.001	\$ 1,294.80
Lawrence	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	2.3	0	\$ 1,329.93
Lawrence	ErB	Ernest silt loam, 3 to 8 percent slopes	2	117.2	0.001	\$ 1,302.56
Lawrence	GnB	Gilpin silt loam, 3 to 8 percent slopes	2	444	0.002	\$ 1,138.41
Lawrence	GsB	Gilpin-Weikert complex, 3 to 8 percent slopes	2	63.3	0	\$ 1,050.00
Lawrence	GtB	Guernsey silt loam, 3 to 8 percent slopes	2	4.7	0	\$ 1,270.86
Lawrence	HaB	Hazleton channery loam, 3 to 8 percent slopes	2	24.6	0	\$ 1,263.68
Lawrence	JtB	Jimtown loam, 2 to 6 percent slopes	2	4.1	0	\$ 1,085.32
Lawrence	JwB	Jimtown-Urban land complex	2	5.8	0	\$ 779.66
Lawrence	Lb	Lobdell silt loam	2	4307.3	0.019	\$ 1,291.46
Lawrence	LoB	Loudonville gravelly silt loam, 3 to 8 percent slopes	2	211.4	0.001	\$ 1,109.11

Lawrence	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	55.7	0	\$ 1,222.89
Lawrence	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	705	0.003	\$ 1,222.89
Lawrence	MrB	Morristown channery silt loam, 0 to 8 percent slopes	2	1634.6	0.007	\$ 779.66
Lawrence	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	277	0.001	\$ 1,302.56
Lawrence	TsB	Tilsit silt loam, 3 to 8 percent slopes	2	5.2	0	\$ 1,013.02
Lawrence	WhA	Wharton silt loam, 0 to 3 percent slopes	2	13	0	\$ 1,142.55
Lawrence	WhB	Wharton silt loam, 3 to 8 percent slopes	2	617	0.003	\$ 1,140.07
Lawrence	WoB	Wooster gravelly silt loam, 3 to 8 percent slopes	2	1207.7	0.005	\$ 1,222.89
Lawrence	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	3	408.5	0.002	\$ 1,125.93
Lawrence	BaB	Bethesda channery silt loam, 0 to 8 percent slopes	3	1207.2	0.005	\$ 779.66
Lawrence	BcC	Braceville loam, 8 to 15 percent slopes	3	1077.4	0.005	\$ 1,121.74
Lawrence	BgC	Bogart loam, 6 to 12 percent slopes	3	0.9	0	\$ 1,115.44
Lawrence	CdC	Canfield silt loam, 8 to 15 percent slopes	3	19736.8	0.085	\$ 1,113.33
Lawrence	CeB	Cavode silt loam, 3 to 8 percent slopes	3	339.5	0.001	\$ 1,037.63
Lawrence	CeC	Cavode silt loam, 8 to 15 percent slopes	3	576.5	0.002	\$ 999.42
Lawrence	ChC	Chili silt loam, 8 to 15 percent slopes	3	2331.8	0.01	\$ 980.27
Lawrence	CmC	Clymer loam, 8 to 15 percent slopes	3	183	0.001	\$ 1,285.87
Lawrence	CoB	Conotton gravelly loam, 3 to 8 percent slopes	3	1853.2	0.008	\$ 974.17
Lawrence	CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	16.6	0	\$ 1,236.49
Lawrence	ErC	Ernest silt loam, 8 to 15 percent slopes	3	545	0.002	\$ 1,209.15
Lawrence	FaB	Fairpoint channery silt loam, 0 to 8 percent slopes	3	5948.5	0.026	\$ 779.66
Lawrence	GnC	Gilpin silt loam, 8 to 15 percent slopes	3	1051.2	0.005	\$ 1,119.64
Lawrence	GsC	Gilpin-Weikert complex, 8 to 15 percent slopes	3	141.1	0.001	\$ 1,001.24
Lawrence	GtC	Guernsey silt loam, 8 to 15 percent slopes	3	20.3	0	\$ 1,096.37
Lawrence	HaC	Hazleton channery loam, 8 to 15 percent slopes	3	94.1	0	\$ 1,135.51
Lawrence	Ho	Holly silt loam	3	8811.7	0.038	\$ 1,167.13
Lawrence	LoC	Loudonville gravelly silt loam, 8 to 15 percent slopes	3	711.9	0.003	\$ 1,022.01
Lawrence	MoC	Monongahela silt loam, 8 to 15 percent slopes	3	104.4	0	\$ 1,146.68
Lawrence	RaA	Ravenna silt loam, 0 to 3 percent slopes	3	9052.7	0.039	\$ 1,145.85
Lawrence	RaB	Ravenna silt loam, 3 to 8 percent slopes	3	33988.4	0.146	\$ 1,146.68
Lawrence	RaC	Ravenna silt loam, 8 to 15 percent slopes	3	7270.6	0.031	\$ 1,029.17
Lawrence	ReB	Rexford silt loam, 3 to 8 percent slopes	3	1267.6	0.005	\$ 999.42
Lawrence	Sn	Sloan silt loam	3	2256.7	0.01	\$ 1,349.65
Lawrence	TsC	Tilsit silt loam, 8 to 15 percent slopes	3	20.3	0	\$ 1,104.88

Lawrence	TyA	Tyler silt loam, 0 to 3 percent slopes	3	158.8	0.001	\$ 1,128.02
Lawrence	TyB	Tyler silt loam, 3 to 8 percent slopes	3	229.8	0.001	\$ 1,017.52
Lawrence	UAB	Udorthents, strip mine, gently sloping	3	185.9	0.001	\$ 671.40
Lawrence	WhC	Wharton silt loam, 8 to 15 percent slopes	3	1493.2	0.006	\$ 1,150.79
Lawrence	WoC	Wooster gravelly silt loam, 8 to 15 percent slopes	3	2630.9	0.011	\$ 1,181.28
Lawrence	BaD	Bethesda channery silt loam, 8 to 25 percent slopes	4	3622	0.016	\$ 779.66
Lawrence	BkB	Brinkerton silt loam, 3 to 8 percent slopes	4	53.1	0	\$ 1,125.93
Lawrence	BkC	Brinkerton silt loam, 8 to 15 percent slopes	4	10.5	0	\$ 1,032.74
Lawrence	Ca	Canadice silt loam	4	2944	0.013	\$ 953.19
Lawrence	CdD	Canfield silt loam, 15 to 25 percent slopes	4	4881.3	0.021	\$ 779.66
Lawrence	CeD	Cavode silt loam, 15 to 25 percent slopes	4	171.8	0.001	\$ 976.48
Lawrence	CmD	Clymer loam, 15 to 25 percent slopes	4	73.5	0	\$ 1,061.84
Lawrence	CoC	Conotton gravelly loam, 8 to 15 percent slopes	4	4845.2	0.021	\$ 797.89
Lawrence	CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	61.4	0	\$ 1,081.36
Lawrence	ErD	Ernest silt loam, 15 to 25 percent slopes	4	468.9	0.002	\$ 987.99
Lawrence	FaD	Fairpoint channery silt loam, 8 to 25 percent slopes	4	5063.7	0.022	\$ 779.66
Lawrence	FnA	Frenchtown silt loam, 0 to 3 percent slopes	4	7201.5	0.031	\$ 1,035.41
Lawrence	FnB	Frenchtown silt loam, 3 to 8 percent slopes	4	3474.6	0.015	\$ 1,074.88
Lawrence	GnD	Gilpin silt loam, 15 to 25 percent slopes	4	1733.7	0.007	\$ 1,059.66
Lawrence	GsD	Gilpin-Weikert complex, 15 to 25 percent slopes	4	778.3	0.003	\$ 779.66
Lawrence	HaD	Hazleton channery loam, 15 to 25 percent slopes	4	272.8	0.001	\$ 1,059.66
Lawrence	LoD	Loudonville gravelly silt loam, 15 to 25 percent slopes	4	2058.3	0.009	\$ 779.66
Lawrence	MrD	Morristown channery silt loam, 8 to 25 percent slopes	4	1022.4	0.004	\$ 779.66
Lawrence	WnD	Wharton-Gilpin silt loams, 15 to 25 percent slopes	4	1410.2	0.006	\$ 992.57
Lawrence	WoD	Wooster gravelly silt loam, 15 to 25 percent slopes	4	2398	0.01	\$ 1,105.72
Lawrence	CoD	Conotton gravelly loam, 15 to 25 percent slopes	6	3606.7	0.016	\$ 671.40
Lawrence	EsD	Ernest silt loam, 8 to 25 percent slopes, extremely stony	6	42.9	0	\$ 671.40
Lawrence	LoF	Loudonville gravelly silt loam, 25 to 50 percent slopes	6	6110.7	0.026	\$ 671.40
Lawrence	UAD	Udorthents, strip mine, moderately steep	6	767	0.003	\$ 671.40
Lawrence	BbF	Bethesda and Fairpoint channery silt loams, 25 to 70 percent slopes	7	3388.4	0.015	\$ 671.40
Lawrence	CoF	Conotton gravelly loam, 25 to 50 percent slopes	7	1437.9	0.006	\$ 671.40
Lawrence	GsF	Gilpin-Weikert complex, 25 to 70 percent slopes	7	4934.3	0.021	\$ 671.40
Lawrence	UAE	Udorthents, strip mine, steep	7	589.8	0.003	\$ 671.40
Lawrence	WeF	Weikert-Rock outcrop complex, 25 to 80 percent slopes	7	2496.7	0.011	\$ 671.40

Lawrence	UcB	Urban land-Canfield complex, 0 to 8 percent slopes	8	1965.6	0.008	\$ 671.40
Lawrence	UcD	Urban land-Canfield complex, 8 to 25 percent slopes	8	411.8	0.002	\$ 671.40
Lawrence	UgB	Urban land-Gilpin complex, 0 to 8 percent slopes	8	39.2	0	\$ 671.40
Lawrence	UgD	Urban land-Gilpin complex, 8 to 25 percent slopes	8	170.3	0.001	\$ 671.40
Lawrence	UwB	Urban land-Wharton complex, 0 to 8 percent slopes	8	40.5	0	\$ 671.40
Lawrence	UwD	Urban land-Wharton complex, 8 to 25 percent slopes	8	70.2	0	\$ 671.40
Lebanon	BeA	Bedington shaly silt loam, 0 to 3 percent slopes	1	1935.1	0.008	\$ 1,500.96
Lebanon	DfA	Duffield silt loam, 0 to 3 percent slopes	1	2596.6	0.011	\$ 1,562.89
Lebanon	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	1934.4	0.008	\$ 1,468.68
Lebanon	Po	Pope loam	1	525.4	0.002	\$ 1,320.86
Lebanon	1BkB	Berks-Weikert complex, 3 to 8 percent slopes	2	447.3	0.002	\$ 1,004.87
Lebanon	1GeB	Gladstone gravelly loam, 3 to 8 percent slopes	2	57.3	0	\$ 1,356.75
Lebanon	1JnB	Joanna loam, 3 to 8 percent slopes	2	426.9	0.002	\$ 1,282.13
Lebanon	1Me	Middlebury silt loam	2	19.5	0	\$ 1,298.87
Lebanon	Bcg	Basher silt loam	2	43.7	0	\$ 1,295.91
Lebanon	BeB	Bedington shaly silt loam, 3 to 8 percent slopes	2	11793.6	0.051	\$ 1,330.29
Lebanon	BegB	Bedington channery silt loam, 3 to 8 percent slopes	2	413.3	0.002	\$ 1,330.29
Lebanon	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	15430.9	0.067	\$ 971.85
Lebanon	BnB	Brecknock channery silt loam, 3 to 8 percent slopes	2	802.9	0.003	\$ 1,303.66
Lebanon	BwB	Buchanan gravelly loam, 3 to 8 percent slopes	2	870.8	0.004	\$ 1,289.60
Lebanon	ByB	Bucks silt loam, 3 to 8 percent slopes	2	1808.2	0.008	\$ 1,610.78
Lebanon	CeB	Chester channery loam, 3 to 8 percent slopes	2	573.4	0.002	\$ 1,380.26
Lebanon	CkA	Clarksburg silt loam, 0 to 3 percent slopes	2	4184.6	0.018	\$ 1,322.68
Lebanon	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	4936.4	0.021	\$ 1,321.66
Lebanon	CmA	Comly silt loam, 0 to 3 percent slopes	2	1246.3	0.005	\$ 1,146.43
Lebanon	CmB	Comly silt loam, 3 to 8 percent slopes	2	4185	0.018	\$ 1,146.43
Lebanon	DfB	Duffield silt loam, 3 to 8 percent slopes	2	17151.4	0.074	\$ 1,571.01
Lebanon	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	17223.4	0.074	\$ 1,469.33
Lebanon	HugA	Hustontown silt loam, 0 to 3 percent slopes	2	115	0	\$ 1,114.18
Lebanon	HugB	Hustontown silt loam, 3 to 8 percent slopes	2	113.1	0	\$ 1,144.20
Lebanon	LaB	Laidig channery loam, 3 to 8 percent slopes	2	834.1	0.004	\$ 1,150.79
Lebanon	LagB	Laidig gravelly loam, 3 to 8 percent slopes	2	44.9	0	\$ 1,150.79
Lebanon	LeB	Leck kill shaly silt loam, 3 to 8 percent slopes	2	832.3	0.004	\$ 1,300.71
Lebanon	LegA	Leck kill channery silt loam, 0 to 3 percent slopes	2	34.4	0	\$ 1,306.24

Lebanon	LegB	Leck kill channery silt loam, 3 to 8 percent slopes	2	119.5	0.001	\$ 1,309.91
Lebanon	Ls	Lindside silt loam	2	1045.2	0.005	\$ 1,287.73
Lebanon	MoB	Mount Lucas silt loam, 3 to 8 percent slopes	2	353.5	0.002	\$ 1,181.68
Lebanon	MuB	Murrill gravelly silt loam, 3 to 8 percent slopes	2	1074.7	0.005	\$ 1,298.50
Lebanon	NeB	Neshaminy gravelly silt loam, 3 to 8 percent slopes	2	2012	0.009	\$ 1,383.04
Lebanon	No	Nolin variant silt loam	2	1491.3	0.006	\$ 1,270.11
Lebanon	PeB	Penn channery silt loam, 3 to 8 percent slopes	2	638.7	0.003	\$ 1,308.22
Lebanon	Ph	Philo silt loam	2	1441.7	0.006	\$ 1,356.75
Lebanon	ReB	Readington silt loam, 3 to 8 percent slopes	2	882.1	0.004	\$ 1,317.00
Lebanon	Ro	Rowland silt loam	2	413.2	0.002	\$ 1,332.81
Lebanon	UnB	Ungers loam, 3 to 8 percent slopes	2	2383.8	0.01	\$ 1,291.08
Lebanon	1BkC	Berks-Weikert complex, 8 to 15 percent slopes	3	72.6	0	\$ 1,004.87
Lebanon	1GeC	Gladstone gravelly loam, 8 to 15 percent slopes	3	147.6	0.001	\$ 1,300.86
Lebanon	1WeB	Weikert-Berks complex, 3 to 8 percent slopes	3	5.6	0	\$ 919.99
Lebanon	AbA	Abbottstown silt loam, 0 to 3 percent slopes	3	345.8	0.001	\$ 1,115.44
Lebanon	AbB	Abbottstown silt loam, 3 to 8 percent slopes	3	610.6	0.003	\$ 1,112.24
Lebanon	Atg	Atkins silt loam	3	153.1	0.001	\$ 1,159.07
Lebanon	BeC	Bedington shaly silt loam, 8 to 15 percent slopes	3	1142.7	0.005	\$ 1,251.87
Lebanon	BegC	Bedington channery silt loam, 8 to 15 percent slopes	3	440.6	0.002	\$ 1,251.87
Lebanon	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	9082.1	0.039	\$ 931.93
Lebanon	Bm	Bowmansville silt loam	3	2200	0.009	\$ 1,491.23
Lebanon	BnC	Brecknock channery silt loam, 8 to 15 percent slopes	3	445.1	0.002	\$ 1,268.98
Lebanon	CeC	Chester channery loam, 8 to 15 percent slopes	3	546.7	0.002	\$ 1,280.26
Lebanon	DfC	Duffield silt loam, 8 to 15 percent slopes	3	1425.2	0.006	\$ 1,342.51
Lebanon	HbC	Hagerstown silty clay loam, 8 to 15 percent slopes	3	1925.6	0.008	\$ 1,369.43
Lebanon	Ho	Holly silt loam	3	8151.5	0.035	\$ 1,155.71
Lebanon	KnB	Klinesville shaly silt loam, 3 to 8 percent slopes	3	1858.1	0.008	\$ 789.79
Lebanon	LaC	Laidig channery loam, 8 to 15 percent slopes	3	671.8	0.003	\$ 1,109.11
Lebanon	LagC	Laidig gravelly loam, 8 to 15 percent slopes	3	35.2	0	\$ 1,104.88
Lebanon	LeC	Leck kill shaly silt loam, 8 to 15 percent slopes	3	1001.8	0.004	\$ 1,287.73
Lebanon	LegC	Leck kill channery silt loam, 8 to 15 percent slopes	3	309.7	0.001	\$ 1,274.63
Lebanon	LhB	Lehigh silt loam, 2 to 10 percent slopes	3	493.1	0.002	\$ 1,116.62
Lebanon	Me	Melvin variant silt loam	3	1807.7	0.008	\$ 1,165.10
Lebanon	NeC	Neshaminy gravelly silt loam, 8 to 15 percent slopes	3	2218.6	0.01	\$ 1,317.22

Lebanon	PeC	Penn channery silt loam, 8 to 15 percent slopes	3	586.3	0.003	\$ 1,233.70
Lebanon	UnC	Ungers loam, 8 to 15 percent slopes	3	2899.4	0.012	\$ 1,223.67
Lebanon	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	2959.5	0.013	\$ 1,135.92
Lebanon	1BhD	Berks-Bedington complex, 15 to 25 percent slopes	4	13.8	0	\$ 1,064.46
Lebanon	1JnD	Joanna loam, 15 to 25 percent slopes	4	7	0	\$ 1,140.48
Lebanon	AngB	Andover gravelly loam, 3 to 8 percent slopes	4	77.7	0	\$ 992.57
Lebanon	BeD	Bedington shaly silt loam, 15 to 25 percent slopes	4	340	0.001	\$ 1,148.74
Lebanon	BegD	Bedington channery silt loam, 15 to 25 percent slopes	4	216.7	0.001	\$ 1,148.74
Lebanon	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	2804.7	0.012	\$ 890.95
Lebanon	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	1884.8	0.008	\$ 1,089.53
Lebanon	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	2252.5	0.01	\$ 1,084.38
Lebanon	HeB	Hagerstown-Rock outcrop complex, 3 to 8 percent slopes	4	1167.9	0.005	\$ 779.66
Lebanon	KnC	Klinesville shaly silt loam, 8 to 15 percent slopes	4	1271.7	0.005	\$ 779.66
Lebanon	LagD	Laidig gravelly loam, 15 to 25 percent slopes	4	8.1	0	\$ 1,012.11
Lebanon	LfgD	Leck kill-Calvin channery silt loams, 15 to 25 percent slopes	4	116.2	0.001	\$ 961.15
Lebanon	MaA	Markes silt loam, 0 to 5 percent slopes	4	814.5	0.004	\$ 908.82
Lebanon	MagB	Markes silt loam, 3 to 8 percent slopes	4	407.3	0.002	\$ 908.82
Lebanon	ThA	Thorndale silt loam, 0 to 3 percent slopes	4	685.3	0.003	\$ 881.15
Lebanon	ThB	Thorndale silt loam, 3 to 8 percent slopes	4	206.7	0.001	\$ 779.66
Lebanon	UnD	Ungers loam, 15 to 25 percent slopes	4	1046.3	0.005	\$ 1,120.48
Lebanon	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	2131.8	0.009	\$ 903.11
Lebanon	1GfB	Gladstone gravelly loam, 0 to 8 percent slopes, very bouldery	6	5	0	\$ 671.40
Lebanon	1GfD	Gladstone gravelly loam, 8 to 25 percent slopes, very bouldery	6	810.9	0.003	\$ 671.40
Lebanon	1WeD	Weikert-Berks complex, 15 to 25 percent slopes	6	1.4	0	\$ 831.21
Lebanon	CagB	Calvin channery silt loam, 0 to 8 percent slopes, very stony	6	2.9	0	\$ 671.40
Lebanon	CagD	Calvin channery silt loam, 8 to 25 percent slopes, very stony	6	15.3	0	\$ 671.40
Lebanon	DlgB	Dekalb and Lehew sandy loams, 0 to 8 percent slopes, very stony	6	13.6	0	\$ 671.40
Lebanon	HeC	Hagerstown-Rock outcrop complex, 8 to 25 percent slopes	6	3519.3	0.015	\$ 828.26
Lebanon	HvgB	Hustontown silt loam, 0 to 8 percent slopes, very stony	6	6.3	0	\$ 1,114.18
Lebanon	KnD	Klinesville shaly silt loam, 15 to 25 percent slopes	6	912.9	0.004	\$ 671.40
Lebanon	LfC	Leck kill very stony silt loam, 8 to 25 percent slopes	6	1991.2	0.009	\$ 671.40
Lebanon	LggD	Leck kill channery silt loam, 8 to 25 percent slopes, very stony	6	25	0	\$ 671.40
Lebanon	MfgB	Meckesville gravelly loam, 3 to 8 percent slopes, extremely stony	6	289.2	0.001	\$ 671.40
Lebanon	WaA	Watchung silt loam, 0 to 5 percent slopes	6	810.1	0.003	\$ 671.40

Lebanon	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	3597.9	0.016	\$ 671.40
Lebanon	1BkF	Berks-Weikert complex, 25 to 60 percent slopes	7	4.8	0	\$ 671.40
Lebanon	1JpB	Joanna loam, 0 to 8 percent slopes, extremely stony	7	91.4	0	\$ 671.40
Lebanon	1JpD	Joanna loam, 8 to 25 percent slopes, extremely stony	7	1755.5	0.008	\$ 671.40
Lebanon	AogB	Andover gravelly loam, 0 to 8 percent slopes, extremely stony	7	53.6	0	\$ 671.40
Lebanon	BxB	Buchanan extremely stony loam, 3 to 8 percent slopes	7	448.5	0.002	\$ 671.40
Lebanon	BxC	Buchanan extremely stony loam, 8 to 25 percent slopes	7	680.9	0.003	\$ 671.40
Lebanon	BxB	Buchanan gravelly loam, 0 to 8 percent slopes, extremely stony	7	334.2	0.001	\$ 671.40
Lebanon	BxD	Buchanan gravelly loam, 8 to 25 percent slopes, extremely stony	7	605.3	0.003	\$ 671.40
Lebanon	ChC	Chester extremely stony loam, 8 to 25 percent slopes	7	884.1	0.004	\$ 671.40
Lebanon	HeD	Hazleton very channery loam, 8 to 25 percent slopes, extremely stony	7	663.8	0.003	\$ 671.40
Lebanon	HeF	Hazleton very channery loam, 25 to 60 percent slopes, extremely stony	7	1764.9	0.008	\$ 671.40
Lebanon	HegB	Hazleton very channery loam, 0 to 8 percent slopes, extremely stony	7	11.6	0	\$ 671.40
Lebanon	HHB	Hazleton sandy loam, 0 to 8 percent slopes, rubbly	7	1339.5	0.006	\$ 671.40
Lebanon	HHE	Hazleton sandy loam, 25 to 50 percent slopes, rubbly	7	5948.9	0.026	\$ 671.40
Lebanon	HLD	Hazleton-Laidig association, moderately steep	7	2923.2	0.013	\$ 671.40
Lebanon	LdB	Laidig extremely stony loam, 3 to 8 percent slopes	7	576.3	0.002	\$ 671.40
Lebanon	LdC	Laidig extremely stony loam, 8 to 25 percent slopes	7	7844.8	0.034	\$ 671.40
Lebanon	LdgB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stony	7	97.3	0	\$ 671.40
Lebanon	LdgD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stony	7	3880.4	0.017	\$ 671.40
Lebanon	LdgF	Laidig gravelly loam, 25 to 60 percent slopes, extremely stony	7	199.5	0.001	\$ 671.40
Lebanon	MfgD	Meckesville gravelly loam, 8 to 25 percent slopes, extremely stony	7	731	0.003	\$ 671.40
Lebanon	MfgF	Meckesville gravelly loam, 25 to 35 percent slopes, extremely stony	7	26.3	0	\$ 671.40
Lebanon	MsB	Mount Lucas extremely stony silt loam, 3 to 8 percent slopes	7	552.1	0.002	\$ 671.40
Lebanon	NhB	Neshaminy extremely stony silt loam, 3 to 8 percent slopes	7	744.5	0.003	\$ 671.40
Lebanon	NhC	Neshaminy extremely stony silt loam, 8 to 25 percent slopes	7	2856.5	0.012	\$ 671.40
Lebanon	NHE	Neshaminy extremely stony silt loam, steep	7	923	0.004	\$ 671.40
Lebanon	UdgB	Udorthents, shale and sandstone, 0 to 8 percent slopes	7	582.5	0.003	\$ 671.40
Lebanon	UdgD	Udorthents, shale and sandstone, 8 to 25 percent slopes	7	90.4	0	\$ 671.40
Lebanon	UegD	Udorthents, sanitary landfill, 0 to 25 percent slopes	7	87.6	0	\$ 671.40
Lebanon	UoB	Ungers extremely stony loam, 3 to 8 percent slopes	7	1035.7	0.004	\$ 671.40
Lebanon	UoC	Ungers extremely stony loam, 8 to 25 percent slopes	7	6604.6	0.028	\$ 671.40
Lebanon	UPE	Ungers and Calvin soils, steep	7	2180.5	0.009	\$ 671.40
Lebanon	WbB	Watchung extremely stony silt loam, 0 to 8 percent slopes	7	972.3	0.004	\$ 671.40

Lebanon	WeE	Weikert shaly silt loam, 25 to 50 percent slopes	7	2416.7	0.01	\$ 671.40
Lebanon	IW	Industrial waste	8	24.2	0	\$ 671.40
Lebanon	Ru	Rubble land	8	2159.8	0.009	\$ 671.40
Lebanon	UggB	Urban land, 0 to 8 percent slopes	8	276.1	0.001	\$ 671.40
Lebanon	UkgB	Urban land-Berks complex, 0 to 8 percent slopes	8	552.9	0.002	\$ 671.40
Lebanon	UkgD	Urban land-Berks complex, 8 to 25 percent slopes	8	73.8	0	\$ 671.40
Lebanon	UR	Urban land-Berks complex	8	105.3	0	\$ 671.40
Lebanon	US	Urban land-Hagerstown complex	8	3754.9	0.016	\$ 671.40
Lebanon	UzcB	Urban land-Udorthents, shale and sandstone complex, 0 to 8 percent slopes	8	38.8	0	\$ 671.40
Lehigh	AfA	Allenwood silt loam, 0 to 3 percent slopes	1	150.3	0.001	\$ 1,395.48
Lehigh	ArA	Arendtsville gravelly silt loam, 0 to 3 percent slopes	1	197.1	0.001	\$ 1,215.06
Lehigh	BfA	Bedington-Berks complex, 0 to 3 percent slopes	1	956.1	0.004	\$ 1,218.82
Lehigh	BmA	Birdsboro silt loam, 0 to 3 percent slopes	1	27.5	0	\$ 1,430.76
Lehigh	DbA	Duffield silt loam, 0 to 3 percent slopes	1	1704.7	0.008	\$ 1,562.89
Lehigh	Lv	Linden loam	1	559.1	0.003	\$ 1,301.75
Lehigh	WaA	Washington silt loam, 0 to 3 percent slopes	1	6110	0.027	\$ 1,592.68
Lehigh	AfB	Allenwood silt loam, 3 to 8 percent slopes	2	365	0.002	\$ 1,395.48
Lehigh	ArB	Arendtsville gravelly silt loam, 3 to 8 percent slopes	2	3082.7	0.014	\$ 1,438.23
Lehigh	BfB	Bedington-Berks complex, 3 to 8 percent slopes	2	6188.9	0.028	\$ 1,199.74
Lehigh	BkB	Berks-Weikert complex, 3 to 8 percent slopes	2	20129.7	0.09	\$ 1,004.87
Lehigh	BmB	Birdsboro silt loam, 3 to 8 percent slopes	2	362.4	0.002	\$ 1,425.73
Lehigh	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	581.9	0.003	\$ 1,289.60
Lehigh	CmA	Clarksburg silt loam, 0 to 3 percent slopes	2	1618.6	0.007	\$ 1,322.68
Lehigh	CmB	Clarksburg silt loam, 3 to 8 percent slopes	2	1173.6	0.005	\$ 1,321.66
Lehigh	CpA	Comly silt loam, 0 to 3 percent slopes	2	637.7	0.003	\$ 1,146.43
Lehigh	CpB	Comly silt loam, 3 to 8 percent slopes	2	3140.8	0.014	\$ 1,146.43
Lehigh	DbB	Duffield silt loam, 3 to 8 percent slopes	2	5613.5	0.025	\$ 1,571.01
Lehigh	EhB	Edgemont channery loam, 3 to 8 percent slopes	2	363.4	0.002	\$ 1,292.57
Lehigh	Gc	Gibraltar silt loam	2	203.6	0.001	\$ 1,298.87
Lehigh	GeA	Gladstone gravelly loam, 0 to 3 percent slopes	2	85.6	0	\$ 1,432.97
Lehigh	GeB	Gladstone gravelly loam, 3 to 8 percent slopes	2	4760.7	0.021	\$ 1,356.75
Lehigh	GnA	Glenville silt loam, 0 to 3 percent slopes	2	121	0.001	\$ 1,346.08
Lehigh	GnB	Glenville silt loam, 3 to 8 percent slopes	2	1150.1	0.005	\$ 1,346.08
Lehigh	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	680.5	0.003	\$ 1,150.79

Lehigh	LmB	Lehigh channery silt loam, 3 to 8 percent slopes	2	10.3	0	\$ 1,284.30
Lehigh	Me	Middlebury silt loam	2	2332.3	0.01	\$ 1,298.87
Lehigh	MgB	Monongahela silt loam, 3 to 8 percent slopes	2	215.1	0.001	\$ 1,135.59
Lehigh	MIB	Mount Lucas silt loam, 3 to 8 percent slopes	2	15.5	0	\$ 1,181.68
Lehigh	MuB	Murrill gravelly loam, 3 to 8 percent slopes	2	498.4	0.002	\$ 1,285.50
Lehigh	NaB	Neshaminy silt loam, 3 to 8 percent slopes	2	410.2	0.002	\$ 1,401.99
Lehigh	PeB	Penn channery silt loam, 3 to 8 percent slopes	2	989.5	0.004	\$ 1,308.22
Lehigh	ReA	Readington silt loam, 0 to 3 percent slopes	2	172.6	0.001	\$ 1,332.81
Lehigh	ReB	Readington silt loam, 3 to 8 percent slopes	2	411.2	0.002	\$ 1,317.00
Lehigh	WaB	Washington silt loam, 3 to 8 percent slopes	2	16687	0.075	\$ 1,495.57
Lehigh	AbC	Abbottstown silt loam, 8 to 15 percent slopes	3	0.3	0	\$ 1,276.13
Lehigh	ArC	Arendtsville gravelly silt loam, 8 to 15 percent slopes	3	1800.3	0.008	\$ 1,305.87
Lehigh	BfC	Bedington-Berks complex, 8 to 15 percent slopes	3	2126.3	0.01	\$ 1,129.85
Lehigh	BkA	Berks-Weikert complex, 0 to 3 percent slopes	3	1339.9	0.006	\$ 1,017.52
Lehigh	BkC	Berks-Weikert complex, 8 to 15 percent slopes	3	18812.2	0.084	\$ 1,004.87
Lehigh	BwB	Buckingham silt loam, 3 to 8 percent slopes	3	2.6	0	\$ 1,291.46
Lehigh	CaB	Calvin-Klinesville channery silt loams, 3 to 8 percent slopes	3	55.1	0	\$ 919.99
Lehigh	DfC	Duffield-Ryder silt loams, 8 to 15 percent slopes	3	1343.7	0.006	\$ 1,370.48
Lehigh	EhC	Edgemont channery loam, 8 to 15 percent slopes	3	323.2	0.001	\$ 1,221.72
Lehigh	GeC	Gladstone gravelly loam, 8 to 15 percent slopes	3	5115	0.023	\$ 1,300.86
Lehigh	GnC	Glenville silt loam, 8 to 15 percent slopes	3	83.9	0	\$ 1,109.11
Lehigh	Ho	Holly silt loam	3	5048.1	0.023	\$ 1,155.71
Lehigh	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	597.8	0.003	\$ 1,104.88
Lehigh	LmC	Lehigh channery silt loam, 8 to 15 percent slopes	3	23.4	0	\$ 1,233.86
Lehigh	MIC	Mount Lucas silt loam, 8 to 15 percent slopes	3	4.1	0	\$ 1,144.62
Lehigh	MuC	Murrill gravelly loam, 8 to 15 percent slopes	3	351.4	0.002	\$ 1,216.63
Lehigh	NaC	Neshaminy silt loam, 8 to 15 percent slopes	3	158.7	0.001	\$ 1,328.12
Lehigh	PeC	Penn channery silt loam, 8 to 15 percent slopes	3	350	0.002	\$ 1,233.70
Lehigh	PkC	Penn-Klinesville channery silt loams, 8 to 15 percent slopes	3	312.6	0.001	\$ 1,010.76
Lehigh	WaC	Washington silt loam, 8 to 15 percent slopes	3	2764.2	0.012	\$ 1,401.58
Lehigh	WeB	Weikert-Berks complex, 3 to 8 percent slopes	3	263.9	0.001	\$ 919.99
Lehigh	AnA	Andover-Buchanan gravelly loams, 0 to 3 percent slopes	4	41.7	0	\$ 1,064.02
Lehigh	AnB	Andover-Buchanan gravelly loams, 3 to 8 percent slopes	4	77.4	0	\$ 1,064.02
Lehigh	ArD	Arendtsville gravelly silt loam, 15 to 25 percent slopes	4	669.8	0.003	\$ 1,228.27

Lehigh	BhD	Berks-Bedington complex, 15 to 25 percent slopes	4	767.7	0.003	\$ 1,064.46
Lehigh	BkD	Berks-Weikert complex, 15 to 25 percent slopes	4	11533.7	0.052	\$ 914.22
Lehigh	Bo	Bowmansville-Knauers silt loams	4	298.1	0.001	\$ 1,183.29
Lehigh	BtA	Brinkerton-Comly silt loams, 0 to 3 percent slopes	4	1184.7	0.005	\$ 1,084.46
Lehigh	BtB	Brinkerton-Comly silt loams, 3 to 8 percent slopes	4	1639.9	0.007	\$ 1,084.46
Lehigh	CaC	Calvin-Klinesville channery silt loams, 8 to 15 percent slopes	4	38.9	0	\$ 876.22
Lehigh	CnB	Cokesbury silt loam, 3 to 8 percent slopes	4	20.1	0	\$ 1,150.79
Lehigh	CwA	Croton silt loam, occasionally ponded, 0 to 3 percent slopes	4	243.9	0.001	\$ 1,024.25
Lehigh	CwB	Croton silt loam, 3 to 8 percent slopes	4	364.7	0.002	\$ 899.13
Lehigh	DfD	Duffield-Ryder silt loams, 15 to 25 percent slopes	4	735.4	0.003	\$ 1,117.12
Lehigh	EhD	Edgemont channery loam, 15 to 25 percent slopes	4	55.8	0	\$ 1,108.26
Lehigh	GeD	Gladstone gravelly loam, 15 to 25 percent slopes	4	2013.9	0.009	\$ 1,226.79
Lehigh	GgD	Gladstone-Parker gravelly loams, 15 to 25 percent slopes	4	23.7	0	\$ 1,163.88
Lehigh	LaD	Laidig gravelly loam, 15 to 25 percent slopes	4	56.8	0	\$ 1,022.01
Lehigh	LfA	Lamington silt loam, 0 to 3 percent slopes	4	39.9	0	\$ 891.44
Lehigh	NaD	Neshaminy silt loam, 15 to 25 percent slopes	4	37.9	0	\$ 1,293.31
Lehigh	PeD	Penn channery silt loam, 15 to 25 percent slopes	4	122.6	0.001	\$ 1,008.04
Lehigh	PkD	Penn-Klinesville channery silt loams, 15 to 25 percent slopes	4	192	0.001	\$ 1,000.33
Lehigh	ThA	Thorndale-Penlaw silt loams, 0 to 3 percent slopes	4	983.7	0.004	\$ 990.29
Lehigh	ToA	Towhee silt loam, 0 to 3 percent slopes	4	740.2	0.003	\$ 1,029.17
Lehigh	ToB	Towhee silt loam, 3 to 8 percent slopes	4	980.8	0.004	\$ 1,039.85
Lehigh	WaD	Washington silt loam, 15 to 25 percent slopes	4	257.1	0.001	\$ 1,299.02
Lehigh	Fb	Fluvaquents	5	36.7	0	\$ 671.40
Lehigh	CaD	Calvin-Klinesville channery silt loams, 15 to 25 percent slopes	6	69.9	0	\$ 784.89
Lehigh	GfB	Gladstone gravelly loam, 0 to 8 percent slopes, very bouldery	6	1003.8	0.005	\$ 671.40
Lehigh	GfD	Gladstone gravelly loam, 8 to 25 percent slopes, very bouldery	6	5005.3	0.022	\$ 671.40
Lehigh	WeD	Weikert-Berks complex, 15 to 25 percent slopes	6	1706.1	0.008	\$ 831.21
Lehigh	AoB	Andover-Buchanan gravelly loams, 0 to 8 percent slopes, extremely stony	7	572	0.003	\$ 671.40
Lehigh	BkF	Berks-Weikert complex, 25 to 60 percent slopes	7	14345.1	0.064	\$ 671.40
Lehigh	BvB	Buchanan gravelly loam, 0 to 8 percent slopes, extremely stony	7	1843.1	0.008	\$ 671.40
Lehigh	BvD	Buchanan gravelly loam, 8 to 25 percent slopes, extremely stony	7	84.9	0	\$ 671.40
Lehigh	CoB	Cokesbury silt loam, 0 to 8 percent slopes, very stony	7	228.5	0.001	\$ 671.40
Lehigh	EdD	Edgemont channery sandy loam, 8 to 25 percent slopes, extremely stony	7	79.7	0	\$ 671.40
Lehigh	GfF	Gladstone gravelly loam, 25 to 55 percent slopes, very bouldery	7	2493.2	0.011	\$ 671.40

Lehigh	HeB	Hazleton very channery loam, 0 to 8 percent slopes, extremely stony	7	339	0.002	\$ 671.40
Lehigh	HeD	Hazleton very channery loam, 8 to 25 percent slopes, extremely stony	7	1076.2	0.005	\$ 671.40
Lehigh	HeF	Hazleton very channery loam, 25 to 60 percent slopes, extremely stony	7	887.2	0.004	\$ 671.40
Lehigh	HgF	Hazleton-Rubble land complex, 25 to 60 percent slopes	7	245.9	0.001	\$ 671.40
Lehigh	KIF	Klinesville-Calvin channery silt loams, 25 to 50 percent slopes	7	103.8	0	\$ 671.40
Lehigh	LbB	Laidig very gravelly loam, 0 to 8 percent slopes, extremely stony	7	2312.6	0.01	\$ 671.40
Lehigh	LbD	Laidig very gravelly loam, 8 to 25 percent slopes, extremely stony	7	4882.4	0.022	\$ 671.40
Lehigh	LbF	Laidig very gravelly loam, 25 to 55 percent slopes, extremely stony	7	466.1	0.002	\$ 671.40
Lehigh	LdF	Laidig-Rubble land complex, 25 to 55 percent slopes	7	449.9	0.002	\$ 671.40
Lehigh	NhB	Neshaminy gravelly silt loam, 0 to 8 percent slopes, extremely bouldery	7	306.3	0.001	\$ 671.40
Lehigh	NhD	Neshaminy gravelly silt loam, 8 to 25 percent slopes, extremely bouldery	7	464.6	0.002	\$ 671.40
Lehigh	NhF	Neshaminy gravelly silt loam, 25 to 60 percent slopes, extremely bouldery	7	131.5	0.001	\$ 671.40
Lehigh	TrB	Towhee silt loam, 0 to 8 percent slopes, extremely stony	7	145	0.001	\$ 671.40
Lehigh	Ua	Udorthents	7	2262.5	0.01	\$ 671.40
Lehigh	UdlB	Udorthents, limestone, 0 to 8 percent slopes	7	58.8	0	\$ 671.40
Lehigh	UgB	Urban land, 0 to 8 percent slopes	8	5357.6	0.024	\$ 671.40
Lehigh	UgC	Urban land, 8 to 15 percent slopes	8	559.3	0.003	\$ 671.40
Lehigh	Uh	Urban land, occasionally flooded	8	113.7	0.001	\$ 671.40
Lehigh	UkB	Urban land-Berks complex, 0 to 8 percent slopes	8	1075.9	0.005	\$ 671.40
Lehigh	UkD	Urban land-Berks complex, 8 to 25 percent slopes	8	228.9	0.001	\$ 671.40
Lehigh	UmB	Urban land-Duffield complex, 0 to 8 percent slopes	8	21226.8	0.095	\$ 676.42
Lehigh	UmD	Urban land-Duffield complex, 8 to 25 percent slopes	8	2321.6	0.01	\$ 671.40
Lehigh	UnB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	996.4	0.004	\$ 671.40
Lehigh	UnD	Urban land-Gladstone complex, 8 to 25 percent slopes	8	523.4	0.002	\$ 671.40
Lehigh	UsB	Urban land-Laidig complex, 0 to 8 percent slopes	8	21.4	0	\$ 671.40
Lehigh	UsD	Urban land-Laidig complex, 8 to 25 percent slopes	8	171.2	0.001	\$ 671.40
Lehigh	UvB	Urban land-Neshaminy complex, 0 to 8 percent slopes	8	5.4	0	\$ 671.40
Lehigh	UxB	Urban land-Penn complex, 0 to 8 percent slopes	8	535.1	0.002	\$ 671.40
Luzerne	Ln	Linden soils	1	4065.2	0.007	\$ 1,294.43
Luzerne	Ps	Pope soils	1	8978.3	0.015	\$ 1,366.77
Luzerne	Bf	Basher soils	2	4116.3	0.007	\$ 1,291.46
Luzerne	BkB	Bath channery silt loam, 3 to 8 percent slopes	2	1072.4	0.002	\$ 1,259.50
Luzerne	BrA	Braceville gravelly loam, 0 to 3 percent slopes	2	404.5	0.001	\$ 1,215.06
Luzerne	BrB	Braceville gravelly loam, 3 to 8 percent slopes	2	3411.8	0.006	\$ 1,181.28

Luzerne	BuB	Buchanan channery loam, 3 to 8 percent slopes	2	877	0.002	\$ 1,144.28
Luzerne	ChA	Chenango gravelly loam, 0 to 3 percent slopes	2	2868.5	0.005	\$ 1,146.68
Luzerne	ChB	Chenango gravelly loam, 3 to 8 percent slopes	2	8721.7	0.015	\$ 1,146.68
Luzerne	KdB	Kedron channery silt loam, 3 to 8 percent slopes	2	3098.3	0.005	\$ 1,144.28
Luzerne	LaB	Lackawanna channery silt loam, 3 to 8 percent slopes	2	6342.9	0.011	\$ 1,248.81
Luzerne	LkB	Leck kill channery silt loam, 3 to 8 percent slopes	2	2111.3	0.004	\$ 1,342.51
Luzerne	MaB	Mardin channery silt loam, 3 to 8 percent slopes	2	6088.7	0.01	\$ 1,213.09
Luzerne	MeB	Meckesville channery silt loam, 3 to 8 percent slopes	2	7684.6	0.013	\$ 1,150.79
Luzerne	OIB	Oquaga and Lordstown channery silt loams, 3 to 8 percent slopes	2	11809	0.02	\$ 1,051.59
Luzerne	WIB	Wellsboro channery silt loam, 3 to 8 percent slopes	2	17068.9	0.029	\$ 1,207.18
Luzerne	WrB	Wurtsboro channery loam, 3 to 8 percent slopes	2	3744.9	0.006	\$ 1,035.41
Luzerne	AIB	Alvira silt loam, 3 to 8 percent slopes	3	247.4	0	\$ 1,106.57
Luzerne	BkC	Bath channery silt loam, 8 to 15 percent slopes	3	1024	0.002	\$ 1,187.30
Luzerne	BrC	Braceville gravelly loam, 8 to 15 percent slopes	3	1400.2	0.002	\$ 1,142.14
Luzerne	ChC	Chenango gravelly loam, 8 to 15 percent slopes	3	5024.5	0.009	\$ 1,073.15
Luzerne	Ho	Holly silt loam	3	3432.5	0.006	\$ 1,158.98
Luzerne	KdC	Kedron channery silt loam, 8 to 15 percent slopes	3	742	0.001	\$ 1,064.81
Luzerne	KwB	Kedron channery silt loam, somewhat poorly drained, 0 to 8 percent slopes	3	1142.9	0.002	\$ 1,128.85
Luzerne	LaC	Lackawanna channery silt loam, 8 to 15 percent slopes	3	5305.6	0.009	\$ 1,185.29
Luzerne	LkC	Leck kill channery silt loam, 8 to 15 percent slopes	3	2299.1	0.004	\$ 1,306.24
Luzerne	MaC	Mardin channery silt loam, 8 to 15 percent slopes	3	4668.2	0.008	\$ 1,104.03
Luzerne	MeC	Meckesville channery silt loam, 8 to 15 percent slopes	3	3012.5	0.005	\$ 1,109.11
Luzerne	MoB	Morris channery silt loam, 0 to 8 percent slopes	3	7339.2	0.013	\$ 946.14
Luzerne	MoC	Morris channery silt loam, 8 to 15 percent slopes	3	1410	0.002	\$ 943.78
Luzerne	OIC	Oquaga and Lordstown channery silt loams, 8 to 15 percent slopes	3	13764.1	0.024	\$ 1,022.01
Luzerne	PoB	Pocono gravelly sandy loam, 3 to 8 percent slopes	3	2401	0.004	\$ 976.48
Luzerne	PoC	Pocono gravelly sandy loam, 8 to 15 percent slopes	3	486.8	0.001	\$ 929.55
Luzerne	RdA	Rexford loam, 0 to 3 percent slopes	3	1198.5	0.002	\$ 976.48
Luzerne	RdB	Rexford loam, 3 to 8 percent slopes	3	2190.4	0.004	\$ 976.48
Luzerne	VoB	Volusia channery silt loam, 0 to 8 percent slopes	3	3700.9	0.006	\$ 994.86
Luzerne	VoC	Volusia channery silt loam, 8 to 15 percent slopes	3	940.8	0.002	\$ 991.20
Luzerne	WeB	Weikert and Klinesville channery silt loams, 3 to 8 percent slopes	3	520.8	0.001	\$ 779.66
Luzerne	WIC	Wellsboro channery silt loam, 8 to 15 percent slopes	3	11144.4	0.019	\$ 1,104.88
Luzerne	WrC	Wurtsboro channery loam, 8 to 15 percent slopes	3	2342.5	0.004	\$ 1,003.51

Luzerne	At	Atherton silt loam, gray subsoil variant	4	838.5	0.001	\$ 962.55
Luzerne	BkD	Bath channery silt loam, 15 to 25 percent slopes	4	733.1	0.001	\$ 1,026.49
Luzerne	CIA	Chippewa silt loam, 0 to 3 percent slopes	4	6043.1	0.01	\$ 779.66
Luzerne	CIB	Chippewa silt loam, 3 to 8 percent slopes	4	2153.1	0.004	\$ 779.66
Luzerne	LaD	Lackawanna channery silt loam, 15 to 25 percent slopes	4	1835.6	0.003	\$ 1,106.99
Luzerne	LkD	Leck kill channery silt loam, 15 to 25 percent slopes	4	1155.8	0.002	\$ 1,191.30
Luzerne	MaD	Mardin channery silt loam, 15 to 25 percent slopes	4	626.9	0.001	\$ 943.78
Luzerne	MeD	Meckesville channery silt loam, 15 to 25 percent slopes	4	738.7	0.001	\$ 1,022.01
Luzerne	OID	Oquaga and Lordstown channery silt loams, 15 to 25 percent slopes	4	7914.1	0.014	\$ 976.48
Luzerne	ShA	Shelmadine silt loam, 0 to 5 percent slopes	4	280.5	0	\$ 1,026.76
Luzerne	SwD	Swartswood channery loam, 15 to 25 percent slopes	4	5	0	\$ 983.40
Luzerne	Wa	Wayland silt loam	4	1617.5	0.003	\$ 779.66
Luzerne	WeC	Weikert and Klinesville channery silt loams, 8 to 15 percent slopes	4	677.4	0.001	\$ 779.66
Luzerne	WID	Wellsboro channery silt loam, 15 to 25 percent slopes	4	2383.4	0.004	\$ 990.29
Luzerne	WrD	Wurtsboro channery loam, 15 to 25 percent slopes	4	381.6	0.001	\$ 976.48
Luzerne	WyD	Wyoming gravelly loam, 15 to 25 percent slopes	4	2784.8	0.005	\$ 881.15
Luzerne	Mu	Muck	5	2635.6	0.005	\$ 671.40
Luzerne	AnB	Alvira very stony silt loam, 0 to 8 percent slopes	6	1257.3	0.002	\$ 671.40
Luzerne	ASD	Arnot-Rock outcrop complex, 3 to 25 percent slopes	6	5.5	0	\$ 671.40
Luzerne	KeB	Kedron very stony silt loam, 3 to 8 percent slopes	6	862.4	0.001	\$ 671.40
Luzerne	KeC	Kedron very stony silt loam, 8 to 20 percent slopes	6	354.3	0.001	\$ 671.40
Luzerne	McB	Mardin channery silt loam, 3 to 8 percent slopes, very stony	6	2712.7	0.005	\$ 671.40
Luzerne	McD	Mardin channery silt loam, 8 to 25 percent slopes, very stony	6	3189.2	0.005	\$ 671.40
Luzerne	MfB	Meckesville very stony silt loam, 3 to 8 percent slopes	6	577.8	0.001	\$ 671.40
Luzerne	MfD	Meckesville very stony silt loam, 8 to 25 percent slopes	6	1109	0.002	\$ 671.40
Luzerne	WeD	Weikert and Klinesville channery silt loams, 15 to 25 percent slopes	6	445.4	0.001	\$ 671.40
Luzerne	Ag	Alluvial land	7	1636.7	0.003	\$ 671.40
Luzerne	ArB	Arnot-Rock outcrop complex, 0 to 8 percent slopes	7	5768	0.01	\$ 671.40
Luzerne	ArD	Arnot-Rock outcrop complex, 8 to 25 percent slopes	7	11524.1	0.02	\$ 671.40
Luzerne	ASF	Arnot-Rock outcrop complex, steep	7	16318.6	0.028	\$ 671.40
Luzerne	BnB	Bath channery silt loam, 3 to 8 percent slopes, extremely stony	7	428.8	0.001	\$ 671.40
Luzerne	BnD	Bath channery silt loam, 8 to 25 percent slopes, extremely stony	7	975.3	0.002	\$ 671.40
Luzerne	BxB	Buchanan extremely stony loam, 3 to 8 percent slopes	7	4161.1	0.007	\$ 671.40
Luzerne	BxD	Buchanan extremely stony loam, 8 to 25 percent slopes	7	679.8	0.001	\$ 671.40

Luzerne	CnB	Chippewa silt loam, 0 to 8 percent slopes, extremely stony	7	8861.7	0.015	\$ 671.40
Luzerne	DdB	Dekalb extremely stony sandy loam, 0 to 8 percent slopes	7	4097.1	0.007	\$ 671.40
Luzerne	DdD	Dekalb extremely stony sandy loam, 8 to 25 percent slopes	7	6249.5	0.011	\$ 671.40
Luzerne	DEF	Dekalb extremely stony sandy loam, steep	7	5306.8	0.009	\$ 671.40
Luzerne	KxB	Kedron very stony silt loam, somewhat poorly drained, 0 to 8 percent slopes	7	318.1	0.001	\$ 671.40
Luzerne	LcB	Lackawanna channery silt loam, 3 to 8 percent slopes, extremely stony	7	11489.6	0.02	\$ 671.40
Luzerne	LcD	Lackawanna channery silt loam, 8 to 25 percent slopes, extremely stony	7	18538.2	0.032	\$ 671.40
Luzerne	LEF	Lackawanna and Bath soils, steep, extremely stony	7	3545.1	0.006	\$ 671.40
Luzerne	LxB	Lordstown extremely stony silt loam, 3 to 8 percent slopes	7	2.1	0	\$ 671.40
Luzerne	LxD	Lordstown extremely stony silt loam, 8 to 25 percent slopes	7	8.8	0	\$ 671.40
Luzerne	Mg	Mine dump	7	6325.1	0.011	\$ 671.40
Luzerne	Mh	Mine dump, burned	7	515.3	0.001	\$ 671.40
Luzerne	Mm	Mine wash	7	937.8	0.002	\$ 671.40
Luzerne	MsB	Morris channery silt loam, 0 to 8 percent slopes, extremely stony	7	16443.7	0.028	\$ 671.40
Luzerne	MsC	Morris channery silt loam, 8 to 15 percent slopes, extremely stony	7	1199.6	0.002	\$ 671.40
Luzerne	OpB	Oquaga and Lordstown extremely stony silt loams, 3 to 8 percent slopes	7	20149.1	0.035	\$ 671.40
Luzerne	OpD	Oquaga and Lordstown extremely stony silt loams, 8 to 25 percent slopes	7	49534	0.085	\$ 671.40
Luzerne	OXF	Oquaga and Lordstown extremely stony silt loams steep	7	46863.7	0.081	\$ 671.40
Luzerne	PpB	Pocono extremely stony sandy loam, 3 to 8 percent slopes	7	10330.9	0.018	\$ 671.40
Luzerne	PpD	Pocono extremely stony sandy loam, 8 to 25 percent slopes	7	7278.9	0.013	\$ 671.40
Luzerne	SkB	Shelmadine very stony silt loam, 0 to 5 percent slopes	7	1249.8	0.002	\$ 671.40
Luzerne	Sm	Strip mine	7	25309.3	0.044	\$ 671.40
Luzerne	SxB	Swartswood extremely stony loam, 3 to 8 percent slopes	7	29.4	0	\$ 671.40
Luzerne	SxD	Swartswood extremely stony loam, 8 to 25 percent slopes	7	82.8	0	\$ 671.40
Luzerne	VrB	Volusia channery silt loam, 0 to 8 percent slopes, extremely stony	7	3332.9	0.006	\$ 671.40
Luzerne	VrC	Volusia channery silt loam, 8 to 15 percent slopes, extremely stony	7	676	0.001	\$ 671.40
Luzerne	WmB	Wellsboro channery silt loam, 3 to 8 percent slopes, extremely stony	7	31323.3	0.054	\$ 671.40
Luzerne	WmD	Wellsboro channery silt loam, 8 to 25 percent slopes, extremely stony	7	13939.1	0.024	\$ 671.40
Luzerne	WtB	Wurtsboro extremely stony loam, 3 to 8 percent slopes	7	4003	0.007	\$ 671.40
Luzerne	WtD	Wurtsboro extremely stony loam, 8 to 25 percent slopes	7	2852.7	0.005	\$ 671.40
Luzerne	WyF	Wyoming gravelly loam, 25 to 60 percent slopes	7	2528.2	0.004	\$ 671.40
Luzerne	GP	Gravel pits	8	717.3	0.001	\$ 671.40
Lycoming	Bb	Barbour fine sandy loam, occasionally flooded	1	7678.1	0.01	\$ 1,299.09
Lycoming	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	728.2	0.001	\$ 1,468.68

Lycoming	Lm	Linden loam	1	1586	0.002	\$ 1,294.57
Lycoming	Ln	Linden loam, occasionally flooded	1	7013.9	0.009	\$ 1,299.61
Lycoming	WaA	Washington silt loam, 0 to 3 percent slopes	1	822.6	0.001	\$ 1,445.73
Lycoming	WsA	Wheeling silt loam, 0 to 3 percent slopes	1	1438.3	0.002	\$ 1,342.51
Lycoming	AbB	Albrights silt loam, 3 to 8 percent slopes	2	2996.3	0.004	\$ 1,177.25
Lycoming	AlB	Allenwood gravelly silt loam, 3 to 8 percent slopes	2	6064.7	0.008	\$ 1,412.22
Lycoming	Ba	Barbour fine sandy loam	2	2481.1	0.003	\$ 1,222.50
Lycoming	Bc	Basher silt loam	2	3884.8	0.005	\$ 1,284.00
Lycoming	Bd	Basher silt loam, occasionally flooded	2	2806.1	0.004	\$ 1,294.57
Lycoming	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	3751.4	0.005	\$ 971.85
Lycoming	BtB	Buchanan-Andover gravelly loams, 3 to 8 percent slopes	2	31.4	0	\$ 1,240.74
Lycoming	ChA	Chenango gravelly loam, 0 to 3 percent slopes	2	2203.5	0.003	\$ 1,146.68
Lycoming	ClA	Clarksburg silt loam, 0 to 3 percent slopes	2	697.5	0.001	\$ 1,322.68
Lycoming	ClB	Clarksburg silt loam, 3 to 8 percent slopes	2	1549.3	0.002	\$ 1,321.66
Lycoming	CmB	Clymer channery loam, 3 to 8 percent slopes	2	15746.4	0.02	\$ 1,289.60
Lycoming	CoB	Cookport loam, 3 to 8 percent slopes	2	4578	0.006	\$ 976.48
Lycoming	DeB	Dekalb channery loam, 3 to 8 percent slopes	2	1900.6	0.002	\$ 976.48
Lycoming	DuB	Duncannon loam, 3 to 8 percent slopes	2	2275.6	0.003	\$ 1,230.68
Lycoming	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	1738.3	0.002	\$ 1,469.33
Lycoming	HhB	Hartleton channery silt loam, 3 to 8 percent slopes	2	4669.9	0.006	\$ 1,017.52
Lycoming	HiB	Hazleton-Clymer channery loams, 3 to 8 percent slopes	2	58.6	0	\$ 1,284.00
Lycoming	LaB	Lackawanna channery silt loam, 3 to 8 percent slopes	2	3898.2	0.005	\$ 1,248.81
Lycoming	LdB	Laidig channery silt loam, 3 to 8 percent slopes	2	984.6	0.001	\$ 1,150.79
Lycoming	LkB	Leck kill channery silt loam, 3 to 8 percent slopes	2	11956.5	0.015	\$ 1,300.71
Lycoming	OgB	Oquaga channery loam, 3 to 8 percent slopes	2	3740.8	0.005	\$ 990.29
Lycoming	TuA	Tunkhannock gravelly loam, 0 to 3 percent slopes	2	2679.1	0.003	\$ 1,066.20
Lycoming	TuB	Tunkhannock gravelly loam, 3 to 8 percent slopes	2	2172.6	0.003	\$ 1,066.20
Lycoming	WaB	Washington silt loam, 3 to 8 percent slopes	2	3294.6	0.004	\$ 1,445.73
Lycoming	WbA	Watson silt loam, 0 to 3 percent slopes	2	991.8	0.001	\$ 1,138.41
Lycoming	WbB	Watson silt loam, 3 to 8 percent slopes	2	6938.8	0.009	\$ 1,144.28
Lycoming	WiB	Wellsboro channery silt loam, 3 to 8 percent slopes	2	3702.3	0.005	\$ 1,207.18
Lycoming	WsB	Wheeling silt loam, 3 to 8 percent slopes	2	1612.9	0.002	\$ 1,342.51
Lycoming	AbC	Albrights silt loam, 8 to 15 percent slopes	3	1938.8	0.002	\$ 1,142.55
Lycoming	AlC	Allenwood gravelly silt loam, 8 to 15 percent slopes	3	2387.5	0.003	\$ 1,342.51

Lycoming	AvA	Alvira silt loam, 0 to 3 percent slopes	3	1212	0.002	\$ 1,104.88
Lycoming	AvB	Alvira silt loam, 3 to 8 percent slopes	3	3624.8	0.005	\$ 1,106.57
Lycoming	AvC	Alvira silt loam, 8 to 15 percent slopes	3	1620.3	0.002	\$ 1,072.29
Lycoming	BeC	Berks channery silt loam, 8 to 15 percent slopes	3	12198.8	0.015	\$ 931.93
Lycoming	CmC	Clymer channery loam, 8 to 15 percent slopes	3	1669	0.002	\$ 1,248.04
Lycoming	DeC	Dekalb channery loam, 8 to 15 percent slopes	3	1212.4	0.002	\$ 929.55
Lycoming	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	526.2	0.001	\$ 1,397.20
Lycoming	HhC	Hartleton channery silt loam, 8 to 15 percent slopes	3	11404.5	0.014	\$ 936.68
Lycoming	HIC	Hazleton-Clymer channery loams, 8 to 15 percent slopes	3	30.7	0	\$ 1,259.50
Lycoming	KIB	Klinesville shaly silt loam, 3 to 8 percent slopes	3	1084	0.001	\$ 789.79
Lycoming	LaC	Lackawanna channery silt loam, 8 to 15 percent slopes	3	2906.9	0.004	\$ 1,185.29
Lycoming	LdC	Laidig channery silt loam, 8 to 15 percent slopes	3	1926.4	0.002	\$ 1,109.11
Lycoming	LkC	Leck kill channery silt loam, 8 to 15 percent slopes	3	23903.2	0.03	\$ 1,287.73
Lycoming	MoB	Morris channery silt loam, 3 to 8 percent slopes	3	2571.1	0.003	\$ 946.14
Lycoming	MoC	Morris channery silt loam, 8 to 15 percent slopes	3	650	0.001	\$ 943.78
Lycoming	OgC	Oquaga channery loam, 8 to 15 percent slopes	3	6787.1	0.009	\$ 992.57
Lycoming	Re	Rexford gravelly loam	3	938.9	0.001	\$ 779.66
Lycoming	TuC	Tunkhannock gravelly loam, 8 to 15 percent slopes	3	1080.4	0.001	\$ 929.55
Lycoming	WaC	Washington silt loam, 8 to 15 percent slopes	3	1007.6	0.001	\$ 1,377.82
Lycoming	WbC	Watson silt loam, 8 to 15 percent slopes	3	4388.2	0.006	\$ 1,064.37
Lycoming	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	658.3	0.001	\$ 1,135.92
Lycoming	WIC	Wellsboro channery silt loam, 8 to 15 percent slopes	3	2182.2	0.003	\$ 1,104.88
Lycoming	Wy	Wyoming gravelly sandy loam, occasionally flooded	3	2582.5	0.003	\$ 1,066.20
Lycoming	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	18486.1	0.023	\$ 890.95
Lycoming	HhD	Hartleton channery silt loam, 15 to 25 percent slopes	4	4297.6	0.005	\$ 900.69
Lycoming	KIC	Klinesville shaly silt loam, 8 to 15 percent slopes	4	1957.2	0.002	\$ 779.66
Lycoming	LkD	Leck kill channery silt loam, 15 to 25 percent slopes	4	21040	0.026	\$ 1,111.22
Lycoming	NrA	Norwich silt loam, 0 to 3 percent slopes	4	633.6	0.001	\$ 779.66
Lycoming	OgD	Oquaga channery loam, 15 to 25 percent slopes	4	6075.5	0.008	\$ 943.78
Lycoming	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	2374.7	0.003	\$ 1,030.96
Lycoming	ShB	Shelmadine silt loam, 3 to 8 percent slopes	4	890.8	0.001	\$ 1,030.96
Lycoming	TuD	Tunkhannock gravelly loam, 15 to 25 percent slopes	4	642.2	0.001	\$ 881.15
Lycoming	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	1730.7	0.002	\$ 903.11
Lycoming	Ho	Holly silt loam	5	6133.5	0.008	\$ 1,066.20

Lycoming	AsD	Arnot-Rock outcrop complex, 3 to 25 percent slopes	6	41.2	0	\$ 671.40
Lycoming	AxB	Alvira very stony loam, 0 to 8 percent slopes	6	1826.9	0.002	\$ 671.40
Lycoming	BuB	Buchanan very stony loam, 0 to 8 percent slopes	6	1921.5	0.002	\$ 671.40
Lycoming	BuD	Buchanan very stony loam, 8 to 25 percent slopes	6	2996.4	0.004	\$ 671.40
Lycoming	CnB	Clymer very stony loam, 0 to 8 percent slopes	6	14497	0.018	\$ 671.40
Lycoming	CnD	Clymer very stony loam, 8 to 25 percent slopes	6	13934.6	0.018	\$ 671.40
Lycoming	CxB	Cookport very stony loam, 0 to 8 percent slopes	6	6765.1	0.008	\$ 671.40
Lycoming	CxD	Cookport very stony loam, 8 to 25 percent slopes	6	2983.2	0.004	\$ 671.40
Lycoming	DkB	Dekalb very stony sandy loam, 0 to 8 percent slopes	6	20942.7	0.026	\$ 671.40
Lycoming	DkD	Dekalb very stony sandy loam, 8 to 25 percent slopes	6	36246.8	0.046	\$ 671.40
Lycoming	KID	Klinesville shaly silt loam, 15 to 25 percent slopes	6	5396.6	0.007	\$ 671.40
Lycoming	LgB	Laidig very stony loam, 0 to 8 percent slopes	6	1195.8	0.002	\$ 671.40
Lycoming	LgD	Laidig very stony loam, 8 to 25 percent slopes	6	12576.7	0.016	\$ 671.40
Lycoming	OxB	Oquaga and Lordstown very stony loams, 0 to 8 percent slopes	6	12662.5	0.016	\$ 671.40
Lycoming	OxD	Oquaga and Lordstown very stony loams, 8 to 25 percent slopes	6	44325.9	0.056	\$ 671.40
Lycoming	SxD	Swartswood very stony sandy loam, 8 to 25 percent slopes	6	1787.1	0.002	\$ 671.40
Lycoming	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	3205.1	0.004	\$ 671.40
Lycoming	WxB	Wurtsboro very stony sandy loam, 0 to 8 percent slopes	6	4079.3	0.005	\$ 671.40
Lycoming	WxD	Wurtsboro very stony sandy loam, 8 to 25 percent slopes	6	1839.3	0.002	\$ 671.40
Lycoming	DIE	Dekalb and Lehew very stony sandy loams, 25 to 80 percent slopes	7	84705.7	0.106	\$ 671.40
Lycoming	HkE	Hazleton channery sandy loam, 25 to 80 percent slopes, rubbly	7	2505.7	0.003	\$ 671.40
Lycoming	HmB	Hazleton-Clymer channery loams, 0 to 8 percent slopes, extremely stony	7	298.6	0	\$ 671.40
Lycoming	HmD	Hazleton-Clymer channery loams, 8 to 25 percent slopes, extremely stony	7	1736.4	0.002	\$ 671.40
Lycoming	KIE	Klinesville channery silt loam, 25 to 80 percent slopes	7	19.2	0	\$ 671.40
Lycoming	LbB	Lackawanna channery silt loam, 0 to 8 percent slopes, extremely stony	7	3024.6	0.004	\$ 671.40
Lycoming	LbD	Lackawanna channery silt loam, 8 to 25 percent slopes, extremely stony	7	7698.6	0.01	\$ 671.40
Lycoming	LgE	Laidig very stony loam, 25 to 70 percent slopes	7	1796	0.002	\$ 671.40
Lycoming	MrB	Morris channery silt loam, 0 to 8 percent slopes, extremely stony	7	5379.6	0.007	\$ 671.40
Lycoming	NoB	Nolo very stony loam, 0 to 8 percent slopes	7	1124.1	0.001	\$ 671.40
Lycoming	NxB	Norwich channery silt loam, 0 to 8 percent slopes, extremely stony	7	946.2	0.001	\$ 671.40
Lycoming	OxE	Oquaga and Lordstown very stony loams, 25 to 70 percent slopes	7	131801.9	0.166	\$ 671.40
Lycoming	SvB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	688.5	0.001	\$ 671.40
Lycoming	Ud	Udifluents, loamy	7	7851.6	0.01	\$ 671.40
Lycoming	Uo	Udorthents, sandstone	7	973.5	0.001	\$ 671.40

Lycoming	WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	7	53800.7	0.068	\$ 671.40
Lycoming	WmB	Wellsboro channery silt loam, 0 to 8 percent slopes, extremely stony	7	4834.8	0.006	\$ 671.40
Lycoming	WmD	Wellsboro channery silt loam, 8 to 25 percent slopes, extremely stony	7	5665.3	0.007	\$ 671.40
Lycoming	Md	Medisaprists, ponded	8	5.2	0	\$ 671.40
Lycoming	Ru	Rubble land-Dystrochrepts complex, 15 to 80 percent slopes	8	4099.8	0.005	\$ 671.40
McKean	Ba	Barbour loam	1	806.9	0.001	\$ 1,295.91
McKean	AbB	Albrights silt loam, 3 to 8 percent slopes	2	8624.7	0.014	\$ 1,177.25
McKean	Bb	Basher silt loam	2	4454.2	0.007	\$ 1,295.91
McKean	BeB	Braceville silt loam, 3 to 8 percent slopes	2	1525.4	0.002	\$ 1,148.74
McKean	BuB	Buchanan silt loam, 3 to 8 percent slopes	2	10103.7	0.016	\$ 1,185.69
McKean	CbB	Castile gravelly silt loam, 3 to 8 percent slopes	2	93	0	\$ 1,132.18
McKean	ChB	Chenango gravelly loam, 3 to 8 percent slopes	2	1105	0.002	\$ 1,146.68
McKean	ClB	Clymer loam, 3 to 8 percent slopes	2	3327.2	0.005	\$ 1,317.22
McKean	CoA	Cookport loam, 0 to 3 percent slopes	2	9415.7	0.015	\$ 1,022.01
McKean	CoB	Cookport loam, 3 to 8 percent slopes	2	57906.9	0.092	\$ 976.48
McKean	EdB	Eldred silt loam, 3 to 8 percent slopes	2	18.7	0	\$ 861.36
McKean	EIB	Elko silt loam, 3 to 8 percent slopes	2	572.4	0.001	\$ 861.36
McKean	GnB	Gilpin channery silt loam, 3 to 8 percent slopes	2	4.5	0	\$ 1,136.34
McKean	HaB	Hartleton channery silt loam, 3 to 8 percent slopes	2	5804.8	0.009	\$ 994.86
McKean	HbB	Hazleton channery loam, 3 to 8 percent slopes	2	19457.6	0.031	\$ 1,324.50
McKean	KnB	Kinzua channery silt loam, 3 to 8 percent slopes	2	132.6	0	\$ 943.78
McKean	LeB	Leck Kill channery silt loam, 3 to 8 percent slopes	2	1222.4	0.002	\$ 1,295.17
McKean	MaB	Mandy channery silt loam, 3 to 8 percent slopes	2	20	0	\$ 861.36
McKean	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	11212.9	0.018	\$ 1,234.55
McKean	Po	Pope loam	2	3015.7	0.005	\$ 1,234.55
McKean	WaB	Wharton silt loam, 3 to 8 percent slopes	2	3908.1	0.006	\$ 939.05
McKean	AbC	Albrights silt loam, 8 to 15 percent slopes	3	23972.8	0.038	\$ 1,142.55
McKean	BuC	Buchanan silt loam, 8 to 15 percent slopes	3	15385.8	0.024	\$ 1,149.15
McKean	CaA	Cavode silt loam, 0 to 3 percent slopes	3	875.5	0.001	\$ 1,070.55
McKean	CaB	Cavode silt loam, 3 to 8 percent slopes	3	3031.7	0.005	\$ 1,074.88
McKean	CeC	Ceres channery silt loam, 8 to 15 percent slopes	3	41.3	0	\$ 903.11
McKean	CoC	Cookport loam, 8 to 15 percent slopes	3	4050.9	0.006	\$ 939.05
McKean	EIC	Elko silt loam, 8 to 15 percent slopes	3	382.9	0.001	\$ 818.48
McKean	GnC	Gilpin channery silt loam, 8 to 15 percent slopes	3	8.1	0	\$ 1,096.37

McKean	HaC	Hartleton channery silt loam, 8 to 15 percent slopes	3	9474.8	0.015	\$ 936.68
McKean	HbC	Hazleton channery loam, 8 to 15 percent slopes	3	9337.9	0.015	\$ 1,253.78
McKean	KnC	Kinzua channery silt loam, 8 to 15 percent slopes	3	137.8	0	\$ 903.11
McKean	LeC	Leck Kill channery silt loam, 8 to 15 percent slopes	3	5849.2	0.009	\$ 1,258.36
McKean	MaC	Mandy channery silt loam, 8 to 15 percent slopes	3	15.7	0	\$ 818.48
McKean	OnC	Onoville silt loam, 8 to 15 percent slopes	3	47.3	0	\$ 818.48
McKean	PoB	Portville silty clay loam, 3 to 8 percent slopes	3	36.9	0	\$ 861.36
McKean	ReA	Rexford silt loam, 0 to 3 percent slopes	3	390.3	0.001	\$ 998.05
McKean	ShB	Shongo silt loam, 3 to 8 percent slopes	3	8.7	0	\$ 779.66
McKean	WaC	Wharton silt loam, 8 to 15 percent slopes	3	19.8	0	\$ 861.36
McKean	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	9520.4	0.015	\$ 1,022.01
McKean	BrA	Brinkerton soils, 0 to 3 percent slopes	4	4648.3	0.007	\$ 1,089.96
McKean	BrB	Brinkerton soils, 3 to 8 percent slopes	4	3815.7	0.006	\$ 1,089.96
McKean	BuD	Buchanan silt loam, 15 to 25 percent slopes	4	24.3	0	\$ 1,098.50
McKean	CaD	Cavode silt loam, 15 to 25 percent slopes	4	3.5	0	\$ 943.78
McKean	CeD	Ceres channery silt loam, 15 to 25 percent slopes	4	83.2	0	\$ 818.48
McKean	HaD	Hartleton channery silt loam, 15 to 25 percent slopes	4	10215.7	0.016	\$ 900.69
McKean	KnD	Kinzua channery silt loam, 15 to 25 percent slopes	4	230.6	0	\$ 818.48
McKean	LeD	Leck Kill channery silt loam, 15 to 25 percent slopes	4	17599.8	0.028	\$ 1,167.13
McKean	MeD	Meckesville channery silt loam, 15 to 25 percent slopes	4	1506.1	0.002	\$ 992.57
McKean	WaD	Wharton silt loam, 15 to 25 percent slopes	4	6.3	0	\$ 779.66
McKean	Pa	Palms muck	5	265.8	0	\$ 671.40
McKean	BxB	Buchanan silt loam, 0 to 8 percent slopes, very stony	6	15863.1	0.025	\$ 671.40
McKean	BxD	Buchanan silt loam, 8 to 25 percent slopes, very stony	6	55958.5	0.089	\$ 671.40
McKean	CeE	Ceres channery silt loam, 25 to 35 percent slopes	6	2351.6	0.004	\$ 671.40
McKean	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	33756.8	0.054	\$ 671.40
McKean	CpD	Cookport loam, 8 to 25 percent slopes, very stony	6	16120	0.026	\$ 671.40
McKean	GsC	Gilpin very stony silt loam, 8 to 15 percent slopes	6	45.4	0	\$ 671.40
McKean	HdB	Hazleton channery loam, 0 to 8 percent slopes, very stony	6	24450.3	0.039	\$ 671.40
McKean	HdD	Hazleton channery loam, 8 to 25 percent slopes, very stony	6	30262.1	0.048	\$ 671.40
McKean	HeD	Hartleton channery silt loam, 8 to 25 percent slopes, very stony	6	24	0	\$ 671.40
McKean	KnE	Kinzua channery silt loam, 25 to 35 percent slopes	6	642.4	0.001	\$ 671.40
McKean	MaE	Mandy channery silt loam, 25 to 35 percent slopes	6	191.2	0	\$ 671.40
McKean	WxB	Wharton silt loam, 0 to 8 percent slopes, very stony	6	334.1	0.001	\$ 671.40

McKean	AdC	Albrights silt loam, 8 to 15 percent slopes, extremely stony	7	1338.8	0.002	\$ 671.40
McKean	BsB	Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely stony	7	5542.1	0.009	\$ 671.40
McKean	CeF	Ceres channery silt loam, 35 to 50 percent slopes	7	628.6	0.001	\$ 671.40
McKean	GpF	Gilpin channery silt loam, 35 to 65 percent slopes	7	931.5	0.001	\$ 671.40
McKean	HdF	Hazleton very stony sandy loam, 25 to 80 percent slopes	7	4030.3	0.006	\$ 671.40
McKean	HeF	Hartleton and Buchanan soils, 25 to 60 percent slopes	7	135737.8	0.215	\$ 671.40
McKean	KnF	Kinzua channery silt loam, 35 to 60 percent slopes	7	3340.1	0.005	\$ 671.40
McKean	LeF	Leck Kill channery silt loam, 25 to 50 percent slopes	7	30391.3	0.048	\$ 671.40
McKean	MbC	Mandy channery silt loam, 3 to 15 percent slopes, extremely bouldery	7	125	0	\$ 671.40
McKean	MbD	Mandy channery silt loam, 15 to 25 percent slopes, extremely bouldery	7	112.2	0	\$ 671.40
McKean	OxD	Onoville silt loam, 15 to 25 percent slopes, extremely bouldery	7	72	0	\$ 671.40
McKean	Sm	Udorthents, extremely channery	7	1190.1	0.002	\$ 671.40
Mercer	Un	Unadilla silt loam	1	177.8	0	\$ 1,191.30
Mercer	BrB2	Braceville gravelly loam, 3 to 8 percent slopes, moderately eroded	2	3107.8	0.007	\$ 1,182.48
Mercer	BvA	Braceville silt loam, 0 to 3 percent slopes	2	1176.4	0.003	\$ 1,179.27
Mercer	BvB2	Braceville silt loam, 3 to 8 percent slopes, moderately eroded	2	9269.3	0.021	\$ 1,148.74
Mercer	CdA	Canfield silt loam, 0 to 3 percent slopes	2	2519.9	0.006	\$ 1,109.11
Mercer	CdB2	Canfield silt loam, 3 to 8 percent slopes	2	35007	0.08	\$ 1,150.79
Mercer	CeB	Canfield-Urban land complex, 2 to 6 percent slopes	2	4.2	0	\$ 779.66
Mercer	Cf	Chenango fine sandy loam, flooded	2	657.7	0.002	\$ 1,150.79
Mercer	Ch	Chenango fine sandy loam, low terrace	2	473.2	0.001	\$ 1,150.79
Mercer	CIA	Chenango gravelly loam, 0 to 3 percent slopes	2	670.5	0.002	\$ 1,154.07
Mercer	CIB2	Chenango gravelly loam, 3 to 8 percent slopes, moderately eroded	2	9697.5	0.022	\$ 1,152.43
Mercer	CoA	Chenango silt loam, 0 to 3 percent slopes	2	483.4	0.001	\$ 1,156.12
Mercer	CoB2	Chenango silt loam, 3 to 8 percent slopes, moderately eroded	2	2721	0.006	\$ 1,190.90
Mercer	CpA	Chili loam, 0 to 2 percent slopes	2	8.9	0	\$ 1,209.55
Mercer	CpB	Chili loam, 2 to 6 percent slopes	2	17.8	0	\$ 1,230.68
Mercer	CsB	Chili-Urban land complex, 2 to 6 percent slopes	2	15	0	\$ 859.97
Mercer	JtA	Jimtown loam, 0 to 2 percent slopes	2	13.7	0	\$ 1,086.10
Mercer	JtB	Jimtown loam, 2 to 6 percent slopes	2	10.4	0	\$ 1,085.32
Mercer	Or	Orrville silt loam, frequently flooded	2	54.6	0	\$ 983.40
Mercer	Rf	Red Hook silt loam, flooded	2	1380.2	0.003	\$ 1,150.79
Mercer	Rh	Red Hook silt loam, low terrace	2	847.4	0.002	\$ 1,109.11
Mercer	BeB	Bethesda channery silt loam, 0 to 8 percent slopes	3	739.3	0.002	\$ 779.66

Mercer	BrC2	Braceville gravelly loam, 8 to 15 percent slopes, moderately eroded	3	616.5	0.001	\$ 1,143.38
Mercer	BvC2	Braceville silt loam, 8 to 15 percent slopes, moderately eroded	3	1333.7	0.003	\$ 1,125.93
Mercer	Ca	Caneadea silt loam	3	316.8	0.001	\$ 1,073.15
Mercer	CdC2	Canfield silt loam, 8 to 15 percent slopes	3	18786.4	0.043	\$ 1,113.33
Mercer	CIC2	Chenango gravelly loam, 8 to 15 percent slopes, moderately eroded	3	5318.8	0.012	\$ 1,070.55
Mercer	CoC2	Chenango silt loam, 8 to 15 percent slopes, moderately eroded	3	1185.6	0.003	\$ 1,070.55
Mercer	CpC	Chili loam, 6 to 12 percent slopes	3	13.8	0	\$ 1,142.55
Mercer	FaB	Fairpoint channery silt loam, 0 to 8 percent slopes	3	3270.6	0.007	\$ 779.66
Mercer	Ho	Holly silt loam	3	1519.8	0.003	\$ 1,167.13
Mercer	LoC	Lordstown silt loam, 5 to 15 percent slopes	3	627.6	0.001	\$ 1,026.49
Mercer	LzC2	Loudonville loam, 6 to 12 percent slopes, moderately eroded	3	45.8	0	\$ 903.11
Mercer	RaA	Ravenna silt loam, 0 to 3 percent slopes	3	29846.3	0.068	\$ 1,145.85
Mercer	RaB2	Ravenna silt loam, 3 to 8 percent slopes	3	123571.7	0.283	\$ 1,146.68
Mercer	RaC2	Ravenna silt loam, 8 to 15 percent slopes	3	7948.7	0.018	\$ 1,029.17
Mercer	RoB2	Red Hook silt loam, 3 to 8 percent slopes, moderately eroded	3	8734	0.02	\$ 1,109.11
Mercer	Sb	Sebring silt loam, 0 to 2 percent slopes	3	2.1	0	\$ 1,083.52
Mercer	Wa	Wayland silt loam, coarse variant	3	21261.3	0.049	\$ 1,150.79
Mercer	BeD	Bethesda channery silt loam, 8 to 25 percent slopes	4	1788.5	0.004	\$ 779.66
Mercer	CdC3	Canfield silt loam, 8 to 15 percent slopes, severely eroded	4	678.4	0.002	\$ 1,039.85
Mercer	CdD2	Canfield silt loam, 15 to 25 percent slopes	4	5483.5	0.013	\$ 779.66
Mercer	CID2	Chenango gravelly loam, 15 to 25 percent slopes, moderately eroded	4	1379	0.003	\$ 985.70
Mercer	CnC2	Chenango gravelly loam, moderately eroded, rolling	4	3459.5	0.008	\$ 1,067.07
Mercer	CoD2	Chenango silt loam, 15 to 25 percent slopes, moderately eroded	4	354.2	0.001	\$ 985.70
Mercer	CrD	Chili gravelly loam, 12 to 18 percent slopes	4	16.7	0	\$ 1,096.37
Mercer	FaD	Fairpoint channery silt loam, 8 to 25 percent slopes	4	842.4	0.002	\$ 779.66
Mercer	FeA	Frenchtown silt loam, 0 to 3 percent slopes	4	54864.6	0.126	\$ 1,035.41
Mercer	FeB	Frenchtown silt loam, 3 to 8 percent slopes	4	15575	0.036	\$ 1,074.88
Mercer	Fr	Frenchtown and Luray silt loams, 0 to 3 percent slopes	4	8200.4	0.019	\$ 1,188.10
Mercer	Ha	Halsey silt loam	4	13741.2	0.031	\$ 779.66
Mercer	LoD	Lordstown silt loam, 15 to 25 percent slopes	4	502.9	0.001	\$ 925.25
Mercer	Pa	Papakating silt loam	4	6236.9	0.014	\$ 1,066.20
Mercer	RaC3	Ravenna silt loam, 8 to 15 percent slopes, severely eroded	4	338.5	0.001	\$ 853.38
Mercer	RaD2	Ravenna silt loam, 15 to 25 percent slopes, eroded	4	663.5	0.002	\$ 779.66
Mercer	Mp	Muck and Peat	5	1931.5	0.004	\$ 671.40

Mercer	CdE	Canfield silt loam, 25 to 35 percent slopes	6	1533.8	0.004	\$ 671.40
Mercer	CnD2	Chenango gravelly loam, moderately eroded, hilly	6	1049.1	0.002	\$ 985.70
Mercer	FhB	Frenchtown silt loam, 0 to 8 percent slopes, very stony	6	392	0.001	\$ 671.40
Mercer	ReC	Ravenna silt loam, 0 to 15 percent slopes, very stony	6	2426.3	0.006	\$ 671.40
Mercer	BfF	Bethesda and Fairpoint channery silt loams, 25 to 70 percent slopes	7	1377.1	0.003	\$ 671.40
Mercer	LrD	Lordstown silt loam, 8 to 25 percent slopes, very stony	7	1336.3	0.003	\$ 671.40
Mercer	LrE	Lordstown silt loam, 25 to 45 percent slopes, extremely stony	7	3740.5	0.009	\$ 671.40
Mercer	LxF	Lordstown-Rock outcrop complex, 18 to 50 percent slopes	7	51.6	0	\$ 671.40
Mercer	UaC	Udorthents, loamy, 0 to 15 percent slopes	7	630.4	0.001	\$ 671.40
Mercer	UbC	Udorthents, sandy, 0 to 15 percent slopes	7	2168.3	0.005	\$ 671.40
Mercer	DAM	Dams	8	5.2	0	\$ 671.40
Mercer	Ur	Urban land	8	1934.3	0.004	\$ 671.40
Mercer	UuB	Urban land-Udorthents complex, 0 to 8 percent slopes	8	1563.5	0.004	\$ 671.40
Monroe	AnA	Allenwood gravelly silt loam, 0 to 3 percent slopes	1	452.1	0.001	\$ 1,412.22
Monroe	CpA	Clymer loam, 0 to 3 percent slopes	1	1262.6	0.003	\$ 1,306.24
Monroe	MeA	Meckesville gravelly loam, 0 to 3 percent slopes	1	661.2	0.002	\$ 1,230.68
Monroe	Po	Pope silt loam	1	1886.7	0.005	\$ 1,392.38
Monroe	Pp	Pope silt loam, high bottom	1	1720.6	0.004	\$ 1,388.24
Monroe	AnB	Allenwood gravelly silt loam, 3 to 8 percent slopes	2	737	0.002	\$ 1,412.22
Monroe	BaB	Bath channery silt loam, 3 to 8 percent slopes	2	1565.8	0.004	\$ 1,259.50
Monroe	BrA	Braceville gravelly loam, 0 to 3 percent slopes	2	1331.1	0.003	\$ 1,215.06
Monroe	BrB	Braceville gravelly loam, 3 to 8 percent slopes	2	1415	0.004	\$ 1,181.28
Monroe	BuB	Buchanan loam, 3 to 8 percent slopes	2	838.9	0.002	\$ 1,146.68
Monroe	ChA	Chenango gravelly loam, 0 to 3 percent slopes	2	1413.6	0.004	\$ 1,146.68
Monroe	ChB	Chenango gravelly loam, 3 to 8 percent slopes	2	1678.5	0.004	\$ 1,146.68
Monroe	CpB	Clymer loam, 3 to 8 percent slopes	2	1069	0.003	\$ 1,306.24
Monroe	HaB	Hartleton channery silt loam, 2 to 8 percent slopes	2	2941	0.007	\$ 1,066.20
Monroe	KaB	Kedron silt loam, 2 to 8 percent slopes	2	1379.2	0.004	\$ 1,144.62
Monroe	LaB	Lackawanna channery loam, 2 to 8 percent slopes	2	2753.3	0.007	\$ 1,251.11
Monroe	Lh	Lawrenceville silt loam	2	633.5	0.002	\$ 1,171.19
Monroe	LkB	Leck kill channery silt loam, 2 to 8 percent slopes	2	2712.5	0.007	\$ 1,342.51
Monroe	LsB	Lordstown channery silt loam, 3 to 8 percent slopes	2	1484.3	0.004	\$ 1,144.62
Monroe	MaB	Mardin channery silt loam, 2 to 8 percent slopes	2	3128.8	0.008	\$ 1,039.85
Monroe	MeB	Meckesville gravelly loam, 3 to 8 percent slopes	2	2266.4	0.006	\$ 1,230.68

Monroe	OkB	Oquaga-Lackawanna channery loams, 3 to 8 percent slopes	2	1908.9	0.005	\$ 1,106.99
Monroe	Ph	Philo silt loam	2	2027.1	0.005	\$ 1,358.52
Monroe	SwB	Swartswood channery sandy loam, 3 to 8 percent slopes	2	724	0.002	\$ 1,146.68
Monroe	WaB	Watson silt loam, 2 to 8 percent slopes	2	1261.1	0.003	\$ 1,140.90
Monroe	WmB	Wellsboro channery loam, 3 to 8 percent slopes	2	3332.4	0.008	\$ 1,207.18
Monroe	WsB	Wurtsboro channery loam, 2 to 12 percent slopes	2	869.8	0.002	\$ 1,057.47
Monroe	AnC	Allenwood gravelly silt loam, 8 to 20 percent slopes	3	194.4	0	\$ 1,342.51
Monroe	AvB	Alvira gravelly silt loam, 3 to 8 percent slopes	3	350.5	0.001	\$ 1,100.63
Monroe	BaC	Bath channery silt loam, 8 to 15 percent slopes	3	1752.8	0.004	\$ 1,187.30
Monroe	ChC	Chenango gravelly loam, 8 to 15 percent slopes	3	798.1	0.002	\$ 1,073.15
Monroe	CpC	Clymer loam, 8 to 15 percent slopes	3	650.6	0.002	\$ 1,230.68
Monroe	HaC	Hartleton channery silt loam, 8 to 20 percent slopes	3	1312.5	0.003	\$ 1,022.01
Monroe	Hy	Holly silt loam	3	3626.5	0.009	\$ 1,150.79
Monroe	KaC	Kedron silt loam, 8 to 15 percent slopes	3	228.4	0.001	\$ 1,064.90
Monroe	KvB	Klinesville channery silt loam, 3 to 8 percent slopes	3	680.3	0.002	\$ 779.66
Monroe	LaC	Lackawanna channery loam, 8 to 15 percent slopes	3	1540.4	0.004	\$ 1,153.66
Monroe	LkC	Leck kill channery silt loam, 8 to 15 percent slopes	3	2178.2	0.006	\$ 1,306.24
Monroe	LsC	Lordstown channery silt loam, 8 to 15 percent slopes	3	2485.9	0.006	\$ 1,106.99
Monroe	MaC	Mardin channery silt loam, 8 to 15 percent slopes	3	1511.7	0.004	\$ 1,104.03
Monroe	MeC	Meckesville gravelly loam, 8 to 15 percent slopes	3	900.8	0.002	\$ 1,191.30
Monroe	MgB	Morris channery silt loam, 2 to 10 percent slopes	3	1360.2	0.003	\$ 946.14
Monroe	OkC	Oquaga-Lackawanna channery loams, 8 to 15 percent slopes	3	2195	0.006	\$ 1,010.76
Monroe	ReA	Rexford gravelly silt loam, 0 to 3 percent slopes	3	1512.3	0.004	\$ 1,003.96
Monroe	ReB	Rexford gravelly silt loam, 3 to 8 percent slopes	3	410.4	0.001	\$ 1,017.52
Monroe	Sh	Sheffield silt loam	3	1618.1	0.004	\$ 929.55
Monroe	SwC	Swartswood channery sandy loam, 8 to 15 percent slopes	3	483.4	0.001	\$ 1,070.55
Monroe	VoA	Volusia gravelly silt loam, 0 to 3 percent slopes	3	327.2	0.001	\$ 953.19
Monroe	VoB	Volusia gravelly silt loam, 3 to 8 percent slopes	3	950.9	0.002	\$ 987.99
Monroe	WeB3	Weikert channery silt loam, 3 to 8 percent slopes, eroded	3	555.8	0.001	\$ 779.66
Monroe	WhB	Weikert-Hartleton channery silt loams, 3 to 8 percent slopes	3	2820.8	0.007	\$ 861.36
Monroe	WmC	Wellsboro channery loam, 8 to 15 percent slopes	3	988.4	0.003	\$ 1,104.88
Monroe	WyA	Wyoming gravelly sandy loam, 0 to 3 percent slopes	3	1915	0.005	\$ 1,079.21
Monroe	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	4097.1	0.01	\$ 1,079.21
Monroe	Ad	Alden mucky silt loam	4	745	0.002	\$ 779.66

Monroe	BaD	Bath channery silt loam, 15 to 25 percent slopes	4	283.7	0.001	\$ 1,026.49
Monroe	CmA	Chippewa and Norwich silt loams, 0 to 5 percent slopes	4	1564.6	0.004	\$ 779.66
Monroe	KvC	Klinesville channery silt loam, 8 to 15 percent slopes	4	682.3	0.002	\$ 779.66
Monroe	LaD	Lackawanna channery loam, 15 to 25 percent slopes	4	676.8	0.002	\$ 1,106.99
Monroe	LkD	Leck kill channery silt loam, 15 to 25 percent slopes	4	743.5	0.002	\$ 1,191.30
Monroe	LsD	Lordstown channery silt loam, 15 to 25 percent slopes	4	1704.3	0.004	\$ 1,019.77
Monroe	OkD	Oquaga-Lackawanna channery loams, 15 to 25 percent slopes	4	1032.6	0.003	\$ 946.14
Monroe	RuC	Rushtown shaly silt loam, 5 to 15 percent slopes	4	561.7	0.001	\$ 881.15
Monroe	SmA	Shelmadine silt loam, 0 to 3 percent slopes	4	509.8	0.001	\$ 1,030.96
Monroe	Wb	Wayland silty clay loam	4	2346.2	0.006	\$ 779.66
Monroe	WeC3	Weikert channery silt loam, 8 to 15 percent slopes, eroded	4	625.2	0.002	\$ 779.66
Monroe	WhC	Weikert-Hartleton channery silt loams, 8 to 15 percent slopes	4	2804.4	0.007	\$ 779.66
Monroe	WyC	Wyoming gravelly sandy loam, 8 to 15 percent slopes	4	5159.9	0.013	\$ 955.54
Monroe	WyD	Wyoming gravelly sandy loam, 15 to 25 percent slopes	4	1991.3	0.005	\$ 779.66
Monroe		18 Paupack mucky peat	5	28.4	0	\$ 671.40
Monroe		20 Freetown mucky peat	5	301.5	0.001	\$ 671.40
Monroe	Mp	Mucky peat, deep	5	3592.4	0.009	\$ 671.40
Monroe	Ms	Mucky peat, shallow	5	5586.2	0.014	\$ 671.40
Monroe	239B	Oquaga very stony loam, 0 to 8 percent slopes, extremely bouldery	6	4.7	0	\$ 671.40
Monroe	239C	Oquaga very stony loam, 8 to 15 percent slopes, extremely bouldery	6	402.3	0.001	\$ 671.40
Monroe	239D	Oquaga very stony loam, 15 to 30 percent slopes, extremely bouldery	6	443.8	0.001	\$ 671.40
Monroe	30B	Wurtsboro stony fine sandy loam, 0 to 8 percent slopes, extremely stony	6	482.7	0.001	\$ 671.40
Monroe	30C	Wurtsboro stony fine sandy loam, 8 to 15 percent slopes, extremely stony	6	6.4	0	\$ 671.40
Monroe	9B	Craigsville-Wyoming complex, 0 to 8 percent slopes, extremely stony	6	24.1	0	\$ 671.40
Monroe	AwB	Alvira and Watson very stony loams, 0 to 12 percent slopes	6	713	0.002	\$ 671.40
Monroe	BeB	Benson-Rock outcrop complex, 0 to 8 percent slopes	6	1774.5	0.005	\$ 784.89
Monroe	BeC	Benson-Rock outcrop complex, 8 to 25 percent slopes	6	6007.7	0.015	\$ 671.40
Monroe	KdB	Kedron very stony loam, 0 to 8 percent slopes	6	1230.5	0.003	\$ 671.40
Monroe	KvD	Klinesville channery silt loam, 15 to 25 percent slopes	6	533.1	0.001	\$ 671.40
Monroe	MbB	Mardin very stony silt loam, 0 to 8 percent slopes	6	2066.9	0.005	\$ 671.40
Monroe	MbC	Mardin very stony silt loam, 8 to 25 percent slopes	6	868.8	0.002	\$ 671.40
Monroe	MfB	Meckesville very stony loam, 0 to 8 percent slopes	6	2296.5	0.006	\$ 671.40
Monroe	MfC	Meckesville very stony loam, 8 to 25 percent slopes	6	1411.4	0.004	\$ 671.40
Monroe	RuD	Rushtown shaly silt loam, 15 to 30 percent slopes	6	346	0.001	\$ 671.40

Monroe	WeD3	Weikert channery silt loam, 15 to 25 percent slopes, eroded	6	836.1	0.002	\$ 671.40
Monroe	WhD	Weikert-Hartleton channery silt loams, 15 to 25 percent slopes	6	1051.6	0.003	\$ 671.40
Monroe	111B	Edgemere-Shohola complex, 3 to 15 percent slopes, very rubbly	7	186.4	0	\$ 671.40
Monroe	11A	Edgemere extremely stony loam, 0 to 3 percent slopes, very rubbly	7	255.8	0.001	\$ 671.40
Monroe	240F	Oquaga-Arnot-Rock outcrop complex, 20 to 60 percent slopes, very rubbly	7	187	0	\$ 671.40
Monroe	321D	Lackawanna channery loam, 15 to 30 percent slopes, extremely stony	7	1.4	0	\$ 671.40
Monroe	7B	Shohola-Edgemere complex, 0 to 8 percent slopes, very rubbly	7	47.6	0	\$ 671.40
Monroe	7C	Shohola-Edgemere complex, 8 to 15 percent slopes, very rubbly	7	1.4	0	\$ 671.40
Monroe	BbB	Bath channery silt loam, 0 to 8 percent slopes, extremely stony	7	513.2	0.001	\$ 671.40
Monroe	BbC	Bath channery silt loam, 8 to 25 percent slopes, extremely stony	7	920	0.002	\$ 671.40
Monroe	BeF	Benson-Rock outcrop complex, 25 to 70 percent slopes	7	5686.8	0.014	\$ 671.40
Monroe	BxB	Buchanan extremely stony loam, 0 to 8 percent slopes	7	3421.5	0.009	\$ 671.40
Monroe	BxC	Buchanan extremely stony loam, 8 to 25 percent slopes	7	416.8	0.001	\$ 671.40
Monroe	CnB	Chippewa and Norwich soils, 0 to 8 percent slopes, extremely stony	7	18240.2	0.046	\$ 671.40
Monroe	CxB	Clymer extremely stony loam, 0 to 8 percent slopes	7	8386.7	0.021	\$ 671.40
Monroe	CxC	Clymer extremely stony loam, 8 to 25 percent slopes	7	1281.2	0.003	\$ 671.40
Monroe	DxB	Dekalb extremely stony loam, 0 to 8 percent slopes	7	2771.2	0.007	\$ 671.40
Monroe	DxC	Dekalb extremely stony loam, 8 to 25 percent slopes	7	3561	0.009	\$ 671.40
Monroe	DxE	Dekalb extremely stony loam, 25 to 80 percent slopes	7	4603.7	0.012	\$ 671.40
Monroe	ExB	Empeyville extremely stony sandy loam, 0 to 8 percent slopes	7	4589.2	0.012	\$ 671.40
Monroe	HxB	Hazleton extremely stony sandy loam, 0 to 8 percent slopes	7	462.8	0.001	\$ 671.40
Monroe	HxC	Hazleton extremely stony sandy loam, 8 to 25 percent slopes	7	2677.4	0.007	\$ 671.40
Monroe	LbB	Lackawanna channery loam, 0 to 8 percent slopes, extremely stony	7	13412.9	0.034	\$ 671.40
Monroe	LbC	Lackawanna channery loam, 8 to 25 percent slopes, rubbly	7	8259.7	0.021	\$ 671.40
Monroe	LBE	Lackawanna and Bath soils, steep, rubbly	7	2656.4	0.007	\$ 671.40
Monroe	LgB	Laidig extremely stony loam, 0 to 8 percent slopes	7	2015.6	0.005	\$ 671.40
Monroe	LgC	Laidig extremely stony loam, 8 to 25 percent slopes	7	723.8	0.002	\$ 671.40
Monroe	LxB	Lordstown extremely stony silt loam, 0 to 8 percent slopes	7	3096.6	0.008	\$ 671.40
Monroe	LxC	Lordstown extremely stony silt loam, 8 to 25 percent slopes	7	9845.1	0.025	\$ 671.40
Monroe	LyE	Lordstown and Oquaga extremely stony soils, 25 to 70 percent slopes	7	14984.3	0.038	\$ 671.40
Monroe	MoB	Morris channery silt loam, 0 to 8 percent slopes, extremely stony	7	13838.7	0.035	\$ 671.40
Monroe	MoC	Morris channery silt loam, 8 to 25 percent slopes, extremely stony	7	865.1	0.002	\$ 671.40
Monroe	OxB	Oquaga-Lackawanna complex, 0 to 8 percent slopes, extremely stony	7	8320.7	0.021	\$ 671.40
Monroe	OxC	Oquaga-Lackawanna complex, 8 to 25 percent slopes, extremely stony	7	17197.6	0.044	\$ 671.40

Monroe	SpB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	762.4	0.002	\$ 671.40
Monroe	SxB	Swartswood extremely stony sandy loam, 0 to 8 percent slopes	7	12292.8	0.031	\$ 671.40
Monroe	SxC	Swartswood extremely stony sandy loam, 8 to 25 percent slopes	7	4658.5	0.012	\$ 671.40
Monroe	VaC	Very stony land and Rock outcrops, sloping	7	2677.1	0.007	\$ 671.40
Monroe	VaE	Very stony land and Rock outcrops, steep	7	2347.5	0.006	\$ 671.40
Monroe	VxB	Volusia channery silt loam, 0 to 8 percent slopes, rubbly	7	13844.4	0.035	\$ 671.40
Monroe	WKE	Weikert and Klinesville soils, steep	7	6028.8	0.015	\$ 671.40
Monroe	WpB	Wellsboro channery loam, 0 to 8 percent slopes, extremely stony	7	19164.4	0.049	\$ 671.40
Monroe	WpC	Wellsboro channery loam, 8 to 25 percent slopes, extremely stony	7	4969	0.013	\$ 671.40
Monroe	WrB	Worth extremely stony sandy loam, 0 to 8 percent slopes	7	2008.1	0.005	\$ 671.40
Monroe	WrC	Worth extremely stony sandy loam, 8 to 25 percent slopes	7	1306.9	0.003	\$ 671.40
Monroe	WxB	Wurtsboro extremely stony loam, 0 to 8 percent slopes	7	17265.4	0.044	\$ 671.40
Monroe	WxC	Wurtsboro extremely stony loam, 8 to 25 percent slopes	7	2475.4	0.006	\$ 671.40
Monroe	WyE	Wyoming gravelly sandy loam, 25 to 70 percent slopes	7	2358.7	0.006	\$ 671.40
Monroe	As	Alluvial land	8	3333.2	0.008	\$ 671.40
Monroe	GP	Pit, Shale, and Gravel	8	304.6	0.001	\$ 671.40
Montgomery	BnA	Birdsboro silt loam, 0 to 3 percent slopes	1	292.2	0.001	\$ 1,430.76
Montgomery	CgA	Chester silt loam, 0 to 3 percent slopes	1	25.9	0	\$ 1,612.81
Montgomery	LaA	Lansdale loam, 0 to 3 percent slopes	1	140.2	0	\$ 1,480.01
Montgomery	AsB	Athol silt loam, 3 to 8 percent slopes	2	40.2	0	\$ 1,342.51
Montgomery	BnB	Birdsboro silt loam, 3 to 8 percent slopes	2	184	0.001	\$ 1,425.73
Montgomery	BsB	Brecknock channery silt loam, 3 to 8 percent slopes	2	266.3	0.001	\$ 1,303.66
Montgomery	CaA	Califon loam, 0 to 3 percent slopes	2	85	0	\$ 1,246.12
Montgomery	CaB	Califon loam, 3 to 8 percent slopes	2	881.6	0.003	\$ 1,270.49
Montgomery	CgB	Chester silt loam, 3 to 8 percent slopes	2	69.5	0	\$ 1,605.55
Montgomery	Ch	Codorus silt loam	2	1439	0.005	\$ 1,330.29
Montgomery	DuB	Duffield silt loam, 3 to 8 percent slopes	2	1572.7	0.005	\$ 1,524.01
Montgomery	EcB	Edgemont channery loam, 3 to 8 percent slopes	2	627.6	0.002	\$ 1,292.57
Montgomery	Gc	Gibraltar silt loam	2	1798.2	0.006	\$ 1,298.87
Montgomery	GdB	Gladstone gravelly loam, 3 to 8 percent slopes	2	1473.2	0.005	\$ 1,356.75
Montgomery	GnB	Glenelg silt loam, 3 to 8 percent slopes	2	1179.1	0.004	\$ 1,407.46
Montgomery	GsA	Glenville silt loam, 0 to 3 percent slopes	2	108	0	\$ 1,346.08
Montgomery	GsB	Glenville silt loam, 3 to 8 percent slopes	2	660.6	0.002	\$ 1,439.10
Montgomery	LaB	Lansdale loam, 3 to 8 percent slopes	2	1997.3	0.006	\$ 1,497.60

Montgomery	LeA	Lawrenceville silt loam, 0 to 3 percent slopes	2	4039.6	0.013	\$ 1,384.77
Montgomery	LeB	Lawrenceville silt loam, 3 to 8 percent slopes	2	3731.8	0.012	\$ 1,386.16
Montgomery	LhA	Lehigh silt loam, 0 to 3 percent slopes	2	467.4	0.001	\$ 1,282.51
Montgomery	LhB	Lehigh silt loam, 3 to 8 percent slopes	2	6697.6	0.021	\$ 1,252.25
Montgomery	MaB	Manor loam, 3 to 8 percent slopes	2	437.4	0.001	\$ 1,372.94
Montgomery	MoA	Mount Lucas silt loam, 0 to 3 percent slopes	2	216.7	0.001	\$ 1,180.07
Montgomery	MoB	Mount Lucas silt loam, 3 to 8 percent slopes	2	2351.6	0.008	\$ 1,181.68
Montgomery	NhB	Neshaminy silt loam, 3 to 8 percent slopes	2	909.7	0.003	\$ 1,401.99
Montgomery	PaB	Parker gravelly loam, 3 to 8 percent slopes	2	196.5	0.001	\$ 1,160.62
Montgomery	PcA	Penn channery silt loam, 0 to 3 percent slopes	2	197.5	0.001	\$ 1,332.81
Montgomery	PcB	Penn channery silt loam, 3 to 8 percent slopes	2	1579.2	0.005	\$ 1,308.22
Montgomery	PeB	Penn silt loam, 3 to 8 percent slopes	2	7713.8	0.025	\$ 1,331.73
Montgomery	PIB	Penn-Lansdale complex, 3 to 8 percent slopes	2	3449.7	0.011	\$ 1,342.51
Montgomery	RaA	Raritan silt loam, 0 to 3 percent slopes	2	655.3	0.002	\$ 1,370.13
Montgomery	RaB	Raritan silt loam, 3 to 8 percent slopes	2	459.2	0.001	\$ 1,341.44
Montgomery	ReA	Readington silt loam, 0 to 3 percent slopes	2	4473.8	0.014	\$ 1,332.81
Montgomery	ReB	Readington silt loam, 3 to 8 percent slopes	2	22823.8	0.073	\$ 1,317.00
Montgomery	Rt	Rowland silt loam, terrace	2	5114.9	0.016	\$ 1,332.81
Montgomery	RwA	Rowland silt loam, 0 to 3 percent slopes	2	512.8	0.002	\$ 1,181.28
Montgomery	RwB	Rowland silt loam, 3 to 8 percent slopes	2	533.6	0.002	\$ 1,177.25
Montgomery	AbA	Abbottstown silt loam, 0 to 3 percent slopes	3	3075.1	0.01	\$ 1,115.44
Montgomery	AbB	Abbottstown silt loam, 3 to 8 percent slopes	3	7791.3	0.025	\$ 1,112.24
Montgomery	AsC	Athol silt loam, 8 to 15 percent slopes	3	23.1	0	\$ 1,309.54
Montgomery	BsC	Brecknock channery silt loam, 8 to 15 percent slopes	3	574.7	0.002	\$ 1,268.98
Montgomery	BwA	Buckingham silt loam, 0 to 3 percent slopes	3	2268.3	0.007	\$ 1,290.34
Montgomery	BwB	Buckingham silt loam, 3 to 8 percent slopes	3	465.1	0.001	\$ 1,291.46
Montgomery	CfA	Chalfont silt loam, 0 to 3 percent slopes	3	2140.9	0.007	\$ 1,358.16
Montgomery	CfB	Chalfont silt loam, 3 to 8 percent slopes	3	1527.9	0.005	\$ 1,331.73
Montgomery	DuC	Duffield silt loam, 8 to 15 percent slopes	3	382.7	0.001	\$ 1,493.15
Montgomery	EcC	Edgemont channery loam, 8 to 15 percent slopes	3	659.3	0.002	\$ 1,221.72
Montgomery	GdC	Gladstone gravelly loam, 8 to 15 percent slopes	3	884	0.003	\$ 1,300.86
Montgomery	GnC	Glenelg silt loam, 8 to 15 percent slopes	3	300.7	0.001	\$ 1,312.04
Montgomery	LaC	Lansdale loam, 8 to 15 percent slopes	3	316.1	0.001	\$ 1,437.77
Montgomery	LhC	Lehigh silt loam, 8 to 15 percent slopes	3	3482.4	0.011	\$ 1,214.66

Montgomery	MaC	Manor loam, 8 to 15 percent slopes	3	1014.2	0.003	\$ 1,251.87
Montgomery	MoC	Mount Lucas silt loam, 8 to 15 percent slopes	3	401.9	0.001	\$ 1,144.62
Montgomery	NhC	Neshaminy silt loam, 8 to 15 percent slopes	3	941.7	0.003	\$ 1,328.12
Montgomery	PaC	Parker gravelly loam, 8 to 15 percent slopes	3	613.5	0.002	\$ 1,115.44
Montgomery	PcC	Penn channery silt loam, 8 to 15 percent slopes	3	728.9	0.002	\$ 1,233.70
Montgomery	PeC	Penn silt loam, 8 to 15 percent slopes	3	4903.3	0.016	\$ 1,302.19
Montgomery	PIC	Penn-Lansdale complex, 8 to 15 percent slopes	3	1778.4	0.006	\$ 1,280.26
Montgomery	ReC	Readington silt loam, 8 to 15 percent slopes	3	1528.1	0.005	\$ 1,302.19
Montgomery	RhA	Reaville silt loam, 0 to 3 percent slopes	3	2007.2	0.006	\$ 1,313.94
Montgomery	RhB	Reaville silt loam, 3 to 8 percent slopes	3	15844.7	0.051	\$ 1,295.91
Montgomery	RhC	Reaville silt loam, 8 to 15 percent slopes	3	3901.8	0.013	\$ 1,264.44
Montgomery	AuD	Athol-Oatlands silt loams, 15 to 25 percent slopes	4	49.8	0	\$ 1,134.26
Montgomery	Bo	Bowmansville-Knauers silt loams	4	9900.9	0.032	\$ 1,183.29
Montgomery	BsD	Brecknock channery silt loam, 15 to 25 percent slopes	4	656.9	0.002	\$ 1,231.84
Montgomery	CrA	Croton silt loam, occasionally ponded, 0 to 3 percent slopes	4	3618.9	0.012	\$ 1,024.25
Montgomery	CrB	Croton silt loam, 3 to 8 percent slopes	4	5440.6	0.017	\$ 1,041.62
Montgomery	DsA	Doylestown silt loam, 0 to 3 percent slopes	4	1003.5	0.003	\$ 1,111.22
Montgomery	DsB	Doylestown silt loam, 3 to 8 percent slopes	4	296.9	0.001	\$ 1,111.22
Montgomery	EcD	Edgemont channery loam, 15 to 25 percent slopes	4	476.1	0.002	\$ 1,108.26
Montgomery	GdD	Gladstone gravelly loam, 15 to 25 percent slopes	4	130.3	0	\$ 1,226.79
Montgomery	GnD	Glenelg silt loam, 15 to 25 percent slopes	4	82.4	0	\$ 1,377.82
Montgomery	Ha	Hatboro silt loam	4	1962.1	0.006	\$ 1,123.84
Montgomery	KIB	Klinesville channery silt loam, 3 to 8 percent slopes	4	1119.1	0.004	\$ 1,187.30
Montgomery	LaD	Lansdale loam, 15 to 25 percent slopes	4	889.4	0.003	\$ 1,342.51
Montgomery	MaD	Manor loam, 15 to 25 percent slopes	4	1210.3	0.004	\$ 1,189.86
Montgomery	NhD	Neshaminy silt loam, 15 to 25 percent slopes	4	256.3	0.001	\$ 1,293.31
Montgomery	PaD	Parker gravelly loam, 15 to 25 percent slopes	4	294.1	0.001	\$ 1,076.61
Montgomery	PcD	Penn channery silt loam, 15 to 25 percent slopes	4	10.9	0	\$ 1,008.04
Montgomery	PkD	Penn-Klinesville channery silt loams, 15 to 25 percent slopes	4	4422.8	0.014	\$ 1,000.33
Montgomery	ToA	Towhee silt loam, 0 to 3 percent slopes	4	144.9	0	\$ 1,029.17
Montgomery	ToB	Towhee silt loam, 3 to 8 percent slopes	4	90.1	0	\$ 1,039.85
Montgomery	WaA	Watchung silt loam, 0 to 3 percent slopes	4	325.5	0.001	\$ 1,042.06
Montgomery	LsB	Lehigh silt loam, 0 to 8 percent slopes, very stony	6	396.9	0.001	\$ 671.40
Montgomery	LsD	Lehigh silt loam, 8 to 25 percent slopes, very stony	6	651.9	0.002	\$ 671.40

Montgomery	MaE	Manor loam, 25 to 35 percent slopes	6	1114.2	0.004	\$ 671.40
Montgomery	PaE	Parker gravelly loam, 25 to 35 percent slopes	6	361.1	0.001	\$ 671.40
Montgomery	PbB	Parker loam, 0 to 8 percent slopes, extremely stony	6	49.7	0	\$ 671.40
Montgomery	PbD	Parker loam, 8 to 25 percent slopes, extremely stony	6	531.2	0.002	\$ 671.40
Montgomery	WaB	Watchung silt loam, 3 to 8 percent slopes	6	534.1	0.002	\$ 1,016.17
Montgomery	BvD	Brecknock channery silt loam, 8 to 25 percent slopes, extremely stony	7	393.5	0.001	\$ 671.40
Montgomery	BvF	Brecknock channery silt loam, 25 to 60 percent slopes, extremely stony	7	219	0.001	\$ 671.40
Montgomery	CsB	Croton silt loam, 0 to 8 percent slopes, extremely stony	7	213.6	0.001	\$ 671.40
Montgomery	ExD	Edgemont channery sandy loam, 8 to 25 percent slopes, extremely stony	7	172.3	0.001	\$ 671.40
Montgomery	ExF	Edgemont channery sandy loam, 25 to 60 percent slopes, extremely stony	7	121.2	0	\$ 671.40
Montgomery	KIC	Klinesville channery silt loam, 8 to 15 percent slopes	7	1792.9	0.006	\$ 1,121.74
Montgomery	KIF	Klinesville channery silt loam, 35 to 60 percent slopes	7	444.4	0.001	\$ 671.40
Montgomery	LbD	Lansdale loam, 8 to 25 percent slopes, very stony	7	111.3	0	\$ 671.40
Montgomery	LbF	Lansdale loam, 25 to 60 percent slopes, very stony	7	367.4	0.001	\$ 671.40
Montgomery	MnF	Manor loam, 25 to 60 percent slopes, very stony	7	741.5	0.002	\$ 671.40
Montgomery	MpB	Mount Lucas silt loam, 0 to 8 percent slopes, extremely stony	7	2312.1	0.007	\$ 671.40
Montgomery	MpD	Mount Lucas silt loam, 8 to 25 percent slopes, extremely stony	7	1670.4	0.005	\$ 671.40
Montgomery	NkB	Neshaminy gravelly silt loam, 0 to 8 percent slopes, extremely bouldery	7	1713.6	0.005	\$ 671.40
Montgomery	NkD	Neshaminy gravelly silt loam, 8 to 25 percent slopes, extremely bouldery	7	4530.3	0.015	\$ 671.40
Montgomery	NkF	Neshaminy gravelly silt loam, 25 to 60 percent slopes, extremely bouldery	7	882.5	0.003	\$ 671.40
Montgomery	PbF	Parker loam, 25 to 60 percent slopes, extremely stony	7	225.5	0.001	\$ 671.40
Montgomery	TrB	Towhee silt loam, 0 to 8 percent slopes, extremely stony	7	1042.1	0.003	\$ 671.40
Montgomery	UdlB	Udorthents, limestone, 0 to 8 percent slopes	7	311.3	0.001	\$ 671.40
Montgomery	UdlD	Udorthents, limestone, 8 to 25 percent slopes	7	175.1	0.001	\$ 671.40
Montgomery	Udp	Udorthents, sanitary landfill	7	324	0.001	\$ 671.40
Montgomery	UdsB	Udorthents, schist and gneiss, 0 to 8 percent slopes	7	132.1	0	\$ 671.40
Montgomery	UdsD	Udorthents, schist and gneiss, 8 to 25 percent slopes	7	61.7	0	\$ 671.40
Montgomery	UdtB	Udorthents, shale and sandstone, 0 to 8 percent slopes	7	1160	0.004	\$ 671.40
Montgomery	UdtD	Udorthents, shale and sandstone, 8 to 25 percent slopes	7	218.9	0.001	\$ 671.40
Montgomery	WcB	Watchung silt loam, 0 to 8 percent slopes, extremely stony	7	1415.7	0.005	\$ 671.40
Montgomery	DAM	Dams	8	5.4	0	\$ 671.40
Montgomery	UgB	Urban land, 0 to 8 percent slopes	8	13542.8	0.043	\$ 671.40
Montgomery	UgD	Urban land, 8 to 25 percent slopes	8	1114.1	0.004	\$ 671.40
Montgomery	Ura	Urban land, occasionally flooded	8	558.6	0.002	\$ 671.40

Montgomery	UrcB	Urban land-Abbottstown complex, 0 to 8 percent slopes	8	962.3	0.003	\$ 671.40
Montgomery	UrhB	Urban land-Duffield complex, 0 to 8 percent slopes	8	4225.6	0.014	\$ 676.42
Montgomery	UrhD	Urban land-Duffield complex, 8 to 25 percent slopes	8	40.7	0	\$ 671.40
Montgomery	UrkB	Urban land-Edgemont complex, 0 to 8 percent slopes	8	949.4	0.003	\$ 671.40
Montgomery	UrkD	Urban land-Edgemont complex, 8 to 25 percent slopes	8	1192.5	0.004	\$ 671.40
Montgomery	UrlB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	5069.4	0.016	\$ 671.40
Montgomery	UrlD	Urban land-Gladstone complex, 8 to 25 percent slopes	8	854.8	0.003	\$ 671.40
Montgomery	UrmB	Urban land-Glenelg complex, 0 to 8 percent slopes	8	3178.3	0.01	\$ 671.40
Montgomery	UrmD	Urban land-Glenelg complex, 8 to 25 percent slopes	8	634.6	0.002	\$ 671.40
Montgomery	UroB	Urban land-Lawrenceville complex, 0 to 8 percent slopes	8	4712.1	0.015	\$ 671.40
Montgomery	UruB	Urban land-Neshaminy complex, 0 to 8 percent slopes	8	452.2	0.001	\$ 671.40
Montgomery	UrxB	Urban land-Penn complex, 0 to 8 percent slopes	8	13208.6	0.042	\$ 671.40
Montgomery	UrxD	Urban land-Penn complex, 8 to 25 percent slopes	8	2340.3	0.008	\$ 671.40
Montgomery	UryB	Urban land-Readington complex, 0 to 8 percent slopes	8	6899	0.022	\$ 671.40
Montgomery	UudB	Urban land-Udorthents, limestone complex, 0 to 8 percent slopes	8	2657	0.009	\$ 671.40
Montgomery	UudD	Urban land-Udorthents, limestone complex, 8 to 25 percent slopes	8	539.1	0.002	\$ 671.40
Montgomery	UugB	Urban land-Udorthents, schist and gneiss complex, 0 to 8 percent slopes	8	9749.5	0.031	\$ 671.40
Montgomery	UugD	Urban land-Udorthents, schist and gneiss complex, 8 to 25 percent slopes	8	6635.5	0.021	\$ 671.40
Montgomery	UusB	Urban land-Udorthents, shale and sandstone complex, 0 to 8 percent slopes	8	24797.8	0.08	\$ 671.40
Montgomery	UusD	Urban land-Udorthents, shale and sandstone complex, 8 to 25 percent slopes	8	9217.8	0.03	\$ 671.40
Montour	AnA	Allenwood gravelly silt loam, 0 to 3 percent slopes	1	137.3	0.002	\$ 1,377.82
Montour	Lw	Linden silt loam	1	288	0.003	\$ 1,295.17
Montour	WsA	Wheeling soils, 0 to 3 percent slopes	1	181.1	0.002	\$ 1,304.40
Montour	AbB	Albrights silt loam, 3 to 8 percent slopes	2	132.8	0.002	\$ 1,152.84
Montour	AoB	Allenwood and Washington soils, 3 to 8 percent slopes	2	538.8	0.006	\$ 1,377.82
Montour	Bc	Basher soils	2	551.7	0.007	\$ 1,295.17
Montour	BeB	Bedington silt loam, 3 to 8 percent slopes	2	752.1	0.009	\$ 1,242.28
Montour	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	2245.2	0.027	\$ 971.85
Montour	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	374	0.004	\$ 1,136.34
Montour	CaB	Calvin-Klinesville shaly silt loams, 3 to 8 percent slopes	2	237.6	0.003	\$ 915.19
Montour	EdB	Edom complex, 3 to 8 percent slopes	2	1217.5	0.014	\$ 1,199.26
Montour	EsB	Elliber cherty silt loam, 3 to 8 percent slopes	2	564.5	0.007	\$ 1,238.42
Montour	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	1730.4	0.02	\$ 1,469.33
Montour	HtB	Hartleton channery silt loam, 3 to 8 percent slopes	2	1748.7	0.021	\$ 1,017.52

Montour	KmB	Kreamer cherty silt loam, 3 to 8 percent slopes	2	969	0.011	\$ 1,070.55
Montour	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	29.9	0	\$ 1,150.79
Montour	LnB	Leck Kill shaly silt loam, 3 to 8 percent slopes	2	83.2	0.001	\$ 1,300.71
Montour	MkB	Meckesville silt loam, 3 to 8 percent slopes	2	109.8	0.001	\$ 1,152.84
Montour	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1358.8	0.016	\$ 1,226.01
Montour	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	507	0.006	\$ 1,155.71
Montour	UnB	Unadilla silt loam, 3 to 8 percent slopes	2	252.4	0.003	\$ 1,203.23
Montour	WaB	Washington silt loam, wet substratum, 3 to 8 percent slopes	2	1420.1	0.017	\$ 1,318.68
Montour	WbA	Watson silt loam, 0 to 3 percent slopes	2	2088	0.025	\$ 1,171.19
Montour	WbB	Watson silt loam, 3 to 8 percent slopes	2	4352.8	0.051	\$ 1,171.19
Montour	WsB	Wheeling soils, 3 to 8 percent slopes	2	84.7	0.001	\$ 1,300.71
Montour	AoC	Allenwood and Washington soils, 8 to 15 percent slopes	3	100.1	0.001	\$ 1,331.73
Montour	ArA	Alvira silt loam, 0 to 3 percent slopes	3	2362.6	0.028	\$ 1,104.88
Montour	ArB	Alvira silt loam, 3 to 8 percent slopes	3	3688.5	0.044	\$ 1,106.57
Montour	ArC	Alvira silt loam, 8 to 15 percent slopes	3	441.7	0.005	\$ 1,072.29
Montour	Bd	Basher soils, frequently flooded	3	1027.7	0.012	\$ 1,291.46
Montour	BeC	Bedington silt loam, 8 to 15 percent slopes	3	503.5	0.006	\$ 1,173.21
Montour	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	5140.7	0.061	\$ 931.93
Montour	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	292.9	0.003	\$ 1,070.55
Montour	CaC	Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes	3	480.6	0.006	\$ 779.66
Montour	EdC	Edom complex, 8 to 15 percent slopes	3	728.2	0.009	\$ 1,125.93
Montour	EsC	Elliber cherty silt loam, 8 to 15 percent slopes	3	1155.6	0.014	\$ 1,193.29
Montour	EtB	Elliber very cherty silt loam, 3 to 8 percent slopes	3	59.2	0.001	\$ 1,125.93
Montour	EvB	Evendale cherty silt loam, 3 to 8 percent slopes	3	1600.9	0.019	\$ 1,026.49
Montour	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	1245.3	0.015	\$ 1,397.20
Montour	HtC	Hartleton channery silt loam, 8 to 15 percent	3	3605.5	0.043	\$ 917.59
Montour	HZ	Holly silt loam, rarely flooded	3	2664.4	0.031	\$ 1,161.03
Montour	KmC	Kreamer cherty silt loam, 8 to 15 percent slopes	3	153.6	0.002	\$ 996.23
Montour	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	36.9	0	\$ 1,104.88
Montour	LnC	Leck Kill shaly silt loam, 8 to 15 percent slopes	3	125.1	0.001	\$ 1,287.73
Montour	MkC	Meckesville silt loam, 8 to 15 percent slopes	3	38.3	0	\$ 1,117.54
Montour	OpB	Opequon silty clay loam, 3 to 8 percent slopes-mlra147	3	200.9	0.002	\$ 1,154.89
Montour	UnC	Unadilla silt loam, 8 to 15 percent slopes	3	145	0.002	\$ 1,138.41
Montour	WbC	Watson silt loam, 8 to 15 percent slopes	3	1019.4	0.012	\$ 1,109.53

Montour	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	1213.8	0.014	\$ 1,135.92
Montour	WyA	Wyoming gravelly sandy loam, 0 to 3 percent slopes	3	66.4	0.001	\$ 1,117.54
Montour	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	39.5	0	\$ 1,117.54
Montour	BeD	Bedington silt loam, 15 to 25 percent slopes	4	166.6	0.002	\$ 1,079.21
Montour	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	4122.5	0.049	\$ 890.95
Montour	CaD	Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes	4	493.5	0.006	\$ 779.66
Montour	EdD	Edom complex, 15 to 25 percent slopes	4	220.4	0.003	\$ 939.05
Montour	EsD	Elliber cherty silt loam, 15 to 25 percent slopes	4	314.6	0.004	\$ 1,070.55
Montour	EtC	Elliber very cherty silt loam, 8 to 15 percent slopes	4	52.7	0.001	\$ 1,019.77
Montour	HaD	Hagerstown silt loam, 15 to 25 percent slopes	4	71.5	0.001	\$ 1,333.53
Montour	HtD	Hartleton channery silt loam, 15 to 25 percent slopes	4	1774	0.021	\$ 813.35
Montour	Hv	Holly silt loam	4	1208.2	0.014	\$ 1,117.54
Montour	LnD	Leck Kill shaly silt loam, 15 to 25 percent slopes	4	100.2	0.001	\$ 1,111.22
Montour	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	1542.2	0.018	\$ 1,044.27
Montour	ShB	Shelmadine silt loam, 3 to 8 percent slopes	4	229.6	0.003	\$ 1,046.48
Montour	UnD	Unadilla silt loam, 15 to 25 percent slopes	4	158.4	0.002	\$ 1,003.96
Montour	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	2927.5	0.035	\$ 903.11
Montour	Hy	Holly silt loam, ponded	5	361.6	0.004	\$ 671.40
Montour	AsB	Alvira very stony silt loam, 0 to 8 percent slopes	6	106.2	0.001	\$ 671.40
Montour	BxB	Buchanan very stony loam, 0 to 8 percent slopes	6	167.5	0.002	\$ 671.40
Montour	BxD	Buchanan very stony loam, 8 to 25 percent slopes	6	277.7	0.003	\$ 671.40
Montour	EtD	Elliber very cherty silt loam, 15 to 25 percent slopes	6	106.6	0.001	\$ 671.40
Montour	OpD	Opequon silty clay loam, 8 to 25 percent slopes	6	620.2	0.007	\$ 1,074.88
Montour	OpE	Opequon silty clay loam, 25 to 45 percent slopes	6	148.6	0.002	\$ 671.40
Montour	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	3398.5	0.04	\$ 671.40
Montour	DeB	Dekalb extremely stony sandy loam, 0 to 8 percent slopes	7	11	0	\$ 671.40
Montour	DeD	Dekalb extremely stony sandy loam, 8 to 25 percent slopes	7	209.1	0.002	\$ 671.40
Montour	DeF	Dekalb extremely stony sandy loam, steep	7	148.8	0.002	\$ 671.40
Montour	EtF	Elliber very cherty silt loam, 25 to 70 percent slopes	7	80	0.001	\$ 671.40
Montour	HuB	Hazleton and Clymer extremely stony sandy loams, 0 to 8 percent slopes	7	281.9	0.003	\$ 671.40
Montour	HuD	Hazleton and Clymer extremely stony sandy loams, 8 to 25 percent slopes	7	244.6	0.003	\$ 671.40
Montour	LdD	Laidig and Meckesville extremely stony soils, 8 to 25 percent slopes	7	543.9	0.006	\$ 671.40
Montour	LdF	Laidig and Meckesville extremely stony soils, steep	7	179.1	0.002	\$ 671.40
Montour	Ug	Udifluvents and Fluvaquents, gravelly	7	386.1	0.005	\$ 671.40

Montour	WkE	Weikert and Klinesville shaly silt loams, steep	7	11854.4	0.14	\$ 671.40
Montour	DAM	Dams	8	5.6	0	\$ 671.40
Northampton	AfA	Allenwood silt loam, 0 to 3 percent slopes	1	711.5	0.003	\$ 1,395.48
Northampton	BfA	Bedington-Berks complex, 0 to 3 percent slopes	1	615.1	0.003	\$ 1,218.82
Northampton	CtA	Conotton gravelly loam, 0 to 3 percent slopes	1	906.4	0.004	\$ 1,601.18
Northampton	DaA	Delaware fine sandy loam, 0 to 3 percent slopes	1	930.4	0.004	\$ 1,594.97
Northampton	DuA	Duffield silt loam, 0 to 3 percent slopes	1	356.4	0.001	\$ 1,562.89
Northampton	WaA	Washington silt loam, 0 to 3 percent slopes	1	7686.2	0.032	\$ 1,592.68
Northampton	AfB	Allenwood silt loam, 3 to 8 percent slopes	2	5289.9	0.022	\$ 1,395.48
Northampton	ArB	Arendtsville gravelly loam, 3 to 8 percent slopes	2	215.7	0.001	\$ 1,297.02
Northampton	BfB	Bedington-Berks complex, 3 to 8 percent slopes	2	2198.2	0.009	\$ 1,199.74
Northampton	BkB	Berks-Weikert complex, 3 to 8 percent slopes	2	16545.4	0.068	\$ 1,004.87
Northampton	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	1702	0.007	\$ 1,289.60
Northampton	CaB	Califon loam, 3 to 8 percent slopes	2	1322.5	0.005	\$ 1,270.49
Northampton	ClA	Clarksburg silt loam, 0 to 3 percent slopes	2	2456.5	0.01	\$ 1,322.68
Northampton	ClB	Clarksburg silt loam, 3 to 8 percent slopes	2	2562.5	0.011	\$ 1,321.66
Northampton	CpA	Comly silt loam, 0 to 3 percent slopes	2	1329.3	0.006	\$ 1,146.43
Northampton	CpB	Comly silt loam, 3 to 8 percent slopes	2	8605.3	0.036	\$ 1,146.43
Northampton	CtB	Conotton gravelly loam, 3 to 8 percent slopes	2	2752.8	0.011	\$ 1,306.24
Northampton	DaB	Delaware fine sandy loam, 3 to 8 percent slopes	2	17.7	0	\$ 1,572.50
Northampton	DuB	Duffield silt loam, 3 to 8 percent slopes	2	1876.5	0.008	\$ 1,571.01
Northampton	Gb	Gibraltar silt loam	2	699.9	0.003	\$ 1,298.87
Northampton	GIB	Gladstone gravelly loam, 3 to 8 percent slopes	2	2594.3	0.011	\$ 1,356.75
Northampton	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	503.4	0.002	\$ 1,150.79
Northampton	MaB	Manlius channery silt loam, 3 to 8 percent slopes	2	2272.5	0.009	\$ 1,063.59
Northampton	Mb	Middlebury silt loam	2	907.9	0.004	\$ 1,298.87
Northampton	PgB	Penargyl channery silt loam, 3 to 8 percent slopes	2	620.8	0.003	\$ 1,306.24
Northampton	PhB	Phelps gravelly silt loam, 3 to 8 percent slopes	2	638.4	0.003	\$ 1,189.70
Northampton	ReB	Readington silt loam, 3 to 8 percent slopes	2	26.8	0	\$ 1,317.00
Northampton	RyB	Ryder-Duffield silt loams, 3 to 8 percent slopes	2	702.3	0.003	\$ 1,217.65
Northampton	SvB	Swartswood gravelly loam, 3 to 8 percent slopes	2	3882.8	0.016	\$ 1,116.70
Northampton	WaB	Washington silt loam, 3 to 8 percent slopes	2	12827.7	0.053	\$ 1,495.57
Northampton	WuB	Wurtsboro gravelly silt loam, 3 to 8 percent slopes	2	2633.8	0.011	\$ 1,114.18
Northampton	AfC	Allenwood silt loam, 8 to 15 percent slopes	3	267.7	0.001	\$ 1,339.93

Northampton	ArC	Arendtsville gravelly loam, 8 to 15 percent slopes	3	195.9	0.001	\$ 1,226.40
Northampton	AtB	Arnot channery silt loam, 3 to 8 percent slopes	3	332	0.001	\$ 915.19
Northampton	BfC	Bedington-Berks complex, 8 to 15 percent slopes	3	142.4	0.001	\$ 1,129.85
Northampton	BkA	Berks-Weikert complex, 0 to 3 percent slopes	3	2346.9	0.01	\$ 1,017.52
Northampton	BkC	Berks-Weikert complex, 8 to 15 percent slopes	3	12095.4	0.05	\$ 1,004.87
Northampton	CtC	Conotton gravelly loam, 8 to 15 percent slopes	3	1252.7	0.005	\$ 1,150.79
Northampton	DvC	Duffield-Ryder silt loams, 8 to 15 percent slopes	3	825.6	0.003	\$ 1,370.48
Northampton	GlC	Gladstone gravelly loam, 8 to 15 percent slopes	3	4170.9	0.017	\$ 1,300.86
Northampton	Ho	Holly silt loam	3	3801.6	0.016	\$ 1,155.71
Northampton	MaC	Manlius channery silt loam, 8 to 15 percent slopes	3	2643.9	0.011	\$ 972.78
Northampton	PgC	Penargyl channery silt loam, 8 to 15 percent slopes	3	100.2	0	\$ 1,230.68
Northampton	Rh	Red Hook silt loam	3	1453.4	0.006	\$ 1,106.91
Northampton	SvC	Swartswood gravelly loam, 8 to 15 percent slopes	3	1408.5	0.006	\$ 1,029.17
Northampton	VoB	Volusia gravelly silt loam, 3 to 8 percent slopes	3	726.2	0.003	\$ 910.37
Northampton	WaC	Washington silt loam, 8 to 15 percent slopes	3	2609.4	0.011	\$ 1,401.58
Northampton	WkB	Weikert-Berks complex, 3 to 8 percent slopes	3	1007.6	0.004	\$ 919.99
Northampton	WuC	Wurtsboro gravelly silt loam, 8 to 15 percent slopes	3	741.8	0.003	\$ 990.29
Northampton	AnA	Andover-Buchanan gravelly loams, 0 to 3 percent slopes	4	479.1	0.002	\$ 1,064.02
Northampton	AnB	Andover-Buchanan gravelly loams, 3 to 8 percent slopes	4	1107.6	0.005	\$ 1,064.02
Northampton	ArD	Arendtsville gravelly loam, 15 to 25 percent slopes	4	158	0.001	\$ 1,005.78
Northampton	AtC	Arnot channery silt loam, 8 to 15 percent slopes	4	628.3	0.003	\$ 818.48
Northampton	BkD	Berks-Weikert complex, 15 to 25 percent slopes	4	4790	0.02	\$ 914.22
Northampton	BtA	Brinkerton-Comly silt loams, 0 to 3 percent slopes	4	1344.3	0.006	\$ 1,084.46
Northampton	BtB	Brinkerton-Comly silt loams, 3 to 8 percent slopes	4	1782.1	0.007	\$ 1,084.46
Northampton	ChA	Chippewa silt loam, 0 to 3 percent slopes	4	267.2	0.001	\$ 779.66
Northampton	ChB	Chippewa silt loam, 3 to 8 percent slopes	4	762.3	0.003	\$ 779.66
Northampton	CnB	Cokesbury silt loam, 3 to 8 percent slopes	4	671.8	0.003	\$ 1,150.79
Northampton	GnD	Gladstone-Parker gravelly loams, 15 to 25 percent slopes	4	1890.4	0.008	\$ 1,163.88
Northampton	MaD	Manlius channery silt loam, 15 to 25 percent slopes	4	1428.3	0.006	\$ 815.92
Northampton	SvD	Swartswood gravelly loam, 15 to 25 percent slopes	4	246.2	0.001	\$ 925.73
Northampton	WaD	Washington silt loam, 15 to 25 percent slopes	4	573	0.002	\$ 1,299.02
Northampton	WkC	Weikert-Berks complex, 8 to 15 percent slopes	4	1729.8	0.007	\$ 797.06
Northampton	Cd	Catden muck	5	162.5	0.001	\$ 671.40
Northampton	Fl	Fluvaquents	5	180.7	0.001	\$ 671.40

Northampton	Ha	Halsey silt loam	5	669.8	0.003	\$ 671.40
Northampton	AtD	Arnot channery silt loam, 15 to 25 percent slopes	6	658.7	0.003	\$ 723.71
Northampton	CbB	Califon loam, 0 to 8 percent slopes, extremely stony	6	109.7	0	\$ 671.40
Northampton	CtD	Conotton gravelly loam, 15 to 25 percent slopes	6	316	0.001	\$ 976.48
Northampton	GmB	Gladstone gravelly loam, 0 to 8 percent slopes, very bouldery	6	349.7	0.001	\$ 671.40
Northampton	GmD	Gladstone gravelly loam, 8 to 25 percent slopes, very bouldery	6	4233.2	0.018	\$ 671.40
Northampton	WkD	Weikert-Berks complex, 15 to 25 percent slopes	6	1526.1	0.006	\$ 831.21
Northampton	AoB	Andover-Buchanan gravelly loams, 0 to 8 percent slopes, extremely stony	7	933.3	0.004	\$ 671.40
Northampton	BkF	Berks-Weikert complex, 25 to 60 percent slopes	7	5863.2	0.024	\$ 671.40
Northampton	BvB	Buchanan gravelly loam, 0 to 8 percent slopes, extremely stony	7	1999.4	0.008	\$ 671.40
Northampton	CkB	Chippewa silt loam, 0 to 8 percent slopes, extremely stony	7	2521.2	0.01	\$ 671.40
Northampton	CoB	Cokesbury-Califon channery silt loams, 0 to 8 percent slopes, very stony	7	461	0.002	\$ 671.40
Northampton	CrB	Comly silt loam, 0 to 8 percent slopes, extremely stony	7	663.1	0.003	\$ 671.40
Northampton	CtF	Conotton gravelly loam, 25 to 65 percent slopes	7	336.5	0.001	\$ 671.40
Northampton	GmF	Gladstone gravelly loam, 25 to 55 percent slopes, very bouldery	7	3899.7	0.016	\$ 671.40
Northampton	HeB	Hazleton very channery loam, 0 to 8 percent slopes, extremely stony	7	1067.3	0.004	\$ 671.40
Northampton	HeD	Hazleton very channery loam, 8 to 25 percent slopes, extremely stony	7	1123	0.005	\$ 671.40
Northampton	HeF	Hazleton very channery loam, 25 to 60 percent slopes, extremely stony	7	863.4	0.004	\$ 671.40
Northampton	HgF	Hazleton-Rubble land complex, 25 to 60 percent slopes	7	1106.4	0.005	\$ 671.40
Northampton	LbB	Laidig very gravelly loam, 0 to 8 percent slopes, extremely stony	7	2135.9	0.009	\$ 671.40
Northampton	LbD	Laidig very gravelly loam, 8 to 25 percent slopes, extremely stony	7	2328.7	0.01	\$ 671.40
Northampton	LbF	Laidig very gravelly loam, 25 to 65 percent slopes, extremely stony	7	521.2	0.002	\$ 671.40
Northampton	LcD	Laidig very channery loam, 8 to 25 percent slopes, rubbly	7	1301.5	0.005	\$ 671.40
Northampton	LdF	Laidig-Rubble land complex, 25 to 60 percent slopes	7	537.2	0.002	\$ 671.40
Northampton	SwB	Swartswood and Wurtsboro soils, 0 to 8 percent slopes, extremely stony	7	2635.3	0.011	\$ 671.40
Northampton	SwD	Swartswood and Wurtsboro soils, 8 to 25 percent slopes, extremely stony	7	1360.8	0.006	\$ 671.40
Northampton	UbB	Udorthents, limestone, 0 to 8 percent slopes	7	3654.2	0.015	\$ 671.40
Northampton	UbD	Udorthents, limestone, 8 to 25 percent slopes	7	421	0.002	\$ 671.40
Northampton	Uc	Udorthents, loamy	7	190	0.001	\$ 671.40
Northampton	UdB	Udorthents, sandy	7	384.7	0.002	\$ 671.40
Northampton	UfB	Udorthents, sanitary landfill	7	181.4	0.001	\$ 671.40
Northampton	UgB	Udorthents, schist and gneiss, 0 to 8 percent slopes	7	212.6	0.001	\$ 671.40
Northampton	UgD	Udorthents, schist and gneiss, 8 to 25 percent slopes	7	98.5	0	\$ 671.40
Northampton	UhB	Udorthents, shale and sandstone, 0 to 8 percent slopes	7	753.1	0.003	\$ 671.40

Northampton	UhD	Udorthents, shale and sandstone, 8 to 25 percent slopes	7	465.2	0.002	\$ 671.40
Northampton	VuB	Volusia gravelly silt loam, 0 to 8 percent slopes, extremely stony	7	1869.7	0.008	\$ 671.40
Northampton	RU	Rubble land	8	229.1	0.001	\$ 671.40
Northampton	UkaB	Urban land, 0 to 8 percent slopes	8	6100.1	0.025	\$ 671.40
Northampton	UkaD	Urban land, 8 to 25 percent slopes	8	140.5	0.001	\$ 671.40
Northampton	Ukb	Urban land, occasionally flooded	8	1072.4	0.004	\$ 671.40
Northampton	UIB	Urban land-Berks complex, 0 to 8 percent slopes	8	4575.1	0.019	\$ 671.40
Northampton	UID	Urban land-Berks complex, 8 to 25 percent slopes	8	395.1	0.002	\$ 671.40
Northampton	UmB	Urban land-Conotton complex, 0 to 8 percent slopes	8	225.4	0.001	\$ 671.40
Northampton	UnB	Urban land-Delaware complex, 0 to 8 percent slopes	8	706.7	0.003	\$ 671.40
Northampton	UoB	Urban land-Duffield complex, 0 to 8 percent slopes	8	14393.8	0.06	\$ 676.42
Northampton	UoD	Urban land-Duffield complex, 8 to 25 percent slopes	8	2509.4	0.01	\$ 671.40
Northampton	UpB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	672.6	0.003	\$ 671.40
Northampton	UpD	Urban land-Gladstone complex, 8 to 25 percent slopes	8	784.1	0.003	\$ 671.40
Northampton	UrB	Urban land-Laidig complex, 0 to 8 percent slopes	8	768.9	0.003	\$ 671.40
Northampton	UrD	Urban land-Laidig complex, 8 to 25 percent slopes	8	142.8	0.001	\$ 671.40
Northampton	UsB	Urban land-Swartswood complex, 0 to 8 percent slopes	8	1028.8	0.004	\$ 671.40
Northampton	UsD	Urban land-Swartswood complex, 8 to 25 percent slopes	8	394.1	0.002	\$ 671.40
Northampton	UudB	Urban land-Udorthents, limestone complex, 0 to 8 percent slopes	8	8926	0.037	\$ 671.40
Northampton	UudD	Urban land-Udorthents, limestone complex, 8 to 25 percent slopes	8	796.8	0.003	\$ 671.40
Northampton	UulB	Urban land-Udorthents, loamy complex, 0 to 8 percent slopes	8	316.4	0.001	\$ 671.40
Northampton	UunB	Urban land-Udorthents, sandy complex, 0 to 8 percent slopes	8	46.3	0	\$ 671.40
Northampton	UupB	Urban land-Udorthents, schist and gneiss complex, 0 to 8 percent slopes	8	391.6	0.002	\$ 671.40
Northampton	UupD	Urban land-Udorthents, schist and gneiss complex, 8 to 25 percent slopes	8	477.1	0.002	\$ 671.40
Northampton	UusB	Urban land-Udorthents, shale and sandstone complex, 0 to 8 percent slopes	8	1627.1	0.007	\$ 671.40
Northampton	UusD	Urban land-Udorthents, shale and sandstone complex, 8 to 25 percent slopes	8	153.8	0.001	\$ 671.40
Northumberland	AnA	Allenwood gravelly silt loam, 0 to 3 percent slopes	1	467.4	0.002	\$ 1,377.82
Northumberland	Bb	Barbour-Linden complex, rarely flooded	1	3464.8	0.011	\$ 1,289.60
Northumberland	Lw	Linden silt loam	1	1329.8	0.004	\$ 1,295.17
Northumberland	WsA	Wheeling soils, 0 to 3 percent slopes	1	1237.6	0.004	\$ 1,304.40
Northumberland	AbB	Albrights silt loam, 3 to 8 percent slopes	2	1990	0.007	\$ 1,152.84
Northumberland	AoB	Allenwood and Washington soils, 3 to 8 percent slopes	2	3594.7	0.012	\$ 1,377.82
Northumberland	Ba	Barbour soils, frequently flooded	2	374.4	0.001	\$ 1,187.30
Northumberland	Bc	Basher soils	2	1398.2	0.005	\$ 1,295.17

Northumberland	BeB	Bedington silt loam, 3 to 8 percent slopes	2	2653.4	0.009	\$ 1,242.28
Northumberland	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	6829.1	0.022	\$ 971.85
Northumberland	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	230.1	0.001	\$ 1,136.34
Northumberland	CaB	Calvin-Klinesville shaly silt loams, 3 to 8 percent slopes	2	3494.8	0.011	\$ 915.19
Northumberland	EdB	Edom complex, 3 to 8 percent slopes	2	3524.4	0.012	\$ 1,199.26
Northumberland	EsB	Elliber cherty silt loam, 3 to 8 percent slopes	2	1306.6	0.004	\$ 1,238.42
Northumberland	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	2403.3	0.008	\$ 1,469.33
Northumberland	HtB	Hartleton channery silt loam, 3 to 8 percent slopes	2	5761.9	0.019	\$ 1,017.52
Northumberland	KmB	Kreamer cherty silt loam, 3 to 8 percent slopes	2	1635.9	0.005	\$ 1,070.55
Northumberland	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	199.2	0.001	\$ 1,150.79
Northumberland	LnB	Leck kill shaly silt loam, 3 to 8 percent slopes	2	2764.9	0.009	\$ 1,300.71
Northumberland	MkB	Meckesville silt loam, 3 to 8 percent slopes	2	1913.3	0.006	\$ 1,152.84
Northumberland	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1542.2	0.005	\$ 1,226.01
Northumberland	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	1228.2	0.004	\$ 1,155.71
Northumberland	UnB	Unadilla silt loam, 3 to 8 percent slopes	2	429.9	0.001	\$ 1,203.23
Northumberland	WaB	Washington silt loam, wet substratum, 3 to 8 percent slopes	2	1577.6	0.005	\$ 1,318.68
Northumberland	WbA	Watson silt loam, 0 to 3 percent slopes	2	1754.6	0.006	\$ 1,171.19
Northumberland	WbB	Watson silt loam, 3 to 8 percent slopes	2	6738.3	0.022	\$ 1,171.19
Northumberland	WsB	Wheeling soils, 3 to 8 percent slopes	2	1602.2	0.005	\$ 1,300.71
Northumberland	AoC	Allenwood and Washington soils, 8 to 15 percent slopes	3	1426.4	0.005	\$ 1,331.73
Northumberland	ArA	Alvira silt loam, 0 to 3 percent slopes	3	2182.4	0.007	\$ 1,104.88
Northumberland	ArB	Alvira silt loam, 3 to 8 percent slopes	3	5433	0.018	\$ 1,106.57
Northumberland	ArC	Alvira silt loam, 8 to 15 percent slopes	3	934.4	0.003	\$ 1,072.29
Northumberland	Bd	Basher soils, frequently flooded	3	4042.5	0.013	\$ 1,291.46
Northumberland	BeC	Bedington silt loam, 8 to 15 percent slopes	3	2266.5	0.007	\$ 1,173.21
Northumberland	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	13390.5	0.044	\$ 931.93
Northumberland	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	185.1	0.001	\$ 1,070.55
Northumberland	CaC	Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes	3	7968.8	0.026	\$ 779.66
Northumberland	EdC	Edom complex, 8 to 15 percent slopes	3	2163.1	0.007	\$ 1,125.93
Northumberland	EsC	Elliber cherty silt loam, 8 to 15 percent slopes	3	1571.3	0.005	\$ 1,193.29
Northumberland	EtB	Elliber very cherty silt loam, 3 to 8 percent slopes	3	196.1	0.001	\$ 1,125.93
Northumberland	EvB	Evendale cherty silt loam, 3 to 8 percent slopes	3	865.8	0.003	\$ 1,026.49
Northumberland	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	819.5	0.003	\$ 1,397.20
Northumberland	HtC	Hartleton channery silt loam, 8 to 15 percent slopes	3	11338	0.037	\$ 917.59

Northumberland	Hz	Holly silt loam, rarely flooded	3	2205.9	0.007	\$ 1,161.03
Northumberland	KmC	Kreamer cherty silt loam, 8 to 15 percent slopes	3	140.5	0	\$ 996.23
Northumberland	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	375.2	0.001	\$ 1,104.88
Northumberland	LkB	Lakin loamy fine sand, 3 to 8 percent slopes	3	1707.1	0.006	\$ 1,006.23
Northumberland	LnC	Leck kill shaly silt loam, 8 to 15 percent slopes	3	3666.5	0.012	\$ 1,287.73
Northumberland	MkC	Meckesville silt loam, 8 to 15 percent slopes	3	4705.1	0.015	\$ 1,117.54
Northumberland	OpB	Opequon silty clay loam, 3 to 8 percent slopes-mlra147	3	204.7	0.001	\$ 1,154.89
Northumberland	RwB	Rushtown very shaly silt loam, 3 to 8 percent slopes	3	118.9	0	\$ 841.32
Northumberland	UnC	Unadilla silt loam, 8 to 15 percent slopes	3	479.7	0.002	\$ 1,138.41
Northumberland	WbC	Watson silt loam, 8 to 15 percent slopes	3	1684.1	0.006	\$ 1,109.53
Northumberland	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	4334.5	0.014	\$ 1,135.92
Northumberland	WsC	Wheeling soils, 8 to 15 percent slopes	3	378.7	0.001	\$ 1,236.49
Northumberland	WyA	Wyoming gravelly sandy loam, 0 to 3 percent slopes	3	632.7	0.002	\$ 1,117.54
Northumberland	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	501.1	0.002	\$ 1,117.54
Northumberland	AnD	Allenwood gravelly silt loam, 15 to 25 percent slopes	4	242.5	0.001	\$ 1,181.28
Northumberland	BeD	Bedington silt loam, 15 to 25 percent slopes	4	461.4	0.002	\$ 1,079.21
Northumberland	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	7931.5	0.026	\$ 890.95
Northumberland	CaD	Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes	4	4398.9	0.014	\$ 779.66
Northumberland	EdD	Edom complex, 15 to 25 percent slopes	4	657.9	0.002	\$ 939.05
Northumberland	EsD	Elliber cherty silt loam, 15 to 25 percent slopes	4	273.4	0.001	\$ 1,070.55
Northumberland	EtC	Elliber very cherty silt loam, 8 to 15 percent slopes	4	298.9	0.001	\$ 1,019.77
Northumberland	HaD	Hagerstown silt loam, 15 to 25 percent slopes	4	56	0	\$ 1,333.53
Northumberland	HtD	Hartleton channery silt loam, 15 to 25 percent slopes	4	4245.7	0.014	\$ 813.35
Northumberland	Hv	Holly silt loam	4	3602.3	0.012	\$ 1,117.54
Northumberland	LkC	Lakin loamy fine sand, 8 to 15 percent slopes	4	298	0.001	\$ 924.78
Northumberland	LnD	Leck kill shaly silt loam, 15 to 25 percent slopes	4	636.5	0.002	\$ 1,111.22
Northumberland	MkD	Meckesville silt loam, 15 to 25 percent slopes	4	461.6	0.002	\$ 1,044.27
Northumberland	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	1904.5	0.006	\$ 1,044.27
Northumberland	ShB	Shelmadine silt loam, 3 to 8 percent slopes	4	907.8	0.003	\$ 1,046.48
Northumberland	UnD	Unadilla silt loam, 15 to 25 percent slopes	4	161.3	0.001	\$ 1,003.96
Northumberland	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	7704	0.025	\$ 903.11
Northumberland	Hy	Holly silt loam, ponded	5	649.3	0.002	\$ 671.40
Northumberland	AsB	Alvira very stony silt loam, 0 to 8 percent slopes	6	482.1	0.002	\$ 671.40
Northumberland	BxB	Buchanan very stony loam, 0 to 8 percent slopes	6	1136.5	0.004	\$ 671.40

Northumberland	BxD	Buchanan very stony loam, 8 to 25 percent slopes	6	1556.1	0.005	\$ 671.40
Northumberland	EtD	Elliber very cherty silt loam, 15 to 25 percent slopes	6	271.8	0.001	\$ 671.40
Northumberland	OpD	Opequon silty clay loam, 8 to 25 percent slopes	6	623.7	0.002	\$ 1,074.88
Northumberland	OpE	Opequon silty clay loam, 25 to 45 percent slopes	6	178.6	0.001	\$ 671.40
Northumberland	RwC	Rushtown very shaly silt loam, 8 to 25 percent slopes	6	133.8	0	\$ 671.40
Northumberland	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	8418.6	0.028	\$ 671.40
Northumberland	DeB	Dekalb extremely stony sandy loam, 0 to 8 percent slopes	7	376.7	0.001	\$ 671.40
Northumberland	DeD	Dekalb extremely stony sandy loam, 8 to 25 percent slopes	7	1595.9	0.005	\$ 671.40
Northumberland	DeF	Dekalb extremely stony sandy loam, steep	7	10398.4	0.034	\$ 671.40
Northumberland	EtF	Elliber very cherty silt loam, 25 to 70 percent slopes	7	440.3	0.001	\$ 671.40
Northumberland	HuB	Hazleton and Clymer extremely stony sandy loams, 0 to 8 percent slopes	7	2086.5	0.007	\$ 671.40
Northumberland	HuD	Hazleton and Clymer extremely stony sandy loams, 8 to 25 percent slopes	7	8874.9	0.029	\$ 671.40
Northumberland	HuF	Hazleton and Clymer extremely stony sandy loams, 25 to 80 percent slopes	7	6310.4	0.021	\$ 671.40
Northumberland	LbB	Laidig extremely stony loam, 0 to 8 percent slopes	7	465.7	0.002	\$ 671.40
Northumberland	LdD	Laidig and Meckesville extremely stony soils, 8 to 25 percent slopes	7	14841.2	0.049	\$ 671.40
Northumberland	LdF	Laidig and Meckesville extremely stony soils, steep	7	4034.9	0.013	\$ 671.40
Northumberland	SmB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	1023.7	0.003	\$ 671.40
Northumberland	Uf	Udifluents, coal overwash	7	4259.4	0.014	\$ 671.40
Northumberland	Ug	Udifluents and Fluvaquents, gravelly	7	689.6	0.002	\$ 671.40
Northumberland	Uh	Udorthents, sandstone and shale	7	14085.7	0.046	\$ 671.40
Northumberland	WkE	Weikert and Klinesville shaly silt loams, steep	7	33639.2	0.11	\$ 671.40
Northumberland	DAM	Dams	8	3	0	\$ 671.40
Perry	AgA	Allegheny silt loam, 0 to 3 percent slopes	1	228	0.001	\$ 1,342.51
Perry	Bb	Barbour soils	1	1150	0.003	\$ 1,298.50
Perry	BoA	Birdsboro silt loam, 0 to 5 percent slopes	1	1753.9	0.005	\$ 1,445.73
Perry	Ch	Chavies fine sandy loam	1	575.7	0.002	\$ 1,401.99
Perry	DuA	Duffield silt loam, 0 to 3 percent slopes	1	369.3	0.001	\$ 1,430.76
Perry	DxA	Duncannon very fine sandy loam, 0 to 3 percent slopes	1	184.6	0.001	\$ 1,230.68
Perry	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	288.7	0.001	\$ 1,468.68
Perry	HuA	Huntington silt loam, 0 to 5 percent slopes	1	2098.7	0.006	\$ 1,366.77
Perry	MuA	Murrill channery loam, 0 to 3 percent slopes	1	215.2	0.001	\$ 1,301.45
Perry	Tg	Tioga soils	1	528.3	0.001	\$ 1,298.50
Perry	AbB	Albrights silt loam, 3 to 8 percent slopes	2	6935.3	0.02	\$ 1,152.84
Perry	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	472.3	0.001	\$ 1,280.26

Perry	Bc	Basher soils	2	2275.7	0.006	\$ 1,295.17
Perry	BdB	Bedington shaly silt loam, 3 to 8 percent slopes	2	182.2	0.001	\$ 1,330.29
Perry	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	7389.5	0.021	\$ 971.85
Perry	BhB	Berks stony silt loam, 3 to 8 percent slopes	2	699.9	0.002	\$ 976.48
Perry	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	1582	0.004	\$ 1,289.60
Perry	CaB	Calvin shaly silt loam, 3 to 8 percent slopes	2	9280.8	0.026	\$ 943.02
Perry	CbB	Calvin-Berks shaly silt loams, 3 to 8 percent slopes	2	3955.2	0.011	\$ 1,133.76
Perry	DuB	Duffield silt loam, 3 to 8 percent slopes	2	1119	0.003	\$ 1,401.99
Perry	DxB	Duncannon very fine sandy loam, 3 to 8 percent slopes	2	273.3	0.001	\$ 1,230.68
Perry	EdB	Edom silty clay loam, 3 to 8 percent slopes	2	2504.7	0.007	\$ 1,150.79
Perry	EtB	Ernest silt loam, 3 to 8 percent slopes	2	3847.3	0.011	\$ 1,159.80
Perry	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	537.2	0.002	\$ 1,469.33
Perry	HcB	Hagerstown silt loam, rocky, 3 to 8 percent slopes	2	5.9	0	\$ 1,412.22
Perry	HeB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	842.6	0.002	\$ 1,320.86
Perry	KrA	Kreamer cherty silt loam, 0 to 3 percent slopes	2	725.1	0.002	\$ 985.70
Perry	KrB	Kreamer cherty silt loam, 3 to 8 percent slopes	2	4568.3	0.013	\$ 1,070.55
Perry	LdB	Laidig channery loam, 3 to 8 percent slopes	2	935	0.003	\$ 1,150.79
Perry	Ls	Lindside silt loam	2	854.6	0.002	\$ 1,287.73
Perry	McB	Meckesville silt loam, 3 to 8 percent slopes	2	700.9	0.002	\$ 1,152.84
Perry	Mf	Middlebury soils	2	3468.7	0.01	\$ 1,298.87
Perry	MnA	Monongahela silt loam, 0 to 3 percent slopes	2	1006.9	0.003	\$ 1,226.01
Perry	MnB	Monongahela silt loam, 3 to 8 percent slopes	2	1552.7	0.004	\$ 1,155.71
Perry	MoB	Morrison sandy loam, 3 to 8 percent slopes	2	365.6	0.001	\$ 1,146.68
Perry	MuB	Murrill channery loam, 3 to 8 percent slopes	2	859.2	0.002	\$ 1,301.45
Perry	NeB	Neshaminy gravelly silt loam, 3 to 8 percent slopes	2	27.7	0	\$ 1,383.04
Perry	RaA	Raritan silt loam, 0 to 5 percent slopes	2	853.5	0.002	\$ 1,174.34
Perry	AbC	Albrights silt loam, 8 to 15 percent slopes	3	1890.3	0.005	\$ 1,063.94
Perry	Aw	Atkins silt loam	3	3074.6	0.009	\$ 1,159.07
Perry	BdC	Bedington shaly silt loam, 8 to 15 percent slopes	3	204.8	0.001	\$ 1,251.87
Perry	BeC	Berks shaly silt loam, 8 to 15 percent slopes	3	15270.8	0.043	\$ 891.93
Perry	BpB	Blairton silt loam, 3 to 8 percent slopes	3	343.7	0.001	\$ 937.06
Perry	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	872.7	0.002	\$ 1,070.55
Perry	CaC	Calvin shaly silt loam, 8 to 15 percent slopes	3	18319.4	0.052	\$ 854.58
Perry	CbC	Calvin-Berks shaly silt loams, 8 to 15 percent slopes	3	6531.7	0.018	\$ 1,040.38

Perry	DuC	Duffield silt loam, 8 to 15 percent slopes	3	310.2	0.001	\$ 1,493.15
Perry	EdC	Edom silty clay loam, 8 to 15 percent slopes	3	1720	0.005	\$ 1,066.20
Perry	EeB	Elliber very cherty silt loam, 3 to 8 percent slopes	3	4511.9	0.013	\$ 1,268.98
Perry	EtC	Ernest silt loam, 8 to 15 percent slopes	3	2046.6	0.006	\$ 1,069.68
Perry	EvA	Evendale cherty silt loam, 0 to 3 percent slopes	3	713.5	0.002	\$ 1,028.72
Perry	EvB	Evendale cherty silt loam, 3 to 8 percent slopes	3	257.5	0.001	\$ 1,026.49
Perry	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	582.2	0.002	\$ 1,397.20
Perry	HcC	Hagerstown silt loam, rocky, 8 to 15 percent slopes	3	22.9	0	\$ 1,342.51
Perry	HeC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	1092.2	0.003	\$ 1,249.96
Perry	KnB	Klinesville very shaly silt loam, 3 to 8 percent slopes	3	602.1	0.002	\$ 958.44
Perry	KrC	Kreamer cherty silt loam, 8 to 15 percent slopes	3	712.5	0.002	\$ 996.23
Perry	LdC	Laidig channery loam, 8 to 15 percent slopes	3	3425.6	0.01	\$ 1,109.11
Perry	Me	Melvin silt loam	3	913.6	0.003	\$ 1,154.89
Perry	MnC	Monongahela silt loam, 8 to 15 percent slopes	3	307.9	0.001	\$ 1,064.29
Perry	MoC	Morrison sandy loam, 8 to 15 percent slopes	3	516.8	0.001	\$ 1,104.88
Perry	MuC	Murrill channery loam, 8 to 15 percent slopes	3	345	0.001	\$ 1,228.97
Perry	Pe	Penlaw silt loam	3	399.1	0.001	\$ 1,104.88
Perry	Ty	Tyler silt loam	3	950.1	0.003	\$ 1,109.11
Perry	AnB	Andover gravelly loam, 0 to 8 percent slopes	4	214.6	0.001	\$ 1,035.41
Perry	BdD	Bedington shaly silt loam, 15 to 25 percent slopes	4	11.1	0	\$ 1,148.74
Perry	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	5073.7	0.014	\$ 890.95
Perry	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	1409	0.004	\$ 1,089.53
Perry	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	2649.2	0.007	\$ 1,084.38
Perry	CbD	Calvin-Berks shaly silt loams, 15 to 25 percent slopes	4	2055.8	0.006	\$ 1,022.01
Perry	EdD	Edom silty clay loam, 15 to 25 percent slopes	4	1183.4	0.003	\$ 976.48
Perry	EeC	Elliber very cherty silt loam, 8 to 15 percent slopes	4	7313	0.021	\$ 1,230.68
Perry	HaD	Hagerstown silt loam, 15 to 25 percent slopes	4	524.9	0.001	\$ 1,333.53
Perry	HcD	Hagerstown silt loam, rocky, 15 to 25 percent slopes	4	151.7	0	\$ 779.66
Perry	HeD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	1186.4	0.003	\$ 1,096.37
Perry	KnC	Klinesville very shaly silt loam, 8 to 15 percent slopes	4	1143.8	0.003	\$ 912.39
Perry	MoD	Morrison sandy loam, 15 to 25 percent slopes	4	389	0.001	\$ 1,059.66
Perry	Pu	Purdy silt loam	4	648.2	0.002	\$ 1,071.42
Perry	WeB	Weikert very channery silt loam, 3 to 8 percent slopes	4	1880.5	0.005	\$ 790.62
Perry	WeC	Weikert very channery silt loam, 8 to 15 percent slopes	4	4180.2	0.012	\$ 796.33

Perry	BhD	Berks stony silt loam, 8 to 25 percent slopes	6	5237.9	0.015	\$ 976.48
Perry	BxB	Buchanan very stony loam, 0 to 8 percent slopes	6	7289.1	0.02	\$ 671.40
Perry	BxC	Buchanan very stony loam, 8 to 25 percent slopes	6	5853.2	0.016	\$ 671.40
Perry	CaD	Calvin shaly silt loam, 15 to 25 percent slopes	6	3959.1	0.011	\$ 671.40
Perry	EdE	Edom silty clay loam, 25 to 40 percent slopes	6	571.8	0.002	\$ 671.40
Perry	EeD	Elliber very cherty silt loam, 15 to 25 percent slopes	6	2022.1	0.006	\$ 671.40
Perry	EfB	Elliber very stony silt loam, 0 to 8 percent slopes	6	1313.9	0.004	\$ 671.40
Perry	EfD	Elliber very stony silt loam, 8 to 25 percent slopes	6	3912.4	0.011	\$ 671.40
Perry	HdB	Hagerstown-Rock outcrop complex, 0 to 8 percent slopes	6	8.9	0	\$ 957.32
Perry	HdD	Hagerstown-Rock outcrop complex, 8 to 25 percent slopes	6	30.9	0	\$ 828.26
Perry	KnD	Klinesville very shaly silt loam, 15 to 25 percent slopes	6	5676.9	0.016	\$ 781.75
Perry	LgB	Laidig very stony loam, 0 to 8 percent slopes	6	1112.2	0.003	\$ 671.40
Perry	LgD	Laidig very stony loam, 8 to 25 percent slopes	6	22912.3	0.064	\$ 671.40
Perry	LpB	Lehew very stony loam, 0 to 8 percent slopes	6	798.5	0.002	\$ 671.40
Perry	LpD	Lehew very stony loam, 8 to 25 percent slopes	6	2767.9	0.008	\$ 671.40
Perry	MdB	Meckesville very stony silt loam, 0 to 8 percent slopes	6	282.4	0.001	\$ 671.40
Perry	MdD	Meckesville very stony silt loam, 8 to 25 percent slopes	6	4843.5	0.014	\$ 671.40
Perry	NhB	Neshaminy very stony silt loam, 0 to 8 percent slopes	6	26	0	\$ 671.40
Perry	WeD	Weikert very channery silt loam, 15 to 25 percent slopes	6	8513.6	0.024	\$ 671.40
Perry	AoB	Andover very stony loam, 0 to 8 percent slopes	7	3080.4	0.009	\$ 671.40
Perry	DED	Dekalb and Hazleton soils, 3 to 25 percent slopes, rubbly	7	26.9	0	\$ 671.40
Perry	DEF	Dekalb and Hazleton soils, 25 to 75 percent slopes, rubbly	7	2471.9	0.007	\$ 671.40
Perry	Eff	Elliber very stony silt loam, 25 to 50 percent slopes	7	1962.2	0.006	\$ 671.40
Perry	HdF	Hagerstown-Rock outcrop complex, 25 to 60 percent slopes	7	497.1	0.001	\$ 671.40
Perry	HfB	Hazleton extremely stony sandy loam, 0 to 8 percent slopes	7	8138.3	0.023	\$ 671.40
Perry	HfD	Hazleton extremely stony sandy loam, 8 to 25 percent slopes	7	19959	0.056	\$ 671.40
Perry	HfF	Hazleton extremely stony sandy loam, 25 to 60 percent slopes	7	41673	0.117	\$ 671.40
Perry	LCE	Laidig and Hazleton soils, 25 to 60 percent slopes, extremely stony	7	38	0	\$ 671.40
Perry	LhB	Leetonia gravelly loamy sand, 0 to 15 percent slopes, extremely stony	7	288.4	0.001	\$ 671.40
Perry	SrD	Sideling gravelly loam, 8 to 25 percent slopes, extremely stony	7	818.7	0.002	\$ 671.40
Perry	SSF	Sideling and Hazleton soils 25 to 60 percent slopes, extremely stony	7	69.2	0	\$ 671.40
Perry	WkF	Weikert and Klinesville very shaly silt loams, 25 to 75 percent slopes	7	29212.6	0.082	\$ 671.40
Perry	Dy	Dystrochrepts, bouldery	8	6585.4	0.019	\$ 671.40
Perry	Pt	Pits and quarries	8	63.2	0	\$ 671.40

Perry	Ub	Urban land and Udorthents	8	362.7	0.001	\$ 671.40
Philadelphia	CeA	Chester silt loam, 0 to 3 percent slopes	1	41.9	0	\$ 1,612.81
Philadelphia	DuA	Duncannon silt loam, 0 to 3 percent slopes	1	576.6	0.006	\$ 1,426.40
Philadelphia	PpA	Pope loam, terrace, 0 to 3 percent slopes	1	18.2	0	\$ 1,349.65
Philadelphia	AgA	Alton gravelly loam, 0 to 3 percent slopes	2	7.9	0	\$ 1,304.70
Philadelphia	CeB	Chester silt loam, 3 to 8 percent slopes	2	837.3	0.009	\$ 1,605.55
Philadelphia	Ch	Codorus silt loam	2	64.5	0.001	\$ 1,330.29
Philadelphia	DsB	Duffield silt loam, 3 to 8 percent slopes	2	3.2	0	\$ 1,524.01
Philadelphia	DuB	Duncannon silt loam, 3 to 8 percent slopes	2	300.4	0.003	\$ 1,429.75
Philadelphia	EcB	Edgemont channery loam, 3 to 8 percent slopes	2	4.2	0	\$ 1,292.57
Philadelphia	GnB	Glenelg silt loam, 3 to 8 percent slopes	2	41.7	0	\$ 1,407.46
Philadelphia	GoB	Glenville silt loam, 3 to 8 percent slopes	2	87.8	0.001	\$ 1,439.10
Philadelphia	LgA	Lawrenceville silt loam, 0 to 3 percent slopes	2	104.2	0.001	\$ 1,384.77
Philadelphia	LgB	Lawrenceville silt loam, 3 to 8 percent slopes	2	48.6	0.001	\$ 1,386.16
Philadelphia	MaB	Manor loam, 3 to 8 percent slopes	2	888.4	0.01	\$ 1,372.94
Philadelphia	Ro	Rowland silt loam	2	385	0.004	\$ 1,332.81
Philadelphia	UrA	Urbana silt loam, 0 to 3 percent slopes	2	81.7	0.001	\$ 1,080.93
Philadelphia	Bo	Bowmansville silt loam	3	37.3	0	\$ 981.10
Philadelphia	CaA	Chalfont silt loam, 0 to 3 percent slopes	3	58.2	0.001	\$ 1,358.16
Philadelphia	CaB	Chalfont silt loam, 3 to 8 percent slopes	3	29.4	0	\$ 1,331.73
Philadelphia	CeC	Chester silt loam, 8 to 15 percent slopes	3	148.4	0.002	\$ 1,595.32
Philadelphia	GnC	Glenelg silt loam, 8 to 15 percent slopes	3	5.8	0	\$ 1,312.04
Philadelphia	MaC	Manor loam, 8 to 15 percent slopes	3	1179.6	0.013	\$ 1,251.87
Philadelphia	CeD	Chester silt loam, 15 to 25 percent slopes	4	15.9	0	\$ 1,142.55
Philadelphia	DoA	Doylestown silt loam, 0 to 3 percent slopes	4	93.3	0.001	\$ 1,111.22
Philadelphia	GnD	Glenelg silt loam, 15 to 25 percent slopes	4	12.9	0	\$ 1,377.82
Philadelphia	Ha	Hatboro silt loam	4	771.6	0.008	\$ 1,123.84
Philadelphia	MaD	Manor loam, 15 to 25 percent slopes	4	709.3	0.008	\$ 1,189.86
Philadelphia	Ae	Alluvial land	5	114.7	0.001	\$ 671.40
Philadelphia	MaE	Manor loam, 25 to 35 percent slopes	6	10.8	0	\$ 671.40
Philadelphia	MbD	Manor extremely stony loam, 8 to 25 percent slopes	6	756.4	0.008	\$ 671.40
Philadelphia	MbF	Manor loam, 25 to 60 percent slopes, very stony	7	3.9	0	\$ 671.40
Philadelphia	McE	Manor and Chester extremely stony loams, 25 to 50 percent slopes	7	1381.6	0.015	\$ 671.40
Philadelphia	UdsB	Udorthents, schist and gneiss, 0 to 8 percent slopes	7	1.3	0	\$ 671.40

Philadelphia	GP	Gravel pit	8	5	0	\$ 671.40
Philadelphia	Mh	Marsh	8	436.8	0.005	\$ 671.40
Philadelphia	Ub	Urban land	8	48095.8	0.527	\$ 671.40
Philadelphia	Uc	Urban land-Abbottstown complex	8	26.1	0	\$ 671.40
Philadelphia	UdB	Urban land-Chester complex, 0 to 8 percent slopes	8	21146.4	0.232	\$ 678.43
Philadelphia	UdC	Urban land-Chester complex, 8 to 15 percent slopes	8	2096	0.023	\$ 699.13
Philadelphia	Uh	Urban land-Howell complex	8	4305.8	0.047	\$ 671.40
Philadelphia	UrIB	Urban land-Gladstone complex, 0 to 8 percent slopes	8	152.3	0.002	\$ 671.40
Philadelphia	UrID	Urban land-Gladstone complex, 8 to 25 percent slopes	8	70.6	0.001	\$ 671.40
Philadelphia	UrmB	Urban land-Glenelg complex, 0 to 8 percent slopes	8	18	0	\$ 671.40
Philadelphia	UrmD	Urban land-Glenelg complex, 8 to 25 percent slopes	8	1.5	0	\$ 671.40
Philadelphia	UugB	Urban land-Udorthents, schist and gneiss complex, 0 to 8 percent slopes	8	703.7	0.008	\$ 671.40
Philadelphia	UugD	Urban land-Udorthents, schist and gneiss complex, 8 to 25 percent slopes	8	62.2	0.001	\$ 671.40
Pike		27 Barbour fine sandy loam	1	751	0.002	\$ 1,304.77
Pike		75 Unadilla silt loam	1	278.5	0.001	\$ 1,215.06
Pike	24A	Delaware fine sandy loam, 0 to 3 percent slopes	1	1710.4	0.005	\$ 1,398.23
Pike		14 Braceville fine sandy loam	2	195.7	0.001	\$ 1,172.00
Pike		15 Pope fine sandy loam	2	214	0.001	\$ 1,181.28
Pike		26 Philo loam	2	1374.9	0.004	\$ 1,350.36
Pike	108B	Wyoming and Chenango soils, 0 to 8 percent slopes	2	1688.6	0.005	\$ 993.03
Pike	24B	Delaware fine sandy loam, 3 to 8 percent slopes	2	768.1	0.002	\$ 1,346.08
Pike	25B	Wurtsboro channery fine sandy loam, 0 to 8 percent slopes, stony	2	2225.3	0.006	\$ 1,002.15
Pike	29B	Wellsboro channery loam, 0 to 8 percent slopes, stony	2	2095.4	0.006	\$ 1,142.55
Pike	320B	Lackawanna channery loam, 3 to 8 percent slopes, stony	2	1456.7	0.004	\$ 1,132.18
Pike	60B	Mardin channery silt loam, 0 to 8 percent slopes, stony	2	1464	0.004	\$ 983.40
Pike	89B	Chenango gravelly fine sandy loam, 0 to 8 percent slopes	2	4404.3	0.012	\$ 1,151.61
Pike	108C	Wyoming and Chenango soils, 8 to 15 percent slopes	3	402.3	0.001	\$ 800.48
Pike	25C	Wurtsboro channery fine sandy loam, 8 to 15 percent slopes, stony	3	478.1	0.001	\$ 959.75
Pike	29C	Wellsboro channery loam, 8 to 15 percent slopes, stony	3	673.6	0.002	\$ 1,034.96
Pike	320C	Lackawanna channery loam, 8 to 15 percent slopes, rocky	3	458.2	0.001	\$ 1,065.77
Pike	442B	Wyoming very cobbly sandy loam, 3 to 8 percent slopes	3	3323.4	0.009	\$ 1,055.72
Pike	5B	Suncook loamy sand, 0 to 8 percent slopes	3	282.9	0.001	\$ 885.27
Pike	60C	Mardin channery silt loam, 8 to 15 percent slopes, stony	3	646.4	0.002	\$ 903.11
Pike	89C	Chenango gravelly fine sandy loam, 8 to 15 percent slopes	3	517.9	0.001	\$ 931.45

Pike	143	Wyalusing fine sandy loam	4	634.5	0.002	\$ 962.55
Pike	24C	Delaware fine sandy loam, 8 to 20 percent slopes	4	409	0.001	\$ 1,282.51
Pike	442C	Wyoming very cobbly sandy loam, 8 to 15 percent slopes	4	1407.9	0.004	\$ 856.38
Pike	442D	Wyoming very cobbly sandy loam, 15 to 30 percent slopes	4	575.4	0.002	\$ 810.79
Pike	89D	Chenango gravelly fine sandy loam, 15 to 25 percent slopes	4	399.5	0.001	\$ 835.26
Pike	12	Gleneyre-Kimbles complex, 0 to 2 percent slopes	5	3403.9	0.009	\$ 671.40
Pike	18	Paupack mucky peat	5	2878.7	0.008	\$ 671.40
Pike	20	Freetown mucky peat	5	10718.5	0.03	\$ 671.40
Pike	19B	Morris very channery loam, 0 to 8 percent slopes, very stony	6	7851.2	0.022	\$ 671.40
Pike	19C	Morris very channery loam, 8 to 15 percent slopes, very stony	6	733.2	0.002	\$ 671.40
Pike	21B	Manlius very channery silt loam, 3 to 8 percent slopes, very bouldery	6	1716.8	0.005	\$ 671.40
Pike	21C	Manlius very channery silt loam, 8 to 15 percent slopes, very bouldery	6	1519.6	0.004	\$ 671.40
Pike	239B	Oquaga very stony loam, 0 to 8 percent slopes, extremely bouldery	6	9492.3	0.026	\$ 671.40
Pike	239C	Oquaga very stony loam, 8 to 15 percent slopes, extremely bouldery	6	6660.1	0.018	\$ 671.40
Pike	239D	Oquaga very stony loam, 15 to 30 percent slopes, extremely bouldery	6	8193.3	0.023	\$ 671.40
Pike	30B	Wurtsboro stony fine sandy loam, 0 to 8 percent slopes, extremely stony	6	40942.8	0.113	\$ 671.40
Pike	30C	Wurtsboro stony fine sandy loam, 8 to 15 percent slopes, extremely stony	6	20268.4	0.056	\$ 671.40
Pike	30D	Wurtsboro stony fine sandy loam, 15 to 25 percent slopes, extremely stony	6	3200.9	0.009	\$ 671.40
Pike	38B	Swartswood stony fine sandy loam, 0 to 8 percent slopes, extremely stony	6	30325.3	0.084	\$ 671.40
Pike	38C	Swartswood stony fine sandy loam, 8 to 15 percent slopes, extremely stony	6	11000	0.03	\$ 671.40
Pike	38D	Swartswood stony fine sandy loam, 15 to 30 percent slopes, extremely stony	6	3285	0.009	\$ 671.40
Pike	402C	Arnot very channery loam, 3 to 15 percent slopes, very rocky	6	5126.3	0.014	\$ 671.40
Pike	50C	Wasnot very flaggy sandy loam, 3 to 15 percent slopes, very rocky	6	632.5	0.002	\$ 671.40
Pike	61B	Mardin stony loam, 0 to 8 percent slopes, extremely stony	6	3983.4	0.011	\$ 671.40
Pike	61C	Mardin stony loam, 8 to 15 percent slopes, extremely stony	6	3500.2	0.01	\$ 671.40
Pike	97B	Lordstown very channery loam, 3 to 8 percent slopes, very stony	6	6500.9	0.018	\$ 671.40
Pike	97C	Lordstown very channery loam, 8 to 15 percent slopes, very stony	6	754.6	0.002	\$ 671.40
Pike	9B	Craigsville-Wyoming complex, 0 to 8 percent slopes, extremely stony	6	1991.2	0.005	\$ 671.40
Pike	111B	Edgemere-Shohola complex, 3 to 15 percent slopes, very rubbly	7	13259.2	0.037	\$ 671.40
Pike	11A	Edgemere extremely stony loam, 0 to 3 percent slopes, very rubbly	7	9198.7	0.025	\$ 671.40
Pike	121D	Manlius-Arnot-Rock outcrop complex, 15 to 30 percent slopes, rubbly	7	3901.3	0.011	\$ 671.40
Pike	121F	Manlius-Arnot-Rock outcrop complex, 30 to 80 percent slopes, rubbly	7	7616.4	0.021	\$ 671.40
Pike	240F	Oquaga-Arnot-Rock outcrop complex, 20 to 60 percent slopes, very rubbly	7	22620.2	0.062	\$ 671.40
Pike	258F	Skytop-Wasnot-Rock outcrop complex, 15 to 60 percent slopes, very rubbly	7	870.4	0.002	\$ 671.40

Pike	28B	Wellsboro stony loam, 0 to 8 percent slopes, extremely stony	7	14198.2	0.039	\$ 671.40
Pike	28C	Wellsboro stony loam, 8 to 15 percent slopes, extremely stony	7	8370.2	0.023	\$ 671.40
Pike	28D	Wellsboro stony loam, 15 to 25 percent slopes, extremely stony	7	1464.1	0.004	\$ 671.40
Pike	321B	Lackawanna channery loam, 3 to 8 percent slopes, extremely stony	7	7010.1	0.019	\$ 671.40
Pike	321C	Lackawanna channery loam, 8 to 15 percent slopes, extremely stony	7	4371.5	0.012	\$ 671.40
Pike	321D	Lackawanna channery loam, 15 to 30 percent slopes, extremely stony	7	2144.7	0.006	\$ 671.40
Pike	402E	Arnot very channery loam, 15 to 35 percent slopes, very rocky	7	3283	0.009	\$ 671.40
Pike	50E	Wasnot very flaggy sandy loam, 15 to 35 percent slopes, very rocky	7	210.7	0.001	\$ 671.40
Pike	58C	Skytop very flaggy sandy loam, 8 to 15 percent slopes, extremely stony	7	1097.8	0.003	\$ 671.40
Pike	58E	Skytop very flaggy sandy loam, 15 to 35 percent slopes, extremely stony	7	328.5	0.001	\$ 671.40
Pike	7B	Shohola-Edgemere complex, 0 to 8 percent slopes, very rubbly	7	6106.9	0.017	\$ 671.40
Pike	7C	Shohola-Edgemere complex, 8 to 15 percent slopes, very rubbly	7	4969.6	0.014	\$ 671.40
Pike	897B	Lordstown-Swartswood complex, 0 to 8 percent slopes, extremely stony	7	12987.4	0.036	\$ 671.40
Pike	897C	Lordstown-Swartswood complex, 8 to 15 percent slopes, extremely stony	7	8098.2	0.022	\$ 671.40
Pike	897D	Lordstown-Swartswood complex, 15 to 30 percent slopes, extremely stony	7	2313.4	0.006	\$ 671.40
Pike	BP	Pits, Shale, and Gravel	8	595.9	0.002	\$ 671.40
Potter	Ba	Barbour fine sandy loam, 0 to 3 percent slopes	1	1269.5	0.002	\$ 1,550.47
Potter	Bb	Barbour fine sandy loam, high bottom phase, 0 to 3 percent slopes	1	1064.6	0.002	\$ 1,291.46
Potter	ThA	Tioga fine sandy loam, high bottom phase, 0 to 3 percent slopes	1	328.4	0	\$ 1,291.46
Potter	UfA	Unadilla fine sandy loam, 0 to 3 percent slopes	1	329.6	0	\$ 1,306.24
Potter	UnA	Unadilla silt loam, 0 to 3 percent slopes	1	194.1	0	\$ 1,306.24
Potter	AbB	Albrights silt loam, 3 to 8 percent slopes	2	2234.3	0.003	\$ 1,177.25
Potter	Bc	Barbour gravelly fine sandy loam, 0 to 3 percent slopes	2	1113.5	0.002	\$ 1,222.89
Potter	Bd	Basher sandy loam, 0 to 3 percent slopes	2	1492.2	0.002	\$ 1,215.06
Potter	Be	Basher silt loam, 0 to 3 percent slopes	2	982.3	0.001	\$ 1,541.30
Potter	Bf	Basher silt loam, high bottom phase, 0 to 3 percent slopes	2	958.5	0.001	\$ 1,215.06
Potter	BhB	Bath channery silt loam, 0 to 12 percent slopes	2	6363.4	0.009	\$ 1,259.50
Potter	Bn	Braceville gravelly silt loam, 0 to 5 percent slopes	2	830	0.001	\$ 1,230.68
Potter	CfB	Chenango gravelly loam, 0 to 12 percent slopes	2	1538.6	0.002	\$ 1,150.79
Potter	ClB	Clymer channery loam, 0 to 12 percent slopes	2	8349.3	0.012	\$ 1,306.24
Potter	CoB	Cookport channery loam, 0 to 8 percent slopes	2	9068.1	0.013	\$ 1,131.35
Potter	CrA	Craigsville gravelly loam	2	87.1	0	\$ 1,013.02
Potter	DfB	Dekalb fine sandy loam, 0 to 12 percent slopes	2	1500.3	0.002	\$ 976.48
Potter	DkB	Dekalb channery loam, 10 to 25 inches deep, 0 to 12 percent slopes	2	3281.2	0.005	\$ 976.48

Potter	HaB	Hartleton channery silt loam, 3 to 15 percent slopes	2	6719.2	0.01	\$ 1,287.73
Potter	HuB	Hustontown channery silt loam, 3 to 8 percent slopes	2	8967	0.013	\$ 1,201.25
Potter	HxB	Hazleton channery loam, 3 to 15 percent slopes	2	7761.8	0.011	\$ 1,121.74
Potter	LaB	Lackawanna channery loam, 3 to 8 percent slopes	2	5433.9	0.008	\$ 1,251.11
Potter	LkB	Leck Kill channery loam, 3 to 15 percent slopes	2	16153.2	0.023	\$ 1,117.54
Potter	LoB	Lordstown channery silt loam, 0 to 12 percent slopes	2	1588.5	0.002	\$ 1,022.01
Potter	LwB	Lehew silt loam, 3 to 8 percent slopes	2	332.5	0	\$ 1,006.23
Potter	LwC	Lehew silt loam, 8 to 15 percent slopes	2	1760.5	0.003	\$ 960.22
Potter	MaB	Mardin channery silt loam, 0 to 8 percent slopes	2	12105	0.017	\$ 1,205.21
Potter	Me	Middlebury sandy loam, 0 to 3 percent slopes	2	1495.7	0.002	\$ 1,291.46
Potter	Mf	Middlebury silt loam, 0 to 3 percent slopes	2	867.4	0.001	\$ 1,215.06
Potter	Mg	Middlebury silt loam, high bottom phase, 0 to 3 percent slopes	2	1023.5	0.001	\$ 1,215.06
Potter	OaB	Oquaga channery loam, 0 to 12 percent slopes	2	1388.1	0.002	\$ 779.66
Potter	ScA	Scio fine sandy loam-silt loam, 0 to 3 percent slopes	2	1112.2	0.002	\$ 1,142.55
Potter	TaA	Tioga fine sandy loam, 0 to 3 percent slopes	2	590.4	0.001	\$ 1,142.55
Potter	TgA	Tioga gravelly loam, 0 to 3 percent slopes	2	257.1	0	\$ 1,142.55
Potter	TuB	Tunkhannock gravelly loam, 0 to 12 percent slopes	2	2938.5	0.004	\$ 1,066.20
Potter	WeB	Wellsboro channery silt loam, 0 to 8 percent slopes	2	7423.5	0.011	\$ 1,205.21
Potter	WhB	Wharton channery silt loam, 0 to 12 percent slopes	2	2502.4	0.004	\$ 1,061.58
Potter	AbA	Albrights silt loam, 0 to 3 percent slopes	3	16.8	0	\$ 1,176.52
Potter	AbC	Albrights silt loam, 8 to 15 percent slopes	3	1711.5	0.002	\$ 1,142.55
Potter	CaB	Cavode silt loam, 0 to 8 percent slopes	3	439.2	0.001	\$ 1,017.52
Potter	CaC	Cavode silt loam, 8 to 15 percent slopes	3	193	0	\$ 976.48
Potter	CbB	Cavode channery silt loam, 0 to 8 percent slopes	3	1691.3	0.002	\$ 1,017.52
Potter	CbC	Cavode channery silt loam, 8 to 15 percent slopes	3	487.5	0.001	\$ 976.48
Potter	CoC	Cookport channery loam, 8 to 15 percent slopes	3	3739.3	0.005	\$ 1,061.58
Potter	HuC	Hustontown channery silt loam, 8 to 15 percent slopes	3	11503	0.017	\$ 1,218.98
Potter	LaC	Lackawanna channery loam, 8 to 15 percent slopes	3	749.8	0.001	\$ 1,153.66
Potter	MaC	Mardin channery silt loam, 8 to 15 percent slopes	3	8346.9	0.012	\$ 1,104.88
Potter	MoA	Morris silt loam, 0 to 3 percent slopes	3	467.6	0.001	\$ 953.19
Potter	MoB	Morris silt loam, 3 to 8 percent slopes	3	7073	0.01	\$ 987.99
Potter	MoC	Morris silt loam, 8 to 15 percent slopes	3	4272.2	0.006	\$ 985.70
Potter	TkC	Tunkhannock channery loam, 3 to 20 percent slopes, extremely stony	3	2192.2	0.003	\$ 929.55
Potter	VoA	Volusia channery silt loam, 0 to 3 percent slopes	3	133.9	0	\$ 953.19

Potter	VoB	Volusia channery silt loam, 3 to 8 percent slopes	3	3851.3	0.006	\$ 987.99
Potter	VoC	Volusia channery silt loam, 8 to 15 percent slopes	3	3772.6	0.005	\$ 991.20
Potter	WeC	Wellsboro channery silt loam, 8 to 15 percent slopes	3	7031.6	0.01	\$ 1,104.88
Potter	AbD	Albrights silt loam, 15 to 35 percent slopes	4	417.8	0.001	\$ 1,139.08
Potter	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	416.6	0.001	\$ 1,079.21
Potter	BhD	Bath channery silt loam, 12 to 20 percent slopes	4	3164.2	0.005	\$ 1,152.84
Potter	BrB	Brinkerton and Armagh silt loams, 0 to 15 percent slopes	4	905.7	0.001	\$ 1,022.01
Potter	CaD	Cavode silt loam, 15 to 25 percent slopes	4	9.8	0	\$ 934.31
Potter	CbD	Cavode channery silt loam, 15 to 25 percent slopes	4	134.1	0	\$ 934.31
Potter	CfD	Chenango gravelly loam, 12 to 20 percent slopes	4	688.7	0.001	\$ 976.48
Potter	CID	Clymer channery loam, 12 to 20 percent slopes	4	1741.1	0.003	\$ 1,109.11
Potter	CoD	Cookport channery loam, 15 to 25 percent slopes	4	1707.6	0.002	\$ 1,061.58
Potter	CvB	Chippewa silt loam, 0 to 8 percent slopes	4	533.3	0.001	\$ 779.66
Potter	DfD	Dekalb fine sandy loam, 12 to 20 percent slopes	4	208.1	0	\$ 881.15
Potter	DkD	Dekalb channery loam, 10 to 25 inches deep, 12 to 20 percent slopes	4	1524.5	0.002	\$ 881.15
Potter	Ha	Holly sandy loam, 0 to 3 percent slopes, frequently flooded	4	1604.2	0.002	\$ 1,066.20
Potter	HaD	Hartleton channery silt loam, 15 to 25 percent slopes	4	3870.7	0.006	\$ 1,191.30
Potter	Hb	Holly silt loam, 0 to 3 percent slopes, frequently flooded	4	5002	0.007	\$ 1,066.20
Potter	HuD	Hustontown channery silt loam, 15 to 25 percent slopes	4	6205.1	0.009	\$ 1,218.98
Potter	HxD	Hazleton channery loam, 15 to 25 percent slopes	4	4358.1	0.006	\$ 1,218.98
Potter	LaD	Lackawanna channery loam, 15 to 25 percent slopes	4	5015	0.007	\$ 1,106.99
Potter	LdC	Laidig channery loam, 0 to 15 percent slopes	4	1264.8	0.002	\$ 1,109.11
Potter	LdD	Laidig channery loam, 15 to 25 percent slopes	4	1130.9	0.002	\$ 1,019.77
Potter	LkD	Leck Kill channery loam, 15 to 25 percent slopes	4	17890.4	0.026	\$ 1,048.68
Potter	LoD	Lordstown channery silt loam, 12 to 20 percent slopes	4	644	0.001	\$ 976.48
Potter	LwD	Lehew silt loam, 15 to 25 percent slopes	4	1088.2	0.002	\$ 912.78
Potter	MaD	Mardin channery silt loam, 15 to 25 percent slopes	4	5117.3	0.007	\$ 943.78
Potter	MoD	Morris silt loam, 15 to 25 percent slopes	4	865.5	0.001	\$ 826.13
Potter	NoB	Nolo channery silt loam, 0 to 8 percent slopes	4	719.1	0.001	\$ 976.48
Potter	NwB	Norwich silt loam, 0 to 15 percent slopes	4	755.7	0.001	\$ 779.66
Potter	OaD	Oquaga channery loam, 12 to 20 percent slopes	4	1016.4	0.001	\$ 779.66
Potter	SoB	Solon channery silt loam, 0 to 15 percent slopes	4	124.8	0	\$ 779.66
Potter	SoD	Solon channery silt loam, 15 to 35 percent slopes	4	205	0	\$ 779.66
Potter	TuD	Tunkhannock gravelly loam, 12 to 20 percent slopes	4	236.3	0	\$ 881.15

Potter	VoD	Volusia channery silt loam, 15 to 25 percent slopes	4	876.9	0.001	\$ 870.79
Potter	WeD	Wellsboro channery silt loam, 15 to 25 percent slopes	4	3365.3	0.005	\$ 990.29
Potter	WhD	Wharton channery silt loam, 12 to 20 percent slopes	4	553.7	0.001	\$ 886.35
Potter	Fr	Freetown mucky peat	5	42.9	0	\$ 671.40
Potter	McA	Melvin silt loam	5	494.4	0.001	\$ 976.48
Potter	Mn	Mixed alluvium, 0 to 5 percent slopes	5	7436.9	0.011	\$ 671.40
Potter	Rh	Red Hook silt loam, 0 to 3 percent slopes	5	1429.3	0.002	\$ 671.40
Potter	Rv	Riverwash	5	910.6	0.001	\$ 671.40
Potter	Wa	Wayland soils complex, non-calcareous substratum, 0 to 3 percent slopes, frequen	5	403.1	0.001	\$ 671.40
Potter	AcC	Albrights channery silt loam, 0 to 15 percent, extremely stony	6	182.4	0	\$ 671.40
Potter	AcD	Albrights channery silt loam, 15 to 25 percent, extremely stony	6	19.4	0	\$ 671.40
Potter	BhE	Bath channery silt loam, 20 to 30 percent slopes	6	3750.9	0.005	\$ 671.40
Potter	BrF	Brinkerton and Armagh silt loams, 15 to 50 percent slopes	6	53	0	\$ 671.40
Potter	CdC	Cavode channery silt loam, 0 to 15 percent slopes, extremely stony	6	1129.9	0.002	\$ 671.40
Potter	CdF	Cavode channery silt loam, 15 to 50 percent slopes, extremely stony	6	110.1	0	\$ 671.40
Potter	CeC	Cadosia channery loam, 0 to 15 percent slopes, extremely stony	6	949.5	0.001	\$ 671.40
Potter	CIE	Clymer channery loam, 20 to 30 percent slopes	6	945.3	0.001	\$ 671.40
Potter	CmC	Clymer channery loam, 0 to 20 percent slopes, extremely stony	6	9835.4	0.014	\$ 671.40
Potter	CoE	Cookport channery loam, 25 to 35 percent slopes	6	546.2	0.001	\$ 1,066.20
Potter	CpB	Cookport channery loam, 3 to 15 percent, extremely stony	6	13217.4	0.019	\$ 671.40
Potter	CpD	Cookport channery loam, 15 to 25 percent, extremely stony	6	2566.1	0.004	\$ 671.40
Potter	DfE	Dekalb fine sandy loam, 20 to 30 percent slopes	6	54.8	0	\$ 671.40
Potter	DkE	Dekalb channery loam, 10 to 25 inches deep, 20 to 30 percent slopes	6	1036.7	0.001	\$ 671.40
Potter	DxD	Dekalb channery loam, 10 to 25 inches deep, 0 to 20 percent slopes, extremely st	6	2902.9	0.004	\$ 671.40
Potter	HaE	Hartleton channery silt loam, 25 to 35 percent slopes	6	4420.1	0.006	\$ 1,191.30
Potter	HbD	Hartleton channery silt loam, 8 to 25 percent slopes, extremely stony	6	429	0.001	\$ 1,191.30
Potter	HuE	Hustontown channery silt loam, 25 to 35 percent slopes	6	1339.4	0.002	\$ 1,218.98
Potter	HvC	Hustontown channery silt loam, 3 to 15 percent slopes, extremely stony	6	1055.5	0.002	\$ 1,150.79
Potter	HvD	Hustontown channery silt loam, 15 to 25 percent slopes, extremely stony	6	784.5	0.001	\$ 1,150.79
Potter	HxE	Hazleton channery loam, 25 to 35 percent slopes	6	15981.3	0.023	\$ 671.40
Potter	HxD	Hazleton channery loam, 8 to 25 percent slopes, extremely stony	6	3895.5	0.006	\$ 671.40
Potter	LaE	Lackawanna channery loam, 25 to 35 percent slopes	6	5968.1	0.009	\$ 671.40
Potter	LdE	Laidig channery loam, 25 to 35 percent slopes	6	3286.5	0.005	\$ 671.40
Potter	LkE	Leck Kill channery loam, 25 to 35 percent slopes	6	59939.4	0.087	\$ 671.40

Potter	LmC	Leck Kill channery loam, 8 to 15 percent slopes, extremely stony	6	201.2	0	\$ 671.40
Potter	LmD	Leck Kill channery loam, 15 to 25 percent slopes, extremely stony	6	740.6	0.001	\$ 671.40
Potter	LoE	Lordstown channery silt loam, 20 to 30 percent slopes	6	801.8	0.001	\$ 671.40
Potter	LpC	Lordstown channery loam, 0 to 20 percent slopes, extremely stony	6	1247.5	0.002	\$ 671.40
Potter	LsC	Leetonia channery loamy sand, 0 to 20 percent slopes, extremely stony	6	11898	0.017	\$ 671.40
Potter	LwE	Lehew silt loam, 25 to 35 percent slopes	6	1366.3	0.002	\$ 912.78
Potter	LxD	Lehew channery loam, 8 to 25 percent slopes, extremely stony	6	433.2	0.001	\$ 960.22
Potter	MaE	Mardin channery silt loam, 25 to 35 percent slopes	6	3176.3	0.005	\$ 671.40
Potter	MhD	Meckesville channery loam, 8 to 25 percent slopes, very stony	6	86.4	0	\$ 671.40
Potter	OaE	Oquaga channery loam, 20 to 30 percent slopes	6	1092.4	0.002	\$ 671.40
Potter	OxC	Oquaga channery loam, 0 to 20 percent slopes, extremely stony	6	304	0	\$ 671.40
Potter	TkE	Tunkhannock channery loam, 20 to 30 percent slopes, extremely stony	6	450.2	0.001	\$ 671.40
Potter	WeE	Wellsboro channery silt loam, 25 to 35 percent slopes	6	582.7	0.001	\$ 671.40
Potter	WgB	Wharton-Cookport complex, 0 to 8 percent slopes, very stony	6	109.3	0	\$ 671.40
Potter	WhE	Wharton channery silt loam, 20 to 30 percent slopes	6	249.1	0	\$ 671.40
Potter	AbF	Albrights channery silt loam, 25 to 45 percent slopes	7	102.6	0	\$ 1,139.08
Potter	AcF	Albrights channery silt loam, 25 to 50 percent, extremely stony	7	4.8	0	\$ 671.40
Potter	BhF	Bath channery silt loam, 30 to 40 percent slopes	7	3367.2	0.005	\$ 671.40
Potter	BkD	Bath channery silt loam, 8 to 25 percent slopes, extremely stony	7	401.2	0.001	\$ 671.40
Potter	BkE	Bath channery silt loam, 25 to 35 percent slopes, extremely stony	7	360.6	0.001	\$ 671.40
Potter	BKF	Bath and Lackawanna channery loams, 30 to 60 percent slopes, extremely stony	7	7685.5	0.011	\$ 671.40
Potter	CeE	Cadosia channery loam, 15 to 35 percent slopes, extremely stony	7	460.3	0.001	\$ 671.40
Potter	CfF	Chenango gravelly loam, 20 to 50 percent slopes	7	1432.9	0.002	\$ 671.40
Potter	CgB	Clymer-Cookport channery loams, 0 to 8 percent slopes, extremely stony	7	1506.6	0.002	\$ 671.40
Potter	ChB	Clymer-Hazleton sandy loams, 0 to 8 percent slopes, extremely stony	7	36.3	0	\$ 671.40
Potter	CmE	Clymer channery loam, 20 to 30 percent slopes, extremely stony	7	1972.9	0.003	\$ 671.40
Potter	CpE	Cookport channery loam, 25 to 35 percent, extremely stony	7	1023.8	0.001	\$ 671.40
Potter	CTF	Cookport and Hustontown channery silt loams, 35 to 50 percent slopes	7	162.4	0	\$ 1,191.30
Potter	CwB	Chippewa channery silt loam, 0 to 8 percent slopes, extremely stony	7	665.3	0.001	\$ 671.40
Potter	DxE	Dekalb channery loam, 10 to 25 inches deep, 20 to 30 percent slopes, extremely s	7	1050.6	0.002	\$ 671.40
Potter	HaF	Hartleton channery silt loam, 35 to 45 percent slopes	7	6005.9	0.009	\$ 1,191.30
Potter	HbE	Hartleton channery silt loam, 25 to 35 percent slopes, extremely stony	7	342.6	0	\$ 1,191.30
Potter	HLF	Hartleton and Leck Kill channery loams, 30 to 60 percent slopes	7	76624.7	0.111	\$ 726.41
Potter	HvE	Hustontown channery silt loam, 25 to 35 percent slopes, extremely stony	7	289.7	0	\$ 1,150.79

Potter	HwF	Hazleton-Laidig complex, 25 to 50 percent slopes, extremely stony	7	3354.4	0.005	\$ 671.40
Potter	HyB	Hazleton-Clymer channery loams, 0 to 8 percent slopes, extremely stony	7	213.7	0	\$ 671.40
Potter	HyD	Hazleton-Clymer channery loams, 8 to 25 percent slopes, extremely stony	7	361	0.001	\$ 671.40
Potter	HZE	Hazleton channery loam, 25 to 35 percent slopes, extremely stony	7	2858.7	0.004	\$ 671.40
Potter	HZF	Hazleton channery loam, 35 to 45 percent slopes, extremely stony	7	5767.3	0.008	\$ 671.40
Potter	LaF	Lackawanna channery loam, 35 to 45 percent slopes	7	8029.6	0.012	\$ 671.40
Potter	LbD	Lackawanna channery loam, 8 to 25 percent slopes, extremely stony	7	696.9	0.001	\$ 671.40
Potter	LbE	Lackawanna channery loam, 25 to 35 percent slopes, extremely stony	7	674.4	0.001	\$ 671.40
Potter	LkF	Leck Kill channery loam, 35 to 45 percent slopes	7	18147.4	0.026	\$ 671.40
Potter	LmE	Leck Kill channery loam, 25 to 35 percent slopes, extremely stony	7	945.1	0.001	\$ 671.40
Potter	LoF	Lordstown channery silt loam, 30 to 40 percent slopes	7	1823.1	0.003	\$ 671.40
Potter	LpD	Lordstown channery loam, 20 to 30 percent slopes, extremely stony	7	467.5	0.001	\$ 671.40
Potter	LpF	Lordstown and Bath channery silt loams, 40 to 60 percent slopes	7	5162.3	0.007	\$ 671.40
Potter	LsE	Leetonia channery loamy sand, 20 to 30 percent slopes, extremely stony	7	1299.8	0.002	\$ 671.40
Potter	LTC	Leetonia and Dekalb soils, 0 to 20 percent slopes, extremely stony	7	1060.6	0.002	\$ 671.40
Potter	LTE	Leetonia and Dekalb soils, 20 to 30 percent slopes, extremely stony	7	551.2	0.001	\$ 671.40
Potter	LTF	Leetonia and Dekalb soils, 30 to 60 percent slopes, extremely stony	7	51226.7	0.074	\$ 671.40
Potter	LwF	Lehew channery loam, 35 to 60 percent slopes	7	19704	0.028	\$ 912.78
Potter	LxE	Lehew channery loam, 25 to 35 percent slopes, extremely stony	7	173.9	0	\$ 912.78
Potter	LxF	Lehew channery loam, 35 to 60 percent slopes, extremely stony	7	11378	0.016	\$ 912.78
Potter	MbC	Mardin channery silt loam, 3 to 15 percent slopes, extremely stony	7	2694.9	0.004	\$ 671.40
Potter	MbD	Mardin channery silt loam, 15 to 25 percent slopes, extremely stony	7	443.3	0.001	\$ 671.40
Potter	MbE	Mardin channery silt loam, 25 to 35 percent slopes, extremely stony	7	230.1	0	\$ 671.40
Potter	MBF	Mardin and Wellsboro channery silt loam, 35 to 50 percent slopes	7	139.4	0	\$ 671.40
Potter	MoF	Morris silt loam, 25 to 50 percent slopes	7	115	0	\$ 671.40
Potter	MsC	Morris channery silt loam, 0 to 15 percent slopes, extremely stony	7	5677.2	0.008	\$ 671.40
Potter	MsD	Morris channery silt loam, 15 to 25 percent slopes, extremely stony	7	481.2	0.001	\$ 671.40
Potter	MsF	Morris channery silt loam, 25 to 50 percent slopes, extremely stony	7	63.1	0	\$ 671.40
Potter	NsB	Nolo channery sandy loam, sandy variant, 0 to 12 percent slopes, extremely stony	7	2117.5	0.003	\$ 671.40
Potter	NxB	Norwich channery silt loam, 0 to 15 percent slopes, extremely stony	7	1037.9	0.001	\$ 671.40
Potter	OaF	Oquaga channery loam, 30 to 50 percent slopes	7	4160.6	0.006	\$ 671.40
Potter	OxD	Oquaga channery loam, 20 to 30 percent slopes, extremely stony	7	359	0.001	\$ 671.40
Potter	OxF	Oquaga channery loam, 30 to 60 percent slopes, extremely stony	7	4852.3	0.007	\$ 671.40
Potter	TkF	Tunkhannock channery loam, 30 to 50 percent slopes, extremely stony	7	140.7	0	\$ 671.40

Potter	UmF	Ungers-Meckesville complex, 25 to 50 percent slopes, extremely stony	7	1381.5	0.002	\$ 671.40
Potter	VoE	Volusia channery silt loam, 25 to 35 percent slopes, eroded	7	774.3	0.001	\$ 671.40
Potter	VsB	Volusia channery silt loam, 0 to 8 percent slopes, extremely stony	7	750.1	0.001	\$ 671.40
Potter	VsC	Volusia channery silt loam, 8 to 15 percent slopes, extremely stony	7	1275.9	0.002	\$ 671.40
Potter	VsD	Volusia channery silt loam, 15 to 25 percent slopes, extremely stony	7	876	0.001	\$ 671.40
Potter	WfC	Wellsboro channery loam, 3 to 15 percent slopes, extremely stony	7	3645.4	0.005	\$ 671.40
Potter	WfD	Wellsboro channery loam, 15 to 25 percent slopes, extremely stony	7	1812	0.003	\$ 671.40
Potter	WfE	Wellsboro channery loam, 25 to 35 percent slopes, extremely stony	7	474.2	0.001	\$ 671.40
Schuylkill	Ln	Linden silt loam	1	467.4	0.001	\$ 1,391.69
Schuylkill	Po	Pope silt loam	1	163.3	0	\$ 1,275.16
Schuylkill	AeB	Allenwood gravelly silt loam, 3 to 8 percent slopes	2	2244.3	0.004	\$ 1,405.41
Schuylkill	Ba	Basher silt loam	2	6157.9	0.012	\$ 1,295.91
Schuylkill	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	6946.7	0.014	\$ 971.85
Schuylkill	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	3243.5	0.006	\$ 1,289.60
Schuylkill	CaB	Calvin shaly silt loam, 3 to 8 percent slopes	2	5664.1	0.011	\$ 943.02
Schuylkill	DeB	Dekalb channery sandy loam, 3 to 8 percent slopes	2	565.8	0.001	\$ 960.22
Schuylkill	HaB	Hartleton channery silt loam, 3 to 8 percent slopes	2	8110.3	0.016	\$ 1,017.52
Schuylkill	HeB	Hazleton channery fine sandy loam, 3 to 8 percent slopes	2	1136.8	0.002	\$ 1,317.22
Schuylkill	KeB	Kedron silt loam, 3 to 8 percent slopes	2	9603.8	0.019	\$ 1,117.54
Schuylkill	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	2349.6	0.005	\$ 1,150.79
Schuylkill	LeB	Leck kill channery silt loam, 3 to 8 percent slopes	2	19140.4	0.038	\$ 1,300.71
Schuylkill	LgB	Lehew channery loam, 3 to 8 percent slopes	2	753.6	0.002	\$ 1,006.23
Schuylkill	MeB	Meckesville loam, 3 to 8 percent slopes	2	13687.5	0.027	\$ 1,161.60
Schuylkill	Ph	Philo silt loam	2	1421.5	0.003	\$ 1,356.75
Schuylkill	WaB	Watson silt loam, 3 to 8 percent slopes	2	6206.1	0.012	\$ 1,156.94
Schuylkill	AeC	Allenwood gravelly silt loam, 8 to 15 percent slopes	3	2004.4	0.004	\$ 1,338.93
Schuylkill	AgA	Alvira silt loam, 0 to 3 percent slopes	3	1630.2	0.003	\$ 1,104.88
Schuylkill	AgB	Alvira silt loam, 3 to 8 percent slopes	3	1701.3	0.003	\$ 1,106.57
Schuylkill	At	Atkins silt loam	3	8819	0.018	\$ 1,159.07
Schuylkill	BeC	Berks channery silt loam, 8 to 15 percent slopes	3	11248.9	0.022	\$ 931.93
Schuylkill	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	590.4	0.001	\$ 1,070.55
Schuylkill	CaC	Calvin shaly silt loam, 8 to 15 percent slopes	3	9796.9	0.02	\$ 854.58
Schuylkill	DeC	Dekalb channery sandy loam, 8 to 15 percent slopes	3	578.8	0.001	\$ 912.78
Schuylkill	HaC	Hartleton channery silt loam, 8 to 15 percent slopes	3	7349.8	0.015	\$ 917.59

Schuylkill	HeC	Hazleton channery fine sandy loam, 8 to 15 percent slopes	3	708.5	0.001	\$ 1,246.12
Schuylkill	KeC	Kedron silt loam, 8 to 15 percent slopes	3	508.2	0.001	\$ 1,057.38
Schuylkill	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	1279.4	0.003	\$ 1,104.88
Schuylkill	LeC	Leck kill channery silt loam, 8 to 15 percent slopes	3	19147.3	0.038	\$ 1,287.73
Schuylkill	LgC	Lehew channery loam, 8 to 15 percent slopes	3	747.6	0.001	\$ 960.22
Schuylkill	MeC	Meckesville loam, 8 to 15 percent slopes	3	6497.8	0.013	\$ 1,117.96
Schuylkill	WaC	Watson silt loam, 8 to 15 percent slopes	3	1337.9	0.003	\$ 1,081.36
Schuylkill	AnA	Andover gravelly loam, 0 to 3 percent slopes	4	141.7	0	\$ 1,039.76
Schuylkill	AnB	Andover gravelly loam, 3 to 8 percent slopes	4	277.5	0.001	\$ 992.57
Schuylkill	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	8548.3	0.017	\$ 890.95
Schuylkill	CaD	Calvin shaly silt loam, 15 to 25 percent slopes	4	14450.2	0.029	\$ 805.64
Schuylkill	DeD	Dekalb channery sandy loam, 15 to 25 percent slopes	4	725.8	0.001	\$ 866.33
Schuylkill	HaD	Hartleton channery silt loam, 15 to 25 percent slopes	4	2943	0.006	\$ 900.69
Schuylkill	HeD	Hazleton channery fine sandy loam, 15 to 25 percent slopes	4	526.1	0.001	\$ 1,209.15
Schuylkill	LgD	Lehew channery loam, 15 to 25 percent slopes	4	697.4	0.001	\$ 912.78
Schuylkill	MeD	Meckesville loam, 15 to 25 percent slopes	4	595.7	0.001	\$ 1,040.82
Schuylkill	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	1515.2	0.003	\$ 1,036.12
Schuylkill	ShB	Shelmadine silt loam, 3 to 8 percent slopes	4	882.9	0.002	\$ 1,042.06
Schuylkill	KvB	Kedron very stony silt loam, 3 to 8 percent slopes	6	2836.1	0.006	\$ 671.40
Schuylkill	KvC	Kedron very stony silt loam, 8 to 25 percent slopes	6	1777.9	0.004	\$ 671.40
Schuylkill	MkB	Meckesville very stony loam, 3 to 8 percent slopes	6	2346.4	0.005	\$ 671.40
Schuylkill	MkC	Meckesville very stony loam, 8 to 25 percent slopes	6	13659.4	0.027	\$ 671.40
Schuylkill	ArB	Andover extremely stony loam, 0 to 8 percent slopes	7	4071.5	0.008	\$ 671.40
Schuylkill	BxB	Buchanan extremely stony loam, 3 to 8 percent slopes	7	19968.1	0.04	\$ 671.40
Schuylkill	BxD	Buchanan extremely stony loam, 8 to 25 percent slopes	7	11086.5	0.022	\$ 671.40
Schuylkill	DkB	Dekalb extremely stony sandy loam, 3 to 8 percent slopes	7	5331.9	0.011	\$ 671.40
Schuylkill	DkC	Dekalb extremely stony sandy loam, 8 to 25 percent slopes	7	13673.6	0.027	\$ 671.40
Schuylkill	DMF	Dekalb and Lehew extremely stony soils, steep	7	66237.9	0.132	\$ 671.40
Schuylkill	DR	Dekalb-Rubble land association	7	4151.1	0.008	\$ 671.40
Schuylkill	HfB	Hazleton extremely stony fine sandy loam, 3 to 8 percent slopes	7	2531.7	0.005	\$ 671.40
Schuylkill	HfC	Hazleton extremely stony fine sandy loam, 8 to 25 percent slopes	7	5090.1	0.01	\$ 671.40
Schuylkill	HGB	Hazleton-Clymer association, gently sloping	7	16032.8	0.032	\$ 671.40
Schuylkill	HGC	Hazleton-Clymer association, sloping	7	16780.1	0.033	\$ 671.40
Schuylkill	LdB	Laidig extremely stony loam, 3 to 8 percent slopes	7	1714.9	0.003	\$ 671.40

Schuylkill	LdC	Laidig extremely stony loam, 8 to 25 percent slopes	7	14337.3	0.029	\$ 671.40
Schuylkill	LhB	Lehew extremely stony loam, 3 to 8 percent slopes	7	1483.3	0.003	\$ 671.40
Schuylkill	LhC	Lehew extremely stony loam, 8 to 25 percent slopes	7	6510.8	0.013	\$ 671.40
Schuylkill	SmB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	1370.4	0.003	\$ 671.40
Schuylkill	UD	Udifluents, coal overwash	7	2378.7	0.005	\$ 671.40
Schuylkill	UF	Udifluents, gravelly	7	1496.7	0.003	\$ 671.40
Schuylkill	UM	Udorthents, strip mine	7	38304.6	0.076	\$ 671.40
Schuylkill	WKF	Weikert and Klinesville shaly silt loams, steep	7	31320.8	0.063	\$ 671.40
Schuylkill	DAM	Dams and impoundment structures	8	8.4	0	\$ 671.40
Snyder	AnA	Allenwood gravelly silt loam, 0 to 3 percent slopes	1	769.1	0.004	\$ 1,377.82
Snyder	Bb	Barbour-Linden complex, rarely flooded	1	660.7	0.003	\$ 1,289.60
Snyder	WsA	Wheeling soils, 0 to 3 percent slopes	1	1587.4	0.007	\$ 1,304.40
Snyder	AbB	Albrights silt loam, 3 to 8 percent slopes	2	626.7	0.003	\$ 1,152.84
Snyder	AoB	Allenwood and Washington soils, 3 to 8 percent slopes	2	5294.2	0.025	\$ 1,377.82
Snyder	Ba	Barbour soils, frequently flooded	2	1224.4	0.006	\$ 1,187.30
Snyder	BeB	Bedington silt loam, 3 to 8 percent slopes	2	1364.9	0.006	\$ 1,242.28
Snyder	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	2389.7	0.011	\$ 971.85
Snyder	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	1532.8	0.007	\$ 1,136.34
Snyder	CaB	Calvin-Klinesville shaly silt loams, 3 to 8 percent slopes	2	1008.1	0.005	\$ 915.19
Snyder	EsB	Elliber cherty silt loam, 3 to 8 percent slopes	2	1276.7	0.006	\$ 1,238.42
Snyder	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	819.9	0.004	\$ 1,469.33
Snyder	HtB	Hartleton channery silt loam, 3 to 8 percent slopes	2	5269.8	0.025	\$ 1,017.52
Snyder	KmB	Kreamer cherty silt loam, 3 to 8 percent slopes	2	2310.9	0.011	\$ 1,070.55
Snyder	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	1368.7	0.006	\$ 1,150.79
Snyder	LnB	Leck kill shaly silt loam, 3 to 8 percent slopes	2	2817.3	0.013	\$ 1,300.71
Snyder	MkB	Meckesville silt loam, 3 to 8 percent slopes	2	668.5	0.003	\$ 1,152.84
Snyder	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1307.9	0.006	\$ 1,226.01
Snyder	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	636.4	0.003	\$ 1,155.71
Snyder	MrB	Morrison gravelly sandy loam, 3 to 8 percent slopes	2	0.2	0	\$ 1,109.11
Snyder	WaB	Washington silt loam, wet substratum, 3 to 8 percent slopes	2	628.6	0.003	\$ 1,318.68
Snyder	WbA	Watson silt loam, 0 to 3 percent slopes	2	706.8	0.003	\$ 1,171.19
Snyder	WbB	Watson silt loam, 3 to 8 percent slopes	2	3479.5	0.016	\$ 1,171.19
Snyder	WsB	Wheeling soils, 3 to 8 percent slopes	2	1235.6	0.006	\$ 1,300.71
Snyder	AoC	Allenwood and Washington soils, 8 to 15 percent slopes	3	1631.5	0.008	\$ 1,331.73

Snyder	ArA	Alvira silt loam, 0 to 3 percent slopes	3	1317	0.006	\$ 1,104.88
Snyder	ArB	Alvira silt loam, 3 to 8 percent slopes	3	3494.1	0.016	\$ 1,106.57
Snyder	ArC	Alvira silt loam, 8 to 15 percent slopes	3	649.2	0.003	\$ 1,072.29
Snyder	Bd	Basher soils, frequently flooded	3	2812.2	0.013	\$ 1,291.46
Snyder	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	3410.9	0.016	\$ 931.93
Snyder	BuC	Buchanan gravelly loam, 8 to 15 percent slopes	3	174.2	0.001	\$ 1,070.55
Snyder	CaC	Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes	3	2010.2	0.009	\$ 779.66
Snyder	EsC	Elliber cherty silt loam, 8 to 15 percent slopes	3	1308	0.006	\$ 1,193.29
Snyder	EtB	Elliber very cherty silt loam, 3 to 8 percent slopes	3	493.5	0.002	\$ 1,125.93
Snyder	EvB	Evendale cherty silt loam, 3 to 8 percent slopes	3	1981.3	0.009	\$ 1,026.49
Snyder	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	820.5	0.004	\$ 1,397.20
Snyder	HtC	Hartleton channery silt loam, 8 to 15 percent slopes	3	7780.8	0.037	\$ 917.59
Snyder	HZ	Holly silt loam, rarely flooded	3	837.9	0.004	\$ 1,161.03
Snyder	KmC	Kreamer cherty silt loam, 8 to 15 percent slopes	3	1642.6	0.008	\$ 996.23
Snyder	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	766.8	0.004	\$ 1,104.88
Snyder	LnC	Leck kill shaly silt loam, 8 to 15 percent slopes	3	3736.1	0.018	\$ 1,287.73
Snyder	MkC	Meckesville silt loam, 8 to 15 percent slopes	3	134.2	0.001	\$ 1,117.54
Snyder	MrC	Morrison gravelly sandy loam, 8 to 15 percent slopes	3	1.9	0	\$ 1,068.38
Snyder	OpB	Opequon silty clay loam, 3 to 8 percent slopes-mlra147	3	122.6	0.001	\$ 1,154.89
Snyder	WbC	Watson silt loam, 8 to 15 percent slopes	3	1042.8	0.005	\$ 1,109.53
Snyder	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	6133.6	0.029	\$ 1,135.92
Snyder	WsC	Wheeling soils, 8 to 15 percent slopes	3	316.2	0.001	\$ 1,236.49
Snyder	AnD	Allenwood gravelly silt loam, 15 to 25 percent slopes	4	227.9	0.001	\$ 1,181.28
Snyder	AvB	Andover gravelly loam, 2 to 8 percent slopes	4	8.6	0	\$ 1,029.08
Snyder	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	1049.7	0.005	\$ 890.95
Snyder	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	16.7	0	\$ 1,066.20
Snyder	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	44.4	0	\$ 1,070.64
Snyder	CaD	Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes	4	2337.8	0.011	\$ 779.66
Snyder	EsD	Elliber cherty silt loam, 15 to 25 percent slopes	4	732.6	0.003	\$ 1,070.55
Snyder	EtC	Elliber very cherty silt loam, 8 to 15 percent slopes	4	919.9	0.004	\$ 1,019.77
Snyder	HaD	Hagerstown silt loam, 15 to 25 percent slopes	4	370.5	0.002	\$ 1,333.53
Snyder	HtD	Hartleton channery silt loam, 15 to 25 percent slopes	4	1951.1	0.009	\$ 813.35
Snyder	Hv	Holly silt loam	4	4101.9	0.019	\$ 1,117.54
Snyder	LnD	Leck kill shaly silt loam, 15 to 25 percent slopes	4	592.4	0.003	\$ 1,111.22

Snyder	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	2770.6	0.013	\$ 1,044.27
Snyder	ShB	Shelmadine silt loam, 3 to 8 percent slopes	4	2298.3	0.011	\$ 1,046.48
Snyder	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	13937.2	0.066	\$ 903.11
Snyder	Hy	Holly silt loam, ponded	5	307.8	0.001	\$ 671.40
Snyder	AsB	Alvira very stony silt loam, 0 to 8 percent slopes	6	419.8	0.002	\$ 671.40
Snyder	BxB	Buchanan very stony loam, 0 to 8 percent slopes	6	3432.1	0.016	\$ 671.40
Snyder	BxD	Buchanan very stony loam, 8 to 25 percent slopes	6	1786.4	0.008	\$ 671.40
Snyder	EtD	Elliber very cherty silt loam, 15 to 25 percent slopes	6	1156.7	0.005	\$ 671.40
Snyder	OpD	Opequon silty clay loam, 8 to 25 percent slopes	6	566.5	0.003	\$ 1,074.88
Snyder	OpE	Opequon silty clay loam, 25 to 45 percent slopes	6	482.9	0.002	\$ 671.40
Snyder	RwC	Rushtown very shaly silt loam, 8 to 25 percent slopes	6	242.1	0.001	\$ 671.40
Snyder	UoB	Ungers very stony loam, 3 to 8 percent slopes	6	329.9	0.002	\$ 671.40
Snyder	UoD	Ungers very stony loam, 8 to 25 percent slopes	6	583.8	0.003	\$ 671.40
Snyder	UoE	Ungers very stony loam, 25 to 50 percent slopes	6	127.7	0.001	\$ 671.40
Snyder	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	16688.1	0.079	\$ 671.40
Snyder	AxB	Andover extremely stony loam, 0 to 8 percent slopes	7	219.2	0.001	\$ 671.40
Snyder	BMF	Berks-Weikert association, steep	7	35	0	\$ 671.40
Snyder	DeF	Dekalb extremely stony sandy loam, steep	7	4860	0.023	\$ 671.40
Snyder	EtF	Elliber very cherty silt loam, 25 to 70 percent slopes	7	3190.2	0.015	\$ 671.40
Snyder	HuaF	Hazleton-Dekalb association, steep	7	82.9	0	\$ 671.40
Snyder	HuB	Hazleton and Clymer extremely stony sandy loams, 0 to 8 percent slopes	7	2277.8	0.011	\$ 671.40
Snyder	HuD	Hazleton and Clymer extremely stony sandy loams, 8 to 25 percent slopes	7	9303.8	0.044	\$ 671.40
Snyder	HuF	Hazleton and Clymer extremely stony sandy loams, 25 to 80 percent slopes	7	9536.5	0.045	\$ 671.40
Snyder	LbB	Laidig extremely stony loam, 0 to 8 percent slopes	7	1376.5	0.006	\$ 671.40
Snyder	LdD	Laidig and Meckesville extremely stony soils, 8 to 25 percent slopes	7	9782.5	0.046	\$ 671.40
Snyder	LtC	Leetonia extremely stony loamy sand, 0 to 15 percent slopes	7	2432.1	0.011	\$ 671.40
Snyder	Ru	Rubble land	7	205.5	0.001	\$ 671.40
Snyder	SmB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	1458.7	0.007	\$ 671.40
Snyder	Ug	Udifluvents and Fluvaquents, gravelly	7	247	0.001	\$ 671.40
Snyder	WkE	Weikert and Klinsville shaly silt loams, steep	7	23607.9	0.111	\$ 671.40
Snyder	DAM	Dams	8	16.5	0	\$ 671.40
Somerset	Bm	Birdsboro silt loam, rarely flooded	1	65.7	0	\$ 1,320.43
Somerset	ChA	Chavies silt loam, 0 to 3 percent slopes	1	2030.3	0.003	\$ 1,303.30
Somerset	AbB	Albrights silt loam, 3 to 8 percent slopes	2	2543.5	0.004	\$ 1,177.25

Somerset	AhB	Allegheny silt loam, gravelly substratum, 3 to 8 percent slopes	2	256.7	0	\$ 1,304.03
Somerset	Ba	Basher silt loam	2	94.8	0	\$ 1,295.91
Somerset	BbB	Basher-Birdsboro complex, 0 to 8 percent slopes	2	14.7	0	\$ 1,349.65
Somerset	BeB	Berks channery silt loam, 3 to 8 percent slopes	2	2773.1	0.004	\$ 971.85
Somerset	BkB	Berks-Weikert channery silt loams, 3 to 8 percent slopes	2	2841.3	0.004	\$ 883.60
Somerset	BnB	Blairton channery silt loam, 3 to 8 percent slopes	2	2823.2	0.004	\$ 971.85
Somerset	ChB	Chavies silt loam, 3 to 8 percent slopes	2	734.8	0.001	\$ 1,268.98
Somerset	CoB	Cookport loam, 3 to 8 percent slopes	2	4730.4	0.007	\$ 976.48
Somerset	DhB	Dekalb-Hazleton channery sandy loams, 3 to 8 percent slopes	2	365.8	0.001	\$ 1,106.15
Somerset	ErB	Ernest silt loam, 3 to 8 percent slopes	2	18156.3	0.026	\$ 1,222.89
Somerset	HaB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	7496.2	0.011	\$ 1,320.86
Somerset	LeB	Leck kill channery silt loam, 3 to 8 percent slopes	2	4245.3	0.006	\$ 1,274.41
Somerset	McC	Meckesville gravelly loam, 8 to 15 percent slopes	2	3.4	0	\$ 1,150.79
Somerset	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	554.1	0.001	\$ 1,225.62
Somerset	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	494.4	0.001	\$ 1,228.73
Somerset	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	3086.1	0.004	\$ 1,234.55
Somerset	Po	Pope fine sandy loam, 0 to 3 percent slopes, occasionally flooded	2	1570	0.002	\$ 1,183.29
Somerset	RgB	Rayne-Gilpin channery silt loams, 3 to 8 percent slopes	2	33762.3	0.049	\$ 1,171.19
Somerset	WhB	Wharton silt loam, 3 to 8 percent slopes	2	24645.8	0.036	\$ 939.05
Somerset	AbC	Albrights silt loam, 8 to 15 percent slopes	3	1124.7	0.002	\$ 1,142.55
Somerset	AhC	Allegheny silt loam, gravelly substratum, 8 to 15 percent slopes	3	80.5	0	\$ 1,239.97
Somerset	BeC	Berks channery silt loam, 8 to 15 percent slopes	3	5757.8	0.008	\$ 931.93
Somerset	CaA	Cavode silt loam, 0 to 3 percent slopes	3	2980.8	0.004	\$ 1,070.55
Somerset	CaB	Cavode silt loam, 3 to 8 percent slopes	3	23272.3	0.034	\$ 1,074.88
Somerset	CaC	Cavode silt loam, 8 to 15 percent slopes	3	7323.5	0.011	\$ 1,033.18
Somerset	CoC	Cookport loam, 8 to 15 percent slopes	3	669.3	0.001	\$ 939.05
Somerset	ErC	Ernest silt loam, 8 to 15 percent slopes	3	9705.7	0.014	\$ 1,154.89
Somerset	HaC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	3922.5	0.006	\$ 1,249.96
Somerset	LeC	Leck kill channery silt loam, 8 to 15 percent slopes	3	7449.3	0.011	\$ 1,287.73
Somerset	RgC	Rayne-Gilpin channery silt loams, 8 to 15 percent slopes	3	40664.6	0.059	\$ 1,087.81
Somerset	Ty	Tyler silt loam	3	1298.2	0.002	\$ 1,128.02
Somerset	UDA	Udorthents, mine spoil, 0 to 8 percent slopes	3	7627.9	0.011	\$ 671.40
Somerset	WhC	Wharton silt loam, 8 to 15 percent slopes	3	11757	0.017	\$ 861.36
Somerset	Ar	Armagh silt loam	4	2809.1	0.004	\$ 900.69

Somerset	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	10674.1	0.015	\$ 1,022.01
Somerset	BeD	Berks channery silt loam, 15 to 25 percent slopes	4	6197.8	0.009	\$ 890.95
Somerset	BkC	Berks-Weikert channery silt loams, 8 to 15 percent slopes	4	4168.4	0.006	\$ 803.06
Somerset	BnC	Blairton channery silt loam, 8 to 15 percent slopes	4	521.7	0.001	\$ 883.60
Somerset	BrA	Brinkerton soils, 0 to 3 percent slopes	4	10630.7	0.015	\$ 1,089.96
Somerset	BrB	Brinkerton soils, 3 to 8 percent slopes	4	6791.2	0.01	\$ 1,089.96
Somerset	HaD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	1822.1	0.003	\$ 1,096.37
Somerset	LeD	Leck kill channery silt loam, 15 to 25 percent slopes	4	6954	0.01	\$ 1,111.22
Somerset	NoA	Nolo loam, 0 to 3 percent slopes	4	2252.3	0.003	\$ 989.74
Somerset	NoB	Nolo loam, 3 to 8 percent slopes	4	1029.3	0.001	\$ 989.74
Somerset	Pu	Purdy silt loam	4	1520.7	0.002	\$ 1,037.63
Somerset	RgD	Rayne-Gilpin channery silt loams, 15 to 25 percent slopes	4	24522.2	0.035	\$ 1,030.96
Somerset	WhD	Wharton silt loam, 15 to 25 percent slopes	4	3237.5	0.005	\$ 779.66
Somerset	FV	Fluvaquents	5	3404.2	0.005	\$ 671.40
Somerset	AgB	Albrights silt loam, 0 to 8 percent slopes, very stony	6	1271.4	0.002	\$ 671.40
Somerset	AgD	Albrights silt loam, 8 to 25 percent slopes, very stony	6	1054.4	0.002	\$ 671.40
Somerset	AsB	Armagh very stony silt loam, 0 to 8 percent slopes	6	854	0.001	\$ 671.40
Somerset	BkD	Berks-Weikert channery silt loams, 15 to 25 percent slopes	6	6696.6	0.01	\$ 671.40
Somerset	CbB	Cavode very stony silt loam, 0 to 8 percent slopes	6	5593.9	0.008	\$ 671.40
Somerset	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	22940.7	0.033	\$ 671.40
Somerset	CpD	Cookport loam, 8 to 25 percent slopes, very stony	6	5005.8	0.007	\$ 671.40
Somerset	DkB	Dekalb-Hazleton very stony sandy loams, 3 to 8 percent slopes	6	2095.2	0.003	\$ 671.40
Somerset	HbB	Hazleton channery sandy loam, 3 to 8 percent slopes, extremely stony	6	24381.1	0.035	\$ 671.40
Somerset	HzB	Hazleton channery sandy loam, 0 to 8 percent slopes, extremely bouldery	6	8712.6	0.013	\$ 671.40
Somerset	HzD	Hazleton channery sandy loam, 8 to 25 percent slopes, extremely bouldery	6	7235.5	0.01	\$ 671.40
Somerset	LkB	Leck kill very stony silt loam, 3 to 8 percent slopes	6	772	0.001	\$ 671.40
Somerset	LkD	Leck kill very stony silt loam, 8 to 25 percent slopes	6	5397	0.008	\$ 671.40
Somerset	MdD	Meckesville gravelly loam, 15 to 25 percent slopes, very stony	6	189.9	0	\$ 671.40
Somerset	RpB	Rayne-Gilpin very stony silt loams, 3 to 8 percent slopes	6	11858.2	0.017	\$ 671.40
Somerset	RpD	Rayne-Gilpin very stony silt loams, 8 to 25 percent slopes	6	34316.8	0.05	\$ 671.40
Somerset	UDD	Udorthents, mine spoil, 8 to 25 percent slopes	6	13856.2	0.02	\$ 671.40
Somerset	WvB	Wharton very stony silt loam, 3 to 8 percent slopes	6	7115.6	0.01	\$ 671.40
Somerset	WvD	Wharton very stony silt loam, 8 to 25 percent slopes	6	5689.8	0.008	\$ 671.40
Somerset	BkF	Berks and Weikert soils, 25 to 70 percent slopes	7	23300.6	0.034	\$ 671.40

Somerset	BtB	Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely stony	7	5919.6	0.009	\$ 671.40
Somerset	BxB	Buchanan silt loam, 0 to 8 percent slopes, extremely stony	7	14790.6	0.021	\$ 671.40
Somerset	BxD	Buchanan silt loam, 8 to 25 percent slopes, extremely stony	7	12771	0.018	\$ 671.40
Somerset	HbD	Hazleton channery sandy loam, 8 to 25 percent slopes, extremely stony	7	31561.6	0.046	\$ 671.40
Somerset	HbF	Hazleton channery sandy loam, 25 to 70 percent slopes, extremely stony	7	18270	0.026	\$ 671.40
Somerset	HzF	Hazleton channery sandy loam, 25 to 60 percent slopes, extremely bouldery	7	5153.3	0.007	\$ 671.40
Somerset	LmF	Leck kill soils, 25 to 60 percent slopes	7	18340.6	0.027	\$ 671.40
Somerset	NsB	Nolo very stony loam, 0 to 8 percent slopes	7	9737.8	0.014	\$ 671.40
Somerset	RgF	Rayne-Gilpin channery silt loams, 25 to 65 percent slopes	7	45030.8	0.065	\$ 671.40
Somerset	UDF	Udorthents, mine spoil, 25 to 70 percent slopes	7	10330.8	0.015	\$ 671.40
Somerset	UOA	Udorthents, smoothed	7	1545.1	0.002	\$ 671.40
Somerset	DAM	Dams and impoundment structures	8	8.4	0	\$ 671.40
Susquehanna	Ba	Barbour fine sandy loam	1	2195.7	0.004	\$ 1,290.64
Susquehanna	Us	Unadilla silt loam	1	1558.2	0.003	\$ 1,215.06
Susquehanna	Bc	Basher silt loam	2	2775.4	0.005	\$ 1,290.64
Susquehanna	BeB2	Bath channery loam, 3 to 12 percent slopes, moderately eroded	2	1132.3	0.002	\$ 1,150.79
Susquehanna	CnA	Chenango gravelly silt loam, 0 to 3 percent slopes	2	1799.2	0.003	\$ 1,150.79
Susquehanna	CnB2	Chenango gravelly silt loam, 3 to 12 percent slopes, moderately eroded	2	5489.9	0.01	\$ 1,150.79
Susquehanna	LaB2	Lackawanna channery silt loam, 3 to 12 percent slopes, eroded	2	2395.6	0.004	\$ 1,239.58
Susquehanna	LdB	Lordstown channery loam, 3 to 8 percent slopes	2	18.6	0	\$ 1,135.92
Susquehanna	LeB	Lordstown channery silt loam, 3 to 8 percent slopes	2	44.1	0	\$ 1,144.62
Susquehanna	LkB2	Lordstown and Oquaga channery silt loams, 3 to 12 percent slopes, moderately er	2	8521.6	0.016	\$ 1,022.01
Susquehanna	McB2	Mardin channery silt loam, 3 to 8 percent slopes, eroded	2	7371.4	0.014	\$ 1,104.88
Susquehanna	OaB	Oquaga channery loam, 3 to 8 percent slopes	2	32.3	0	\$ 990.29
Susquehanna	OfB	Oquaga flaggy loam, 3 to 8 percent slopes	2	23.1	0	\$ 990.29
Susquehanna	WeB2	Wellsboro channery silt loam, 3 to 8 percent slopes, eroded	2	11780.6	0.022	\$ 1,207.18
Susquehanna	WIB2	Wellsboro flaggy silt loam, 3 to 8 percent slopes, eroded	2	4352.8	0.008	\$ 1,205.21
Susquehanna	BeC2	Bath channery loam, 12 to 20 percent slopes, moderately eroded	3	1634.6	0.003	\$ 1,066.20
Susquehanna	BfB2	Bath flaggy loam, 3 to 12 percent slopes, moderately eroded	3	477.3	0.001	\$ 1,150.79
Susquehanna	CnC2	Chenango gravelly silt loam, 12 to 20 percent slopes, moderately eroded	3	1166.1	0.002	\$ 976.48
Susquehanna	LdC	Lordstown channery loam, 8 to 15 percent slopes	3	20.5	0	\$ 1,096.37
Susquehanna	LfB	Lackawanna flaggy silt loam, 3 to 12 percent slopes	3	842.9	0.002	\$ 1,218.59
Susquehanna	LkC2	Lordstown and Oquaga channery silt loams, 12 to 20 percent slopes, moderately er	3	5473.6	0.01	\$ 999.42
Susquehanna	LoB	Lordstown and Oquaga flaggy silt loams, 3 to 12 percent slopes	3	10273.7	0.019	\$ 999.42

Susquehanna	McC2	Mardin channery silt loam, 8 to 15 percent slopes, eroded	3	13021.3	0.024	\$ 1,064.02
Susquehanna	MfB2	Mardin flaggy silt loam, 3 to 8 percent slopes, eroded	3	4186.4	0.008	\$ 1,102.75
Susquehanna	MoA	Morris channery silt loam, 0 to 3 percent slopes	3	2112	0.004	\$ 950.85
Susquehanna	MoB2	Morris channery silt loam, 3 to 8 percent slopes, eroded	3	21485.2	0.04	\$ 946.14
Susquehanna	MoC2	Morris channery silt loam, 8 to 15 percent slopes, eroded	3	12926.5	0.024	\$ 943.78
Susquehanna	MrB2	Morris flaggy silt loam, 3 to 8 percent slopes, eroded	3	13403.5	0.025	\$ 866.33
Susquehanna	MrC2	Morris flaggy silt loam, 8 to 15 percent slopes, eroded	3	7986.4	0.015	\$ 955.54
Susquehanna	OaC	Oquaga channery loam, 8 to 15 percent slopes	3	5.8	0	\$ 992.57
Susquehanna	VcA	Volusia channery silt loam, 0 to 3 percent slopes	3	2378.5	0.004	\$ 953.19
Susquehanna	VcB2	Volusia channery silt loam, 3 to 8 percent slopes, eroded	3	19503.1	0.037	\$ 943.78
Susquehanna	VfB	Volusia flaggy silt loam, 3 to 8 percent slopes	3	13681.7	0.026	\$ 994.86
Susquehanna	VfC	Volusia flaggy silt loam, 8 to 15 percent slopes	3	13698.6	0.026	\$ 1,002.15
Susquehanna	WeC2	Wellsboro channery silt loam, 8 to 15 percent slopes, eroded	3	17136.1	0.032	\$ 1,104.88
Susquehanna	WkC	Wurtsboro channery loam, 8 to 15 percent slopes	3	0.6	0	\$ 1,003.51
Susquehanna	WIC2	Wellsboro flaggy silt loam, 8 to 15 percent slopes, eroded	3	9105.3	0.017	\$ 1,094.23
Susquehanna	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	10	0	\$ 1,079.21
Susquehanna	BfC2	Bath flaggy loam, 12 to 20 percent slopes, moderately eroded	4	1466.4	0.003	\$ 1,066.20
Susquehanna	BfD2	Bath flaggy loam, 20 to 30 percent slopes, moderately eroded	4	2199.4	0.004	\$ 779.66
Susquehanna	CnD2	Chenango gravelly silt loam, 20 to 30 percent slopes, moderately eroded	4	463	0.001	\$ 779.66
Susquehanna	LaC2	Lackawanna channery silt loam, 12 to 20 percent slopes, eroded	4	2665.8	0.005	\$ 1,146.68
Susquehanna	LfC2	Lackawanna flaggy silt loam, 12 to 20 percent slopes, eroded	4	1606.7	0.003	\$ 1,106.99
Susquehanna	LkD2	Lordstown and Oquaga channery silt loams, 20 to 30 percent slopes, moderately eroded	4	1652.1	0.003	\$ 779.66
Susquehanna	LoC2	Lordstown and Oquaga flaggy silt loams, 12 to 20 percent slopes, moderately eroded	4	9034.9	0.017	\$ 976.48
Susquehanna	LoD2	Lordstown and Oquaga flaggy silt loams, 20 to 30 percent slopes, moderately eroded	4	6071.1	0.011	\$ 779.66
Susquehanna	McD2	Mardin channery silt loam, 15 to 25 percent slopes, eroded	4	4206	0.008	\$ 946.14
Susquehanna	MfC2	Mardin flaggy silt loam, 8 to 15 percent slopes, eroded	4	9809.4	0.018	\$ 1,048.24
Susquehanna	MfD2	Mardin flaggy silt loam, 15 to 25 percent slopes, eroded	4	6520.4	0.012	\$ 946.14
Susquehanna	MrD2	Morris flaggy silt loam, 15 to 25 percent slopes, eroded	4	777.6	0.001	\$ 861.36
Susquehanna	NcA	Norwich and Chippewa soils, 0 to 3 percent slopes	4	2489.4	0.005	\$ 779.66
Susquehanna	NcB	Norwich and Chippewa soils, 3 to 8 percent slopes	4	1449.5	0.003	\$ 779.66
Susquehanna	VcC2	Volusia channery silt loam, 8 to 15 percent slopes, eroded	4	17125.4	0.032	\$ 946.61
Susquehanna	VfD	Volusia flaggy silt loam, 15 to 25 percent slopes	4	1334.9	0.003	\$ 810.79
Susquehanna	WeD2	Wellsboro channery silt loam, 15 to 25 percent slopes, eroded	4	2914	0.005	\$ 990.29
Susquehanna	WID2	Wellsboro flaggy silt loam, 15 to 25 percent slopes, eroded	4	3916.7	0.007	\$ 1,019.77

Susquehanna	Wy	Wyalusing silt loam	4	8112.1	0.015	\$ 976.48
Susquehanna	Pt	Peat	5	1154.5	0.002	\$ 671.40
Susquehanna	9B	Craigsville-Wyoming complex, 0 to 8 percent slopes, extremely stony	6	14.6	0	\$ 671.40
Susquehanna	BsB	Bath very stony loam, 0 to 12 percent slopes	6	1076.1	0.002	\$ 671.40
Susquehanna	BsD	Bath very stony loam, 12 to 30 percent slopes	6	6429	0.012	\$ 671.40
Susquehanna	Hw	Holly silt loam	6	2827.8	0.005	\$ 1,150.79
Susquehanna	LaD2	Lackawanna channery silt loam, 20 to 30 percent slopes, eroded	6	985.8	0.002	\$ 671.40
Susquehanna	LfD2	Lackawanna flaggy silt loam, 20 to 30 percent slopes, eroded	6	1676.1	0.003	\$ 671.40
Susquehanna	LgB	Lackawanna very stony silt loam, 0 to 12 percent slopes, very stony	6	1164.1	0.002	\$ 671.40
Susquehanna	LgD	Lackawanna very stony silt loam, 12 to 30 percent slopes, very stony	6	6755	0.013	\$ 671.40
Susquehanna	LsB	Lordstown and Oquaga very stony silt loams, 0 to 12 percent slopes	6	19576.6	0.037	\$ 671.40
Susquehanna	LsD	Lordstown and Oquaga very stony silt loams, 12 to 30 percent slopes	6	46293.6	0.087	\$ 671.40
Susquehanna	MgB	Mardin channery silt loam, 0 to 8 percent slopes, very stony	6	4472.1	0.008	\$ 671.40
Susquehanna	MgD	Mardin channery silt loam, 8 to 25 percent slopes, very stony	6	16296.2	0.031	\$ 671.40
Susquehanna	Mn	Mixed alluvial land	6	5544.1	0.01	\$ 671.40
Susquehanna	VcD2	Volusia channery silt loam, 15 to 25 percent slopes, eroded	6	861.4	0.002	\$ 822.05
Susquehanna	WsB	Wellsboro channery silt loam, 0 to 8 percent slopes, very stony	6	5617	0.011	\$ 671.40
Susquehanna	WsD	Wellsboro channery silt loam, 8 to 25 percent slopes, very stony	6	14281.4	0.027	\$ 671.40
Susquehanna	111B	Edgemere-Shohola complex, 3 to 15 percent slopes, very rubbly	7	16.4	0	\$ 671.40
Susquehanna	7B	Shohola-Edgemere complex, 0 to 8 percent slopes, very rubbly	7	28.5	0	\$ 671.40
Susquehanna	7C	Shohola-Edgemere complex, 8 to 15 percent slopes, very rubbly	7	122.1	0	\$ 671.40
Susquehanna	AsD	Arnot-Rock outcrop complex, 8 to 25 percent slopes	7	26.8	0	\$ 671.40
Susquehanna	ASE	Arnot-Rock outcrop complex, steep	7	39.3	0	\$ 671.40
Susquehanna	BsF	Bath very stony loam, 30 to 60 percent slopes	7	4698.3	0.009	\$ 671.40
Susquehanna	FF	Fluents and Fluvaquents, cobbly	7	66.1	0	\$ 671.40
Susquehanna	LgF	Lackawanna very stony silt loam, 30 to 50 percent slopes, very stony	7	4110.5	0.008	\$ 671.40
Susquehanna	LsF	Lordstown and Oquaga very stony silt loams, 30 to 70 percent slopes	7	36193.2	0.068	\$ 671.40
Susquehanna	LxB	Lordstown extremely stony loam, 3 to 8 percent slopes	7	10.9	0	\$ 671.40
Susquehanna	LxC	Lordstown extremely stony loam, 8 to 25 percent slopes	7	97.8	0	\$ 671.40
Susquehanna	MD	Mine dump	7	13	0	\$ 671.40
Susquehanna	MgF	Mardin channery silt loam, 25 to 50 percent slopes, very stony	7	5391.9	0.01	\$ 671.40
Susquehanna	MsB	Morris channery silt loam, 0 to 8 percent slopes, extremely stony	7	8374.4	0.016	\$ 671.40
Susquehanna	MsD	Morris channery silt loam, 8 to 25 percent slopes, extremely stony	7	5041.1	0.009	\$ 671.40
Susquehanna	NsB	Norwich and Chippewa soils, 0 to 8 percent slopes, extremely stony	7	701.6	0.001	\$ 671.40

Susquehanna	NxB	Norwich and Chippewa channery silt loams, 0 to 8 percent slopes, rubbly	7	6.4	0	\$ 671.40
Susquehanna	OxB	Oquaga extremely stony loam, 3 to 8 percent slopes	7	8	0	\$ 671.40
Susquehanna	OxD	Oquaga extremely stony loam, 8 to 25 percent slopes	7	7.4	0	\$ 671.40
Susquehanna	OyF	Oquaga and Lordstown extremely stony loams, 25 to 70 percent slopes	7	494.1	0.001	\$ 671.40
Susquehanna	SxD	Swartswood extremely stony loam, 8 to 25 percent slopes	7	4.2	0	\$ 671.40
Susquehanna	Te	Terrace escarpments	7	440	0.001	\$ 671.40
Susquehanna	VsB	Volusia channery silt loam, 0 to 8 percent slopes, extremely stony	7	7526.1	0.014	\$ 671.40
Susquehanna	VsD	Volusia channery silt loam, 8 to 25 percent slopes, extremely stony	7	7552.2	0.014	\$ 671.40
Susquehanna	Wsf	Wellsboro channery silt loam, 25 to 50 percent slopes, very stony	7	2606.3	0.005	\$ 671.40
Susquehanna	GP	Pits, Shale, and Gravel	8	36.4	0	\$ 671.40
Tioga	Pp	Pope fine sandy loam, high bottom	1	1354.9	0.002	\$ 1,313.57
Tioga	BaB	Bath channery silt loam, 3 to 12 percent slopes	2	1464.8	0.002	\$ 1,257.60
Tioga	BvB	Braceville gravelly loam, 3 to 8 percent slopes	2	1515.4	0.002	\$ 1,181.28
Tioga	ChB	Chenango gravelly loam, 2 to 12 percent slopes	2	10354	0.014	\$ 1,150.79
Tioga	CmB	Clymer channery loam, 3 to 12 percent slopes	2	2640.9	0.004	\$ 1,306.24
Tioga	DkB	Dekalb channery loam, 3 to 12 percent slopes	2	2417.4	0.003	\$ 976.48
Tioga	LaB	Lackawanna channery loam, 3 to 12 percent slopes	2	1460.1	0.002	\$ 1,220.93
Tioga	LoB	Lordstown channery loam, 3 to 12 percent slopes	2	26788	0.037	\$ 1,113.33
Tioga	MaA	Mardin channery silt loam, 0 to 3 percent slopes	2	1012	0.001	\$ 1,209.15
Tioga	MaB	Mardin channery silt loam, 3 to 8 percent slopes	2	9519.2	0.013	\$ 1,213.09
Tioga	OgB	Oquaga channery loam, 3 to 12 percent slopes	2	24233.3	0.033	\$ 976.48
Tioga	Ow	Orrville silt loam	2	9449.6	0.013	\$ 1,104.88
Tioga	Ph	Philo silt loam	2	2783.2	0.004	\$ 1,313.57
Tioga	Po	Pope soils	2	9436.3	0.013	\$ 1,148.74
Tioga	WeA	Wellsboro channery loam, 0 to 3 percent slopes	2	1347	0.002	\$ 1,211.12
Tioga	WeB	Wellsboro channery loam, 3 to 8 percent slopes	2	9606.2	0.013	\$ 1,207.18
Tioga	AoB	Arnot channery loam, 3 to 12 percent slopes	3	2079.6	0.003	\$ 910.37
Tioga	ArB	Arnot-Rock outcrop complex, 3 to 12 percent slopes	3	891.2	0.001	\$ 779.66
Tioga	KaB	Kanona silt loam, 3 to 8 percent slopes	3	2507.8	0.003	\$ 779.66
Tioga	KaC	Kanona silt loam, 8 to 15 percent slopes	3	1760.8	0.002	\$ 779.66
Tioga	MaC	Mardin channery silt loam, 8 to 15 percent slopes	3	11346.4	0.016	\$ 1,104.03
Tioga	MoA	Morris gravelly silt loam, 0 to 3 percent slopes	3	2235.5	0.003	\$ 953.19
Tioga	MoB	Morris gravelly silt loam, 3 to 8 percent slopes	3	14848.8	0.02	\$ 946.14
Tioga	MoC	Morris gravelly silt loam, 8 to 15 percent slopes	3	16526.1	0.023	\$ 983.40

Tioga	RxA	Rexford silt loam, 0 to 3 percent slopes	3	725.8	0.001	\$ 988.64
Tioga	RxB	Rexford silt loam, 3 to 10 percent slopes	3	1067.1	0.001	\$ 988.64
Tioga	VoA	Volusia channery silt loam, 0 to 3 percent slopes	3	2707.9	0.004	\$ 953.19
Tioga	VoB	Volusia channery silt loam, 3 to 8 percent slopes	3	39143.1	0.054	\$ 987.99
Tioga	VoC	Volusia channery silt loam, 8 to 15 percent slopes	3	72520.6	0.1	\$ 991.20
Tioga	VvB	Volusia channery silt loam, silty substratum, 3 to 8 percent slopes	3	1317.4	0.002	\$ 820.52
Tioga	VvC	Volusia channery silt loam, silty substratum, 8 to 15 percent slopes	3	1145.5	0.002	\$ 801.61
Tioga	WeC	Wellsboro channery loam, 8 to 15 percent slopes	3	11083.4	0.015	\$ 1,104.88
Tioga	Wz	Wyoming gravelly loam, flooded	3	2844.5	0.004	\$ 1,066.20
Tioga	ChC	Chenango gravelly loam, 12 to 20 percent slopes	4	2026.8	0.003	\$ 976.48
Tioga	CkA	Chippewa silt loam, 0 to 3 percent slopes	4	3113	0.004	\$ 779.66
Tioga	CkB	Chippewa silt loam, 3 to 8 percent slopes	4	4303.8	0.006	\$ 779.66
Tioga	DkC	Dekalb channery loam, 12 to 20 percent slopes	4	632	0.001	\$ 881.15
Tioga	KcD3	Kanona silty clay loam, 15 to 25 percent slopes, eroded	4	823.3	0.001	\$ 779.66
Tioga	LaC	Lackawanna channery loam, 12 to 20 percent slopes	4	584.6	0.001	\$ 1,140.48
Tioga	LoC	Lordstown channery loam, 12 to 20 percent slopes	4	13279.2	0.018	\$ 1,033.18
Tioga	MaD	Mardin channery silt loam, 15 to 25 percent slopes	4	15550.8	0.021	\$ 943.78
Tioga	MoD	Morris gravelly silt loam, 15 to 25 percent slopes	4	2578.1	0.004	\$ 779.66
Tioga	No	Norwich silt loam, 0 to 5 percent slopes	4	1196.7	0.002	\$ 779.66
Tioga	OgC	Oquaga channery loam, 12 to 20 percent slopes	4	26268.3	0.036	\$ 779.66
Tioga	VoD	Volusia channery silt loam, 15 to 25 percent slopes	4	16381.4	0.023	\$ 870.79
Tioga	Wa	Wayland silty clay loam	4	1385.1	0.002	\$ 779.66
Tioga	WeD	Wellsboro channery loam, 15 to 25 percent slopes	4	3466.1	0.005	\$ 990.29
Tioga	WyC	Wyoming gravelly sandy loam, 12 to 20 percent slopes	4	1000.6	0.001	\$ 881.15
Tioga	Ab	Alluvial land	5	5560.9	0.008	\$ 671.40
Tioga	Ca	Carlisle silt loam	5	802.1	0.001	\$ 671.40
Tioga	ChD	Chenango gravelly loam, 20 to 30 percent slopes	6	878.6	0.001	\$ 671.40
Tioga	CsB	Clymer very stony loam, 3 to 12 percent slopes	6	3557.2	0.005	\$ 671.40
Tioga	CvB	Cookport very stony loam, 0 to 8 percent slopes	6	1288.3	0.002	\$ 671.40
Tioga	LoD	Lordstown channery loam, 20 to 30 percent slopes	6	15199.9	0.021	\$ 987.99
Tioga	LsB	Lordstown very stony loam, 3 to 12 percent slopes	6	16918.9	0.023	\$ 671.40
Tioga	LsD	Lordstown very stony loam, 12 to 30 percent slopes	6	26269.5	0.036	\$ 671.40
Tioga	MdB	Mardin channery silt loam, 0 to 8 percent slopes, very stony	6	18610.6	0.026	\$ 671.40
Tioga	MdD	Mardin channery silt loam, 8 to 25 percent slopes, very stony	6	5583.1	0.008	\$ 671.40

Tioga	OgD	Oquaga channery loam, 20 to 30 percent slopes	6	27150.7	0.037	\$ 671.40
Tioga	OsB	Oquaga very stony loam, 3 to 12 percent slopes	6	1796.5	0.002	\$ 671.40
Tioga	OsD	Oquaga very stony loam, 12 to 30 percent slopes	6	18925.6	0.026	\$ 671.40
Tioga	VoD3	Volusia channery silt loam, 15 to 25 percent slopes, eroded	6	3976.8	0.005	\$ 822.05
Tioga	VvD3	Volusia channery silt loam, silty substratum, 15 to 25 percent slopes, eroded	6	919.7	0.001	\$ 671.40
Tioga	WyD	Wyoming gravelly sandy loam, 20 to 30 percent slopes	6	1041.4	0.001	\$ 671.40
Tioga	BsB	Bath channery silt loam, 3 to 12 percent slopes, extremely stony	7	14677.1	0.02	\$ 671.40
Tioga	ClB	Chippewa silt loam, 0 to 8 percent slopes, extremely stony	7	2902	0.004	\$ 671.40
Tioga	DsB	Dekalb extremely stony loam, 3 to 12 percent slopes	7	937.3	0.001	\$ 671.40
Tioga	DsD	Dekalb extremely stony loam, 12 to 30 percent slopes	7	2362.3	0.003	\$ 671.40
Tioga	DsF	Dekalb extremely stony loam, 30 to 70 percent slopes	7	4722	0.006	\$ 671.40
Tioga	MD	Mine dump	7	214	0	\$ 671.40
Tioga	MsB	Morris gravelly silt loam, 0 to 8 percent slopes, extremely stony	7	3419.6	0.005	\$ 671.40
Tioga	MsD	Morris gravelly silt loam, 8 to 25 percent slopes, extremely stony	7	3662	0.005	\$ 671.40
Tioga	Ns	Norwich channery silt loam, 0 to 5 percent slopes, extremely stony	7	819.5	0.001	\$ 671.40
Tioga	OTF	Oquaga and Lordstown soils, very steep	7	120474.9	0.166	\$ 671.40
Tioga	OVF	Oquaga-Rock outcrop complex, very steep	7	3892.9	0.005	\$ 671.40
Tioga	SM	Strip mine	7	2613.9	0.004	\$ 671.40
Tioga	Sw	Stony land, wet	7	1687.2	0.002	\$ 671.40
Tioga	VoE3	Volusia channery silt loam, 25 to 35 percent slopes, eroded	7	1868.6	0.003	\$ 671.40
Tioga	VsB	Volusia channery silt loam, 0 to 8 percent slopes, extremely stony	7	6880.8	0.009	\$ 671.40
Tioga	VsD	Volusia channery silt loam, 8 to 25 percent slopes, extremely stony	7	1666.9	0.002	\$ 671.40
Tioga	VtB	Volusia channery silt loam, 0 to 8 percent slopes, rubbly	7	470.4	0.001	\$ 671.40
Tioga	WsB	Wellsboro channery loam, 0 to 8 percent slopes, extremely stony	7	2757.1	0.004	\$ 671.40
Tioga	WsD	Wellsboro channery loam, 8 to 25 percent slopes, extremely stony	7	2608.7	0.004	\$ 671.40
Tioga	WyF	Wyoming gravelly sandy loam, 30 to 50 percent slopes	7	2156.3	0.003	\$ 671.40
Tioga	DAM	Dams and impoundment structures	8	191.2	0	\$ 671.40
Tioga	GP	Gravel pit	8	59.3	0	\$ 671.40
Union	AnA	Allenwood gravelly silt loam, 0 to 3 percent slopes	1	293.7	0.001	\$ 1,377.82
Union	Bb	Barbour-Linden complex, rarely flooded	1	313.6	0.002	\$ 1,289.60
Union	Lw	Linden silt loam	1	777.5	0.004	\$ 1,295.17
Union	WsA	Wheeling soils, 0 to 3 percent slopes	1	504.5	0.002	\$ 1,304.40
Union	AbB	Albrights silt loam, 3 to 8 percent slopes	2	2001.9	0.01	\$ 1,152.84
Union	AoB	Allenwood and Washington soils, 3 to 8 percent slopes	2	7195.8	0.035	\$ 1,377.82

Union	Ba	Barbour soils, frequently flooded	2	241.6	0.001	\$ 1,187.30
Union	Bc	Basher soils	2	1034.4	0.005	\$ 1,295.17
Union	BeB	Bedington silt loam, 3 to 8 percent slopes	2	528.1	0.003	\$ 1,242.28
Union	BkB	Berks channery silt loam, 3 to 8 percent slopes	2	2034.8	0.01	\$ 971.85
Union	BuB	Buchanan gravelly loam, 3 to 8 percent slopes	2	600.6	0.003	\$ 1,136.34
Union	CaB	Calvin-Klinesville shaly silt loams, 3 to 8 percent slopes	2	2094.1	0.01	\$ 915.19
Union	EdB	Edom complex, 3 to 8 percent slopes	2	10045.1	0.049	\$ 1,199.26
Union	EsB	Elliber cherty silt loam, 3 to 8 percent slopes	2	1255.7	0.006	\$ 1,238.42
Union	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	2845.9	0.014	\$ 1,469.33
Union	HtB	Hartleton channery silt loam, 3 to 8 percent slopes	2	1778.4	0.009	\$ 1,017.52
Union	KmB	Kreamer cherty silt loam, 3 to 8 percent slopes	2	546	0.003	\$ 1,070.55
Union	LaB	Laidig gravelly loam, 3 to 8 percent slopes	2	183.5	0.001	\$ 1,150.79
Union	LnB	Leck kill shaly silt loam, 3 to 8 percent slopes	2	181.1	0.001	\$ 1,300.71
Union	MkB	Meckesville silt loam, 3 to 8 percent slopes	2	1753	0.009	\$ 1,152.84
Union	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1115.8	0.005	\$ 1,226.01
Union	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	1026.6	0.005	\$ 1,155.71
Union	WaB	Washington silt loam, wet substratum, 3 to 8 percent slopes	2	1702.7	0.008	\$ 1,318.68
Union	WbA	Watson silt loam, 0 to 3 percent slopes	2	1113.8	0.005	\$ 1,171.19
Union	WbB	Watson silt loam, 3 to 8 percent slopes	2	2463	0.012	\$ 1,171.19
Union	WsB	Wheeling soils, 3 to 8 percent slopes	2	1213.9	0.006	\$ 1,300.71
Union	AoC	Allenwood and Washington soils, 8 to 15 percent slopes	3	2214.3	0.011	\$ 1,331.73
Union	ArA	Alvira silt loam, 0 to 3 percent slopes	3	1959.2	0.01	\$ 1,104.88
Union	ArB	Alvira silt loam, 3 to 8 percent slopes	3	2487.2	0.012	\$ 1,106.57
Union	ArC	Alvira silt loam, 8 to 15 percent slopes	3	87.3	0	\$ 1,072.29
Union	Bd	Basher soils, frequently flooded	3	1945.1	0.01	\$ 1,291.46
Union	BeC	Bedington silt loam, 8 to 15 percent slopes	3	192.4	0.001	\$ 1,173.21
Union	BkC	Berks channery silt loam, 8 to 15 percent slopes	3	2934.4	0.014	\$ 931.93
Union	CaC	Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes	3	3069	0.015	\$ 779.66
Union	EdC	Edom complex, 8 to 15 percent slopes	3	9128.5	0.045	\$ 1,125.93
Union	EsC	Elliber cherty silt loam, 8 to 15 percent slopes	3	801.1	0.004	\$ 1,193.29
Union	EtB	Elliber very cherty silt loam, 3 to 8 percent slopes	3	336.8	0.002	\$ 1,125.93
Union	EvB	Evendale cherty silt loam, 3 to 8 percent slopes	3	1013.9	0.005	\$ 1,026.49
Union	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	1507.8	0.007	\$ 1,397.20
Union	HtC	Hartleton channery silt loam, 8 to 15 percent	3	1462.9	0.007	\$ 917.59

Union	Hz	Holly silt loam, rarely flooded	3	2356.4	0.012	\$ 1,161.03
Union	LaC	Laidig gravelly loam, 8 to 15 percent slopes	3	292.4	0.001	\$ 1,104.88
Union	LnC	Leck kill shaly silt loam, 8 to 15 percent slopes	3	159.7	0.001	\$ 1,287.73
Union	MkC	Meckesville silt loam, 8 to 15 percent slopes	3	532.7	0.003	\$ 1,117.54
Union	OpB	Opequon silty clay loam, 3 to 8 percent slopes-mlra147	3	288.8	0.001	\$ 1,154.89
Union	WbC	Watson silt loam, 8 to 15 percent slopes	3	146.8	0.001	\$ 1,109.53
Union	WeB	Weikert channery silt loam, 3 to 8 percent slopes	3	1335.6	0.007	\$ 1,135.92
Union	WsC	Wheeling soils, 8 to 15 percent slopes	3	141.8	0.001	\$ 1,236.49
Union	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	92.7	0	\$ 1,117.54
Union	AnD	Allenwood gravelly silt loam, 15 to 25 percent slopes	4	176.9	0.001	\$ 1,181.28
Union	BkD	Berks channery silt loam, 15 to 25 percent slopes	4	1970.9	0.01	\$ 890.95
Union	CaD	Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes	4	1528.3	0.008	\$ 779.66
Union	EdD	Edom complex, 15 to 25 percent slopes	4	3847.8	0.019	\$ 939.05
Union	EsD	Elliber cherty silt loam, 15 to 25 percent slopes	4	125.8	0.001	\$ 1,070.55
Union	EtC	Elliber very cherty silt loam, 8 to 15 percent slopes	4	611.3	0.003	\$ 1,019.77
Union	HaD	Hagerstown silt loam, 15 to 25 percent slopes	4	248.9	0.001	\$ 1,333.53
Union	HtD	Hartleton channery silt loam, 15 to 25 percent slopes	4	656.7	0.003	\$ 813.35
Union	Hv	Holly silt loam	4	5911.9	0.029	\$ 1,117.54
Union	MkD	Meckesville silt loam, 15 to 25 percent slopes	4	55.6	0	\$ 1,044.27
Union	ShA	Shelmadine silt loam, 0 to 3 percent slopes	4	1904.9	0.009	\$ 1,044.27
Union	ShB	Shelmadine silt loam, 3 to 8 percent slopes	4	2654.9	0.013	\$ 1,046.48
Union	WeC	Weikert channery silt loam, 8 to 15 percent slopes	4	2054.4	0.01	\$ 903.11
Union	Hy	Holly silt loam, ponded	5	130.8	0.001	\$ 671.40
Union	BxB	Buchanan very stony loam, 0 to 8 percent slopes	6	6502.7	0.032	\$ 671.40
Union	BxD	Buchanan very stony loam, 8 to 25 percent slopes	6	4930	0.024	\$ 671.40
Union	EtD	Elliber very cherty silt loam, 15 to 25 percent slopes	6	460.1	0.002	\$ 671.40
Union	OpD	Opequon silty clay loam, 8 to 25 percent slopes	6	512.7	0.003	\$ 1,074.88
Union	OpE	Opequon silty clay loam, 25 to 45 percent slopes	6	435.9	0.002	\$ 671.40
Union	UoB	Ungers very stony loam, 3 to 8 percent slopes	6	1897.7	0.009	\$ 671.40
Union	UoD	Ungers very stony loam, 8 to 25 percent slopes	6	3515.6	0.017	\$ 671.40
Union	UoE	Ungers very stony loam, 25 to 50 percent slopes	6	5735.8	0.028	\$ 671.40
Union	WeD	Weikert channery silt loam, 15 to 25 percent slopes	6	2068	0.01	\$ 671.40
Union	DeB	Dekalb extremely stony sandy loam, 0 to 8 percent slopes	7	1139.4	0.006	\$ 671.40
Union	DeD	Dekalb extremely stony sandy loam, 8 to 25 percent slopes	7	2122	0.01	\$ 671.40

Union	DeF	Dekalb extremely stony sandy loam, steep	7	9445	0.047	\$ 671.40
Union	EtF	Elliber very cherty silt loam, 25 to 70 percent slopes	7	76.5	0	\$ 671.40
Union	HuB	Hazleton and Clymer extremely stony sandy loams, 0 to 8 percent slopes	7	3003.3	0.015	\$ 671.40
Union	HuD	Hazleton and Clymer extremely stony sandy loams, 8 to 25 percent slopes	7	3859.1	0.019	\$ 671.40
Union	HuF	Hazleton and Clymer extremely stony sandy loams, 25 to 80 percent slopes	7	8568	0.042	\$ 671.40
Union	LbB	Laidig extremely stony loam, 0 to 8 percent slopes	7	2833.5	0.014	\$ 671.40
Union	LdD	Laidig and Meckesville extremely stony soils, 8 to 25 percent slopes	7	14183	0.07	\$ 671.40
Union	LdF	Laidig and Meckesville extremely stony soils, steep	7	8321.3	0.041	\$ 671.40
Union	LtC	Leetonia extremely stony loamy sand, 0 to 15 percent slopes	7	244.1	0.001	\$ 671.40
Union	Ru	Rubble land	7	126.1	0.001	\$ 671.40
Union	SmB	Shelmadine very stony silt loam, 0 to 8 percent slopes	7	1997.3	0.01	\$ 671.40
Union	Ug	Udifluvents and Fluvaquents, gravelly	7	2524.5	0.012	\$ 671.40
Union	WkE	Weikert and Klinesville shaly silt loams, steep	7	8484.2	0.042	\$ 671.40
Venango	AgA	Allegheny silt loam, 0 to 3 percent slopes	1	375.9	0.001	\$ 1,342.51
Venango	HaA	Hanover silt loam, 0 to 3 percent slopes	1	2589.2	0.006	\$ 1,319.41
Venango	AgB	Allegheny silt loam, 3 to 8 percent slopes	2	914.9	0.002	\$ 1,276.51
Venango	AhA	Alton gravelly loam, 0 to 3 percent slopes	2	351.1	0.001	\$ 1,338.93
Venango	AhB	Alton gravelly loam, 3 to 8 percent slopes	2	1745.5	0.004	\$ 1,338.93
Venango	CdB	Canfield gravelly silt loam, 3 to 8 percent slopes	2	11617.3	0.027	\$ 1,150.79
Venango	CoA	Cookport loam, 0 to 3 percent slopes	2	2129.1	0.005	\$ 1,022.01
Venango	CoB	Cookport loam, 3 to 8 percent slopes	2	27102.5	0.062	\$ 976.48
Venango	ErB	Ernest silt loam, 3 to 8 percent slopes	2	776.7	0.002	\$ 1,222.89
Venango	GIB	Gilpin silt loam, 3 to 8 percent slopes	2	724.6	0.002	\$ 1,138.41
Venango	HaB	Hanover silt loam, 3 to 8 percent slopes	2	28175.4	0.064	\$ 1,286.24
Venango	HeB	Hazleton channery loam, 3 to 8 percent slopes	2	2416.9	0.006	\$ 1,324.50
Venango	MoA	Monongahela silt loam, 0 to 3 percent slopes	2	1021.8	0.002	\$ 1,320.86
Venango	MoB	Monongahela silt loam, 3 to 8 percent slopes	2	1672.5	0.004	\$ 1,320.86
Venango	Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	6532.9	0.015	\$ 1,234.55
Venango	Po	Pope loam, 0 to 3 percent slopes, occasionally flooded	2	3851.5	0.009	\$ 1,234.55
Venango	WhB	Wharton silt loam, 3 to 8 percent slopes	2	8052.6	0.018	\$ 1,140.07
Venango	WoB	Wooster gravelly silt loam, 3 to 8 percent slopes	2	125	0	\$ 1,222.89
Venango	AhC	Alton gravelly loam, 8 to 15 percent slopes	3	1779.9	0.004	\$ 1,035.41
Venango	AIA	Alvira silt loam, 0 to 3 percent slopes	3	5608.8	0.013	\$ 1,117.54
Venango	AIB	Alvira silt loam, 3 to 8 percent slopes	3	23099.9	0.053	\$ 1,115.44

Venango	AIC	Alvira silt loam, 8 to 15 percent slopes	3	3000.2	0.007	\$ 1,080.07
Venango	BaB	Bethesda channery silt loam, 0 to 8 percent slopes	3	753.9	0.002	\$ 779.66
Venango	BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	19.5	0	\$ 779.66
Venango	CdC	Canfield gravelly silt loam, 8 to 15 percent slopes	3	8994.7	0.021	\$ 1,113.33
Venango	CIA	Cavode silt loam, 0 to 3 percent slopes	3	2309.3	0.005	\$ 1,037.63
Venango	ClB	Cavode silt loam, 3 to 8 percent slopes	3	19608.5	0.045	\$ 1,037.63
Venango	CIC	Cavode silt loam, 8 to 15 percent slopes	3	3102.8	0.007	\$ 999.42
Venango	CoC	Cookport loam, 8 to 15 percent slopes	3	8349.9	0.019	\$ 939.05
Venango	FaB	Fairpoint channery silt loam, 0 to 8 percent slopes	3	1253.6	0.003	\$ 779.66
Venango	GIC	Gilpin silt loam, 8 to 15 percent slopes	3	2299.7	0.005	\$ 1,119.64
Venango	HaC	Hanover silt loam, 8 to 15 percent slopes	3	15727.5	0.036	\$ 1,214.66
Venango	HeC	Hazleton channery loam, 8 to 15 percent slopes	3	1451.8	0.003	\$ 1,253.78
Venango	RaA	Ravenna silt loam, 0 to 3 percent slopes	3	846	0.002	\$ 1,145.85
Venango	RaB	Ravenna silt loam, 3 to 8 percent slopes	3	5051.5	0.012	\$ 1,146.68
Venango	RaC	Ravenna silt loam, 8 to 15 percent slopes	3	916.8	0.002	\$ 1,029.17
Venango	Re	Rexford silt loam	3	1404.4	0.003	\$ 1,006.23
Venango	Ty	Tyler silt loam	3	826.8	0.002	\$ 1,128.02
Venango	WhC	Wharton silt loam, 8 to 15 percent slopes	3	3171.8	0.007	\$ 1,150.79
Venango	WoC	Wooster gravelly silt loam, 8 to 15 percent slopes	3	320.8	0.001	\$ 1,181.28
Venango	AhD	Alton gravelly loam, 15 to 25 percent slopes	4	719.8	0.002	\$ 900.69
Venango	As	Armagh silt loam	4	593.1	0.001	\$ 900.69
Venango	At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	7725.6	0.018	\$ 1,022.01
Venango	BaD	Bethesda channery silt loam, 8 to 25 percent slopes	4	1684.7	0.004	\$ 779.66
Venango	BrA	Brinkerton silt loam, 0 to 3 percent slopes	4	3670.2	0.008	\$ 1,111.22
Venango	BrB	Brinkerton silt loam, 3 to 8 percent slopes	4	3492.8	0.008	\$ 1,125.93
Venango	FaD	Fairpoint channery silt loam, 8 to 25 percent slopes	4	877.7	0.002	\$ 779.66
Venango	FeA	Frenchtown silt loam, 0 to 3 percent slopes	4	3743.1	0.009	\$ 1,035.41
Venango	FeB	Frenchtown silt loam, 3 to 8 percent slopes	4	1511.3	0.003	\$ 1,074.88
Venango	GID	Gilpin silt loam, 15 to 25 percent slopes	4	742.5	0.002	\$ 1,059.66
Venango	HeD	Hazleton channery loam, 15 to 25 percent slopes	4	1263.8	0.003	\$ 1,218.98
Venango	WoD	Wooster gravelly silt loam, 15 to 25 percent slopes	4	1546.2	0.004	\$ 1,105.72
Venango	Rv	Riverwash	5	162	0	\$ 671.40
Venango	AhF	Alton gravelly loam, 25 to 80 percent slopes	6	456.7	0.001	\$ 671.40
Venango	CpB	Cookport loam, 0 to 8 percent slopes, very stony	6	25508.8	0.058	\$ 671.40

Venango	CpC	Cookport loam, 8 to 15 percent slopes, very stony	6	27746.8	0.063	\$ 671.40
Venango	HaD	Hanover silt loam, 15 to 25 percent slopes	6	3273.3	0.007	\$ 671.40
Venango	HdB	Hanover silt loam, 0 to 8 percent slopes, extremely stony	6	12252.3	0.028	\$ 671.40
Venango	HdD	Hanover silt loam, 8 to 25 percent slopes, extremely stony	6	26853.3	0.061	\$ 671.40
Venango	HIB	Hazleton channery loam, 0 to 8 percent slopes, extremely stony	6	3935.7	0.009	\$ 671.40
Venango	HnD	Hazleton and Gilpin soils, 8 to 25 percent slopes, extremely stony	6	8664.5	0.02	\$ 671.40
Venango	ML	Made land	6	12.7	0	\$ 671.40
Venango	Sm	Strip mines	6	2853.5	0.007	\$ 671.40
Venango	WsD	Wooster gravelly silt loam, 8 to 25 percent slopes, extremely stony	6	621	0.001	\$ 671.40
Venango	ArB	Alvira and Ravenna silt loams, 0 to 8 percent slopes, extremely stony	7	6391.1	0.015	\$ 671.40
Venango	BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	7	25.7	0	\$ 671.40
Venango	BfF	Bethesda and Fairpoint channery silt loams, 25 to 70 percent slopes	7	133.9	0	\$ 671.40
Venango	Bt	Brinkerton and Frenchtown silt loams, 0 to 8 percent slopes, extremely stony	7	3777.5	0.009	\$ 676.98
Venango	BxB	Buchanan silt loam, 0 to 8 percent slopes, extremely stony	7	3837.4	0.009	\$ 671.40
Venango	BxD	Buchanan silt loam, 8 to 25 percent slopes, extremely stony	7	3849.3	0.009	\$ 671.40
Venango	CeB	Canfield gravelly silt loam, 3 to 8 percent slopes, extremely stony	7	1458.4	0.003	\$ 671.40
Venango	CeD	Canfield gravelly silt loam, 8 to 25 percent slopes, extremely stony	7	7098.5	0.016	\$ 671.40
Venango	HdE	Hanover silt loam, 25 to 45 percent slopes, extremely stony	7	2955.7	0.007	\$ 671.40
Venango	HnF	Hazleton and Gilpin soils, 25 to 70 percent slopes, extremely stony	7	49066.6	0.112	\$ 671.40
Venango	WsE	Wooster gravelly silt loam, 25 to 45 percent slopes, extremely stony	7	427.8	0.001	\$ 671.40
Venango	BP	Borrow pits	8	12	0	\$ 671.40
Venango	GP	Gravel pits	8	92.6	0	\$ 671.40
Venango	Qu	Quarries	8	123.6	0	\$ 671.40
Venango	Um	Urban land-Monongahela complex	8	1471.5	0.003	\$ 671.40
Warren/Forest	HtA	Hazleton channery sandy loam, 0 to 3 percent slopes	1	5889.4	0.007	\$ 1,274.63
Warren/Forest	UnA	Unadilla silt loam, 0 to 3 percent slopes	1	2434.1	0.003	\$ 1,194.89
Warren/Forest	BcB	Braceville gravelly silt loam, 0 to 8 percent slopes	2	5646.4	0.007	\$ 1,179.27
Warren/Forest	ChA	Chenango gravelly silt loam, 0 to 3 percent slopes	2	3140.1	0.004	\$ 1,152.60
Warren/Forest	ChB	Chenango gravelly silt loam, 3 to 8 percent slopes	2	3247.6	0.004	\$ 1,153.17
Warren/Forest	CtA	Cookport silt loam, 0 to 3 percent slopes	2	13322	0.016	\$ 1,022.01
Warren/Forest	CtB	Cookport silt loam, 3 to 8 percent slopes	2	20642.3	0.024	\$ 976.48
Warren/Forest	EsB	Ernest silt loam, 3 to 8 percent slopes	2	3886.1	0.005	\$ 1,222.89
Warren/Forest	GnB	Gilpin channery silt loam, 3 to 8 percent slopes	2	3361.4	0.004	\$ 1,136.34
Warren/Forest	HaB	Hartleton channery silt loam, 3 to 8 percent slopes	2	4.7	0	\$ 994.86

Warren/Forest HnB	Hanover silt loam, 3 to 8 percent slopes	2	4340.5	0.005	\$ 1,286.24
Warren/Forest HtB	Hazleton channery sandy loam, 3 to 8 percent slopes	2	9429.3	0.011	\$ 1,320.86
Warren/Forest KnB	Kinzua channery silt loam, 3 to 8 percent slopes	2	248.1	0	\$ 943.78
Warren/Forest LdB	Lordstown channery silt loam, 3 to 8 percent slopes	2	1048.4	0.001	\$ 1,039.85
Warren/Forest MaA	Mardin gravelly silt loam, 0 to 3 percent slopes	2	1278.2	0.002	\$ 1,061.84
Warren/Forest MaB	Mardin gravelly silt loam, 3 to 8 percent slopes	2	9917.5	0.012	\$ 1,061.84
Warren/Forest Ph	Philo silt loam, 0 to 3 percent slopes, occasionally flooded	2	6621.4	0.008	\$ 1,234.55
Warren/Forest Po	Pope loam, 0 to 3 percent slopes, occasionally flooded	2	1859.3	0.002	\$ 1,234.55
Warren/Forest Sc	Scio silt loam	2	1526.7	0.002	\$ 1,212.70
Warren/Forest WhB	Wharton silt loam, 3 to 8 percent slopes	2	8058.1	0.009	\$ 939.05
Warren/Forest WoB	Wooster gravelly silt loam, 3 to 8 percent slopes	2	3007.8	0.004	\$ 1,222.89
Warren/Forest AaA	Alvira silt loam, 0 to 3 percent slopes	3	2820.6	0.003	\$ 1,117.54
Warren/Forest AaB	Alvira silt loam, 3 to 8 percent slopes	3	12937.6	0.015	\$ 1,115.44
Warren/Forest AaC	Alvira silt loam, 8 to 15 percent slopes	3	18319.5	0.022	\$ 1,080.07
Warren/Forest At	Atkins silty clay loam	3	1271.4	0.001	\$ 1,154.07
Warren/Forest CaC	Carrollton channery silt loam, 8 to 15 percent slopes	3	6.6	0	\$ 779.66
Warren/Forest CdB	Cavode silt loam, 0 to 8 percent slopes	3	17731.8	0.021	\$ 1,022.01
Warren/Forest CdC	Cavode silt loam, 8 to 15 percent slopes	3	11244.7	0.013	\$ 1,033.18
Warren/Forest ChC	Chenango gravelly silt loam, 8 to 15 percent slopes	3	1456.3	0.002	\$ 1,074.54
Warren/Forest CtC	Cookport silt loam, 8 to 15 percent slopes	3	8507.7	0.01	\$ 976.48
Warren/Forest EkC	Elko silt loam, 8 to 15 percent slopes	3	27.9	0	\$ 818.48
Warren/Forest EsC	Ernest silt loam, 8 to 15 percent slopes	3	9947.5	0.012	\$ 1,154.89
Warren/Forest GnC	Gilpin channery silt loam, 8 to 15 percent slopes	3	5655.8	0.007	\$ 1,096.37
Warren/Forest HaC	Hartleton channery silt loam, 8 to 15 percent slopes	3	114.3	0	\$ 936.68
Warren/Forest HnC	Hanover silt loam, 8 to 15 percent slopes	3	6975.1	0.008	\$ 1,214.66
Warren/Forest HtC	Hazleton channery sandy loam, 8 to 15 percent slopes	3	6999.1	0.008	\$ 1,249.96
Warren/Forest IvB	Ivory silt loam, 3 to 8 percent slopes	3	25.5	0	\$ 779.66
Warren/Forest KnC	Kinzua channery silt loam, 8 to 15 percent slopes	3	10.1	0	\$ 903.11
Warren/Forest LdC	Lordstown channery silt loam, 8 to 15 percent slopes	3	1328.3	0.002	\$ 1,033.18
Warren/Forest MaC	Mardin gravelly silt loam, 8 to 15 percent slopes	3	13443.5	0.016	\$ 1,022.01
Warren/Forest ReA	Rexford loam, 0 to 8 percent slopes	3	7055.5	0.008	\$ 978.33
Warren/Forest VeA	Venango silt loam, 0 to 3 percent slopes	3	7391.9	0.009	\$ 1,130.10
Warren/Forest VeB	Venango silt loam, 3 to 8 percent slopes	3	30512.6	0.036	\$ 1,140.48
Warren/Forest VeC	Venango silt loam, 8 to 15 percent slopes	3	19750.3	0.023	\$ 1,132.18

Warren/Forest Wa	Wayland silt loam	3	17492.3	0.021	\$ 779.66
Warren/Forest WhC	Wharton silt loam, 8 to 15 percent slopes	3	4869.4	0.006	\$ 861.36
Warren/Forest WoC	Wooster gravelly silt loam, 8 to 15 percent slopes	3	1453.7	0.002	\$ 1,181.28
Warren/Forest AgB	Armagh silt loam, 0 to 8 percent slopes	4	3010.9	0.004	\$ 943.78
Warren/Forest BkB	Brinkerton soils, 3 to 8 percent slopes	4	4863.6	0.006	\$ 1,089.96
Warren/Forest BuD	Buchanan silt loam, 15 to 25 percent slopes	4	17.8	0	\$ 1,098.50
Warren/Forest Ca	Canadice silt loam	4	1025.1	0.001	\$ 953.19
Warren/Forest CaD	Carrollton channery silt loam, 15 to 25 percent slopes	4	89.7	0	\$ 779.66
Warren/Forest CdD	Cavode silt loam, 15 to 25 percent slopes	4	3380.4	0.004	\$ 943.78
Warren/Forest ChD	Chenango gravelly silt loam, 15 to 25 percent slopes	4	626.8	0.001	\$ 1,002.87
Warren/Forest CpB	Chippewa silt loam, 0 to 8 percent slopes	4	4050.8	0.005	\$ 985.70
Warren/Forest GnD	Gilpin channery silt loam, 15 to 25 percent slopes	4	13005.9	0.015	\$ 1,055.28
Warren/Forest HaD	Hartleton channery silt loam, 15 to 25 percent slopes	4	195	0	\$ 900.69
Warren/Forest HtD	Hazleton channery sandy loam, 15 to 25 percent slopes	4	9363.7	0.011	\$ 1,096.37
Warren/Forest KnD	Kinzua channery silt loam, 15 to 25 percent slopes	4	145.4	0	\$ 818.48
Warren/Forest LdD	Lordstown channery silt loam, 15 to 25 percent slopes	4	2160.9	0.003	\$ 985.70
Warren/Forest MaD	Mardin gravelly silt loam, 15 to 25 percent slopes	4	12102	0.014	\$ 981.10
Warren/Forest ShC	Shelmadine silt loam, 3 to 15 percent slopes	4	8219.5	0.01	\$ 1,025.69
Warren/Forest WhD	Wharton silt loam, 15 to 25 percent slopes	4	1772.8	0.002	\$ 779.66
Warren/Forest WoD	Wooster gravelly silt loam, 15 to 25 percent slopes	4	575.5	0.001	\$ 1,105.72
Warren/Forest AbC	Alvira silt loam, 0 to 15 percent slopes, extremely stony	6	13062.4	0.015	\$ 671.40
Warren/Forest AhB	Armagh silt loam, 0 to 8 percent slopes, extremely stony	6	843.7	0.001	\$ 671.40
Warren/Forest CeC	Cavode silt loam, 0 to 25 percent slopes, extremely stony	6	17017.9	0.02	\$ 671.40
Warren/Forest HnD	Hanover silt loam, 15 to 25 percent slopes	6	14757.1	0.017	\$ 671.40
Warren/Forest HsD	Hanover silt loam, 0 to 25 percent slopes, extremely stony	6	9950.3	0.012	\$ 671.40
Warren/Forest HvB	Hazleton channery sandy loam, 0 to 8 percent slopes, extremely stony	6	32824.8	0.039	\$ 671.40
Warren/Forest HvD	Hazleton channery sandy loam, 8 to 25 percent slopes, extremely stony	6	70916.5	0.083	\$ 671.40
Warren/Forest LF	Landfill	6	34.1	0	\$ 671.40
Warren/Forest MdD	Mardin silt loam, 0 to 25 percent slopes, extremely stony	6	2384.5	0.003	\$ 671.40
Warren/Forest BnB	Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely stony	7	4401.6	0.005	\$ 671.40
Warren/Forest BxB	Buchanan silt loam, 0 to 8 percent slopes, extremely stony	7	68.8	0	\$ 671.40
Warren/Forest BxD	Buchanan silt loam, 8 to 25 percent slopes, extremely stony	7	63947.2	0.075	\$ 671.40
Warren/Forest CvC	Cookport silt loam, 0 to 15 percent slopes, extremely stony	7	93491.6	0.11	\$ 671.40
Warren/Forest GpF	Gilpin channery silt loam, 35 to 65 percent slopes	7	44520.5	0.052	\$ 671.40

Warren/Forest GsC	Gilpin channery silt loam, 8 to 15 percent slopes, extremely stony	7	4844.6	0.006	\$ 671.40
Warren/Forest HaF	Hartleton channery silt loam, 35 to 50 percent slopes	7	923.6	0.001	\$ 671.40
Warren/Forest HoF	Hanover soils, steep	7	7001.6	0.008	\$ 671.40
Warren/Forest HvF	Hazleton channery sandy loam, 25 to 80 percent slopes, extremely stony	7	51891.7	0.061	\$ 671.40
Warren/Forest KnF	Kinzua channery silt loam, 35 to 60 percent slopes	7	946.2	0.001	\$ 671.40
Warren/Forest LaF	Laidig channery loam, 25 to 50 percent slopes, extremely bouldery	7	270.8	0	\$ 671.40
Warren/Forest LtF	Lordstown soils, 25 to 70 percent slopes	7	15685.4	0.018	\$ 671.40
Warren/Forest OnD	Onoville silt loam, 15 to 25 percent slopes, extremely bouldery	7	158.6	0	\$ 671.40
Warren/Forest SvC	Shelmadine silt loam, 0 to 15 percent slopes, extremely stony	7	3034	0.004	\$ 671.40
Warren/Forest VsC	Venango silt loam, 8 to 15 percent slopes, extremely stony	7	2464.9	0.003	\$ 671.40
Warren/Forest DAM	Dams	8	24.1	0	\$ 671.40
Warren/Forest Mm	Medihemists and Medisaprists, ponded	8	964.6	0.001	\$ 671.40
Wayne Ba	Barbour loam	1	2448.3	0.005	\$ 1,150.79
Wayne La	Linden fine sandy loam, rarely flooded	1	1297.5	0.003	\$ 1,276.51
Wayne	26 Philo loam	2	23	0	\$ 1,350.36
Wayne Bh	Basher silt loam	2	6828.6	0.014	\$ 1,226.01
Wayne LaB	Lackawanna channery loam, 3 to 8 percent slopes	2	5.1	0	\$ 1,251.11
Wayne LdB	Lordstown channery loam, 3 to 8 percent slopes	2	1281.3	0.003	\$ 1,135.92
Wayne MaB	Mardin channery loam, 3 to 8 percent slopes	2	8647.4	0.018	\$ 985.70
Wayne OaB	Oquaga channery loam, 3 to 8 percent slopes	2	6723.9	0.014	\$ 990.29
Wayne SwB	Swartswood channery sandy loam, 3 to 8 percent slopes	2	1147	0.002	\$ 1,146.68
Wayne WeB	Wellsboro channery loam, 3 to 8 percent slopes	2	24219.3	0.05	\$ 1,207.18
Wayne WkB	Wurtsboro channery loam, 3 to 8 percent slopes	2	7	0	\$ 1,035.41
Wayne 320C	Lackawanna channery loam, 8 to 15 percent slopes, rocky	3	2.8	0	\$ 1,065.77
Wayne ArB	Arnot channery loam, very rocky, 3 to 8 percent slopes	3	9385.2	0.02	\$ 779.66
Wayne Ho	Holly silt loam	3	9048.9	0.019	\$ 1,158.98
Wayne LdC	Lordstown channery loam, 8 to 15 percent slopes	3	1108.4	0.002	\$ 1,096.37
Wayne MaC	Mardin channery loam, 8 to 15 percent slopes	3	6179.4	0.013	\$ 983.40
Wayne MoA	Morris channery loam, 0 to 3 percent slopes	3	1032.9	0.002	\$ 950.85
Wayne MoB	Morris channery loam, 3 to 8 percent slopes	3	19996.6	0.042	\$ 946.14
Wayne MoC	Morris channery loam, 8 to 15 percent slopes	3	5882.9	0.012	\$ 981.10
Wayne OaC	Oquaga channery loam, 8 to 15 percent slopes	3	7450.5	0.016	\$ 992.57
Wayne Re	Rexford loam	3	748.9	0.002	\$ 900.69
Wayne SwC	Swartswood channery sandy loam, 8 to 15 percent slopes	3	872.1	0.002	\$ 1,070.55

Wayne	VoA	Volusia channery silt loam, 0 to 3 percent slopes	3	898.9	0.002	\$ 953.19
Wayne	VoB	Volusia channery silt loam, 3 to 8 percent slopes	3	7625.5	0.016	\$ 987.99
Wayne	VoC	Volusia channery silt loam, 8 to 15 percent slopes	3	2254.6	0.005	\$ 991.20
Wayne	WeC	Wellsboro channery loam, 8 to 15 percent slopes	3	19123.2	0.04	\$ 1,104.88
Wayne	WkC	Wurtsboro channery loam, 8 to 15 percent slopes	3	1.6	0	\$ 1,003.51
Wayne	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	1723.6	0.004	\$ 1,079.21
Wayne	143	Wyalusing fine sandy loam	4	1	0	\$ 962.55
Wayne	ArC	Arnot channery loam, very rocky, 8 to 15 percent slopes	4	7018.6	0.015	\$ 779.66
Wayne	LaD	Lackawanna channery loam, 15 to 25 percent slopes	4	0.9	0	\$ 1,106.99
Wayne	LdD	Lordstown channery loam, 15 to 25 percent slopes	4	474	0.001	\$ 1,019.77
Wayne	MaD	Mardin channery loam, 15 to 25 percent slopes	4	1030.5	0.002	\$ 981.10
Wayne	NcA	Norwich and Chippewa channery silt loams, 0 to 3 percent slopes	4	1363.7	0.003	\$ 779.66
Wayne	OaD	Oquaga channery loam, 15 to 25 percent slopes	4	3254.6	0.007	\$ 943.78
Wayne	SwD	Swartswood channery sandy loam, 15 to 25 percent slopes	4	250.6	0.001	\$ 994.86
Wayne	WeD	Wellsboro channery loam, 15 to 25 percent slopes	4	2595.8	0.005	\$ 990.29
Wayne	Wy	Wyalusing silt loam	4	62.5	0	\$ 976.48
Wayne	WyC	Wyoming gravelly sandy loam, 8 to 15 percent slopes	4	2312.7	0.005	\$ 955.54
Wayne	WyD	Wyoming gravelly sandy loam, 15 to 25 percent slopes	4	1123.9	0.002	\$ 779.66
Wayne	12	Gleneyre-Kimbles complex, 0 to 2 percent slopes	5	23.1	0	\$ 671.40
Wayne	18	Paupack mucky peat	5	12.3	0	\$ 671.40
Wayne	20	Freetown mucky peat	5	57.7	0	\$ 671.40
Wayne	239B	Oquaga very stony loam, 0 to 8 percent slopes, extremely bouldery	6	79.9	0	\$ 671.40
Wayne	239D	Oquaga very stony loam, 15 to 30 percent slopes, extremely bouldery	6	81.5	0	\$ 671.40
Wayne	30B	Wurtsboro stony fine sandy loam, 0 to 8 percent slopes, extremely stony	6	155.8	0	\$ 671.40
Wayne	30C	Wurtsboro stony fine sandy loam, 8 to 15 percent slopes, extremely stony	6	13.4	0	\$ 671.40
Wayne	9B	Craigsville-Wyoming complex, 0 to 8 percent slopes, extremely stony	6	40.6	0	\$ 671.40
Wayne	ArD	Arnot channery loam, very rocky, 15 to 25 percent slopes	6	12576.9	0.026	\$ 671.40
Wayne	111B	Edgemere-Shohola complex, 3 to 15 percent slopes, very rubbly	7	391	0.001	\$ 671.40
Wayne	11A	Edgemere extremely stony loam, 0 to 3 percent slopes, very rubbly	7	198.5	0	\$ 671.40
Wayne	240F	Oquaga-Arnot-Rock outcrop complex, 20 to 60 percent slopes, very rubbly	7	125.7	0	\$ 671.40
Wayne	28B	Wellsboro stony loam, 0 to 8 percent slopes, extremely stony	7	53.8	0	\$ 671.40
Wayne	321B	Lackawanna channery loam, 3 to 8 percent slopes, extremely stony	7	32.9	0	\$ 671.40
Wayne	321C	Lackawanna channery loam, 8 to 15 percent slopes, extremely stony	7	129.6	0	\$ 671.40
Wayne	321D	Lackawanna channery loam, 15 to 30 percent slopes, extremely stony	7	11.5	0	\$ 671.40

Wayne	7B	Shohola-Edgemere complex, 0 to 8 percent slopes, very rubbly	7	667.8	0.001	\$ 671.40
Wayne	7C	Shohola-Edgemere complex, 8 to 15 percent slopes, very rubbly	7	84.7	0	\$ 671.40
Wayne	FF	Fluvents and Fluvaquents, cobbly	7	2515	0.005	\$ 671.40
Wayne	LbB	Lackawanna channery loam, 3 to 8 percent slopes, rubbly	7	3.3	0	\$ 671.40
Wayne	LbD	Lackawanna channery loam, 8 to 25 percent slopes, rubbly	7	14.7	0	\$ 671.40
Wayne	LxB	Lordstown extremely stony loam, 3 to 8 percent slopes	7	7469.6	0.016	\$ 671.40
Wayne	LxC	Lordstown extremely stony loam, 8 to 25 percent slopes	7	16427.1	0.034	\$ 671.40
Wayne	MdB	Mardin extremely stony loam, 3 to 8 percent slopes	7	12868.9	0.027	\$ 671.40
Wayne	MdD	Mardin extremely stony loam, 8 to 25 percent slopes	7	16091.4	0.034	\$ 671.40
Wayne	MxB	Morris channery loam, 0 to 8 percent slopes, rubbly	7	40032.1	0.083	\$ 671.40
Wayne	MxC	Morris channery loam, 8 to 15 percent slopes, rubbly	7	11170.5	0.023	\$ 671.40
Wayne	NxA	Norwich and Chippewa channery silt loams, 0 to 3 percent slopes, rubbly	7	11457.6	0.024	\$ 671.40
Wayne	OxB	Oquaga extremely stony loam, 3 to 8 percent slopes	7	12404.3	0.026	\$ 671.40
Wayne	OxD	Oquaga extremely stony loam, 8 to 25 percent slopes	7	33127.1	0.069	\$ 671.40
Wayne	OyF	Oquaga and Lordstown extremely stony loams, 25 to 70 percent slopes	7	27608	0.057	\$ 671.40
Wayne	RoD	Rock outcrop-Arnot complex, 3 to 25 percent slopes	7	1076.2	0.002	\$ 671.40
Wayne	SxB	Swartswood extremely stony sandy loam, 3 to 8 percent slopes	7	4234.1	0.009	\$ 671.40
Wayne	SxD	Swartswood extremely stony sandy loam, 8 to 25 percent slopes	7	3375.6	0.007	\$ 671.40
Wayne	VxB	Volusia channery silt loam, 0 to 8 percent slopes, rubbly	7	20005.6	0.042	\$ 671.40
Wayne	VxC	Volusia channery silt loam, 8 to 15 percent slopes, rubbly	7	4645.7	0.01	\$ 671.40
Wayne	WoB	Wellsboro channery loam, 3 to 8 percent slopes, rubbly	7	17755.2	0.037	\$ 671.40
Wayne	WoD	Wellsboro channery loam, 8 to 25 percent slopes, rubbly	7	32205.8	0.067	\$ 671.40
Wayne	WxF	Wellsboro and Mardin extremely stony loams, 25 to 50 percent slopes	7	3678.7	0.008	\$ 671.40
Wayne	WyE	Wyoming gravelly sandy loam, 25 to 45 percent slopes	7	358.8	0.001	\$ 671.40
Wayne	ME	Medihemists and Medifibrists	8	5263	0.011	\$ 671.40
Westmorelanc	ChA	Chavies fine sandy loam, 0 to 2 percent slopes	1	1099	0.002	\$ 1,401.99
Westmorelanc	CIB	Clarksburg silt loam, 3 to 8 percent slopes	2	10426.9	0.016	\$ 1,239.19
Westmorelanc	CuB	Culleoka channery silt loam, 3 to 8 percent slopes	2	4310.1	0.006	\$ 1,329.93
Westmorelanc	DoB	Dormont silt loam, 3 to 8 percent slopes	2	6724	0.01	\$ 1,331.73
Westmorelanc	ErB	Ernest silt loam, 3 to 8 percent slopes	2	28111.4	0.042	\$ 1,302.56
Westmorelanc	GcB	Gilpin channery silt loam, 3 to 8 percent slopes	2	29929.4	0.045	\$ 1,134.26
Westmorelanc	GuB	Gilpin-Upshur complex, 3 to 8 percent slopes	2	4491.4	0.007	\$ 1,074.88
Westmorelanc	GwB	Gilpin-Weikert channery silt loams, 3 to 8 percent slopes	2	2100.6	0.003	\$ 1,050.00
Westmorelanc	GyB	Guernsey silt loam, 3 to 8 percent slopes	2	9491.9	0.014	\$ 1,270.86

Westmorelanc LeB	Leck Kill channery silt loam, 3 to 8 percent slopes	2	273.3	0	\$ 1,302.56
Westmorelanc Ln	Lindside silt loam, 0 to 3 percent slopes, occasionally flooded	2	3007.4	0.005	\$ 1,358.52
Westmorelanc Lo	Lobdell silt loam, 0 to 3 percent slopes, occasionally flooded	2	10106.6	0.015	\$ 1,278.39
Westmorelanc LwB	Lowell silty clay loam, 3 to 8 percent slopes	2	5319.3	0.008	\$ 1,342.51
Westmorelanc MeB	Matewan channery loam, 3 to 8 percent slopes	2	3409.5	0.005	\$ 1,057.47
Westmorelanc MoA	Monongahela silt loam, 0 to 3 percent slopes	2	817.4	0.001	\$ 1,222.89
Westmorelanc MoB	Monongahela silt loam, 3 to 8 percent slopes	2	10477.2	0.016	\$ 1,222.89
Westmorelanc Ph	Philo loam, 0 to 3 percent slopes, occasionally flooded	2	3907	0.006	\$ 1,234.55
Westmorelanc ScB	Sciotoville silt loam, 2 to 6 percent slopes	2	292.6	0	\$ 1,331.73
Westmorelanc VaB	Vandergrift silt loam, 3 to 8 percent slopes	2	2146.2	0.003	\$ 1,218.98
Westmorelanc WrB	Wharton silt loam, 3 to 8 percent slopes	2	24107.1	0.036	\$ 1,140.07
Westmorelanc BeB	Bethesda very channery silt loam, 0 to 8 percent slopes	3	1188.6	0.002	\$ 779.66
Westmorelanc CaB	Cavode silt loam, 3 to 8 percent slopes	3	6663.5	0.01	\$ 1,037.63
Westmorelanc CaC	Cavode silt loam, 8 to 15 percent slopes	3	1533.4	0.002	\$ 999.42
Westmorelanc CIC	Clarksburg silt loam, 8 to 15 percent slopes	3	2634.2	0.004	\$ 1,120.90
Westmorelanc CuC	Culleoka channery silt loam, 8 to 15 percent slopes	3	2667.6	0.004	\$ 1,236.49
Westmorelanc DoC	Dormont silt loam, 8 to 15 percent slopes	3	14259.8	0.021	\$ 1,242.28
Westmorelanc ErC	Ernest silt loam, 8 to 15 percent slopes	3	14826.9	0.022	\$ 1,222.89
Westmorelanc FaB	Fairpoint very channery silt loam, 0 to 8 percent slopes	3	1690.2	0.003	\$ 779.66
Westmorelanc GcC	Gilpin channery silt loam, 8 to 15 percent slopes	3	31893.3	0.048	\$ 1,132.18
Westmorelanc GuC	Gilpin-Upshur complex, 8 to 15 percent slopes	3	9269.2	0.014	\$ 1,074.88
Westmorelanc GwC	Gilpin-Weikert channery silt loams, 8 to 15 percent slopes	3	1860.2	0.003	\$ 1,001.24
Westmorelanc GyC	Guernsey silt loam, 8 to 15 percent slopes	3	11340.2	0.017	\$ 1,096.37
Westmorelanc ItB	Itmann extremely channery loam, 0 to 8 percent slopes	3	333.6	0.001	\$ 779.66
Westmorelanc LeC	Leck Kill channery silt loam, 8 to 15 percent slopes	3	540.7	0.001	\$ 1,265.19
Westmorelanc LIB	Library silt loam, 0 to 8 percent slopes	3	2846.6	0.004	\$ 1,183.29
Westmorelanc LIC	Library silt loam, 8 to 15 percent slopes	3	693.7	0.001	\$ 1,092.10
Westmorelanc LwC	Lowell silty clay loam, 8 to 15 percent slopes, eroded	3	2284.6	0.003	\$ 1,218.98
Westmorelanc MeC	Matewan channery loam, 8 to 15 percent slopes	3	1528.6	0.002	\$ 985.70
Westmorelanc MoC	Monongahela silt loam, 8 to 15 percent slopes	3	1965.9	0.003	\$ 1,146.68
Westmorelanc ScC	Sciotoville silt loam, 6 to 12 percent slopes	3	303.4	0	\$ 1,224.84
Westmorelanc TyA	Tyler silt loam, 0 to 2 percent slopes	3	1087.8	0.002	\$ 1,128.02
Westmorelanc UcB	Upshur silty clay loam, 3 to 8 percent slopes	3	490	0.001	\$ 1,207.18
Westmorelanc VaC	Vandergrift silt loam, 8 to 15 percent slopes	3	3884.3	0.006	\$ 1,081.36

Westmorelanc WeA	Weinbach silt loam, 0 to 2 percent slopes	3	2840.4	0.004	\$ 1,125.93
Westmorelanc WrC	Wharton silt loam, 8 to 15 percent slopes	3	35073.4	0.053	\$ 1,150.79
Westmorelanc At	Atkins silt loam, 0 to 3 percent slopes, frequently flooded	4	2925.8	0.004	\$ 1,022.01
Westmorelanc BkA	Brinkerton silt loam, 0 to 3 percent slopes	4	941.4	0.001	\$ 1,111.22
Westmorelanc BkB	Brinkerton silt loam, 3 to 8 percent slopes	4	590.9	0.001	\$ 1,125.93
Westmorelanc CuD	Culleoka channery silt loam, 15 to 25 percent slopes	4	1280.2	0.002	\$ 1,081.36
Westmorelanc DoD	Dormont silt loam, 15 to 25 percent slopes	4	10457.1	0.016	\$ 1,096.37
Westmorelanc DrD	Dormont-Culleoka complex, 15 to 25 percent slopes	4	10045.4	0.015	\$ 1,060.09
Westmorelanc FaC	Fairpoint very channery silt loam, 8 to 15 percent slopes	4	4162.7	0.006	\$ 909.40
Westmorelanc GcD	Gilpin channery silt loam, 15 to 25 percent slopes	4	35842.3	0.054	\$ 985.70
Westmorelanc GuD	Gilpin-Upshur complex, 15 to 25 percent slopes	4	13780.2	0.021	\$ 810.79
Westmorelanc GwD	Gilpin-Weikert channery silt loams, 15 to 25 percent slopes	4	1843.4	0.003	\$ 779.66
Westmorelanc GxA	Ginat silt loam, 0 to 2 percent slopes	4	1043.8	0.002	\$ 1,026.49
Westmorelanc GyD	Guernsey silt loam, 15 to 25 percent slopes	4	1586.3	0.002	\$ 1,026.49
Westmorelanc Ho	Holly silt loam, 0 to 2 percent slopes	4	3999.1	0.006	\$ 1,181.28
Westmorelanc ItD	Itmann extremely channery loam, 8 to 25 percent slopes	4	465.8	0.001	\$ 779.66
Westmorelanc LwD	Lowell silty clay loam, 15 to 25 percent slopes, eroded	4	221.1	0	\$ 1,061.84
Westmorelanc MeD	Matewan channery loam, 15 to 25 percent slopes	4	1404.2	0.002	\$ 883.60
Westmorelanc Mn	Melvin and Newark silt loams, 0 to 2 percent slopes	4	2130.2	0.003	\$ 1,037.63
Westmorelanc Pu	Purdy silt loam, 0 to 2 percent slopes	4	349.3	0.001	\$ 1,037.63
Westmorelanc ThA	Thorndale silt loam, 0 to 3 percent slopes	4	30	0	\$ 779.66
Westmorelanc ThB	Thorndale silt loam, 3 to 8 percent slopes	4	114.9	0	\$ 779.66
Westmorelanc UcC	Upshur silty clay loam, 8 to 15 percent slopes	4	190.1	0	\$ 1,134.26
Westmorelanc UuD	Urban land-Upshur complex, 8 to 25 percent slopes	4	2337.8	0.004	\$ 779.66
Westmorelanc VaD	Vandergrift silt loam, 15 to 25 percent slopes	4	385.5	0.001	\$ 999.42
Westmorelanc WrD	Wharton silt loam, 15 to 25 percent slopes	4	6302.7	0.01	\$ 1,078.34
Westmorelanc Pa	Palms muck, 0 to 3 percent slopes	5	29.3	0	\$ 671.40
Westmorelanc AIB	Albrights silt loam, 0 to 8 percent slopes, very stony	6	358.9	0.001	\$ 671.40
Westmorelanc AID	Albrights silt loam, 8 to 25 percent slopes, very stony	6	1181.9	0.002	\$ 671.40
Westmorelanc BeD	Bethesda very channery silt loam, 8 to 25 percent slopes	6	5294.8	0.008	\$ 671.40
Westmorelanc CeB	Cavode silt loam, 0 to 8 percent slopes, very stony	6	1542.8	0.002	\$ 671.40
Westmorelanc CeD	Cavode silt loam, 8 to 25 percent slopes, very stony	6	253.7	0	\$ 671.40
Westmorelanc CoB	Cookport loam, 0 to 8 percent slopes, very stony	6	781.8	0.001	\$ 671.40
Westmorelanc CoD	Cookport loam, 8 to 25 percent slopes, very stony	6	174.7	0	\$ 671.40

Westmorelanc DoE	Dormont silt loam, 25 to 35 percent slopes	6	491.3	0.001	\$ 671.40
Westmorelanc FaD	Fairpoint very channery silt loam, 15 to 25 percent slopes	6	4474.6	0.007	\$ 671.40
Westmorelanc HcD	Hazleton-Clymer complex, 8 to 25 percent slopes, extremely stony	6	6709.6	0.01	\$ 671.40
Westmorelanc Ld	Land fill	6	500.8	0.001	\$ 671.40
Westmorelanc RgB	Rayne channery silt loam, 0 to 8 percent slopes, very stony	6	4152.8	0.006	\$ 671.40
Westmorelanc RgD	Rayne channery silt loam, 8 to 25 percent slopes, very stony	6	10374.9	0.016	\$ 671.40
Westmorelanc UaB	Udorthents, 0 to 8 percent slopes	6	1075.4	0.002	\$ 671.40
Westmorelanc UaD	Udorthents, 8 to 25 percent slopes	6	2431.1	0.004	\$ 671.40
Westmorelanc WsB	Wharton silt loam, 0 to 8 percent slopes, very stony	6	2003.1	0.003	\$ 671.40
Westmorelanc WsD	Wharton silt loam, 8 to 25 percent slopes, very stony	6	1788.7	0.003	\$ 671.40
Westmorelanc BeF	Bethesda very channery silt loam, 25 to 75 percent slopes	7	915.7	0.001	\$ 671.40
Westmorelanc BuB	Buchanan loam, 0 to 8 percent slopes, extremely stony	7	9500.7	0.014	\$ 671.40
Westmorelanc BuD	Buchanan loam, 8 to 25 percent slopes, extremely stony	7	11571.7	0.017	\$ 671.40
Westmorelanc CrB	Craigsville-Buchanan complex, 0 to 8 percent slopes, extremely stony	7	1064.3	0.002	\$ 671.40
Westmorelanc DeB	Dekalb-Hazleton channery sandy loams, 0 to 8 percent slopes, extremely stony	7	708.3	0.001	\$ 671.40
Westmorelanc DeD	Dekalb-Hazleton channery sandy loams, 8 to 25 percent slopes, extremely stony	7	734.4	0.001	\$ 671.40
Westmorelanc DrE	Dormont-Culleoka complex, 25 to 50 percent slopes	7	7450.2	0.011	\$ 671.40
Westmorelanc FaF	Fairpoint very channery silt loam, 25 to 75 percent slopes	7	1361.6	0.002	\$ 671.40
Westmorelanc GoF	Gilpin-Rock outcrop complex, 45 to 100 percent slopes	7	3940.4	0.006	\$ 671.40
Westmorelanc GuF	Gilpin-Upshur complex, 25 to 75 percent slopes	7	11218.6	0.017	\$ 671.40
Westmorelanc GwF	Gilpin-Weikert channery silt loams, 25 to 60 percent slopes	7	11072	0.017	\$ 671.40
Westmorelanc HcB	Hazleton-Clymer complex, 0 to 8 percent slopes, extremely stony	7	3182.1	0.005	\$ 671.40
Westmorelanc lxF	Itmann extremely channery loam, 25 to 70 percent slopes	7	1240.1	0.002	\$ 671.40
Westmorelanc LaB	Laidig gravelly loam, 0 to 8 percent slopes, extremely stony	7	448.1	0.001	\$ 671.40
Westmorelanc LaD	Laidig gravelly loam, 8 to 25 percent slopes, extremely stony	7	22278	0.034	\$ 671.40
Westmorelanc LaE	Laidig gravelly loam, 25 to 35 percent slopes, extremely stony	7	4537.7	0.007	\$ 671.40
Westmorelanc LbF	Laidig-Hazleton complex, 35 to 80 percent slopes, extremely bouldery	7	2038.4	0.003	\$ 671.40
Westmorelanc LkB	Leck Kill channery silt loam, 0 to 8 percent slopes, extremely stony	7	416.7	0.001	\$ 671.40
Westmorelanc LkD	Leck Kill channery silt loam, 8 to 25 percent slopes, extremely stony	7	2124.6	0.003	\$ 671.40
Westmorelanc LxF	Lowell-Culleoka complex, 25 to 80 percent slopes, very rocky	7	4279.5	0.006	\$ 671.40
Westmorelanc MaF	Macove-Gilpin channery silt loams, 35 to 70 percent slopes, extremely stony	7	11915.7	0.018	\$ 671.40
Westmorelanc MeF	Matewan channery loam, 25 to 50 percent slopes	7	176	0	\$ 671.40
Westmorelanc MkD	Meckesville channery silt loam, 8 to 25 percent slopes, extremely stony	7	2610.8	0.004	\$ 671.40
Westmorelanc MkF	Meckesville channery silt loam, 25 to 70 percent slopes, extremely stony	7	6240.1	0.009	\$ 671.40

Westmorelanc NoB	Nolo loam, 0 to 8 percent slopes, very stony	7	139.2	0	\$ 671.40
Westmorelanc ShF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes	7	32372.1	0.049	\$ 671.40
Westmorelanc SxF	Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes, very stony	7	1643.3	0.002	\$ 671.40
Westmorelanc UaF	Udorthents, 25 to 75 percent slopes	7	35.9	0	\$ 671.40
Westmorelanc DAM	Dam	8	17.4	0	\$ 671.40
Westmorelanc Qu	Quarries	8	497.2	0.001	\$ 671.40
Westmorelanc Uda	Urban land, 0 to 3 percent slopes	8	1954.7	0.003	\$ 671.40
Westmorelanc UdB	Urban land, 3 to 8 percent slopes	8	3345.9	0.005	\$ 671.40
Westmorelanc UdC	Urban land, 8 to 15 percent slopes	8	288.8	0	\$ 671.40
Westmorelanc UeB	Urban land-Culleoka complex, 0 to 8 percent slopes	8	3301.7	0.005	\$ 671.40
Westmorelanc UeD	Urban land-Culleoka complex, 8 to 25 percent slopes	8	3553.8	0.005	\$ 671.40
Westmorelanc UgB	Urban land-Gilpin complex, 0 to 8 percent slopes	8	2095.6	0.003	\$ 671.40
Westmorelanc UgD	Urban land-Gilpin complex, 8 to 25 percent slopes	8	3220.1	0.005	\$ 671.40
Westmorelanc UhB	Urban land-Guernsey complex, 0 to 8 percent slopes	8	3905.4	0.006	\$ 671.40
Westmorelanc UhD	Urban land-Guernsey complex, 8 to 25 percent slopes	8	4963	0.007	\$ 671.40
Westmorelanc UmB	Urban land-Monongahela complex, 0 to 8 percent slopes	8	6786.9	0.01	\$ 671.40
Westmorelanc UuB	Urban land-Upshur complex, 0 to 8 percent slopes	8	1335.5	0.002	\$ 671.40
Westmorelanc UwB	Urban land-Wharton complex, 0 to 8 percent slopes	8	2901.1	0.004	\$ 671.40
Westmorelanc UwD	Urban land-Wharton complex, 8 to 25 percent slopes	8	2317.6	0.003	\$ 671.40
Wyoming Po	Pope soils	1	599.3	0.002	\$ 1,368.80
Wyoming Pp	Pope soils, rarely flooded	1	3931.1	0.015	\$ 1,369.29
Wyoming BaB	Bath channery silt loam, 3 to 8 percent slopes	2	956.2	0.004	\$ 1,259.50
Wyoming BcB	Braceville gravelly loam, 2 to 6 percent slopes	2	761.7	0.003	\$ 1,168.67
Wyoming LaB	Lackawanna channery loam, 3 to 8 percent slopes	2	973.4	0.004	\$ 1,251.11
Wyoming LeB	Lordstown channery silt loam, 3 to 8 percent slopes	2	1191	0.005	\$ 1,144.62
Wyoming LfB	Lordstown flaggy silt loam, 3 to 8 percent slopes	2	944.7	0.004	\$ 1,106.99
Wyoming McB	Mardin channery silt loam, 3 to 8 percent slopes	2	5457.2	0.021	\$ 1,213.09
Wyoming OcB	Oquaga channery loam, 3 to 8 percent slopes	2	1079	0.004	\$ 990.29
Wyoming OfB	Oquaga flaggy loam, 3 to 8 percent slopes	2	421.9	0.002	\$ 990.29
Wyoming Ph	Philo silt loam	2	1257	0.005	\$ 1,363.81
Wyoming SwB	Swartswood channery loam, 3 to 8 percent slopes	2	63.2	0	\$ 1,146.68
Wyoming UnB	Unadilla silt loam, 3 to 8 percent slopes	2	809	0.003	\$ 1,185.29
Wyoming WcB	Wellsboro channery loam, 3 to 8 percent slopes	2	5069.7	0.02	\$ 1,207.18
Wyoming WkB	Wurtsboro channery loam, 3 to 8 percent slopes	2	98.5	0	\$ 1,035.41

Wyoming	BaC	Bath channery silt loam, 8 to 15 percent slopes	3	2005.2	0.008	\$ 1,187.30
Wyoming	ChC	Chenango gravelly loam, 8 to 15 percent slopes	3	37.1	0	\$ 1,073.15
Wyoming	Hm	Holly silt loam	3	1617.5	0.006	\$ 1,083.52
Wyoming	LaC	Lackawanna channery loam, 8 to 15 percent slopes	3	2876.8	0.011	\$ 1,153.66
Wyoming	LeC	Lordstown channery silt loam, 8 to 15 percent slopes	3	1650.5	0.006	\$ 1,106.99
Wyoming	LfC	Lordstown flaggy silt loam, 8 to 15 percent slopes	3	868.1	0.003	\$ 1,068.38
Wyoming	McC	Mardin channery silt loam, 8 to 15 percent slopes	3	5839.9	0.023	\$ 1,104.03
Wyoming	MfB	Mardin flaggy silt loam, 3 to 8 percent slopes	3	665.3	0.003	\$ 1,211.12
Wyoming	MrA	Morris channery loam, 0 to 3 percent slopes	3	463.4	0.002	\$ 950.85
Wyoming	MrB	Morris channery loam, 3 to 8 percent slopes	3	5248.5	0.02	\$ 946.14
Wyoming	MrC	Morris channery loam, 8 to 15 percent slopes	3	4652.2	0.018	\$ 981.10
Wyoming	MsB	Morris flaggy loam, 3 to 8 percent slopes	3	2764.4	0.011	\$ 900.69
Wyoming	MsC	Morris flaggy loam, 8 to 15 percent slopes	3	1036.5	0.004	\$ 943.78
Wyoming	OcC	Oquaga channery loam, 8 to 15 percent slopes	3	1974.8	0.008	\$ 992.57
Wyoming	OfC	Oquaga flaggy loam, 8 to 15 percent slopes	3	617.6	0.002	\$ 987.99
Wyoming	ReA	Rexford loam, 0 to 5 percent slopes	3	836.1	0.003	\$ 962.55
Wyoming	SwC	Swartswood channery loam, 8 to 15 percent slopes	3	140	0.001	\$ 1,066.20
Wyoming	UnC	Unadilla silt loam, 8 to 15 percent slopes	3	730.6	0.003	\$ 1,140.48
Wyoming	VcA	Volusia channery silt loam, 0 to 3 percent slopes	3	721.2	0.003	\$ 953.19
Wyoming	VcB	Volusia channery silt loam, 3 to 8 percent slopes	3	4460.6	0.017	\$ 987.99
Wyoming	VcC	Volusia channery silt loam, 8 to 18 percent slopes	3	2550.6	0.01	\$ 991.20
Wyoming	VfB	Volusia flaggy silt loam, 3 to 8 percent slopes	3	815.1	0.003	\$ 994.86
Wyoming	VfC	Volusia flaggy silt loam, 8 to 15 percent slopes	3	812.4	0.003	\$ 1,002.15
Wyoming	WcC	Wellsboro channery loam, 8 to 15 percent slopes	3	8858.3	0.034	\$ 1,104.88
Wyoming	WfB	Wellsboro flaggy loam, 3 to 8 percent slopes	3	846.2	0.003	\$ 1,205.21
Wyoming	WkC	Wurtsboro channery loam, 8 to 15 percent slopes	3	215.1	0.001	\$ 1,003.51
Wyoming	WyA	Wyoming gravelly sandy loam, 0 to 3 percent slopes	3	1597.3	0.006	\$ 1,079.21
Wyoming	WyB	Wyoming gravelly sandy loam, 3 to 8 percent slopes	3	3482.8	0.013	\$ 1,079.21
Wyoming	BaD	Bath channery silt loam, 15 to 25 percent slopes	4	2370.3	0.009	\$ 1,026.49
Wyoming	LaD	Lackawanna channery loam, 15 to 25 percent slopes	4	4114.7	0.016	\$ 1,106.99
Wyoming	LeD	Lordstown channery silt loam, 15 to 25 percent slopes	4	1429.8	0.006	\$ 1,019.77
Wyoming	McD	Mardin channery silt loam, 15 to 25 percent slopes	4	1540.8	0.006	\$ 943.78
Wyoming	MfC	Mardin flaggy silt loam, 8 to 15 percent slopes	4	1715.9	0.007	\$ 1,088.67
Wyoming	NcA	Norwich and Chippewa channery silt loams, 0 to 3 percent slopes	4	2157	0.008	\$ 779.66

Wyoming	NcB	Norwich and Chippewa channery silt loams, 3 to 8 percent slopes	4	1486.8	0.006	\$ 779.66
Wyoming	OcD	Oquaga channery loam, 15 to 25 percent slopes	4	3193.1	0.012	\$ 943.78
Wyoming	SwD	Swartswood channery loam, 15 to 25 percent slopes	4	176.1	0.001	\$ 983.40
Wyoming	WcD	Wellsboro channery loam, 15 to 25 percent slopes	4	4202.9	0.016	\$ 990.29
Wyoming	WfC	Wellsboro flaggy loam, 8 to 15 percent slopes	4	2015.2	0.008	\$ 1,102.75
Wyoming	WyC	Wyoming gravelly sandy loam, 8 to 15 percent slopes	4	2135.9	0.008	\$ 955.54
Wyoming	WyD	Wyoming gravelly sandy loam, 15 to 25 percent slopes	4	1782	0.007	\$ 779.66
Wyoming	At	Atherton loam, ponded	5	252.1	0.001	\$ 671.40
Wyoming	Ho	Holly silt loam, ponded	5	295.9	0.001	\$ 671.40
Wyoming	ArC	Arnot very channery silt loam, very rocky, 3 to 15 percent slopes	6	9269.4	0.036	\$ 671.40
Wyoming	DYD	Dystrochrepts and Rock outcrop, moderately steep	6	1231.6	0.005	\$ 671.40
Wyoming	AsB	Arnot-Rock outcrop complex, 0 to 8 percent slopes	7	529	0.002	\$ 671.40
Wyoming	AsD	Arnot-Rock outcrop complex, 8 to 25 percent slopes	7	5176.4	0.02	\$ 671.40
Wyoming	ASE	Arnot-Rock outcrop complex, steep	7	4783.9	0.018	\$ 671.40
Wyoming	BbB	Bath channery silt loam, 3 to 8 percent slopes, rubbly	7	529.8	0.002	\$ 671.40
Wyoming	BbD	Bath channery silt loam, 8 to 25 percent slopes, rubbly	7	3843.9	0.015	\$ 671.40
Wyoming	DYE	Dystrochrepts and Rock outcrop, steep	7	856.1	0.003	\$ 671.40
Wyoming	FA	Fluvents and Fluvaquents	7	3379	0.013	\$ 671.40
Wyoming	HA	Haplaquents, stony	7	1555.2	0.006	\$ 671.40
Wyoming	LbB	Lackawanna channery loam, 3 to 8 percent slopes, rubbly	7	250.4	0.001	\$ 671.40
Wyoming	LbD	Lackawanna channery loam, 8 to 25 percent slopes, rubbly	7	4618.9	0.018	\$ 671.40
Wyoming	LCE	Lackawanna and Bath soils, steep, rubbly	7	15454.3	0.06	\$ 671.40
Wyoming	LxB	Lordstown extremely stony silt loam, 3 to 8 percent slopes	7	1437.1	0.006	\$ 671.40
Wyoming	LxD	Lordstown extremely stony silt loam, 8 to 25 percent slopes	7	7429.9	0.029	\$ 671.40
Wyoming	MhB	Mardin channery silt loam, 3 to 8 percent slopes, rubbly	7	2755	0.011	\$ 671.40
Wyoming	MhD	Mardin channery silt loam, 8 to 25 percent slopes, rubbly	7	3863	0.015	\$ 671.40
Wyoming	MxB	Morris channery loam, 0 to 8 percent slopes, rubbly	7	7401.2	0.029	\$ 671.40
Wyoming	MxD	Morris channery loam, 8 to 25 percent slopes, rubbly	7	1063.7	0.004	\$ 671.40
Wyoming	NxB	Norwich and Chippewa channery silt loams, 0 to 8 percent slopes, rubbly	7	7608.1	0.029	\$ 671.40
Wyoming	OxB	Oquaga extremely stony loam, 3 to 8 percent slopes	7	4421.8	0.017	\$ 671.40
Wyoming	OxD	Oquaga extremely stony loam, 8 to 25 percent slopes	7	10637.4	0.041	\$ 671.40
Wyoming	OYE	Oquaga and Lordstown extremely stony loams, steep	7	25325.6	0.098	\$ 671.40
Wyoming	SxB	Swartswood extremely stony loam, 3 to 8 percent slopes	7	163	0.001	\$ 671.40
Wyoming	SxD	Swartswood extremely stony loam, 8 to 25 percent slopes	7	412.3	0.002	\$ 671.40

Wyoming	VxB	Volusia channery silt loam, 0 to 8 percent slopes, rubbly	7	3136.2	0.012	\$ 671.40
Wyoming	VxD	Volusia channery silt loam, 8 to 25 percent slopes, rubbly	7	631.6	0.002	\$ 671.40
Wyoming	WgB	Wellsboro channery loam, 3 to 8 percent slopes, rubbly	7	2744	0.011	\$ 671.40
Wyoming	WgD	Wellsboro channery loam, 8 to 25 percent slopes, rubbly	7	8308.2	0.032	\$ 671.40
Wyoming	WxB	Wurtsboro extremely stony loam, 3 to 8 percent slopes	7	177.8	0.001	\$ 671.40
Wyoming	WxD	Wurtsboro extremely stony loam, 8 to 25 percent slopes	7	72	0	\$ 671.40
Wyoming	WyE	Wyoming gravelly sandy loam, 25 to 45 percent slopes	7	1267.2	0.005	\$ 671.40
Wyoming	MK	Medisaprists and Medihemists	8	1513	0.006	\$ 671.40
York	Be	Bermudian silt loam	1	459.5	0.001	\$ 1,445.73
York	BgA	Birdsboro silt loam, 0 to 3 percent slopes	1	155.8	0	\$ 1,430.76
York	CnA	Conestoga silt loam, 0 to 3 percent slopes	1	241.6	0	\$ 1,610.78
York	DuA	Duffield silt loam, 0 to 3 percent slopes	1	808.3	0.001	\$ 1,522.26
York	EkA	Elk silt loam, 0 to 3 percent slopes	1	455.5	0.001	\$ 1,362.05
York	HaA	Hagerstown silt loam, 0 to 3 percent slopes	1	275	0	\$ 1,627.47
York	ArB	Arendtsville gravelly loam, 3 to 8 percent slopes	2	128.5	0	\$ 1,297.02
York	AtB	Athol gravelly silt loam, 3 to 8 percent slopes	2	583.5	0.001	\$ 1,377.82
York	BgB	Birdsboro silt loam, 3 to 8 percent slopes	2	997.5	0.002	\$ 1,425.73
York	BrB	Brecknock channery silt loam, 3 to 8 percent slopes	2	188.3	0	\$ 1,303.66
York	Cd	Chagrins silt loam	2	1501	0.003	\$ 1,343.58
York	CeB	Chester silt loam, 3 to 8 percent slopes	2	72920.3	0.125	\$ 1,605.55
York	CkA	Clarksburg silt loam, 0 to 3 percent slopes	2	2249.1	0.004	\$ 1,322.68
York	CkB	Clarksburg silt loam, 3 to 8 percent slopes	2	886.2	0.002	\$ 1,321.66
York	Cm	Codorus silt loam	2	16124.7	0.028	\$ 1,330.29
York	CnB	Conestoga silt loam, 3 to 8 percent slopes	2	5131.5	0.009	\$ 1,610.78
York	DuB	Duffield silt loam, 3 to 8 percent slopes	2	4028	0.007	\$ 1,524.01
York	EdB	Edgemont channery loam, 3 to 8 percent slopes	2	807.3	0.001	\$ 1,317.22
York	EkB	Elk silt loam, 3 to 8 percent slopes	2	867.9	0.001	\$ 1,320.14
York	GbB	Glenelg channery loam, 3 to 8 percent slopes	2	17484.7	0.03	\$ 1,465.43
York	GdA	Glenville silt loam, 0 to 3 percent slopes	2	6017.4	0.01	\$ 1,346.08
York	GdB	Glenville silt loam, 3 to 8 percent slopes	2	5543.8	0.01	\$ 1,439.10
York	HaB	Hagerstown silt loam, 3 to 8 percent slopes	2	1560.8	0.003	\$ 1,525.87
York	HgB	Highfield channery silt loam, 3 to 8 percent slopes	2	367	0.001	\$ 1,258.36
York	LeB	Lansdale loam, 3 to 8 percent slopes	2	3406.8	0.006	\$ 1,497.60
York	LgB	Legore channery silt loam, 3 to 8 percent slopes	2	1618.7	0.003	\$ 1,113.59

York	LhA	Lehigh channery silt loam, 0 to 3 percent slopes	2	196.4	0	\$ 1,050.88
York	LhB	Lehigh channery silt loam, 3 to 8 percent slopes	2	7179.5	0.012	\$ 1,050.88
York	LrB	Lewisberry gravelly sandy loam, 3 to 8 percent slopes	2	951.8	0.002	\$ 1,033.18
York	Lw	Lindside silt loam	2	2860.3	0.005	\$ 1,525.87
York	MdA	Mount Lucas silt loam, 0 to 3 percent slopes	2	438.2	0.001	\$ 1,182.89
York	MdB	Mount Lucas silt loam, 3 to 8 percent slopes	2	1759.2	0.003	\$ 1,182.89
York	MvB	Murrill gravelly loam, 3 to 8 percent slopes	2	1605.7	0.003	\$ 1,285.50
York	NaB	Neshaminy channery silt loam, 3 to 8 percent slopes	2	3279.2	0.006	\$ 1,332.45
York	PeB	Penn silt loam, 3 to 8 percent slopes	2	21845.7	0.038	\$ 1,331.73
York	PoB	Penn-Klinesville channery silt loams, 3 to 8 percent slopes, mlra148	2	7946.2	0.014	\$ 1,269.66
York	PpB	Penn-Lansdale complex, 3 to 8 percent slopes	2	5387.3	0.009	\$ 1,342.51
York	PsB	Pequea silt loam, 3 to 8 percent slopes	2	166.1	0	\$ 1,066.20
York	RaA	Raritan silt loam, 0 to 3 percent slopes	2	516.2	0.001	\$ 1,370.13
York	RaB	Raritan silt loam, 3 to 8 percent slopes	2	1053.6	0.002	\$ 1,341.44
York	ReA	Readington silt loam, 0 to 3 percent slopes	2	3447.3	0.006	\$ 1,332.81
York	ReB	Readington silt loam, 3 to 8 percent slopes	2	4646.9	0.008	\$ 1,317.00
York	Rw	Rowland silt loam	2	6282.9	0.011	\$ 1,356.39
York	ArC	Arendtsville gravelly loam, 8 to 15 percent slopes	3	228.4	0	\$ 1,226.40
York	AtC	Athol gravelly silt loam, 8 to 15 percent slopes	3	766.3	0.001	\$ 1,317.22
York	BgC	Birdsboro silt loam, 8 to 15 percent slopes	3	31.6	0	\$ 1,314.30
York	Bo	Bowmansville silt loam	3	2075.6	0.004	\$ 1,491.23
York	BrC	Brecknock channery silt loam, 8 to 15 percent slopes	3	1137	0.002	\$ 1,268.98
York	CcC	Catoctin channery silt loam, 8 to 15 percent slopes	3	72.8	0	\$ 981.10
York	CeC	Chester silt loam, 8 to 15 percent slopes	3	29496	0.051	\$ 1,595.32
York	CnC	Conestoga silt loam, 8 to 15 percent slopes	3	1089.5	0.002	\$ 1,560.18
York	DuC	Duffield silt loam, 8 to 15 percent slopes	3	1287.5	0.002	\$ 1,493.15
York	EdC	Edgemont channery loam, 8 to 15 percent slopes	3	2229.2	0.004	\$ 1,203.23
York	GbC	Glenelg channery silt loam, 8 to 15 percent slopes	3	48430.1	0.083	\$ 1,322.68
York	HaC	Hagerstown silt loam, 8 to 15 percent slopes	3	396.7	0.001	\$ 1,342.51
York	HgC	Highfield channery silt loam, 8 to 15 percent slopes	3	443.8	0.001	\$ 1,218.19
York	LfC	Lansdale channery loam, 8 to 15 percent slopes	3	2280.5	0.004	\$ 1,183.29
York	LgC	Legore channery silt loam, 8 to 15 percent slopes	3	1954.5	0.003	\$ 1,100.63
York	LhC	Lehigh channery silt loam, 8 to 15 percent slopes	3	4934.1	0.008	\$ 1,041.97
York	LrC	Lewisberry gravelly sandy loam, 8 to 15 percent slopes	3	1439	0.002	\$ 950.85

York	MOB	Mt. Airy and Manor soils, 3 to 8 percent slopes	3	9341.6	0.016	\$ 1,146.68
York	MvC	Murrill gravelly loam, 8 to 15 percent slopes	3	749.2	0.001	\$ 1,216.63
York	NaC	Neshaminy channery silt loam, 8 to 15 percent slopes	3	1975.9	0.003	\$ 1,295.17
York	Pa	Penlaw silt loam	3	970.8	0.002	\$ 1,143.38
York	PeC	Penn silt loam, 8 to 15 percent slopes	3	5623.9	0.01	\$ 1,302.19
York	PoC	Penn-Klinesville channery silt loams, 8 to 15 percent slopes	3	18445.6	0.032	\$ 1,010.76
York	PpC	Penn-Lansdale complex, 8 to 15 percent slopes	3	2770	0.005	\$ 1,280.26
York	PsC	Pequea silt loam, 8 to 15 percent slopes	3	559.2	0.001	\$ 1,282.13
York	RfB	Reaville channery silt loam, 3 to 8 percent slopes	3	705.5	0.001	\$ 1,118.55
York	RfC	Reaville channery silt loam, 8 to 15 percent slopes	3	79	0	\$ 1,079.47
York	StC	Steinsburg channery sandy loam, 8 to 15 percent slopes	3	112.9	0	\$ 939.05
York	ArD	Arendtsville gravelly loam, 15 to 25 percent slopes	4	108.8	0	\$ 1,005.78
York	BrD	Brecknock channery silt loam, 15 to 25 percent slopes	4	585.1	0.001	\$ 1,231.84
York	CrA	Croton silt loam, occasionally ponded, 0 to 3 percent slopes	4	5362.1	0.009	\$ 1,024.25
York	CrB	Croton silt loam, 3 to 8 percent slopes	4	701.3	0.001	\$ 1,041.62
York	DWD	Duffield and Hagerstown silt loams, 15 to 25 percent slopes	4	149.1	0	\$ 1,221.64
York	EdD	Edgemont channery loam, 15 to 25 percent slopes	4	900.2	0.002	\$ 1,057.03
York	GbD	Glenelg channery silt loam, 15 to 25 percent slopes	4	4181.4	0.007	\$ 1,206.87
York	Hc	Hatboro silt loam	4	1766.7	0.003	\$ 1,123.84
York	HHD	Highfield and Catoctin channery silt loams, 15 to 25 percent slopes	4	208.1	0	\$ 993.67
York	Lc	Lamington silt loam	4	191.6	0	\$ 891.44
York	LgD	Legore channery silt loam, 15 to 25 percent slopes	4	1678.3	0.003	\$ 929.55
York	LhD	Lehigh channery silt loam, 15 to 25 percent slopes	4	225.3	0	\$ 959.10
York	MOC	Mt. Airy and Manor soils, 8 to 15 percent slopes	4	43463.9	0.075	\$ 1,154.89
York	PsD	Pequea silt loam, 15 to 25 percent slopes	4	411.8	0.001	\$ 1,162.25
York	StD	Steinsburg channery sandy loam, 15 to 25 percent slopes	4	1984.2	0.003	\$ 898.26
York	WaA	Watchung silt loam, 0 to 3 percent slopes	4	1964.6	0.003	\$ 1,042.06
York	Ba	Baile silt loam	5	628.4	0.001	\$ 671.40
York	BsD	Brecknock channery silt loam, 8 to 25 percent slopes, very stony	6	1815.4	0.003	\$ 671.40
York	EeB	Edgemont channery loam, 0 to 8 percent slopes, very stony	6	647.9	0.001	\$ 671.40
York	EeD	Edgemont channery loam, 8 to 25 percent slopes, very stony	6	5933.8	0.01	\$ 671.40
York	KnD	Klinesville channery silt loam, 15 to 25 percent slopes	6	5577	0.01	\$ 671.40
York	LSD	Lewisberry and Lansdale soils, 8 to 25 percent slopes, very stony	6	1242.3	0.002	\$ 671.40
York	MeB	Mount Lucas silt loam, 0 to 8 percent slopes, very bouldery	6	923.9	0.002	\$ 671.40

York	MOD	Mt. Airy and Manor soils, 15 to 25 percent slopes	6	48640.8	0.084	\$ 1,154.89
York	MPD	Mt. Airy and Manor soils, 8 to 25 percent slopes, very stony	6	3192.9	0.005	\$ 671.40
York	MRF	Mt. Airy and Manor soils, 25 to 60 percent slopes, extremely stony	6	12536.3	0.022	\$ 671.40
York	PbB	Penn loam, 0 to 8 percent slopes, very stony	6	740.2	0.001	\$ 671.40
York	PbD	Penn loam, 8 to 25 percent slopes, very stony	6	8891.3	0.015	\$ 671.40
York	WaB	Watchung silt loam, 3 to 8 percent slopes	6	266.9	0	\$ 1,016.17
York	BsF	Brecknock channery silt loam, 25 to 60 percent slopes, very stony	7	885	0.002	\$ 671.40
York	EeF	Edgemont channery loam, 25 to 70 percent slopes, very stony	7	2741.1	0.005	\$ 671.40
York	HKD	Highfield, Catoctin, and Myersville soils, 8 to 25 percent slopes, very stony	7	490.2	0.001	\$ 671.40
York	KnE	Klinesville channery silt loam, 25 to 40 percent slopes	7	854.3	0.001	\$ 671.40
York	LkB	Lehigh channery silt loam, 0 to 8 percent slopes, very stony	7	130.5	0	\$ 671.40
York	MOE	Mt. Airy and Manor soils, 25 to 35 percent slopes	7	10945.9	0.019	\$ 671.40
York	NdB	Neshaminy channery silt loam, 0 to 8 percent slopes, extremely bouldery	7	1147.2	0.002	\$ 671.40
York	NdD	Neshaminy channery silt loam, 8 to 25 percent slopes, extremely bouldery	7	7575.3	0.013	\$ 671.40
York	NdE	Neshaminy channery silt loam, 25 to 45 percent slopes, extremely bouldery	7	2579.4	0.004	\$ 671.40
York	PcF	Penn channery loam, 25 to 50 percent slopes, very stony	7	3647.8	0.006	\$ 671.40
York	WbB	Watchung silt loam, 0 to 8 percent slopes, extremely bouldery	7	4295.8	0.007	\$ 671.40
York	DAM	Dams and Impoundment Structures	8	5.3	0	\$ 671.40
York	Uc	Urban land	8	16810.2	0.029	\$ 671.40
York	UdB	Urban land-Chester complex, 0 to 8 percent slopes	8	4017	0.007	\$ 678.43
York	UeB	Urban land-Conestoga complex, 0 to 8 percent slopes	8	3829.8	0.007	\$ 921.91
York	UfC	Urban land-Mt. Airy complex, 8 to 15 percent slopes	8	2386.5	0.004	\$ 671.40
York	UgB	Urban land-Penn complex, 0 to 8 percent slopes	8	3729.4	0.006	\$ 671.40