

2022 Clean & Green Use Values

| County | Map unit symbol | Map unit name | Soil capability class | Acres in AOI | Percent of AOI | C&G Use Value |
|--------|-----------------|--|-----------------------|--------------|----------------|---------------|
| Adams | AtA | Athol gravelly silt loam, 0 to 3 percent slopes | 1 | 340.9 | 0.001 | \$ 1,536.10 |
| Adams | Be | Bermudian silt loam | 1 | 256.3 | 0.001 | \$ 1,616.32 |
| Adams | BgA | Birdsboro silt loam, 0 to 3 percent slopes | 1 | 292.4 | 0.001 | \$ 1,599.57 |
| Adams | CnA | Conestoga silt loam, 0 to 3 percent slopes | 1 | 1288.8 | 0.004 | \$ 1,800.84 |
| Adams | ArB | Arendtsville gravelly loam, 3 to 8 percent slopes | 2 | 3503.2 | 0.01 | \$ 1,450.05 |
| Adams | AtB | Athol gravelly silt loam, 3 to 8 percent slopes | 2 | 786.6 | 0.002 | \$ 1,540.39 |
| Adams | BgB | Birdsboro silt loam, 3 to 8 percent slopes | 2 | 1974.6 | 0.006 | \$ 1,593.95 |
| Adams | BrB | Brecknock channery silt loam, 3 to 8 percent slopes | 2 | 3565.4 | 0.011 | \$ 1,457.48 |
| Adams | BuB | Buchanan channery loam, 3 to 8 percent slopes | 2 | 1482.8 | 0.004 | \$ 1,272.73 |
| Adams | CcB | Catoctin channery silt loam, 3 to 8 percent slopes | 2 | 128.7 | 0 | \$ 1,189.57 |
| Adams | CkA | Clarksburg silt loam, 0 to 3 percent slopes | 2 | 3025.5 | 0.009 | \$ 1,478.75 |
| Adams | CkB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 521.9 | 0.002 | \$ 1,477.61 |
| Adams | Cm | Codorus silt loam | 2 | 2195.5 | 0.007 | \$ 1,487.25 |
| Adams | CnB | Conestoga silt loam, 3 to 8 percent slopes | 2 | 4133.9 | 0.012 | \$ 1,800.84 |
| Adams | EdB | Edgemont channery loam, 3 to 8 percent slopes | 2 | 314.7 | 0.001 | \$ 1,472.64 |
| Adams | GbB | Glenelg channery loam, 3 to 8 percent slopes | 2 | 3670.2 | 0.011 | \$ 1,638.34 |
| Adams | GdA | Glenville silt loam, 0 to 3 percent slopes | 2 | 126.2 | 0 | \$ 1,504.91 |
| Adams | GdB | Glenville silt loam, 3 to 8 percent slopes | 2 | 625.8 | 0.002 | \$ 1,608.90 |
| Adams | HgB | Highfield channery silt loam, 3 to 8 percent slopes | 2 | 7848.9 | 0.024 | \$ 1,406.83 |
| Adams | LeB | Lansdale loam, 3 to 8 percent slopes | 2 | 1950.5 | 0.006 | \$ 1,674.30 |
| Adams | LgB | Legore channery silt loam, 3 to 8 percent slopes | 2 | 1915.3 | 0.006 | \$ 1,244.98 |
| Adams | LhA | Lehigh channery silt loam, 0 to 3 percent slopes | 2 | 1933.9 | 0.006 | \$ 1,174.88 |
| Adams | LhB | Lehigh channery silt loam, 3 to 8 percent slopes | 2 | 16321.4 | 0.049 | \$ 1,174.88 |
| Adams | Lw | Lindside silt loam | 2 | 438 | 0.001 | \$ 1,705.91 |
| Adams | MdA | Mount Lucas silt loam, 0 to 3 percent slopes | 2 | 1639.8 | 0.005 | \$ 1,294.82 |
| Adams | MdB | Mount Lucas silt loam, 3 to 8 percent slopes | 2 | 4621.2 | 0.014 | \$ 1,293.45 |
| Adams | MtB | Mt. Zion gravelly silt loam, 3 to 8 percent slopes | 2 | 334.3 | 0.001 | \$ 1,337.65 |
| Adams | MyB | Myersville silt loam, 3 to 8 percent slopes | 2 | 2125.5 | 0.006 | \$ 1,544.28 |
| Adams | NaB | Neshaminy channery silt loam, 3 to 8 percent slopes | 2 | 7822.2 | 0.023 | \$ 1,489.67 |
| Adams | PcB | Penn silt loam, 3 to 8 percent slopes | 2 | 22618.6 | 0.068 | \$ 1,488.86 |
| Adams | PoB | Penn-Klinesville channery silt loams, 3 to 8 percent slopes, r | 2 | 10404 | 0.031 | \$ 1,419.46 |
| Adams | RaA | Raritan silt loam, 0 to 3 percent slopes | 2 | 219.3 | 0.001 | \$ 1,531.80 |
| Adams | RaB | Raritan silt loam, 3 to 8 percent slopes | 2 | 51.9 | 0 | \$ 1,499.71 |
| Adams | ReA | Readington silt loam, 0 to 3 percent slopes | 2 | 6360 | 0.019 | \$ 1,490.07 |
| Adams | ReB | Readington silt loam, 3 to 8 percent slopes | 2 | 10282.8 | 0.031 | \$ 1,472.40 |
| Adams | Rw | Rowland silt loam | 2 | 4825 | 0.014 | \$ 1,516.43 |
| Adams | StB | Steinsburg channery sandy loam, 3 to 8 percent slopes | 2 | 443.6 | 0.001 | \$ 1,145.10 |
| Adams | AbA | Abbottstown silt loam, 0 to 3 percent slopes | 3 | 15172.5 | 0.045 | \$ 1,247.05 |
| Adams | AbB | Abbottstown silt loam, 3 to 8 percent slopes | 3 | 7495.8 | 0.022 | \$ 1,243.47 |
| Adams | ArC | Arendtsville gravelly loam, 8 to 15 percent slopes | 3 | 4470.2 | 0.013 | \$ 1,371.10 |
| Adams | AtC | Athol gravelly silt loam, 8 to 15 percent slopes | 3 | 154.6 | 0 | \$ 1,472.64 |
| Adams | BgC | Birdsboro silt loam, 8 to 15 percent slopes | 3 | 226.5 | 0.001 | \$ 1,469.38 |
| Adams | Bo | Bowmansville silt loam | 3 | 11382.9 | 0.034 | \$ 1,667.18 |
| Adams | BrC | Brecknock channery silt loam, 8 to 15 percent slopes | 3 | 1769.9 | 0.005 | \$ 1,418.70 |
| Adams | CcC | Catoctin channery silt loam, 8 to 15 percent slopes | 3 | 777.8 | 0.002 | \$ 1,096.86 |
| Adams | CnC | Conestoga silt loam, 8 to 15 percent slopes | 3 | 415.5 | 0.001 | \$ 1,744.26 |
| Adams | Dy | Dunning silty clay loam | 3 | 968.4 | 0.003 | \$ 1,441.76 |
| Adams | EdC | Edgemont channery loam, 8 to 15 percent slopes | 3 | 397.3 | 0.001 | \$ 1,345.20 |
| Adams | GbC | Glenelg channery silt loam, 8 to 15 percent slopes | 3 | 1734.3 | 0.005 | \$ 1,478.75 |
| Adams | HgC | Highfield channery silt loam, 8 to 15 percent slopes | 3 | 12038 | 0.036 | \$ 1,361.93 |
| Adams | KnB | Klinesville channery silt loam, 3 to 8 percent slopes | 3 | 7517.6 | 0.023 | \$ 933.82 |
| Adams | LfC | Lansdale channery loam, 8 to 15 percent slopes | 3 | 187.6 | 0.001 | \$ 1,322.90 |

| | | | | | | |
|-------|-----|---|---|---------|-------|-------------|
| Adams | LgC | Legore channery silt loam, 8 to 15 percent slopes | 3 | 1851 | 0.006 | \$ 1,230.49 |
| Adams | LhC | Lehigh channery silt loam, 8 to 15 percent slopes | 3 | 2607 | 0.008 | \$ 1,164.91 |
| Adams | MOB | Mt. Airy and Manor channery loams, 3 to 8 percent slopes | 3 | 176.9 | 0.001 | \$ 1,237.61 |
| Adams | MtC | Mt. Zion gravelly silt loam, 8 to 15 percent slopes | 3 | 947.6 | 0.003 | \$ 1,239.97 |
| Adams | MyC | Myersville silt loam, 8 to 15 percent slopes | 3 | 2791.1 | 0.008 | \$ 1,470.60 |
| Adams | NaC | Neshaminy channery silt loam, 8 to 15 percent slopes | 3 | 2585.2 | 0.008 | \$ 1,447.98 |
| Adams | Pa | Penlaw silt loam | 3 | 3600.4 | 0.011 | \$ 1,278.28 |
| Adams | PcC | Penn silt loam, 8 to 15 percent slopes | 3 | 1392 | 0.004 | \$ 1,455.84 |
| Adams | PoC | Penn-Klinesville channery silt loams, 8 to 15 percent slopes | 3 | 3646.7 | 0.011 | \$ 1,130.02 |
| Adams | RfA | Reaville channery silt loam, 0 to 3 percent slopes | 3 | 708.7 | 0.002 | \$ 1,055.14 |
| Adams | RfB | Reaville channery silt loam, 3 to 8 percent slopes | 3 | 3174.4 | 0.01 | \$ 1,055.14 |
| Adams | RfC | Reaville channery silt loam, 8 to 15 percent slopes | 3 | 656.6 | 0.002 | \$ 998.80 |
| Adams | RoB | Rohrersville silt loam, 3 to 8 percent slopes | 3 | 2638.5 | 0.008 | \$ 1,142.60 |
| Adams | StC | Steinsburg channery sandy loam, 8 to 15 percent slopes | 3 | 191.8 | 0.001 | \$ 1,049.85 |
| Adams | ArD | Arendtsville gravelly loam, 15 to 25 percent slopes | 4 | 1769.4 | 0.005 | \$ 1,124.45 |
| Adams | BrD | Brecknock channery silt loam, 15 to 25 percent slopes | 4 | 586.7 | 0.002 | \$ 1,377.19 |
| Adams | CrA | Croton silt loam, occasionally ponded, 0 to 3 percent slopes | 4 | 18256.1 | 0.055 | \$ 1,145.10 |
| Adams | CrB | Croton silt loam, 3 to 8 percent slopes | 4 | 1254.5 | 0.004 | \$ 1,057.77 |
| Adams | EdD | Edgemont channery loam, 15 to 25 percent slopes | 4 | 32.3 | 0 | \$ 1,181.75 |
| Adams | GbD | Glenelg channery silt loam, 15 to 25 percent slopes | 4 | 136.1 | 0 | \$ 1,349.26 |
| Adams | Hc | Hatboro silt loam | 4 | 5199.1 | 0.016 | \$ 1,256.44 |
| Adams | HHH | Highfield and Catoctin channery silt loams, 15 to 25 percent | 4 | 4642.2 | 0.014 | \$ 1,110.91 |
| Adams | KnC | Klinesville channery silt loam, 8 to 15 percent slopes | 4 | 5304.3 | 0.016 | \$ 886.81 |
| Adams | Lc | Lamington silt loam | 4 | 831.4 | 0.002 | \$ 996.62 |
| Adams | LgD | Legore channery silt loam, 15 to 25 percent slopes | 4 | 1295.3 | 0.004 | \$ 1,039.23 |
| Adams | MOC | Mt. Airy and Manor channery loams, 8 to 15 percent slopes | 4 | 1179.9 | 0.004 | \$ 1,135.06 |
| Adams | MtD | Mt. Zion gravelly silt loam, 15 to 25 percent slopes | 4 | 314.1 | 0.001 | \$ 1,134.66 |
| Adams | MyD | Myersville silt loam, 15 to 25 percent slopes | 4 | 1178.5 | 0.004 | \$ 1,354.03 |
| Adams | PsD | Pequea silt loam, 15 to 25 percent slopes | 4 | 55.5 | 0 | \$ 1,299.38 |
| Adams | StD | Steinsburg channery sandy loam, 15 to 25 percent slopes | 4 | 98 | 0 | \$ 1,004.25 |
| Adams | WaA | Watchung silt loam, 0 to 3 percent slopes | 4 | 5913.2 | 0.018 | \$ 1,165.01 |
| Adams | Ba | Baile silt loam | 5 | 645 | 0.002 | \$ 750.61 |
| Adams | ArE | Arendtsville gravelly loam, 25 to 40 percent slopes | 6 | 399.9 | 0.001 | \$ 750.61 |
| Adams | EeB | Edgemont channery loam, 0 to 8 percent slopes, very stony | 6 | 3615.6 | 0.011 | \$ 750.61 |
| Adams | EeD | Edgemont channery loam, 8 to 25 percent slopes, very stony | 6 | 10692.2 | 0.032 | \$ 750.61 |
| Adams | HKB | Highfield, Catoctin, and Myersville soils, 0 to 8 percent slopes | 6 | 1902.9 | 0.006 | \$ 750.61 |
| Adams | KnD | Klinesville channery silt loam, 15 to 25 percent slopes | 6 | 1179.7 | 0.004 | \$ 750.61 |
| Adams | MeB | Mount Lucas silt loam, 0 to 8 percent slopes, very bouldery | 6 | 447.3 | 0.001 | \$ 750.61 |
| Adams | MOD | Mt. Airy and Manor channery loams, 15 to 25 percent slopes | 6 | 315.4 | 0.001 | \$ 750.61 |
| Adams | PbD | Penn loam, 8 to 25 percent slopes, very stony | 6 | 104.5 | 0 | \$ 750.61 |
| Adams | RcC | Ravenrock-Highfield-Rock outcrop complex, 8 to 15 percent slopes | 6 | 524.9 | 0.002 | \$ 750.61 |
| Adams | RdC | Ravenrock-Rohrersville complex, 3 to 15 percent slopes, extremely stony | 6 | 100.5 | 0 | \$ 750.61 |
| Adams | RsB | Rohrersville silt loam, 0 to 15 percent slopes, very stony | 6 | 1650.9 | 0.005 | \$ 750.61 |
| Adams | WaB | Watchung silt loam, 3 to 8 percent slopes | 6 | 809.2 | 0.002 | \$ 1,136.07 |
| Adams | BvB | Buchanan channery loam, 0 to 8 percent slopes, extremely stony | 7 | 673.2 | 0.002 | \$ 750.61 |
| Adams | CcE | Catoctin channery silt loam, 25 to 35 percent slopes | 7 | 617.5 | 0.002 | \$ 750.61 |
| Adams | EeF | Edgemont channery loam, 25 to 70 percent slopes, very stony | 7 | 5991.9 | 0.018 | \$ 750.61 |
| Adams | HKD | Highfield, Catoctin, and Myersville soils, 8 to 25 percent slopes | 7 | 8303.4 | 0.025 | \$ 750.61 |
| Adams | HMF | Highfield and Catoctin channery silt loams, 25 to 70 percent slopes | 7 | 9307.5 | 0.028 | \$ 750.61 |
| Adams | KnE | Klinesville channery silt loam, 25 to 40 percent slopes | 7 | 299.1 | 0.001 | \$ 750.61 |
| Adams | LkB | Lehigh channery silt loam, 0 to 8 percent slopes, very stony | 7 | 559.7 | 0.002 | \$ 750.61 |
| Adams | NdB | Neshaminy channery silt loam, 0 to 8 percent slopes, extremely stony | 7 | 1555.1 | 0.005 | \$ 750.61 |
| Adams | NdD | Neshaminy channery silt loam, 8 to 25 percent slopes, extremely stony | 7 | 2334.9 | 0.007 | \$ 750.61 |
| Adams | NdE | Neshaminy channery silt loam, 25 to 45 percent slopes, extremely stony | 7 | 1183.1 | 0.004 | \$ 750.61 |
| Adams | RcD | Ravenrock-Highfield-Rock outcrop complex, 15 to 25 percent slopes | 7 | 2751.8 | 0.008 | \$ 750.61 |
| Adams | RcF | Ravenrock-Highfield-Rock outcrop complex, 25 to 65 percent slopes | 7 | 414.6 | 0.001 | \$ 750.61 |

| | | | | | | |
|-----------|-----|--|---|---------|-------|-------------|
| Adams | WbB | Watchung silt loam, 0 to 8 percent slopes, extremely bould | 7 | 512.4 | 0.002 | \$ 750.61 |
| Adams | DAM | Dams | 8 | 14.1 | 0 | \$ 750.61 |
| Adams | Uc | Urban land | 8 | 1707.3 | 0.005 | \$ 750.61 |
| Adams | UeB | Urban land-Conestoga complex, 0 to 8 percent slopes | 8 | 846.1 | 0.003 | \$ 1,030.68 |
| Adams | UgB | Urban land-Penn complex, 0 to 8 percent slopes | 8 | 280.6 | 0.001 | \$ 750.61 |
| Allegheny | Hu | Huntington silt loam | 1 | 293.7 | 0.001 | \$ 1,536.49 |
| Allegheny | AgB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 1051.9 | 0.002 | \$ 1,412.36 |
| Allegheny | CkB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 892.7 | 0.002 | \$ 1,385.41 |
| Allegheny | CmB | Clymer silt loam, 3 to 8 percent slopes | 2 | 950.5 | 0.002 | \$ 1,450.05 |
| Allegheny | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 0.9 | 0 | \$ 1,300.29 |
| Allegheny | CuB | Culleoka channery silt loam, 3 to 8 percent slopes | 2 | 1580.8 | 0.003 | \$ 1,486.84 |
| Allegheny | CwB | Culleoka-Weikert shaly silt loams, 3 to 8 percent slopes | 2 | 757.4 | 0.002 | \$ 1,212.32 |
| Allegheny | DoB | Dormont silt loam, 3 to 8 percent slopes | 2 | 7173.3 | 0.015 | \$ 1,488.86 |
| Allegheny | ErB | Ernest silt loam, 2 to 8 percent slopes | 2 | 3844.7 | 0.008 | \$ 1,456.25 |
| Allegheny | EvB | Ernest-Vandergrift silt loams, 3 to 8 percent slopes | 2 | 139.3 | 0 | \$ 1,254.10 |
| Allegheny | GIB | Gilpin silt loam, 3 to 8 percent slopes | 2 | 9196 | 0.019 | \$ 1,272.73 |
| Allegheny | GpB | Gilpin-Upshur complex, 3 to 8 percent slopes | 2 | 1446.6 | 0.003 | \$ 1,201.71 |
| Allegheny | GuB | Guernsey silt loam, 2 to 8 percent slopes | 2 | 2885.6 | 0.006 | \$ 1,420.81 |
| Allegheny | GvB | Guernsey-Vandergrift silt loams, 3 to 8 percent slopes | 2 | 1424.5 | 0.003 | \$ 1,364.99 |
| Allegheny | HaB | Hazleton loam, 3 to 8 percent slopes | 2 | 208.2 | 0 | \$ 1,484.82 |
| Allegheny | Ln | Lindside silt loam, 0 to 3 percent slopes, occasionally floode | 2 | 1405.5 | 0.003 | \$ 1,518.81 |
| Allegheny | Ne | Newark silt loam | 2 | 2890.8 | 0.006 | \$ 1,298.02 |
| Allegheny | Ph | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 3512.8 | 0.007 | \$ 1,456.25 |
| Allegheny | RaA | Rainsboro silt loam, 0 to 3 percent slopes | 2 | 1221.8 | 0.003 | \$ 1,403.85 |
| Allegheny | RaB | Rainsboro silt loam, 3 to 8 percent slopes | 2 | 4399.1 | 0.009 | \$ 1,364.99 |
| Allegheny | RyB | Rayne silt loam, 2 to 8 percent slopes | 2 | 611.8 | 0.001 | \$ 1,358.42 |
| Allegheny | TaB | Tilsit silt loam, 3 to 8 percent slopes | 2 | 82.5 | 0 | \$ 1,132.54 |
| Allegheny | VcB | Vandergrift-Cavode silt loams, 3 to 8 percent slopes | 2 | 18 | 0 | \$ 1,179.30 |
| Allegheny | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 11757.3 | 0.025 | \$ 1,274.59 |
| Allegheny | AgC | Allegheny silt loam, 8 to 15 percent slopes | 3 | 671.6 | 0.001 | \$ 1,325.15 |
| Allegheny | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 3 | 8219.1 | 0.017 | \$ 1,258.78 |
| Allegheny | CaB | Cavode silt loam, 2 to 8 percent slopes | 3 | 834.5 | 0.002 | \$ 1,160.06 |
| Allegheny | CaC | Cavode silt loam, 8 to 15 percent slopes | 3 | 414.9 | 0.001 | \$ 1,117.34 |
| Allegheny | CeB | Caneadea silt loam, 3 to 8 percent slopes | 3 | 1.2 | 0 | \$ 1,229.64 |
| Allegheny | CkC | Clarksburg silt loam, 8 to 15 percent slopes | 3 | 1765.3 | 0.004 | \$ 1,253.16 |
| Allegheny | CmC | Clymer silt loam, 8 to 15 percent slopes | 3 | 1462.5 | 0.003 | \$ 1,443.42 |
| Allegheny | CuC | Culleoka channery silt loam, 8 to 15 percent slopes | 3 | 4760.1 | 0.01 | \$ 1,382.38 |
| Allegheny | CwC | Culleoka-Weikert shaly silt loams, 8 to 15 percent slopes | 3 | 1307.9 | 0.003 | \$ 1,147.11 |
| Allegheny | DoC | Dormont silt loam, 8 to 15 percent slopes | 3 | 16883.3 | 0.035 | \$ 1,388.85 |
| Allegheny | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 5289.1 | 0.011 | \$ 1,351.82 |
| Allegheny | EvC | Ernest-Vandergrift silt loams, 8 to 15 percent slopes | 3 | 847.6 | 0.002 | \$ 1,201.71 |
| Allegheny | GIC | Gilpin silt loam, 8 to 15 percent slopes | 3 | 16524.6 | 0.035 | \$ 1,251.75 |
| Allegheny | GpC | Gilpin-Upshur complex, 8 to 15 percent slopes | 3 | 7143 | 0.015 | \$ 1,201.71 |
| Allegheny | GuC | Guernsey silt loam, 8 to 15 percent slopes | 3 | 6363.5 | 0.013 | \$ 1,225.73 |
| Allegheny | GvC | Guernsey-Vandergrift silt loams, 8 to 15 percent slopes | 3 | 6293.5 | 0.013 | \$ 1,263.44 |
| Allegheny | GwC | Gilpin-Wharton silt loams, 8 to 15 percent slopes | 3 | 47.1 | 0 | \$ 1,091.70 |
| Allegheny | HaC | Hazleton loam, 8 to 15 percent slopes | 3 | 770.3 | 0.002 | \$ 1,398.73 |
| Allegheny | LbB | Library silty clay loam, 3 to 8 percent slopes | 3 | 1065.3 | 0.002 | \$ 1,322.90 |
| Allegheny | LbC | Library silty clay loam, 8 to 15 percent slopes | 3 | 1230.4 | 0.003 | \$ 1,220.95 |
| Allegheny | RaC | Rainsboro silt loam, 8 to 15 percent slopes | 3 | 770.8 | 0.002 | \$ 1,295.73 |
| Allegheny | RyC | Rayne silt loam, 8 to 15 percent slopes | 3 | 223.3 | 0 | \$ 1,284.28 |
| Allegheny | SmB | Strip mines, 0 to 8 percent slopes | 3 | 2524.6 | 0.005 | \$ 750.61 |
| Allegheny | UaB | Upshur silty clay loam, 3 to 8 percent slopes | 3 | 417.4 | 0.001 | \$ 1,349.62 |
| Allegheny | VcC | Vandergrift-Cavode silt loams, 8 to 15 percent slopes | 3 | 30.5 | 0 | \$ 1,112.24 |
| Allegheny | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 13420.8 | 0.028 | \$ 1,286.57 |
| Allegheny | BrB | Brinkerton silt loam, 2 to 8 percent slopes | 4 | 593.4 | 0.001 | \$ 1,258.78 |

| | | | | | | |
|-----------|-----|---|---|---------|-------|-------------|
| Allegheny | BrC | Brinkerton silt loam, 8 to 15 percent slopes | 4 | 2.2 | 0 | \$ 1,154.59 |
| Allegheny | CmD | Clymer silt loam, 15 to 25 percent slopes | 4 | 1458.5 | 0.003 | \$ 1,239.97 |
| Allegheny | CoD | Cookport loam, 15 to 25 percent slopes | 4 | 9.4 | 0 | \$ 1,102.00 |
| Allegheny | CuD | Culleoka channery silt loam, 15 to 25 percent slopes | 4 | 8176.8 | 0.017 | \$ 1,208.95 |
| Allegheny | DoD | Dormont silt loam, 15 to 25 percent slopes | 4 | 13230.2 | 0.028 | \$ 1,225.73 |
| Allegheny | ErD | Ernest silt loam, 15 to 25 percent slopes | 4 | 948.2 | 0.002 | \$ 1,104.57 |
| Allegheny | EvD | Ernest-Vandergrift silt loams, 15 to 25 percent slopes | 4 | 575.5 | 0.001 | \$ 1,110.20 |
| Allegheny | GiD | Gilpin silt loam, 15 to 25 percent slopes | 4 | 16227.1 | 0.034 | \$ 1,184.69 |
| Allegheny | GpD | Gilpin-Upshur complex, 15 to 25 percent slopes | 4 | 12664.1 | 0.027 | \$ 906.45 |
| Allegheny | GrE | Gilpin-Vandergrift silt loams, slumped, 15 to 35 percent slopes | 4 | 737.9 | 0.002 | \$ 871.65 |
| Allegheny | GuD | Guernsey silt loam, 15 to 25 percent slopes | 4 | 6066.3 | 0.013 | \$ 1,147.61 |
| Allegheny | GvD | Guernsey-Vandergrift silt loams, 15 to 25 percent slopes | 4 | 3246.5 | 0.007 | \$ 1,047.20 |
| Allegheny | GwD | Gilpin-Wharton complex, 15 to 25 percent slopes | 4 | 79.8 | 0 | \$ 1,047.20 |
| Allegheny | HaD | Hazleton loam, 15 to 25 percent slopes | 4 | 944.4 | 0.002 | \$ 1,342.09 |
| Allegheny | LbD | Library silty clay loam, 15 to 25 percent slopes | 4 | 495.4 | 0.001 | \$ 1,077.69 |
| Allegheny | SmD | Strip mines, 8 to 25 percent slopes | 4 | 10231.1 | 0.021 | \$ 750.61 |
| Allegheny | UaC | Upshur silty clay loam, 8 to 15 percent slopes | 4 | 344 | 0.001 | \$ 1,268.09 |
| Allegheny | VcD | Vandergrift-Cavode silt loams, 15 to 25 percent slopes | 4 | 117.2 | 0 | \$ 1,058.30 |
| Allegheny | WhD | Wharton silt loam, 15 to 25 percent slopes | 4 | 4341 | 0.009 | \$ 1,205.58 |
| Allegheny | CwD | Culleoka-Weikert shaly silt loams, 15 to 25 percent slopes | 6 | 2582.9 | 0.005 | \$ 750.61 |
| Allegheny | DoE | Dormont silt loam, 25 to 35 percent slopes | 6 | 1842.5 | 0.004 | \$ 750.61 |
| Allegheny | GQF | Gilpin-Upshur complex, very steep | 7 | 50613.1 | 0.106 | \$ 750.61 |
| Allegheny | GSF | Gilpin, Weikert, and Culleoka shaly silt loams, very steep | 7 | 47102.6 | 0.099 | \$ 750.61 |
| Allegheny | HTE | Hazleton loam, steep | 7 | 4176.5 | 0.009 | \$ 750.61 |
| Allegheny | SmF | Strip mines, 25 to 75 percent slopes | 7 | 6825.6 | 0.014 | \$ 750.61 |
| Allegheny | WEF | Weikert-Rock outcrop complex, very steep | 7 | 1063 | 0.002 | \$ 750.61 |
| Allegheny | Du | Dumps, coal wastes | 8 | 1263.1 | 0.003 | \$ 750.61 |
| Allegheny | Dw | Dumps, industrial wastes | 8 | 1468.3 | 0.003 | \$ 750.61 |
| Allegheny | GP | Gravel pits | 8 | 2.6 | 0 | \$ 750.61 |
| Allegheny | UB | Urban land | 8 | 20807.5 | 0.044 | \$ 750.61 |
| Allegheny | UCB | Urban land-Culleoka complex, gently sloping | 8 | 12754.9 | 0.027 | \$ 750.61 |
| Allegheny | UCD | Urban land-Culleoka complex, moderately steep | 8 | 23565.3 | 0.049 | \$ 750.61 |
| Allegheny | UCE | Urban land-Culleoka complex, steep | 8 | 7952 | 0.017 | \$ 750.61 |
| Allegheny | UGB | Urban land-Guernsey complex, gently sloping | 8 | 6543.8 | 0.014 | \$ 750.61 |
| Allegheny | UGD | Urban land-Guernsey complex, moderately steep | 8 | 12074.7 | 0.025 | \$ 750.61 |
| Allegheny | URB | Urban land-Rainsboro complex, gently sloping | 8 | 18587.2 | 0.039 | \$ 750.61 |
| Allegheny | URC | Urban land-Rainsboro complex, sloping | 8 | 3151.1 | 0.007 | \$ 750.61 |
| Allegheny | UWB | Urban land-Wharton complex, gently sloping | 8 | 3336.7 | 0.007 | \$ 750.61 |
| Allegheny | UWD | Urban land-Wharton complex, moderately steep | 8 | 2634.5 | 0.006 | \$ 750.61 |
| Armstrong | CeA | Chavies fine sandy loam, 0 to 2 percent slopes | 1 | 200.4 | 0 | \$ 1,567.42 |
| Armstrong | PmA | Pope fine sandy loam, 0 to 2 percent slopes, rarely flooded | 1 | 825.5 | 0.002 | \$ 1,524.73 |
| Armstrong | PoA | Pope loam, 0 to 2 percent slopes, occasionally flooded | 1 | 1984 | 0.005 | \$ 1,514.85 |
| Armstrong | AhB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 870.4 | 0.002 | \$ 1,412.36 |
| Armstrong | ChB | Chenango gravelly silt loam, 3 to 8 percent slopes | 2 | 35.5 | 0 | \$ 1,289.24 |
| Armstrong | CkB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 19.6 | 0 | \$ 1,385.41 |
| Armstrong | CtA | Cotaco silt loam, 0 to 3 percent slopes, rarely flooded | 2 | 906.2 | 0.002 | \$ 1,401.72 |
| Armstrong | CuB | Culleoka channery silt loam, 3 to 8 percent slopes | 2 | 125.7 | 0 | \$ 1,486.84 |
| Armstrong | DoB | Dormont silt loam, 3 to 8 percent slopes | 2 | 44.7 | 0 | \$ 1,488.86 |
| Armstrong | ErA | Ernest silt loam, 0 to 3 percent slopes | 2 | 244.3 | 0.001 | \$ 1,235.24 |
| Armstrong | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 17622.4 | 0.041 | \$ 1,456.25 |
| Armstrong | GcB | Gilpin channery silt loam, 3 to 8 percent slopes | 2 | 11683.6 | 0.027 | \$ 1,268.09 |
| Armstrong | GuB | Gilpin-Upshur silt loams, 3 to 8 percent slopes | 2 | 410.6 | 0.001 | \$ 1,309.38 |
| Armstrong | GwB | Gilpin-Weikert channery silt loams, 3 to 8 percent slopes | 2 | 6744.2 | 0.016 | \$ 1,173.89 |
| Armstrong | GyB | Guernsey silt loam, 3 to 8 percent slopes | 2 | 107.6 | 0 | \$ 1,500.91 |
| Armstrong | HaB | Hazleton channery loam, 3 to 8 percent slopes | 2 | 5484.7 | 0.013 | \$ 1,412.78 |
| Armstrong | LoA | Lobdell silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 3963.6 | 0.009 | \$ 1,429.23 |

| | | | | | | |
|-----------|-----|---|---|---------|-------|-------------|
| Armstrong | MeB | Matewan channery loam, 3 to 8 percent slopes | 2 | 68.4 | 0 | \$ 1,182.24 |
| Armstrong | MoA | Monongahela silt loam, 0 to 2 percent slopes | 2 | 464.1 | 0.001 | \$ 1,476.71 |
| Armstrong | MoB | Monongahela silt loam, 2 to 6 percent slopes | 2 | 2755.4 | 0.006 | \$ 1,476.71 |
| Armstrong | PhA | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 1761.1 | 0.004 | \$ 1,456.25 |
| Armstrong | RnB | Rayne-Gilpin channery silt loams, 3 to 8 percent slopes | 2 | 7829.3 | 0.018 | \$ 1,295.73 |
| Armstrong | ScA | Sciotoville silt loam, 0 to 2 percent slopes | 2 | 316.2 | 0.001 | \$ 1,468.56 |
| Armstrong | ScB | Sciotoville silt loam, 2 to 6 percent slopes | 2 | 2603.5 | 0.006 | \$ 1,488.86 |
| Armstrong | TaA | Tilsit silt loam, 0 to 3 percent slopes | 2 | 310.7 | 0.001 | \$ 1,184.69 |
| Armstrong | TaB | Tilsit silt loam, 3 to 8 percent slopes | 2 | 896 | 0.002 | \$ 1,132.54 |
| Armstrong | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 12960.9 | 0.03 | \$ 1,274.59 |
| Armstrong | WsB | Wheeling silt loam, 3 to 8 percent slopes | 2 | 261.4 | 0.001 | \$ 1,443.84 |
| Armstrong | WtB | Wharton-Gilpin silt loams, 3 to 8 percent slopes | 2 | 2709.1 | 0.006 | \$ 1,263.44 |
| Armstrong | WvB | Wharton-Vandergrift complex, 3 to 8 percent slopes | 2 | 1093.5 | 0.003 | \$ 1,192.00 |
| Armstrong | AhC | Allegheny silt loam, 8 to 15 percent slopes | 3 | 464.6 | 0.001 | \$ 1,325.15 |
| Armstrong | BeB | Bethesda very channery silt loam, 0 to 8 percent slopes | 3 | 1585.2 | 0.004 | \$ 871.65 |
| Armstrong | CaB | Cavode silt loam, 3 to 8 percent slopes | 3 | 8958.6 | 0.021 | \$ 1,160.06 |
| Armstrong | CaC | Cavode silt loam, 8 to 15 percent slopes | 3 | 6947.4 | 0.016 | \$ 1,117.34 |
| Armstrong | ChC | Chenango gravelly silt loam, 8 to 15 percent slopes | 3 | 294 | 0.001 | \$ 1,201.32 |
| Armstrong | CkC | Clarksburg silt loam, 8 to 15 percent slopes | 3 | 26.5 | 0 | \$ 1,253.16 |
| Armstrong | CuC | Culleoka channery silt loam, 8 to 15 percent slopes | 3 | 164.3 | 0 | \$ 1,382.38 |
| Armstrong | DoC | Dormont silt loam, 8 to 15 percent slopes | 3 | 33.2 | 0 | \$ 1,388.85 |
| Armstrong | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 30331.7 | 0.071 | \$ 1,351.82 |
| Armstrong | GcC | Gilpin channery silt loam, 8 to 15 percent slopes | 3 | 3433.5 | 0.008 | \$ 1,265.77 |
| Armstrong | GuC | Gilpin-Upshur silt loams, 8 to 15 percent slopes | 3 | 552.5 | 0.001 | \$ 1,237.61 |
| Armstrong | GwC | Gilpin-Weikert channery silt loams, 8 to 15 percent slopes | 3 | 7353.4 | 0.017 | \$ 1,119.37 |
| Armstrong | GyC | Guernsey silt loam, 8 to 15 percent slopes | 3 | 36.1 | 0 | \$ 1,375.88 |
| Armstrong | HaC | Hazleton channery loam, 8 to 15 percent slopes | 3 | 3178.5 | 0.007 | \$ 1,269.49 |
| Armstrong | ItB | Itmann extremely channery loam, 0 to 8 percent slopes | 3 | 20.5 | 0 | \$ 871.65 |
| Armstrong | MeC | Matewan channery loam, 8 to 15 percent slopes | 3 | 98.8 | 0 | \$ 1,102.00 |
| Armstrong | MoC | Monongahela silt loam, 6 to 12 percent slopes | 3 | 1372.8 | 0.003 | \$ 1,362.81 |
| Armstrong | Pi | Pits, clay | 3 | 4.4 | 0 | \$ 871.65 |
| Armstrong | RnC | Rayne-Gilpin channery silt loams, 8 to 15 percent slopes | 3 | 16434.2 | 0.039 | \$ 1,220.95 |
| Armstrong | ScC | Sciotoville silt loam, 6 to 12 percent slopes | 3 | 1827.7 | 0.004 | \$ 1,369.36 |
| Armstrong | TaC | Tilsit silt loam, 8 to 15 percent slopes | 3 | 92.5 | 0 | \$ 1,235.24 |
| Armstrong | TyA | Tyler silt loam, 0 to 2 percent slopes | 3 | 459.5 | 0.001 | \$ 1,261.11 |
| Armstrong | TyB | Tyler silt loam, 2 to 6 percent slopes | 3 | 626 | 0.001 | \$ 1,261.11 |
| Armstrong | WeB | Weikert channery silt loam, 3 to 8 percent slopes | 3 | 2747.3 | 0.006 | \$ 940.59 |
| Armstrong | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 6560.1 | 0.015 | \$ 1,286.57 |
| Armstrong | WsC | Wheeling silt loam, 8 to 15 percent slopes | 3 | 412.4 | 0.001 | \$ 1,458.72 |
| Armstrong | WtC | Wharton-Gilpin silt loams, 8 to 15 percent slopes | 3 | 7043.3 | 0.017 | \$ 1,192.00 |
| Armstrong | WvC | Wharton-Vandergrift complex, 8 to 15 percent slopes | 3 | 1632.1 | 0.004 | \$ 1,102.00 |
| Armstrong | AtA | Atkins-Philo complex, 0 to 2 percent slopes, frequently floor | 4 | 2325.9 | 0.005 | \$ 1,393.15 |
| Armstrong | BkA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 494.6 | 0.001 | \$ 1,242.34 |
| Armstrong | BkB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 630.2 | 0.001 | \$ 1,258.78 |
| Armstrong | CaD | Cavode silt loam, 15 to 25 percent slopes | 4 | 1022.5 | 0.002 | \$ 1,091.70 |
| Armstrong | CuD | Culleoka channery silt loam, 15 to 25 percent slopes | 4 | 51.1 | 0 | \$ 1,208.95 |
| Armstrong | DrD | Dormont-Culleoka complex, 15 to 25 percent slopes | 4 | 116 | 0 | \$ 1,185.17 |
| Armstrong | ErD | Ernest silt loam, 15 to 25 percent slopes | 4 | 6430.9 | 0.015 | \$ 1,104.57 |
| Armstrong | GcD | Gilpin channery silt loam, 15 to 25 percent slopes | 4 | 377.6 | 0.001 | \$ 1,102.00 |
| Armstrong | GuD | Gilpin-Upshur silt loams, 15 to 25 percent slopes | 4 | 766.2 | 0.002 | \$ 1,162.54 |
| Armstrong | GwD | Gilpin-Weikert channery silt loams, 15 to 25 percent slopes | 4 | 38623.2 | 0.091 | \$ 871.65 |
| Armstrong | HaD | Hazleton channery loam, 15 to 25 percent slopes | 4 | 4517.6 | 0.011 | \$ 1,184.69 |
| Armstrong | HoA | Holly silt loam, 0 to 2 percent slopes, frequently flooded | 4 | 3503.5 | 0.008 | \$ 1,320.66 |
| Armstrong | ItD | Itmann extremely channery loam, 8 to 25 percent slopes | 4 | 136.9 | 0 | \$ 871.65 |
| Armstrong | MeD | Matewan channery loam, 15 to 25 percent slopes | 4 | 77.4 | 0 | \$ 987.86 |
| Armstrong | PuA | Purdy silt loam, 0 to 2 percent slopes | 4 | 212.8 | 0.001 | \$ 1,160.06 |

| | | | | | | |
|-----------|-----|--|---|--------|-------|-------------|
| Armstrong | RnD | Rayne-Gilpin channery silt loams, 15 to 25 percent slopes | 4 | 2346 | 0.006 | \$ 1,132.54 |
| Armstrong | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 1427.7 | 0.003 | \$ 892.03 |
| Armstrong | WtD | Wharton-Gilpin silt loams, 15 to 25 percent slopes | 4 | 9994.7 | 0.024 | \$ 1,109.69 |
| Armstrong | WvD | Wharton-Vandergrift complex, 15 to 25 percent slopes | 4 | 556 | 0.001 | \$ 1,012.38 |
| Armstrong | BeD | Bethesda very channery silt loam, 8 to 25 percent slopes | 6 | 12356 | 0.029 | \$ 750.61 |
| Armstrong | BhD | Bethesda very channery silt loam, 8 to 25 percent slopes, ve | 6 | 7935 | 0.019 | \$ 750.61 |
| Armstrong | EsB | Ernest silt loam, 0 to 8 percent slopes, very stony | 6 | 380.8 | 0.001 | \$ 750.61 |
| Armstrong | EsD | Ernest silt loam, 8 to 25 percent slopes, very stony | 6 | 1012.3 | 0.002 | \$ 750.61 |
| Armstrong | FaD | Fairpoint very channery silt loam, 8 to 25 percent slopes | 6 | 2276.3 | 0.005 | \$ 750.61 |
| Armstrong | HIB | Hazleton channery sandy loam, 0 to 8 percent slopes, extre | 6 | 26.6 | 0 | \$ 750.61 |
| Armstrong | RsD | Rayne-Gilpin channery silt loams, 8 to 25 percent slopes, ve | 6 | 1067.2 | 0.003 | \$ 750.61 |
| Armstrong | UdB | Udorthents, 0 to 8 percent slopes | 6 | 170.1 | 0 | \$ 750.61 |
| Armstrong | BhF | Bethesda very channery silt loam, 25 to 75 percent slopes, v | 7 | 9310.4 | 0.022 | \$ 750.61 |
| Armstrong | DrE | Dormont-Culleoka complex, 25 to 50 percent slopes | 7 | 138.9 | 0 | \$ 750.61 |
| Armstrong | GoF | Gilpin-Rock outcrop complex, 45 to 100 percent slopes | 7 | 141.1 | 0 | \$ 750.61 |
| Armstrong | GuE | Gilpin-Upshur silt loams, 25 to 35 percent slopes | 7 | 488.7 | 0.001 | \$ 750.61 |
| Armstrong | GwF | Gilpin-Weikert channery silt loams, 25 to 60 percent slopes | 7 | 110389 | 0.26 | \$ 750.61 |
| Armstrong | HID | Hazleton channery sandy loam, 8 to 25 percent slopes, extre | 7 | 604.5 | 0.001 | \$ 750.61 |
| Armstrong | IxF | Itmann extremely channery loam, 25 to 70 percent slopes | 7 | 42.1 | 0 | \$ 750.61 |
| Armstrong | ShF | Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes | 7 | 602.9 | 0.001 | \$ 750.61 |
| Armstrong | SxF | Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes | 7 | 4935.6 | 0.012 | \$ 750.61 |
| Armstrong | DAM | Dam | 8 | 22.3 | 0 | \$ 750.61 |
| Armstrong | DU | Dumps, fly ash | 8 | 359.2 | 0.001 | \$ 750.61 |
| Armstrong | Pk | Pits, quarries | 8 | 211.1 | 0 | \$ 750.61 |
| Armstrong | Pl | Pits, sand | 8 | 41.6 | 0 | \$ 750.61 |
| Armstrong | Ur | Urban land | 8 | 1264.2 | 0.003 | \$ 750.61 |
| Beaver | Cg | Chagrin silt loam | 1 | 219.5 | 0.001 | \$ 1,564.81 |
| Beaver | Po | Pope silt loam | 1 | 1247 | 0.004 | \$ 1,516.83 |
| Beaver | AgB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 936.6 | 0.003 | \$ 1,412.36 |
| Beaver | BcB | Braceville loam, 3 to 8 percent slopes | 2 | 567.9 | 0.002 | \$ 1,291.16 |
| Beaver | CdB | Canfield silt loam, 3 to 8 percent slopes | 2 | 3301.2 | 0.012 | \$ 1,286.57 |
| Beaver | ChB | Chili silt loam, 3 to 8 percent slopes | 2 | 303.2 | 0.001 | \$ 1,188.89 |
| Beaver | CmB | Clymer loam, 3 to 8 percent slopes | 2 | 2874.2 | 0.01 | \$ 1,447.57 |
| Beaver | CuB | Culleoka channery silt loam, 3 to 8 percent slopes | 2 | 1516.9 | 0.005 | \$ 1,486.84 |
| Beaver | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 1624.3 | 0.006 | \$ 1,456.25 |
| Beaver | FcA | Fitchville silt loam, 0 to 2 percent slopes | 2 | 1.7 | 0 | \$ 1,356.66 |
| Beaver | GnB | Gilpin silt loam, 3 to 8 percent slopes | 2 | 8658.5 | 0.03 | \$ 1,272.73 |
| Beaver | GpB | Gilpin-Upshur complex, 3 to 8 percent slopes | 2 | 939.9 | 0.003 | \$ 1,201.71 |
| Beaver | GsB | Gilpin-Weikert complex, 3 to 8 percent slopes | 2 | 2102 | 0.007 | \$ 1,173.89 |
| Beaver | GtB | Guernsey silt loam, 3 to 8 percent slopes | 2 | 1181.2 | 0.004 | \$ 1,420.81 |
| Beaver | GvB | Guernsey-Vandergrift complex, 3 to 8 percent slopes | 2 | 1225 | 0.004 | \$ 1,364.99 |
| Beaver | HaB | Hazleton channery loam, 3 to 8 percent slopes | 2 | 901 | 0.003 | \$ 1,412.78 |
| Beaver | KeB | Keene silt loam, 3 to 8 percent slopes | 2 | 263.4 | 0.001 | \$ 1,286.57 |
| Beaver | Lb | Lobdell silt loam | 2 | 665.4 | 0.002 | \$ 1,443.84 |
| Beaver | LoB | Loudonville gravelly silt loam, 3 to 8 percent slopes | 2 | 96.6 | 0 | \$ 1,239.97 |
| Beaver | McB | Mechanicsburg silt loam, 2 to 6 percent slopes | 2 | 2.3 | 0 | \$ 1,342.54 |
| Beaver | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 461.3 | 0.002 | \$ 1,367.18 |
| Beaver | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 4601 | 0.016 | \$ 1,367.18 |
| Beaver | Ph | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 2699.5 | 0.009 | \$ 1,456.25 |
| Beaver | TeB | Teegarden silt loam, 2 to 6 percent slopes | 2 | 1.8 | 0 | \$ 1,452.12 |
| Beaver | TsB | Tilsit silt loam, 3 to 8 percent slopes | 2 | 5729.5 | 0.02 | \$ 1,132.54 |
| Beaver | WhA | Wharton silt loam, 0 to 3 percent slopes | 2 | 398.3 | 0.001 | \$ 1,277.36 |
| Beaver | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 6711.7 | 0.024 | \$ 1,274.59 |
| Beaver | WoB | Wooster gravelly silt loam, 3 to 8 percent slopes | 2 | 487.9 | 0.002 | \$ 1,367.18 |
| Beaver | AgC | Allegheny silt loam, 8 to 15 percent slopes | 3 | 306.2 | 0.001 | \$ 1,325.15 |
| Beaver | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 3 | 5929.5 | 0.021 | \$ 1,258.78 |

| | | | | | | |
|--------|-----|--|---|---------|-------|-------------|
| Beaver | BaB | Bethesda channery silt loam, 0 to 8 percent slopes | 3 | 367.1 | 0.001 | \$ 871.65 |
| Beaver | BcC | Braceville loam, 8 to 15 percent slopes | 3 | 178.6 | 0.001 | \$ 1,254.10 |
| Beaver | CdC | Canfield silt loam, 8 to 15 percent slopes | 3 | 2805.2 | 0.01 | \$ 1,244.70 |
| Beaver | CeA | Cavode silt loam, 0 to 3 percent slopes | 3 | 558.5 | 0.002 | \$ 1,160.06 |
| Beaver | CeB | Cavode silt loam, 3 to 8 percent slopes | 3 | 3648.1 | 0.013 | \$ 1,160.06 |
| Beaver | CeC | Cavode silt loam, 8 to 15 percent slopes | 3 | 3436.3 | 0.012 | \$ 1,117.34 |
| Beaver | ChC | Chili silt loam, 8 to 15 percent slopes | 3 | 142.1 | 0 | \$ 1,095.93 |
| Beaver | CmC | Clymer loam, 8 to 15 percent slopes | 3 | 4090.7 | 0.014 | \$ 1,437.59 |
| Beaver | CoB | Conotton gravelly loam, 3 to 8 percent slopes | 3 | 1152 | 0.004 | \$ 1,089.11 |
| Beaver | CuC | Culleoka channery silt loam, 8 to 15 percent slopes | 3 | 1623.3 | 0.006 | \$ 1,382.38 |
| Beaver | DoC | Dormont silt loam, 8 to 15 percent slopes | 3 | 7.8 | 0 | \$ 1,388.85 |
| Beaver | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 3988.9 | 0.014 | \$ 1,351.82 |
| Beaver | FaB | Fairpoint channery silt loam, 0 to 8 percent slopes | 3 | 547.8 | 0.002 | \$ 871.65 |
| Beaver | FnA | Frenchtown silt loam, 0 to 3 percent slopes | 3 | 55.8 | 0 | \$ 1,207.31 |
| Beaver | FnB | Frenchtown silt loam, 3 to 8 percent slopes | 3 | 173.8 | 0.001 | \$ 1,196.86 |
| Beaver | GnC | Gilpin silt loam, 8 to 15 percent slopes | 3 | 15039.4 | 0.053 | \$ 1,251.75 |
| Beaver | GpC | Gilpin-Upshur complex, 8 to 15 percent slopes | 3 | 3364.4 | 0.012 | \$ 1,201.71 |
| Beaver | GsC | Gilpin-Weikert complex, 8 to 15 percent slopes | 3 | 6313.4 | 0.022 | \$ 1,119.37 |
| Beaver | GtC | Guernsey silt loam, 8 to 15 percent slopes | 3 | 2295.5 | 0.008 | \$ 1,225.73 |
| Beaver | GvC | Guernsey-Vandergrift complex, 8 to 15 percent slopes | 3 | 4171.4 | 0.015 | \$ 1,263.44 |
| Beaver | HaC | Hazleton channery loam, 8 to 15 percent slopes | 3 | 2758.4 | 0.01 | \$ 1,269.49 |
| Beaver | Ho | Holly silt loam | 3 | 1538.5 | 0.005 | \$ 1,304.84 |
| Beaver | KnC | Kensington silt loam, 6 to 15 percent slopes | 3 | 11.1 | 0 | \$ 1,254.56 |
| Beaver | LoC | Loudonville gravelly silt loam, 8 to 15 percent slopes | 3 | 458.1 | 0.002 | \$ 1,142.60 |
| Beaver | MoC | Monongahela silt loam, 8 to 15 percent slopes | 3 | 1304.4 | 0.005 | \$ 1,281.97 |
| Beaver | RaA | Ravenna silt loam, 0 to 3 percent slopes | 3 | 294.2 | 0.001 | \$ 1,281.05 |
| Beaver | RaB | Ravenna silt loam, 3 to 8 percent slopes | 3 | 866.3 | 0.003 | \$ 1,281.97 |
| Beaver | RaC | Ravenna silt loam, 8 to 15 percent slopes | 3 | 405.2 | 0.001 | \$ 1,150.60 |
| Beaver | ReB | Rexford silt loam, 3 to 8 percent slopes | 3 | 189.8 | 0.001 | \$ 1,117.34 |
| Beaver | Sn | Sloan silt loam | 3 | 91.2 | 0 | \$ 1,508.89 |
| Beaver | TeC | Teegarden silt loam, 6 to 15 percent slopes | 3 | 13.8 | 0 | \$ 1,277.36 |
| Beaver | TsC | Tilsit silt loam, 8 to 15 percent slopes | 3 | 2248.2 | 0.008 | \$ 1,235.24 |
| Beaver | TyA | Tyler silt loam, 0 to 3 percent slopes | 3 | 1343.5 | 0.005 | \$ 1,261.11 |
| Beaver | TyB | Tyler silt loam, 3 to 8 percent slopes | 3 | 1697 | 0.006 | \$ 1,137.58 |
| Beaver | UAB | Udorthents, strip mine, gently sloping | 3 | 847.4 | 0.003 | \$ 750.61 |
| Beaver | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 8893.3 | 0.031 | \$ 1,286.57 |
| Beaver | WoC | Wooster gravelly silt loam, 8 to 15 percent slopes | 3 | 399.3 | 0.001 | \$ 1,320.66 |
| Beaver | BaD | Bethesda channery silt loam, 8 to 25 percent slopes | 4 | 1001.2 | 0.004 | \$ 871.65 |
| Beaver | BkA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 356.2 | 0.001 | \$ 1,242.34 |
| Beaver | BkB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 792.7 | 0.003 | \$ 1,258.78 |
| Beaver | BkC | Brinkerton silt loam, 8 to 15 percent slopes | 4 | 249.8 | 0.001 | \$ 1,154.59 |
| Beaver | Ca | Canadice silt loam | 4 | 1406.2 | 0.005 | \$ 1,065.66 |
| Beaver | CdD | Canfield silt loam, 15 to 25 percent slopes | 4 | 419.7 | 0.001 | \$ 871.65 |
| Beaver | CeD | Cavode silt loam, 15 to 25 percent slopes | 4 | 1000.6 | 0.004 | \$ 1,091.70 |
| Beaver | CmD | Clymer loam, 15 to 25 percent slopes | 4 | 630.4 | 0.002 | \$ 1,187.13 |
| Beaver | CoC | Conotton gravelly loam, 8 to 15 percent slopes | 4 | 504.8 | 0.002 | \$ 892.03 |
| Beaver | CuD | Culleoka channery silt loam, 15 to 25 percent slopes | 4 | 605.9 | 0.002 | \$ 1,208.95 |
| Beaver | DoD | Dormont silt loam, 15 to 25 percent slopes | 4 | 27.2 | 0 | \$ 1,225.73 |
| Beaver | ErD | Ernest silt loam, 15 to 25 percent slopes | 4 | 812.4 | 0.003 | \$ 1,104.57 |
| Beaver | FaD | Fairpoint channery silt loam, 8 to 25 percent slopes | 4 | 1192.4 | 0.004 | \$ 871.65 |
| Beaver | GnD | Gilpin silt loam, 15 to 25 percent slopes | 4 | 11391.2 | 0.04 | \$ 1,184.69 |
| Beaver | GpD | Gilpin-Upshur complex, 15 to 25 percent slopes | 4 | 7097.5 | 0.025 | \$ 906.45 |
| Beaver | GsD | Gilpin-Weikert complex, 15 to 25 percent slopes | 4 | 13075.6 | 0.046 | \$ 871.65 |
| Beaver | GvD | Guernsey-Vandergrift complex, 15 to 25 percent slopes | 4 | 3092.4 | 0.011 | \$ 1,047.20 |
| Beaver | HaD | Hazleton channery loam, 15 to 25 percent slopes | 4 | 3391.3 | 0.012 | \$ 1,184.69 |
| Beaver | KnD | Kensington silt loam, 15 to 25 percent slopes | 4 | 5.8 | 0 | \$ 871.65 |

| | | | | | | |
|---------|-----|---|---|---------|-------|-------------|
| Beaver | LoD | Loudonville gravelly silt loam, 15 to 25 percent slopes | 4 | 736.1 | 0.003 | \$ 871.65 |
| Beaver | Pu | Purdy silt loam | 4 | 685.8 | 0.002 | \$ 1,160.06 |
| Beaver | WnD | Wharton-Gilpin silt loams, 15 to 25 percent slopes | 4 | 3355 | 0.012 | \$ 1,109.69 |
| Beaver | WoD | Wooster gravelly silt loam, 15 to 25 percent slopes | 4 | 656.7 | 0.002 | \$ 1,236.19 |
| Beaver | CoD | Conotton gravelly loam, 15 to 25 percent slopes | 6 | 380.9 | 0.001 | \$ 750.61 |
| Beaver | DoE | Dormont silt loam, 25 to 35 percent slopes | 6 | 2.8 | 0 | \$ 750.61 |
| Beaver | EsD | Ernest silt loam, 8 to 25 percent slopes, extremely stony | 6 | 629.2 | 0.002 | \$ 750.61 |
| Beaver | LoF | Loudonville gravelly silt loam, 25 to 50 percent slopes | 6 | 337.6 | 0.001 | \$ 750.61 |
| Beaver | UAD | Udorthents, strip mine, moderately steep | 6 | 1128.4 | 0.004 | \$ 750.61 |
| Beaver | VgD | Vandergrift-Gilpin complex, 15 to 35 percent slopes | 6 | 1906.5 | 0.007 | \$ 815.51 |
| Beaver | BbF | Bethesda and Fairpoint channery silt loams, 25 to 70 percent slopes | 7 | 2619.8 | 0.009 | \$ 750.61 |
| Beaver | GpF | Gilpin-Upshur complex, 25 to 60 percent slopes | 7 | 11464.1 | 0.04 | \$ 750.61 |
| Beaver | GsF | Gilpin-Weikert complex, 25 to 70 percent slopes | 7 | 50737.6 | 0.178 | \$ 750.61 |
| Beaver | UAE | Udorthents, strip mine, steep | 7 | 1430.1 | 0.005 | \$ 750.61 |
| Beaver | WeF | Weikert-Rock outcrop complex, 25 to 80 percent slopes | 7 | 4968 | 0.017 | \$ 750.61 |
| Beaver | UgB | Urban land-Gilpin complex, 0 to 8 percent slopes | 8 | 794.1 | 0.003 | \$ 750.61 |
| Beaver | UgD | Urban land-Gilpin complex, 8 to 25 percent slopes | 8 | 1336.2 | 0.005 | \$ 750.61 |
| Beaver | UwB | Urban land-Wharton complex, 0 to 8 percent slopes | 8 | 1192.8 | 0.004 | \$ 750.61 |
| Beaver | UwD | Urban land-Wharton complex, 8 to 25 percent slopes | 8 | 476.7 | 0.002 | \$ 750.61 |
| Bedford | Bm | Birdsboro silt loam, rarely flooded | 1 | 2872 | 0.004 | \$ 1,476.23 |
| Bedford | Pp | Pope fine sandy loam | 1 | 1470.4 | 0.002 | \$ 1,540.39 |
| Bedford | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 2689.6 | 0.004 | \$ 1,281.70 |
| Bedford | AeB | Allegheny loam, 3 to 8 percent slopes | 2 | 1561.5 | 0.002 | \$ 1,502.11 |
| Bedford | Ba | Basher silt loam | 2 | 5293.5 | 0.008 | \$ 1,448.81 |
| Bedford | BbB | Basher-Birdsboro complex, 0 to 8 percent slopes | 2 | 6384 | 0.01 | \$ 1,508.89 |
| Bedford | BkB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 6511.9 | 0.01 | \$ 1,086.52 |
| Bedford | BrB | Blairton channery silt loam, 3 to 8 percent slopes | 2 | 3783.5 | 0.006 | \$ 1,086.52 |
| Bedford | BuB | Buchanan cobbly loam, 3 to 8 percent slopes | 2 | 4695.2 | 0.007 | \$ 1,279.67 |
| Bedford | CaB | Calvin channery silt loam, 3 to 8 percent slopes | 2 | 7376.2 | 0.011 | \$ 1,054.29 |
| Bedford | CkB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 5321.4 | 0.008 | \$ 1,281.70 |
| Bedford | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 88.6 | 0 | \$ 1,091.70 |
| Bedford | EdB | Edom silty clay loam, 3 to 8 percent slopes | 2 | 576.9 | 0.001 | \$ 1,283.72 |
| Bedford | EIB | Elliber very channery loam, 3 to 8 percent slopes | 2 | 970.1 | 0.001 | \$ 1,325.15 |
| Bedford | ErB | Ernest silt loam, 0 to 8 percent slopes | 2 | 4148.8 | 0.006 | \$ 1,261.11 |
| Bedford | HeB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 3875.2 | 0.006 | \$ 1,642.70 |
| Bedford | HuB | Hublersburg cherty silt loam, 3 to 8 percent slopes | 2 | 9055.8 | 0.014 | \$ 1,528.03 |
| Bedford | HwB | Hustontown silt loam, 3 to 8 percent slopes | 2 | 4.5 | 0 | \$ 1,279.21 |
| Bedford | LdB | Laidig cobbly loam, 3 to 8 percent slopes | 2 | 550.9 | 0.001 | \$ 1,296.19 |
| Bedford | LkB | Leck kill-Calvin complex, 3 to 8 percent slopes | 2 | 2366.4 | 0.004 | \$ 1,257.65 |
| Bedford | Lx | Lobdell loam | 2 | 2878.7 | 0.004 | \$ 1,272.73 |
| Bedford | McB | Meckesville gravelly loam, 3 to 8 percent slopes | 2 | 347.1 | 0.001 | \$ 1,286.57 |
| Bedford | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 1296 | 0.002 | \$ 1,370.67 |
| Bedford | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 2442.9 | 0.004 | \$ 1,292.08 |
| Bedford | MrB | Morrison channery sandy loam, 3 to 8 percent slopes | 2 | 1972.2 | 0.003 | \$ 1,311.64 |
| Bedford | MuB | Murrill channery loam, 3 to 8 percent slopes | 2 | 3983.1 | 0.006 | \$ 1,438.59 |
| Bedford | Nd | Nolin silt loam | 2 | 721.8 | 0.001 | \$ 1,419.97 |
| Bedford | Ph | Philo silt loam | 2 | 5643.1 | 0.009 | \$ 1,516.83 |
| Bedford | ReB | Rayne channery silt loam, 3 to 8 percent slopes | 2 | 24.2 | 0 | \$ 1,358.42 |
| Bedford | TaB | Tilsit silt loam, 3 to 8 percent slopes | 2 | 236.2 | 0 | \$ 1,286.57 |
| Bedford | WsB | Westmoreland channery silt loam, 3 to 8 percent slopes | 2 | 726.5 | 0.001 | \$ 1,351.56 |
| Bedford | AbC | Albrights silt loam, 8 to 15 percent slopes | 3 | 5334 | 0.008 | \$ 1,189.47 |
| Bedford | AeC | Allegheny loam, 8 to 15 percent slopes | 3 | 573.9 | 0.001 | \$ 1,235.24 |
| Bedford | Aw | Atkins silt loam | 3 | 3391.8 | 0.005 | \$ 1,287.03 |
| Bedford | Ax | Atkins-Ernest complex, 0 to 8 percent slopes | 3 | 5891.5 | 0.009 | \$ 1,299.29 |
| Bedford | BcC | Bedington-Berks complex, 8 to 15 percent slopes | 3 | 3223.3 | 0.005 | \$ 1,317.69 |
| Bedford | BkC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 19534 | 0.03 | \$ 1,041.89 |

| | | | | | | |
|---------|-----|---|---|---------|-------|-------------|
| Bedford | BuC | Buchanan cobbly loam, 8 to 15 percent slopes | 3 | 5602.4 | 0.009 | \$ 1,194.44 |
| Bedford | CaC | Calvin channery silt loam, 8 to 15 percent slopes | 3 | 17004.3 | 0.026 | \$ 955.41 |
| Bedford | EdC | Edom silty clay loam, 8 to 15 percent slopes | 3 | 2140 | 0.003 | \$ 1,188.01 |
| Bedford | EIC | Elliber very channery loam, 8 to 15 percent slopes | 3 | 3189 | 0.005 | \$ 1,284.28 |
| Bedford | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 8644.2 | 0.013 | \$ 1,195.89 |
| Bedford | HeC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 3103 | 0.005 | \$ 1,562.05 |
| Bedford | HgC | Hagerstown silty clay loam, 8 to 15 percent slopes | 3 | 4063.5 | 0.006 | \$ 1,531.01 |
| Bedford | HnB | Hagerstown silty clay loam, 3 to 8 percent slopes, very rocky | 3 | 504.4 | 0.001 | \$ 1,394.01 |
| Bedford | Hy | Holly silt loam | 3 | 3214.2 | 0.005 | \$ 1,281.97 |
| Bedford | LdC | Laidig cobbly loam, 8 to 15 percent slopes | 3 | 2115 | 0.003 | \$ 1,243.85 |
| Bedford | LeC | Leck kill channery silt loam, 8 to 15 percent slopes | 3 | 12.4 | 0 | \$ 1,439.68 |
| Bedford | LkC | Leck kill-Calvin complex, 8 to 15 percent slopes | 3 | 4867.9 | 0.007 | \$ 1,161.35 |
| Bedford | McC | Meckesville gravelly loam, 8 to 15 percent slopes | 3 | 3125.3 | 0.005 | \$ 1,224.30 |
| Bedford | MhC | Mertz channery silt loam, 8 to 15 percent slopes | 3 | 1792.3 | 0.003 | \$ 1,341.21 |
| Bedford | MrC | Morrison channery sandy loam, 8 to 15 percent slopes | 3 | 4100.8 | 0.006 | \$ 1,258.78 |
| Bedford | MuC | Murrill channery loam, 8 to 15 percent slopes | 3 | 3945.2 | 0.006 | \$ 1,357.46 |
| Bedford | PeB | Penlaw silt loam, 0 to 8 percent slopes | 3 | 3271.9 | 0.005 | \$ 1,102.51 |
| Bedford | RgC | Rayne-Gilpin channery silt loams, 8 to 15 percent slopes | 3 | 36.2 | 0 | \$ 1,216.16 |
| Bedford | TgA | Tyler silt loam, 0 to 3 percent slopes | 3 | 1986.9 | 0.003 | \$ 1,239.97 |
| Bedford | TgB | Tyler silt loam, 3 to 8 percent slopes | 3 | 1543.4 | 0.002 | \$ 1,153.59 |
| Bedford | WsC | Westmoreland channery silt loam, 8 to 15 percent slopes | 3 | 2979.6 | 0.005 | \$ 1,235.24 |
| Bedford | ArB | Andover cobbly loam, 3 to 8 percent slopes | 4 | 2045.6 | 0.003 | \$ 1,158.37 |
| Bedford | ArC | Andover cobbly loam, 8 to 15 percent slopes | 4 | 565.2 | 0.001 | \$ 1,147.91 |
| Bedford | BcD | Bedington-Berks complex, 15 to 25 percent slopes | 4 | 4254 | 0.007 | \$ 1,200.74 |
| Bedford | BkD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 18664.5 | 0.029 | \$ 996.07 |
| Bedford | BrC | Blairton channery silt loam, 8 to 15 percent slopes | 4 | 10858 | 0.017 | \$ 987.86 |
| Bedford | BtA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 1327.3 | 0.002 | \$ 1,218.08 |
| Bedford | BtB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 6151.3 | 0.009 | \$ 1,212.32 |
| Bedford | BtC | Brinkerton silt loam, 8 to 15 percent slopes | 4 | 821 | 0.001 | \$ 1,153.10 |
| Bedford | CaD | Calvin channery silt loam, 15 to 25 percent slopes | 4 | 5971.8 | 0.009 | \$ 900.70 |
| Bedford | EdD | Edom silty clay loam, 15 to 25 percent slopes | 4 | 1115.8 | 0.002 | \$ 1,097.06 |
| Bedford | EID | Elliber very channery loam, 15 to 25 percent slopes | 4 | 3325 | 0.005 | \$ 1,228.11 |
| Bedford | HgD | Hagerstown silty clay loam, 15 to 25 percent slopes | 4 | 930.4 | 0.001 | \$ 1,453.77 |
| Bedford | HnC | Hagerstown silty clay loam, 8 to 15 percent slopes, very rocky | 4 | 2142.7 | 0.003 | \$ 1,316.61 |
| Bedford | HnD | Hagerstown silty clay loam, 15 to 25 percent slopes, very rocky | 4 | 794 | 0.001 | \$ 1,312.54 |
| Bedford | KIC | Klinesville channery silt loam, 8 to 15 percent slopes | 4 | 1532.7 | 0.002 | \$ 886.81 |
| Bedford | LdD | Laidig cobbly loam, 15 to 25 percent slopes | 4 | 976.7 | 0.002 | \$ 1,100.05 |
| Bedford | LkD | Leck kill-Calvin complex, 15 to 25 percent slopes | 4 | 4607.8 | 0.007 | \$ 1,074.56 |
| Bedford | MrD | Morrison channery sandy loam, 15 to 25 percent slopes | 4 | 1165.5 | 0.002 | \$ 1,204.13 |
| Bedford | MuD | Murrill channery loam, 15 to 25 percent slopes | 4 | 970.2 | 0.001 | \$ 1,237.51 |
| Bedford | NoA | Nolo loam, 0 to 3 percent slopes | 4 | 17.2 | 0 | \$ 1,106.51 |
| Bedford | NoB | Nolo loam, 3 to 8 percent slopes | 4 | 25.3 | 0 | \$ 1,106.51 |
| Bedford | OpB | Opequon-Hagerstown complex, 3 to 8 percent slopes, very rocky | 4 | 602.6 | 0.001 | \$ 1,217.12 |
| Bedford | OpC | Opequon-Hagerstown complex, 8 to 15 percent slopes, very rocky | 4 | 3553 | 0.005 | \$ 1,154.09 |
| Bedford | OpD | Opequon-Hagerstown complex, 15 to 25 percent slopes, very rocky | 4 | 5058.7 | 0.008 | \$ 1,140.09 |
| Bedford | Ps | Purdy silty clay loam, 0 to 3 percent slopes | 4 | 2886.1 | 0.004 | \$ 1,197.83 |
| Bedford | ReD | Rayne channery silt loam, 15 to 25 percent slopes | 4 | 25.5 | 0 | \$ 1,239.97 |
| Bedford | RgD | Rayne-Gilpin channery silt loams, 15 to 25 percent slopes | 4 | 42.1 | 0 | \$ 1,152.60 |
| Bedford | WkC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 8479.2 | 0.013 | \$ 1,009.67 |
| Bedford | WwD | Westmoreland-Klinesville complex, 15 to 25 percent slopes | 4 | 5092.5 | 0.008 | \$ 974.09 |
| Bedford | BdC | Bedington-Berks complex, 8 to 15 percent slopes, very stony | 6 | 3548.5 | 0.005 | \$ 750.61 |
| Bedford | BdD | Bedington-Berks complex, 15 to 25 percent slopes, very stony | 6 | 6246.3 | 0.01 | \$ 750.61 |
| Bedford | BdE | Bedington-Berks complex, 25 to 35 percent slopes, very stony | 6 | 11877.9 | 0.018 | \$ 750.61 |
| Bedford | BkE | Berks channery silt loam, 25 to 35 percent slopes | 6 | 14296.3 | 0.022 | \$ 750.61 |
| Bedford | BrD | Blairton channery silt loam, 15 to 25 percent slopes | 6 | 5638.9 | 0.009 | \$ 922.92 |
| Bedford | CeC | Cedarcreek extremely channery loam, 3 to 25 percent slope | 6 | 571.4 | 0.001 | \$ 750.61 |

| | | | | | | | |
|---------|-----|---|---|---------|-------|----|----------|
| Bedford | CpB | Cookport very stony loam, 3 to 8 percent slopes | 6 | 138.3 | 0 | \$ | 750.61 |
| Bedford | HTB | Hazleton very stony sandy loam, 3 to 8 percent slopes | 6 | 532.5 | 0.001 | \$ | 750.61 |
| Bedford | KID | Klinesville channery silt loam, 15 to 25 percent slopes | 6 | 3230.3 | 0.005 | \$ | 750.61 |
| Bedford | MdC | Meckesville gravelly loam, 8 to 15 percent slopes, very stony | 6 | 7170.3 | 0.011 | \$ | 750.61 |
| Bedford | MdD | Meckesville gravelly loam, 15 to 25 percent slopes, very stony | 6 | 11140.9 | 0.017 | \$ | 750.61 |
| Bedford | MsB | Morrison channery sandy loam, 3 to 8 percent slopes, very stony | 6 | 431.5 | 0.001 | \$ | 750.61 |
| Bedford | MsC | Morrison channery sandy loam, 8 to 15 percent slopes, very stony | 6 | 2162.5 | 0.003 | \$ | 750.61 |
| Bedford | MsD | Morrison channery sandy loam, 15 to 25 percent slopes, very stony | 6 | 1908.8 | 0.003 | \$ | 750.61 |
| Bedford | MtB | Morrison-Murrill complex, 3 to 8 percent slopes, very stony | 6 | 1257.1 | 0.002 | \$ | 750.61 |
| Bedford | MtC | Morrison-Murrill complex, 8 to 15 percent slopes, very stony | 6 | 3832.2 | 0.006 | \$ | 750.61 |
| Bedford | MtD | Morrison-Murrill complex, 15 to 25 percent slopes, very stony | 6 | 1733.9 | 0.003 | \$ | 750.61 |
| Bedford | RpB | Rayne-Gilpin very stony silt loams, 3 to 8 percent slopes | 6 | 7.6 | 0 | \$ | 750.61 |
| Bedford | RpD | Rayne-Gilpin very stony silt loams, 8 to 25 percent slopes | 6 | 58.7 | 0 | \$ | 750.61 |
| Bedford | WkD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 7786.2 | 0.012 | \$ | 750.61 |
| Bedford | WsE | Westmoreland channery silt loam, 25 to 35 percent slopes | 6 | 659.2 | 0.001 | \$ | 750.61 |
| Bedford | WxB | Wharton channery silt loam, 3 to 8 percent slopes, very stony | 6 | 1808.1 | 0.003 | \$ | 750.61 |
| Bedford | WxC | Wharton channery silt loam, 8 to 15 percent slopes, very stony | 6 | 2311.4 | 0.004 | \$ | 750.61 |
| Bedford | AvB | Andover cobbly sandy loam, 0 to 8 percent slopes, very stony | 7 | 2567.9 | 0.004 | \$ | 750.61 |
| Bedford | AvC | Andover cobbly sandy loam, 8 to 15 percent slopes, very stony | 7 | 602.1 | 0.001 | \$ | 750.61 |
| Bedford | BwB | Buchanan cobbly loam, 3 to 8 percent slopes, extremely stony | 7 | 6279.2 | 0.01 | \$ | 750.61 |
| Bedford | BwC | Buchanan cobbly loam, 8 to 15 percent slopes, extremely stony | 7 | 18145.9 | 0.028 | \$ | 750.61 |
| Bedford | BwD | Buchanan cobbly loam, 15 to 25 percent slopes, extremely stony | 7 | 16365.7 | 0.025 | \$ | 750.61 |
| Bedford | CeF | Cedarcreek extremely channery loam, 25 to 80 percent slopes | 7 | 2477.8 | 0.004 | \$ | 750.61 |
| Bedford | CpD | Cookport channery loam, 8 to 25 percent slopes, extremely stony | 7 | 3430.3 | 0.005 | \$ | 750.61 |
| Bedford | CrF | Cedarcreek extremely channery loam, 25 to 80 percent slopes | 7 | 2.9 | 0 | \$ | 750.61 |
| Bedford | DkC | Dystrocrepts-Rock outcrop complex, 3 to 15 percent slopes | 7 | 4984.1 | 0.008 | \$ | 750.61 |
| Bedford | DkE | Dystrocrepts-Rock outcrop complex, 15 to 35 percent slopes | 7 | 6388.8 | 0.01 | \$ | 750.61 |
| Bedford | DkF | Dystrocrepts-Rock outcrop complex, 35 to 70 percent slopes | 7 | 34741.6 | 0.053 | \$ | 750.61 |
| Bedford | EIE | Elliber very channery loam, 25 to 45 percent slopes | 7 | 4993.3 | 0.008 | \$ | 750.61 |
| Bedford | GpB | Gilpin channery silt loam, 3 to 8 percent slopes, extremely stony | 7 | 101.9 | 0 | \$ | 750.61 |
| Bedford | GpD | Gilpin channery silt loam, 8 to 25 percent slopes, extremely stony | 7 | 360.7 | 0.001 | \$ | 750.61 |
| Bedford | HTC | Hazleton-Clymer association, 8 to 25 percent slopes, extremely stony | 7 | 19645.1 | 0.03 | \$ | 750.61 |
| Bedford | HTE | Hazleton-Clymer association, 25 to 45 percent slopes, extremely stony | 7 | 13663.4 | 0.021 | \$ | 750.61 |
| Bedford | KmE | Klinesville and Calvin soils, 25 to 50 percent slopes | 7 | 25957.3 | 0.04 | \$ | 750.61 |
| Bedford | KoF | Klinesville-Rock outcrop complex, 35 to 80 percent slopes | 7 | 7774.3 | 0.012 | \$ | 750.61 |
| Bedford | LgC | Laidig cobbly loam, 8 to 15 percent slopes, extremely stony | 7 | 2384.7 | 0.004 | \$ | 750.61 |
| Bedford | LgD | Laidig cobbly loam, 15 to 25 percent slopes, extremely stony | 7 | 6556.3 | 0.01 | \$ | 750.61 |
| Bedford | LgE | Laidig cobbly loam, 25 to 35 percent slopes, extremely stony | 7 | 10464.6 | 0.016 | \$ | 750.61 |
| Bedford | MdE | Meckesville gravelly loam, 25 to 35 percent slopes, very stony | 7 | 9466.4 | 0.015 | \$ | 750.61 |
| Bedford | NsB | Nolo very stony loam, 0 to 8 percent slopes | 7 | 9 | 0 | \$ | 750.61 |
| Bedford | OpE | Opequon-Hagerstown complex, 25 to 45 percent slopes, very stony | 7 | 8642.3 | 0.013 | \$ | 750.61 |
| Bedford | RgF | Rayne-Gilpin channery silt loams, 25 to 65 percent slopes | 7 | 1197.4 | 0.002 | \$ | 750.61 |
| Bedford | UgF | Ungers-Lehew complex, 35 to 60 percent slopes, very stony | 7 | 8307.2 | 0.013 | \$ | 750.61 |
| Bedford | VdF | Vanderlip-Rock outcrop complex, 35 to 60 percent slopes | 7 | 2612.7 | 0.004 | \$ | 750.61 |
| Bedford | WkE | Weikert channery silt loam, 25 to 35 percent slopes | 7 | 13841.2 | 0.021 | \$ | 750.61 |
| Bedford | WkF | Weikert channery silt loam, 35 to 65 percent slopes | 7 | 24705.8 | 0.038 | \$ | 750.61 |
| Bedford | WIF | Weikert very flaggy silt loam, 25 to 60 percent slopes | 7 | 1840.1 | 0.003 | \$ | 750.61 |
| Bedford | DAM | Dams | 8 | 6.9 | 0 | \$ | 750.61 |
| Bedford | Pm | Pits and Quarries | 8 | 213.7 | 0 | \$ | 750.61 |
| Bedford | Ue | Udorthents, loamy | 8 | 1894.9 | 0.003 | \$ | 750.61 |
| Berks | BmA | Birdsboro silt loam, 0 to 3 percent slopes | 1 | 88.5 | 0 | \$ | 1,599.57 |
| Berks | DbA | Duffield silt loam, 0 to 3 percent slopes | 1 | 3553.1 | 0.006 | \$ | 1,747.30 |
| Berks | Lv | Linden loam | 1 | 865.4 | 0.002 | \$ | 1,455.34 |
| Berks | MuA | Murrill gravelly loam, 0 to 3 percent slopes | 1 | 979.7 | 0.002 | \$ | 1,414.47 |
| Berks | AsB | Athol silt loam, 3 to 8 percent slopes | 2 | 1717.9 | 0.003 | \$ | 1,500.91 |
| Berks | BfB | Bedington-Berks complex, 3 to 8 percent slopes | 2 | 6483.2 | 0.012 | \$ | 1,341.30 |

| | | | | | | |
|-------|-----|---|---|---------|-------|-------------|
| Berks | BkB | Berks-Weikert complex, 3 to 8 percent slopes | 2 | 29156.4 | 0.053 | \$ 1,123.44 |
| Berks | BmB | Birdsboro silt loam, 3 to 8 percent slopes | 2 | 2866.9 | 0.005 | \$ 1,593.95 |
| Berks | BpB | Brecknock channery silt loam, 3 to 8 percent slopes | 2 | 966.8 | 0.002 | \$ 1,457.48 |
| Berks | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 2081.4 | 0.004 | \$ 1,441.76 |
| Berks | CmA | Clarksburg silt loam, 0 to 3 percent slopes | 2 | 4343.5 | 0.008 | \$ 1,478.75 |
| Berks | CmB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 2742.8 | 0.005 | \$ 1,477.61 |
| Berks | CpA | Comly silt loam, 0 to 3 percent slopes | 2 | 492.9 | 0.001 | \$ 1,281.70 |
| Berks | CpB | Comly silt loam, 3 to 8 percent slopes | 2 | 2907.7 | 0.005 | \$ 1,281.70 |
| Berks | DbB | Duffield silt loam, 3 to 8 percent slopes | 2 | 40209 | 0.073 | \$ 1,756.37 |
| Berks | EhB | Edgemont channery loam, 3 to 8 percent slopes | 2 | 1110.5 | 0.002 | \$ 1,445.08 |
| Berks | Gc | Gibraltar silt loam | 2 | 1067.5 | 0.002 | \$ 1,452.12 |
| Berks | GeB | Gladstone gravelly loam, 3 to 8 percent slopes | 2 | 13434.9 | 0.024 | \$ 1,516.83 |
| Berks | GnA | Glenville silt loam, 0 to 3 percent slopes | 2 | 1566.4 | 0.003 | \$ 1,504.91 |
| Berks | GnB | Glenville silt loam, 3 to 8 percent slopes | 2 | 1367.6 | 0.002 | \$ 1,608.90 |
| Berks | HaB | Hagerstown-Duffield silt loams, 3 to 8 percent slopes | 2 | 1044.2 | 0.002 | \$ 1,539.22 |
| Berks | JnB | Joanna loam, 3 to 8 percent slopes | 2 | 7501.1 | 0.014 | \$ 1,433.41 |
| Berks | LaB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 3449.1 | 0.006 | \$ 1,286.57 |
| Berks | LmA | Lehigh silt loam, 0 to 3 percent slopes | 2 | 46.2 | 0 | \$ 1,433.83 |
| Berks | LmB | Lehigh silt loam, 3 to 8 percent slopes | 2 | 217.6 | 0 | \$ 1,400.01 |
| Berks | Me | Middlebury silt loam | 2 | 3934.9 | 0.007 | \$ 1,452.12 |
| Berks | MgB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 922.2 | 0.002 | \$ 1,269.58 |
| Berks | MIb | Mount Lucas silt loam, 3 to 8 percent slopes | 2 | 351.4 | 0.001 | \$ 1,321.11 |
| Berks | MuB | Murrill gravelly loam, 3 to 8 percent slopes | 2 | 6281.5 | 0.011 | \$ 1,437.17 |
| Berks | NaB | Neshaminy silt loam, 3 to 8 percent slopes | 2 | 963.8 | 0.002 | \$ 1,567.42 |
| Berks | PeB | Penn channery silt loam, 3 to 8 percent slopes | 2 | 10731.3 | 0.019 | \$ 1,462.58 |
| Berks | RaB | Raritan silt loam, 3 to 8 percent slopes | 2 | 1172.6 | 0.002 | \$ 1,499.71 |
| Berks | ReA | Readington silt loam, 0 to 3 percent slopes | 2 | 2316.1 | 0.004 | \$ 1,490.07 |
| Berks | ReB | Readington silt loam, 3 to 8 percent slopes | 2 | 2009.1 | 0.004 | \$ 1,472.40 |
| Berks | Ro | Rowland silt loam | 2 | 412.2 | 0.001 | \$ 1,490.07 |
| Berks | AbA | Abbottstown silt loam, 0 to 3 percent slopes | 3 | 2308 | 0.004 | \$ 1,247.05 |
| Berks | AbB | Abbottstown silt loam, 3 to 8 percent slopes | 3 | 502.5 | 0.001 | \$ 1,243.47 |
| Berks | AsC | Athol silt loam, 8 to 15 percent slopes | 3 | 1250.8 | 0.002 | \$ 1,464.06 |
| Berks | BfC | Bedington-Berks complex, 8 to 15 percent slopes | 3 | 6583.1 | 0.012 | \$ 1,263.16 |
| Berks | BkA | Berks-Weikert complex, 0 to 3 percent slopes | 3 | 705.4 | 0.001 | \$ 1,137.58 |
| Berks | BkC | Berks-Weikert complex, 8 to 15 percent slopes | 3 | 57676.6 | 0.104 | \$ 1,123.44 |
| Berks | BpC | Brecknock channery silt loam, 8 to 15 percent slopes | 3 | 1028.7 | 0.002 | \$ 1,418.70 |
| Berks | CaB | Calvin-Klinesville channery silt loams, 3 to 8 percent slopes | 3 | 1335 | 0.002 | \$ 1,028.54 |
| Berks | DfC | Duffield-Ryder silt loams, 8 to 15 percent slopes | 3 | 8567.4 | 0.015 | \$ 1,532.19 |
| Berks | EhC | Edgemont channery loam, 8 to 15 percent slopes | 3 | 979.5 | 0.002 | \$ 1,365.87 |
| Berks | GeC | Gladstone gravelly loam, 8 to 15 percent slopes | 3 | 14674.5 | 0.026 | \$ 1,454.35 |
| Berks | Ho | Holly silt loam | 3 | 10027.6 | 0.018 | \$ 1,292.08 |
| Berks | JnC | Joanna loam, 8 to 15 percent slopes | 3 | 10740.7 | 0.019 | \$ 1,395.30 |
| Berks | LaC | Laidig gravelly loam, 8 to 15 percent slopes | 3 | 3952.1 | 0.007 | \$ 1,235.24 |
| Berks | MuC | Murrill gravelly loam, 8 to 15 percent slopes | 3 | 1351.9 | 0.002 | \$ 1,360.18 |
| Berks | NaC | Neshaminy silt loam, 8 to 15 percent slopes | 3 | 1558.9 | 0.003 | \$ 1,484.82 |
| Berks | PaA | Penlaw silt loam, 0 to 3 percent slopes | 3 | 1848.6 | 0.003 | \$ 1,239.97 |
| Berks | PeC | Penn channery silt loam, 8 to 15 percent slopes | 3 | 2322 | 0.004 | \$ 1,379.27 |
| Berks | PkC | Penn-Klinesville channery silt loams, 8 to 15 percent slopes | 3 | 4734.9 | 0.009 | \$ 1,130.02 |
| Berks | RhA | Reaville silt loam, 0 to 3 percent slopes | 3 | 78.8 | 0 | \$ 1,468.97 |
| Berks | RhB | Reaville silt loam, 3 to 8 percent slopes | 3 | 68.1 | 0 | \$ 1,448.81 |
| Berks | WeB | Weikert-Berks complex, 3 to 8 percent slopes | 3 | 5138.3 | 0.009 | \$ 1,028.54 |
| Berks | AnA | Andover-Buchanan gravelly loams, 0 to 3 percent slopes | 4 | 218.8 | 0 | \$ 1,189.57 |
| Berks | AnB | Andover-Buchanan gravelly loams, 3 to 8 percent slopes | 4 | 2352.9 | 0.004 | \$ 1,189.57 |
| Berks | AuD | Athol-Oatlands silt loams, 15 to 25 percent slopes | 4 | 365.7 | 0.001 | \$ 1,268.09 |
| Berks | BhD | Berks-Bedington complex, 15 to 25 percent slopes | 4 | 3071.4 | 0.006 | \$ 1,190.06 |
| Berks | BkD | Berks-Weikert complex, 15 to 25 percent slopes | 4 | 11314 | 0.02 | \$ 1,022.09 |

| | | | | | | |
|-------|-----|---|---|---------|-------|-------------|
| Berks | Bo | Bowmansville-Knauers silt loams | 4 | 1815.6 | 0.003 | \$ 1,322.90 |
| Berks | BpD | Brecknock channery silt loam, 15 to 25 percent slopes | 4 | 539.2 | 0.001 | \$ 1,377.19 |
| Berks | BtA | Brinkerton-Comly silt loams, 0 to 3 percent slopes | 4 | 10835.3 | 0.02 | \$ 1,212.42 |
| Berks | BtB | Brinkerton-Comly silt loams, 3 to 8 percent slopes | 4 | 2411.7 | 0.004 | \$ 1,212.42 |
| Berks | CaC | Calvin-Klinesville channery silt loams, 8 to 15 percent slopes | 4 | 2737.6 | 0.005 | \$ 979.61 |
| Berks | CwA | Croton silt loam, occasionally ponded, 0 to 3 percent slopes | 4 | 2157.9 | 0.004 | \$ 1,145.10 |
| Berks | CwB | Croton silt loam, 3 to 8 percent slopes | 4 | 20.5 | 0 | \$ 1,005.22 |
| Berks | DfD | Duffield-Ryder silt loams, 15 to 25 percent slopes | 4 | 1211.3 | 0.002 | \$ 1,248.93 |
| Berks | EhD | Edgemont channery loam, 15 to 25 percent slopes | 4 | 581.3 | 0.001 | \$ 1,239.03 |
| Berks | GeD | Gladstone gravelly loam, 15 to 25 percent slopes | 4 | 6726.2 | 0.012 | \$ 1,371.54 |
| Berks | JnD | Joanna loam, 15 to 25 percent slopes | 4 | 6027 | 0.011 | \$ 1,275.05 |
| Berks | LaD | Laidig gravelly loam, 15 to 25 percent slopes | 4 | 903.3 | 0.002 | \$ 1,142.60 |
| Berks | LfA | Lamington silt loam, 0 to 3 percent slopes | 4 | 898 | 0.002 | \$ 996.62 |
| Berks | NaD | Neshaminy silt loam, 15 to 25 percent slopes | 4 | 906.9 | 0.002 | \$ 1,445.91 |
| Berks | PeD | Penn channery silt loam, 15 to 25 percent slopes | 4 | 256.5 | 0 | \$ 1,126.98 |
| Berks | PkD | Penn-Klinesville channery silt loams, 15 to 25 percent slopes | 4 | 2053.6 | 0.004 | \$ 1,118.36 |
| Berks | ThA | Thorndale-Penlaw silt loams, 0 to 3 percent slopes | 4 | 2473.8 | 0.004 | \$ 1,107.13 |
| Berks | ToA | Towhee silt loam, 0 to 3 percent slopes | 4 | 5640.1 | 0.01 | \$ 1,150.60 |
| Berks | ToB | Towhee silt loam, 3 to 8 percent slopes | 4 | 46.9 | 0 | \$ 1,162.54 |
| Berks | CaD | Calvin-Klinesville channery silt loams, 15 to 25 percent slopes | 6 | 1007.9 | 0.002 | \$ 877.50 |
| Berks | GfB | Gladstone gravelly loam, 0 to 8 percent slopes, very boulder | 6 | 3209 | 0.006 | \$ 750.61 |
| Berks | GfD | Gladstone gravelly loam, 8 to 25 percent slopes, very boulder | 6 | 20054.6 | 0.036 | \$ 750.61 |
| Berks | JnE | Joanna loam, 25 to 35 percent slopes | 6 | 272 | 0 | \$ 750.61 |
| Berks | WeD | Weikert-Berks complex, 15 to 25 percent slopes | 6 | 16142.8 | 0.029 | \$ 929.28 |
| Berks | AoB | Andover-Buchanan gravelly loams, 0 to 8 percent slopes, extremely stony | 7 | 1312.9 | 0.002 | \$ 750.61 |
| Berks | AwD | Athol-Oatlands silt loams, 8 to 25 percent slopes, extremely stony | 7 | 159.3 | 0 | \$ 750.61 |
| Berks | BkF | Berks-Weikert complex, 25 to 60 percent slopes | 7 | 15020 | 0.027 | \$ 750.61 |
| Berks | BsB | Brecknock channery silt loam, 0 to 8 percent slopes, extremely stony | 7 | 175.4 | 0 | \$ 750.61 |
| Berks | BsD | Brecknock channery silt loam, 15 to 25 percent slopes, extremely stony | 7 | 1222.5 | 0.002 | \$ 750.61 |
| Berks | BvB | Buchanan gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 2346.1 | 0.004 | \$ 750.61 |
| Berks | BvD | Buchanan gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 5.2 | 0 | \$ 750.61 |
| Berks | EdB | Edgemont channery sandy loam, 0 to 8 percent slopes, extremely stony | 7 | 636.5 | 0.001 | \$ 750.61 |
| Berks | EdD | Edgemont channery sandy loam, 8 to 25 percent slopes, extremely stony | 7 | 1808.6 | 0.003 | \$ 750.61 |
| Berks | EdF | Edgemont channery sandy loam, 25 to 60 percent slopes, extremely stony | 7 | 430.4 | 0.001 | \$ 750.61 |
| Berks | GfF | Gladstone gravelly loam, 25 to 55 percent slopes, very boulder | 7 | 4199.6 | 0.008 | \$ 750.61 |
| Berks | HeB | Hazleton very channery loam, 0 to 8 percent slopes, extremely stony | 7 | 1593 | 0.003 | \$ 750.61 |
| Berks | HeD | Hazleton very channery loam, 8 to 25 percent slopes, extremely stony | 7 | 6432.7 | 0.012 | \$ 750.61 |
| Berks | HeF | Hazleton very channery loam, 25 to 60 percent slopes, extremely stony | 7 | 14459.9 | 0.026 | \$ 750.61 |
| Berks | HgF | Hazleton-Rubble land complex, 25 to 60 percent slopes | 7 | 266.2 | 0 | \$ 750.61 |
| Berks | JpB | Joanna loam, 0 to 8 percent slopes, extremely stony | 7 | 2180 | 0.004 | \$ 750.61 |
| Berks | JpD | Joanna loam, 8 to 25 percent slopes, extremely stony | 7 | 18871.2 | 0.034 | \$ 750.61 |
| Berks | JpF | Joanna loam, 25 to 60 percent slopes, extremely stony | 7 | 3094 | 0.006 | \$ 750.61 |
| Berks | KlF | Klinesville-Calvin channery silt loams, 25 to 60 percent slopes | 7 | 541 | 0.001 | \$ 750.61 |
| Berks | LbB | Laidig very gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 3106.5 | 0.006 | \$ 750.61 |
| Berks | LbD | Laidig very gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 23845.5 | 0.043 | \$ 750.61 |
| Berks | LbF | Laidig very gravelly loam, 25 to 55 percent slopes, extremely stony | 7 | 541.7 | 0.001 | \$ 750.61 |
| Berks | LdF | Laidig-Rubble land complex, 25 to 55 percent slopes | 7 | 80.9 | 0 | \$ 750.61 |
| Berks | MmB | Mount Lucas silt loam, 0 to 8 percent slopes, extremely stony | 7 | 241.8 | 0 | \$ 750.61 |
| Berks | NhB | Neshaminy gravelly silt loam, 0 to 8 percent slopes, extremely stony | 7 | 276.3 | 0 | \$ 750.61 |
| Berks | NhD | Neshaminy gravelly silt loam, 8 to 25 percent slopes, extremely stony | 7 | 4058.8 | 0.007 | \$ 750.61 |
| Berks | NhF | Neshaminy gravelly silt loam, 25 to 60 percent slopes, extremely stony | 7 | 1816.7 | 0.003 | \$ 750.61 |
| Berks | TwB | Towhee silt loam, 0 to 8 percent slopes, very stony | 7 | 5220.1 | 0.009 | \$ 750.61 |
| Berks | Ua | Udorthents | 7 | 2780.3 | 0.005 | \$ 750.61 |
| Berks | Udp | Udorthents, sanitary landfill | 7 | 20.1 | 0 | \$ 750.61 |
| Berks | DAM | Dams and impoundment structures | 8 | 15.1 | 0 | \$ 750.61 |
| Berks | Qu | Quarries | 8 | 1443.8 | 0.003 | \$ 750.61 |

| | | | | | | | |
|-------|------|--|---|---------|-------|----|----------|
| Berks | Ru | Rubble land | 8 | 47.8 | 0 | \$ | 750.61 |
| Berks | UgB | Urban land, 0 to 8 percent slopes | 8 | 4647.3 | 0.008 | \$ | 750.61 |
| Berks | UgC | Urban land, 8 to 15 percent slopes | 8 | 266.3 | 0 | \$ | 750.61 |
| Berks | UkB | Urban land-Berks complex, 0 to 8 percent slopes | 8 | 2827 | 0.005 | \$ | 750.61 |
| Berks | UkD | Urban land-Berks complex, 8 to 25 percent slopes | 8 | 523.9 | 0.001 | \$ | 750.61 |
| Berks | UmB | Urban land-Duffield complex, 0 to 8 percent slopes | 8 | 13070.6 | 0.024 | \$ | 756.23 |
| Berks | UmD | Urban land-Duffield complex, 8 to 25 percent slopes | 8 | 2337.2 | 0.004 | \$ | 750.61 |
| Berks | UnB | Urban land-Gladstone complex, 0 to 8 percent slopes | 8 | 162.2 | 0 | \$ | 750.61 |
| Berks | UnD | Urban land-Gladstone complex, 8 to 25 percent slopes | 8 | 134.9 | 0 | \$ | 750.61 |
| Berks | UpB | Urban land-Joanna complex, 0 to 8 percent slopes | 8 | 192.6 | 0 | \$ | 750.61 |
| Berks | UpD | Urban land-Joanna complex, 8 to 25 percent slopes | 8 | 413.3 | 0.001 | \$ | 750.61 |
| Berks | UsB | Urban land-Laidig complex, 0 to 8 percent slopes | 8 | 356.7 | 0.001 | \$ | 750.61 |
| Berks | UsD | Urban land-Laidig complex, 8 to 25 percent slopes | 8 | 957.3 | 0.002 | \$ | 750.61 |
| Berks | UxB | Urban land-Penn complex, 0 to 8 percent slopes | 8 | 1439.3 | 0.003 | \$ | 750.61 |
| Berks | UxD | Urban land-Penn complex, 8 to 25 percent slopes | 8 | 564.1 | 0.001 | \$ | 750.61 |
| Blair | Lo | Linden soils | 1 | 1393.4 | 0.004 | \$ | 1,404.53 |
| Blair | AbB | Albrights gravelly silt loam, 3 to 8 percent slopes | 2 | 1063 | 0.003 | \$ | 1,281.70 |
| Blair | BeB | Bedington channery silt loam, 3 to 8 percent slopes | 2 | 671.7 | 0.002 | \$ | 1,487.25 |
| Blair | BkB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 1351.3 | 0.004 | \$ | 1,086.52 |
| Blair | BuB | Buchanan gravelly silt loam, 3 to 8 percent slopes | 2 | 2273.3 | 0.007 | \$ | 1,286.57 |
| Blair | CbB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 3548 | 0.011 | \$ | 1,477.61 |
| Blair | CvB | Clymer loam, 3 to 8 percent slopes | 2 | 983.2 | 0.003 | \$ | 1,472.64 |
| Blair | EdB | Edom silty clay loam, 3 to 8 percent slopes | 2 | 1396.2 | 0.004 | \$ | 1,286.57 |
| Blair | EIB | Elliber very channery loam, 3 to 8 percent slopes | 2 | 34.8 | 0 | \$ | 1,325.15 |
| Blair | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 1809.4 | 0.005 | \$ | 1,296.65 |
| Blair | GpB | Gilpin channery silt loam, 3 to 8 percent slopes | 2 | 745 | 0.002 | \$ | 1,270.42 |
| Blair | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 26.4 | 0 | \$ | 1,642.70 |
| Blair | HgB | Hazleton channery sandy loam, 3 to 8 percent slopes | 2 | 1057.7 | 0.003 | \$ | 1,476.71 |
| Blair | HuB | Hublersburg cherty silt loam, 3 to 8 percent slopes | 2 | 19649.9 | 0.058 | \$ | 1,528.03 |
| Blair | LaB | Laidig channery loam, 3 to 8 percent slopes | 2 | 1175.1 | 0.003 | \$ | 1,286.57 |
| Blair | LkB | Leck kill channery silt loam, 3 to 8 percent slopes | 2 | 1655.3 | 0.005 | \$ | 1,454.19 |
| Blair | Lp | Lobdell silt loam | 2 | 916.1 | 0.003 | \$ | 1,443.84 |
| Blair | MeB | Meckesville gravelly silt loam, 3 to 8 percent slopes | 2 | 1322.2 | 0.004 | \$ | 1,286.57 |
| Blair | MnB | Mertz channery silt loam, 3 to 8 percent slopes | 2 | 818.3 | 0.002 | \$ | 1,384.97 |
| Blair | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 2052.5 | 0.006 | \$ | 1,292.08 |
| Blair | MrB | Morrison sandy loam, 3 to 8 percent slopes | 2 | 1801.7 | 0.005 | \$ | 1,281.97 |
| Blair | MuB | Murrill gravelly silt loam, 3 to 8 percent slopes | 2 | 3012.4 | 0.009 | \$ | 1,451.71 |
| Blair | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 824.2 | 0.002 | \$ | 1,049.85 |
| Blair | AbC | Albrights gravelly silt loam, 8 to 15 percent slopes | 3 | 501.7 | 0.001 | \$ | 1,189.47 |
| Blair | Ba | Basher soils | 3 | 3693.2 | 0.011 | \$ | 1,443.84 |
| Blair | BeC | Bedington channery silt loam, 8 to 15 percent slopes | 3 | 1374.9 | 0.004 | \$ | 1,399.58 |
| Blair | BkC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 4214.7 | 0.012 | \$ | 1,041.89 |
| Blair | BoB | Blairton silt loam, 3 to 8 percent slopes | 3 | 783.6 | 0.002 | \$ | 1,047.62 |
| Blair | BuC | Buchanan gravelly silt loam, 8 to 15 percent slopes | 3 | 1415 | 0.004 | \$ | 1,202.19 |
| Blair | CaB | Cavode silt loam, 3 to 8 percent slopes | 3 | 566.6 | 0.002 | \$ | 1,201.71 |
| Blair | CbC | Clarksburg silt loam, 8 to 15 percent slopes | 3 | 811.8 | 0.002 | \$ | 1,371.54 |
| Blair | EdC | Edom silty clay loam, 8 to 15 percent slopes | 3 | 1915.2 | 0.006 | \$ | 1,192.00 |
| Blair | EmB | Edom-Weikert complex, 3 to 8 percent slopes | 3 | 284.2 | 0.001 | \$ | 1,197.74 |
| Blair | EmC | Edom-Weikert complex, 8 to 15 percent slopes | 3 | 736.1 | 0.002 | \$ | 935.63 |
| Blair | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 2536.3 | 0.008 | \$ | 1,195.89 |
| Blair | GpC | Gilpin channery silt loam, 8 to 15 percent slopes | 3 | 675.3 | 0.002 | \$ | 1,225.73 |
| Blair | HcC | Hagerstown silty clay loam, 8 to 15 percent slopes | 3 | 53.5 | 0 | \$ | 1,531.01 |
| Blair | HgC | Hazleton channery sandy loam, 8 to 15 percent slopes | 3 | 246.2 | 0.001 | \$ | 1,397.44 |
| Blair | Ho | Holly silt loam | 3 | 4104.4 | 0.012 | \$ | 1,292.08 |
| Blair | HuC | Hublersburg cherty silt loam, 8 to 15 percent slopes | 3 | 4791.1 | 0.014 | \$ | 1,500.91 |
| Blair | HxB2 | Hublersburg cherty silty clay loam, 3 to 8 percent slopes, etc | 3 | 1463.4 | 0.004 | \$ | 1,490.31 |

| | | | | | | |
|-------|------|---|---|---------|-------|-------------|
| Blair | LaC | Laidig channery loam, 8 to 15 percent slopes | 3 | 1589.1 | 0.005 | \$ 1,239.97 |
| Blair | LkC | Leck kill channery silt loam, 8 to 15 percent slopes | 3 | 3281.1 | 0.01 | \$ 1,439.68 |
| Blair | LmB | Leetonia flaggy loamy sand, 3 to 8 percent slopes | 3 | 1874.2 | 0.006 | \$ 896.20 |
| Blair | MeC | Meckesville gravelly silt loam, 8 to 15 percent slopes | 3 | 1740.8 | 0.005 | \$ 1,237.51 |
| Blair | MnC | Mertz channery silt loam, 8 to 15 percent slopes | 3 | 724.2 | 0.002 | \$ 1,341.21 |
| Blair | MrC | Morrison sandy loam, 8 to 15 percent slopes | 3 | 2501.3 | 0.007 | \$ 1,235.24 |
| Blair | MuC | Murrill gravelly silt loam, 8 to 15 percent slopes | 3 | 2218.8 | 0.007 | \$ 1,366.74 |
| Blair | PeB | Penlaw silt loam, 0 to 8 percent slopes | 3 | 1.8 | 0 | \$ 1,102.51 |
| Blair | Ty | Tyler silt loam | 3 | 1057.8 | 0.003 | \$ 1,239.97 |
| Blair | WeB | Weikert channery silt loam, 3 to 8 percent slopes | 3 | 1246.7 | 0.004 | \$ 1,269.95 |
| Blair | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 220 | 0.001 | \$ 962.99 |
| Blair | WvB | Wharton variant silt loam, 3 to 8 percent slopes | 3 | 1919.2 | 0.006 | \$ 1,423.76 |
| Blair | AnB | Andover variant loam, 3 to 8 percent slopes | 4 | 480 | 0.001 | \$ 1,157.58 |
| Blair | BkD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 9143.9 | 0.027 | \$ 996.07 |
| Blair | BmC | Berks-Weikert channery silt loams, 8 to 15 percent slopes | 4 | 957.2 | 0.003 | \$ 897.81 |
| Blair | BoC | Blairton silt loam, 8 to 15 percent slopes | 4 | 843.8 | 0.002 | \$ 993.78 |
| Blair | BrB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 6238.8 | 0.018 | \$ 1,212.32 |
| Blair | BrC | Brinkerton silt loam, 8 to 15 percent slopes | 4 | 642.3 | 0.002 | \$ 1,153.10 |
| Blair | EdD | Edom silty clay loam, 15 to 25 percent slopes | 4 | 1310.7 | 0.004 | \$ 1,091.70 |
| Blair | EID | Elliber very channery loam, 15 to 25 percent slopes | 4 | 14.6 | 0 | \$ 1,228.11 |
| Blair | GpD | Gilpin channery silt loam, 15 to 25 percent slopes | 4 | 611.7 | 0.002 | \$ 1,179.79 |
| Blair | HxC2 | Hublersburg cherty silty clay loam, 8 to 15 percent slopes, e | 4 | 3288.3 | 0.01 | \$ 1,366.74 |
| Blair | LaD | Laidig channery loam, 15 to 25 percent slopes | 4 | 561 | 0.002 | \$ 1,140.09 |
| Blair | LkD | Leck kill channery silt loam, 15 to 25 percent slopes | 4 | 4477.9 | 0.013 | \$ 1,242.34 |
| Blair | MnD | Mertz channery silt loam, 15 to 25 percent slopes | 4 | 409 | 0.001 | \$ 1,298.65 |
| Blair | MrD | Morrison sandy loam, 15 to 25 percent slopes | 4 | 1141.4 | 0.003 | \$ 1,184.69 |
| Blair | MuD | Murrill gravelly silt loam, 15 to 25 percent slopes | 4 | 454.6 | 0.001 | \$ 1,234.96 |
| Blair | OuC | Opequon silty clay loam, 8 to 15 percent slopes | 4 | 4047.4 | 0.012 | \$ 1,265.77 |
| Blair | Pu | Purdy silt loam | 4 | 1995 | 0.006 | \$ 1,197.83 |
| Blair | VaC | Vanderlip loamy sand, 3 to 25 percent slopes | 4 | 370.6 | 0.001 | \$ 1,016.60 |
| Blair | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 2021.1 | 0.006 | \$ 1,009.67 |
| Blair | AcB | Albrights very stony silt loam, 3 to 8 percent slopes | 6 | 853.2 | 0.003 | \$ 750.61 |
| Blair | AcD | Albrights very stony silt loam, 8 to 25 percent slopes | 6 | 1527.5 | 0.005 | \$ 750.61 |
| Blair | BdD | Bedington very stony silt loam, 8 to 25 percent slopes | 6 | 1234 | 0.004 | \$ 750.61 |
| Blair | BmD | Berks-Weikert channery silt loams, 15 to 25 percent slopes | 6 | 1170.8 | 0.003 | \$ 750.61 |
| Blair | CyB | Clymer very stony loam, 3 to 8 percent slopes | 6 | 3200.1 | 0.009 | \$ 750.61 |
| Blair | CyD | Clymer very stony loam, 8 to 25 percent slopes | 6 | 1822.1 | 0.005 | \$ 750.61 |
| Blair | EmD | Edom-Weikert complex, 15 to 25 percent slopes | 6 | 666.9 | 0.002 | \$ 791.81 |
| Blair | HeB | Hagerstown-Rock outcrop complex, 0 to 8 percent slopes | 6 | 625.4 | 0.002 | \$ 1,070.27 |
| Blair | HeD | Hagerstown-Rock outcrop complex, 8 to 25 percent slopes | 6 | 2830.2 | 0.008 | \$ 925.99 |
| Blair | HhB | Hazleton very stony sandy loam, 3 to 8 percent slopes | 6 | 4031.2 | 0.012 | \$ 750.61 |
| Blair | HhC | Hazleton very stony sandy loam, 8 to 15 percent slopes | 6 | 6947.6 | 0.021 | \$ 750.61 |
| Blair | HxD2 | Hublersburg cherty silty clay loam, 15 to 25 percent slopes, | 6 | 2015.5 | 0.006 | \$ 750.61 |
| Blair | LnD | Lehew very stony loam, 8 to 25 percent slopes | 6 | 1406.5 | 0.004 | \$ 750.61 |
| Blair | MkB | Meckesville very stony silt loam, 3 to 8 percent slopes | 6 | 2580.1 | 0.008 | \$ 750.61 |
| Blair | MkD | Meckesville very stony silt loam, 8 to 25 percent slopes | 6 | 13911 | 0.041 | \$ 750.61 |
| Blair | MsB | Morrison very stony sandy loam, 3 to 8 percent slopes | 6 | 2267.6 | 0.007 | \$ 750.61 |
| Blair | MsD | Morrison very stony sandy loam, 8 to 25 percent slopes | 6 | 5350.5 | 0.016 | \$ 750.61 |
| Blair | OuD | Opequon silty clay loam, 15 to 25 percent slopes | 6 | 1626.3 | 0.005 | \$ 1,265.77 |
| Blair | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 3116.1 | 0.009 | \$ 750.61 |
| Blair | AoB | Andover variant extremely stony loam, 3 to 8 percent slope: | 7 | 1196.7 | 0.004 | \$ 750.61 |
| Blair | BmF | Berks-Weikert channery silt loams, 25 to 70 percent slopes | 7 | 18313 | 0.054 | \$ 750.61 |
| Blair | BxB | Buchanan extremely stony silt loam, 3 to 8 percent slopes | 7 | 4550 | 0.013 | \$ 750.61 |
| Blair | BxD | Buchanan extremely stony silt loam, 8 to 25 percent slopes | 7 | 9121.6 | 0.027 | \$ 750.61 |
| Blair | HhF | Hazleton very stony sandy loam, 25 to 70 percent slopes | 7 | 15954.9 | 0.047 | \$ 750.61 |
| Blair | LeB | Laidig extremely stony loam, 3 to 8 percent slopes | 7 | 5907.3 | 0.017 | \$ 750.61 |

| | | | | | | | |
|-------------------|-----|---|---|---------|-------|----|----------|
| Blair | LeD | Laidig extremely stony loam, 8 to 25 percent slopes | 7 | 17548.2 | 0.052 | \$ | 750.61 |
| Blair | LeF | Laidig extremely stony loam, 25 to 45 percent slopes | 7 | 26550.1 | 0.079 | \$ | 750.61 |
| Blair | LLF | Leck kill channery silt loam, very steep | 7 | 7916.3 | 0.023 | \$ | 750.61 |
| Blair | LnF | Lehew very stony loam, 25 to 50 percent slopes | 7 | 3269.8 | 0.01 | \$ | 750.61 |
| Blair | MsF | Morrison very stony sandy loam, 25 to 50 percent slopes | 7 | 1622.6 | 0.005 | \$ | 750.61 |
| Blair | MxB | Murrill extremely stony silt loam, 3 to 8 percent slopes | 7 | 854.1 | 0.003 | \$ | 750.61 |
| Blair | MxD | Murrill extremely stony silt loam, 8 to 25 percent slopes | 7 | 1000.3 | 0.003 | \$ | 750.61 |
| Blair | OxF | Opequon-Hagerstown-Rock outcrop complex, 25 to 50 perc | 7 | 5667.4 | 0.017 | \$ | 750.61 |
| Blair | UD | Udifluvents-Dystrochrepts complex | 7 | 7747.1 | 0.023 | \$ | 750.61 |
| Blair | US | Udorthents, strip mine | 7 | 1600.3 | 0.005 | \$ | 750.61 |
| Blair | VdD | Vanderlip very stony loamy sand, 3 to 25 percent slopes | 7 | 325.9 | 0.001 | \$ | 750.61 |
| Blair | Ux | Urban land | 8 | 2017.9 | 0.006 | \$ | 750.61 |
| Blair | UYB | Urban land-Berks complex, 0 to 8 percent slopes | 8 | 1221.8 | 0.004 | \$ | 750.61 |
| Blair | UYD | Urban land-Berks complex, 8 to 25 percent slopes | 8 | 937.1 | 0.003 | \$ | 750.61 |
| Bradford/Sullivan | Ln | Linden soils | 1 | 6864.6 | 0.007 | \$ | 1,404.53 |
| Bradford/Sullivan | AgB | Alton gravelly sandy loam, 0 to 8 percent slopes | 2 | 8414.3 | 0.008 | \$ | 1,270.42 |
| Bradford/Sullivan | BaB | Braceville silt loam, 0 to 8 percent slopes | 2 | 2101.2 | 0.002 | \$ | 1,309.38 |
| Bradford/Sullivan | CnB | Chenango gravelly loam, 0 to 8 percent slopes | 2 | 10393.7 | 0.01 | \$ | 1,239.97 |
| Bradford/Sullivan | LoB | Lordstown channery silt loam, 3 to 8 percent slopes | 2 | 11474.3 | 0.011 | \$ | 1,279.67 |
| Bradford/Sullivan | MaB | Mardin channery silt loam, 3 to 8 percent slopes | 2 | 11153 | 0.011 | \$ | 1,356.23 |
| Bradford/Sullivan | OgB | Oquaga channery silt loam, 3 to 8 percent slopes | 2 | 11307.3 | 0.011 | \$ | 1,091.70 |
| Bradford/Sullivan | Po | Pope soils | 2 | 8501 | 0.008 | \$ | 1,461.19 |
| Bradford/Sullivan | UnB | Unadilla silt loam, 3 to 8 percent slopes | 2 | 1637.5 | 0.002 | \$ | 1,446.33 |
| Bradford/Sullivan | WbB | Wellsboro channery silt loam, 3 to 8 percent slopes | 2 | 21313.7 | 0.021 | \$ | 1,349.62 |
| Bradford/Sullivan | WrB | Wurtsboro channery loam, 3 to 8 percent slopes | 2 | 23.5 | 0 | \$ | 1,157.58 |
| Bradford/Sullivan | CnC | Chenango gravelly loam, 8 to 15 percent slopes | 3 | 49.3 | 0 | \$ | 1,199.77 |
| Bradford/Sullivan | LaC | Lackawanna channery silt loam, 8 to 15 percent slopes | 3 | 14.9 | 0 | \$ | 1,325.15 |
| Bradford/Sullivan | LoC | Lordstown channery silt loam, 8 to 15 percent slopes | 3 | 17825.7 | 0.017 | \$ | 1,237.61 |
| Bradford/Sullivan | MaC | Mardin channery silt loam, 8 to 15 percent slopes | 3 | 27845.5 | 0.027 | \$ | 1,234.29 |
| Bradford/Sullivan | MoB | Morris channery silt loam, 3 to 8 percent slopes | 3 | 41753 | 0.04 | \$ | 1,057.77 |
| Bradford/Sullivan | MoC | Morris channery silt loam, 8 to 15 percent slopes | 3 | 41712.7 | 0.04 | \$ | 1,055.14 |
| Bradford/Sullivan | OgC | Oquaga channery silt loam, 8 to 15 percent slopes | 3 | 17682.9 | 0.017 | \$ | 871.65 |
| Bradford/Sullivan | ReA | Rexford silt loam, 0 to 3 percent slopes | 3 | 2487 | 0.002 | \$ | 1,107.74 |
| Bradford/Sullivan | ReB | Rexford silt loam, 3 to 8 percent slopes | 3 | 2732.8 | 0.003 | \$ | 1,120.19 |
| Bradford/Sullivan | ReC | Rexford silt loam, 8 to 12 percent slopes | 3 | 1275.7 | 0.001 | \$ | 1,091.70 |
| Bradford/Sullivan | UnC | Unadilla silt loam, 8 to 15 percent slopes | 3 | 970.3 | 0.001 | \$ | 1,344.84 |
| Bradford/Sullivan | VaC | Valois gravelly loam, 8 to 15 percent slopes | 3 | 2 | 0 | \$ | 998.80 |
| Bradford/Sullivan | VoB | Volusia channery silt loam, 3 to 8 percent slopes | 3 | 77246.7 | 0.075 | \$ | 1,104.57 |
| Bradford/Sullivan | VoC | Volusia channery silt loam, 8 to 15 percent slopes | 3 | 113828 | 0.11 | \$ | 1,108.15 |
| Bradford/Sullivan | WbC | Wellsboro channery silt loam, 8 to 15 percent slopes | 3 | 25233.1 | 0.024 | \$ | 1,235.24 |
| Bradford/Sullivan | WmB | Wyoming gravelly sandy loam, 3 to 8 percent slopes | 3 | 1197.8 | 0.001 | \$ | 1,206.54 |
| Bradford/Sullivan | WrC | Wurtsboro channery loam, 8 to 15 percent slopes | 3 | 2.3 | 0 | \$ | 1,121.91 |
| Bradford/Sullivan | ArC | Arnot very channery loam, rocky, 3 to 15 percent slopes | 4 | 5713.4 | 0.006 | \$ | 906.45 |
| Bradford/Sullivan | CaA | Canadice silty clay loam, 0 to 3 percent slopes | 4 | 632.7 | 0.001 | \$ | 915.05 |
| Bradford/Sullivan | CpA | Chippewa silt loam, 0 to 3 percent slopes | 4 | 8860.2 | 0.009 | \$ | 871.65 |
| Bradford/Sullivan | CpB | Chippewa silt loam, 3 to 8 percent slopes | 4 | 9950.6 | 0.01 | \$ | 871.65 |
| Bradford/Sullivan | LoD | Lordstown channery silt loam, 15 to 25 percent slopes | 4 | 19006.5 | 0.018 | \$ | 1,142.60 |
| Bradford/Sullivan | MaD | Mardin channery silt loam, 15 to 25 percent slopes | 4 | 16047.4 | 0.016 | \$ | 1,055.14 |
| Bradford/Sullivan | OgD | Oquaga channery silt loam, 15 to 25 percent slopes | 4 | 14567.5 | 0.014 | \$ | 871.65 |
| Bradford/Sullivan | VoD | Volusia channery silt loam, 15 to 25 percent slopes | 4 | 17809.9 | 0.017 | \$ | 973.54 |
| Bradford/Sullivan | WbD | Wellsboro channery silt loam, 15 to 25 percent slopes | 4 | 9229 | 0.009 | \$ | 1,107.13 |
| Bradford/Sullivan | WmC | Wyoming gravelly sandy loam, 8 to 15 percent slopes | 4 | 2153.3 | 0.002 | \$ | 1,068.28 |
| Bradford/Sullivan | WmD | Wyoming gravelly sandy loam, 15 to 25 percent slopes | 4 | 2168.4 | 0.002 | \$ | 871.65 |
| Bradford/Sullivan | WrD | Wurtsboro channery loam, 15 to 25 percent slopes | 4 | 2.5 | 0 | \$ | 1,091.70 |
| Bradford/Sullivan | Ho | Holly soils | 5 | 15730.6 | 0.015 | \$ | 750.61 |
| Bradford/Sullivan | AsD | Arnot-Rock outcrop complex, 3 to 25 percent slopes | 6 | 15560.6 | 0.015 | \$ | 750.61 |

| | | | | | | | |
|-------------------|-----|---|---|---------|-------|----|----------|
| Bradford/Sullivan | LpB | Lordstown very stony silt loam, 3 to 8 percent slopes | 6 | 905.4 | 0.001 | \$ | 750.61 |
| Bradford/Sullivan | LpD | Lordstown very stony silt loam, 8 to 25 percent slopes | 6 | 9624.7 | 0.009 | \$ | 750.61 |
| Bradford/Sullivan | VaE | Valois gravelly loam, 25 to 40 percent slopes | 6 | 3.6 | 0 | \$ | 750.61 |
| Bradford/Sullivan | WoC | Wyoming very stony sandy loam, 3 to 15 percent slopes | 6 | 1718.4 | 0.002 | \$ | 750.61 |
| Bradford/Sullivan | Ao | Aquepts, rubbly | 7 | 2521.3 | 0.002 | \$ | 750.61 |
| Bradford/Sullivan | DyF | Dystrudepts, deep-Wellsboro-Oquaga association, steep, ru | 7 | 132994 | 0.129 | \$ | 750.61 |
| Bradford/Sullivan | LbB | Lackawanna channery silt loam, 0 to 8 percent slopes, extre | 7 | 67.4 | 0 | \$ | 750.61 |
| Bradford/Sullivan | LbD | Lackawanna channery silt loam, 8 to 25 percent slopes, extr | 7 | 63.7 | 0 | \$ | 750.61 |
| Bradford/Sullivan | MbB | Mardin channery silt loam, 3 to 8 percent slopes, extremely | 7 | 160.6 | 0 | \$ | 750.61 |
| Bradford/Sullivan | MbD | Mardin channery silt loam, 8 to 25 percent slopes, extremel | 7 | 2029.6 | 0.002 | \$ | 750.61 |
| Bradford/Sullivan | MsB | Morris channery silt loam, 3 to 8 percent slopes, extremely : | 7 | 41805.7 | 0.04 | \$ | 750.61 |
| Bradford/Sullivan | MsD | Morris channery silt loam, 8 to 25 percent slopes, extremely | 7 | 23045.3 | 0.022 | \$ | 750.61 |
| Bradford/Sullivan | NoB | Norwich channery silt loam, 0 to 8 percent slopes, extremel | 7 | 7676.1 | 0.007 | \$ | 750.61 |
| Bradford/Sullivan | OsB | Oquaga extremely stony silt loam, 3 to 8 percent slopes | 7 | 28897.3 | 0.028 | \$ | 750.61 |
| Bradford/Sullivan | OsD | Oquaga extremely stony silt loam, 8 to 25 percent slopes | 7 | 46561.4 | 0.045 | \$ | 750.61 |
| Bradford/Sullivan | SxB | Swartswood extremely stony loam, 3 to 8 percent slopes | 7 | 75 | 0 | \$ | 750.61 |
| Bradford/Sullivan | SxD | Swartswood extremely stony loam, 8 to 25 percent slopes | 7 | 1.4 | 0 | \$ | 750.61 |
| Bradford/Sullivan | Uc | Udifluvents, cobbly | 7 | 23312.4 | 0.023 | \$ | 750.61 |
| Bradford/Sullivan | VsB | Volusia channery silt loam, 3 to 8 percent slopes, extremely | 7 | 716.2 | 0.001 | \$ | 750.61 |
| Bradford/Sullivan | VsD | Volusia channery silt loam, 8 to 25 percent slopes, extremel | 7 | 2180.8 | 0.002 | \$ | 750.61 |
| Bradford/Sullivan | WgB | Wellsboro channery silt loam, 3 to 8 percent slopes, extrem | 7 | 25912.9 | 0.025 | \$ | 750.61 |
| Bradford/Sullivan | WgD | Wellsboro channery silt loam, 8 to 25 percent slopes, extrer | 7 | 40839 | 0.04 | \$ | 750.61 |
| Bradford/Sullivan | WmF | Wyoming gravelly sandy loam, 25 to 45 percent slopes | 7 | 1809 | 0.002 | \$ | 750.61 |
| Bradford/Sullivan | WtB | Wurtsboro extremely stony loam, 3 to 8 percent slopes | 7 | 36.3 | 0 | \$ | 750.61 |
| Bradford/Sullivan | WtD | Wurtsboro extremely stony loam, 8 to 25 percent slopes | 7 | 16.5 | 0 | \$ | 750.61 |
| Bradford/Sullivan | Md | Medisaprists, ponded | 8 | 2147.5 | 0.002 | \$ | 750.61 |
| Bucks | BeA | Bedington channery silt loam, 0 to 3 percent slopes | 1 | 685.8 | 0.002 | \$ | 1,678.06 |
| Bucks | BsA | Brownsburg silt loam, 0 to 3 percent slopes | 1 | 344.7 | 0.001 | \$ | 1,728.09 |
| Bucks | CdA | Chester silt loam, 0 to 3 percent slopes | 1 | 191.9 | 0 | \$ | 1,803.10 |
| Bucks | DaA | Delaware fine sandy loam, 0 to 3 percent slopes | 1 | 3627.5 | 0.009 | \$ | 1,783.16 |
| Bucks | DuA | Duncannon silt loam, 0 to 3 percent slopes | 1 | 2870.3 | 0.007 | \$ | 1,594.70 |
| Bucks | LgA | Lansdale loam, 0 to 3 percent slopes | 1 | 647.6 | 0.002 | \$ | 1,654.64 |
| Bucks | Lt | Linden loam | 1 | 403.5 | 0.001 | \$ | 1,455.34 |
| Bucks | McA | Matapeake silt loam, 0 to 3 percent slopes | 1 | 384.9 | 0.001 | \$ | 1,811.17 |
| Bucks | AlA | Alton gravelly loam, 0 to 3 percent slopes | 2 | 2238.1 | 0.006 | \$ | 1,458.64 |
| Bucks | AlB | Alton gravelly loam, 3 to 8 percent slopes | 2 | 336.3 | 0.001 | \$ | 1,431.32 |
| Bucks | ArB | Arendtsville gravelly silt loam, 3 to 8 percent slopes | 2 | 1702.5 | 0.004 | \$ | 1,607.93 |
| Bucks | BeB | Bedington channery silt loam, 3 to 8 percent slopes | 2 | 1312.4 | 0.003 | \$ | 1,487.25 |
| Bucks | BrB | Brecknock channery silt loam, 3 to 8 percent slopes | 2 | 212.8 | 0.001 | \$ | 1,457.48 |
| Bucks | BsB | Brownsburg silt loam, 3 to 8 percent slopes | 2 | 2088.2 | 0.005 | \$ | 1,721.38 |
| Bucks | CaB | Califon loam, 3 to 8 percent slopes | 2 | 109.7 | 0 | \$ | 1,420.39 |
| Bucks | CdB | Chester silt loam, 3 to 8 percent slopes | 2 | 1263.1 | 0.003 | \$ | 1,794.99 |
| Bucks | CmB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 1004.8 | 0.003 | \$ | 1,477.61 |
| Bucks | CyB | Culleoka-Weikert channery silt loams, 3 to 8 percent slopes | 2 | 1208.2 | 0.003 | \$ | 1,454.19 |
| Bucks | DaB | Delaware fine sandy loam, 3 to 8 percent slopes | 2 | 224.9 | 0.001 | \$ | 1,758.04 |
| Bucks | DfB | Duffield silt loam, 3 to 8 percent slopes | 2 | 1794.6 | 0.005 | \$ | 1,703.82 |
| Bucks | DuB | Duncannon silt loam, 3 to 8 percent slopes | 2 | 1310.2 | 0.003 | \$ | 1,598.45 |
| Bucks | EcB | Edgemont channery loam, 3 to 8 percent slopes | 2 | 92.2 | 0 | \$ | 1,445.08 |
| Bucks | FoA | Fountainville silt loam, 0 to 3 percent slopes | 2 | 147.6 | 0 | \$ | 1,525.04 |
| Bucks | FoB | Fountainville silt loam, 3 to 8 percent slopes | 2 | 1243.2 | 0.003 | \$ | 1,532.35 |
| Bucks | GIB | Gladstone gravelly loam, 3 to 8 percent slopes | 2 | 1235.2 | 0.003 | \$ | 1,516.83 |
| Bucks | GrA | Glenville silt loam, 0 to 3 percent slopes | 2 | 959.2 | 0.002 | \$ | 1,504.91 |
| Bucks | GrB | Glenville silt loam, 3 to 8 percent slopes | 2 | 1286.4 | 0.003 | \$ | 1,504.91 |
| Bucks | LgB | Lansdale loam, 3 to 8 percent slopes | 2 | 5642.5 | 0.014 | \$ | 1,674.30 |
| Bucks | LkA | Lawrenceville silt loam, 0 to 3 percent slopes | 2 | 5295.6 | 0.013 | \$ | 1,548.16 |
| Bucks | LkB | Lawrenceville silt loam, 3 to 8 percent slopes | 2 | 5133.7 | 0.013 | \$ | 1,549.71 |

| | | | | | | |
|-------|-----|--|---|---------|-------|-------------|
| Bucks | LmA | Lehigh channery silt loam, 0 to 3 percent slopes | 2 | 911.1 | 0.002 | \$ 1,451.21 |
| Bucks | LmB | Lehigh channery silt loam, 3 to 8 percent slopes | 2 | 4034.1 | 0.01 | \$ 1,435.84 |
| Bucks | MaB | Manor loam, 3 to 8 percent slopes | 2 | 241.9 | 0.001 | \$ 1,534.93 |
| Bucks | McB | Matapeake silt loam, 3 to 8 percent slopes | 2 | 235.1 | 0.001 | \$ 1,678.63 |
| Bucks | MdA | Mattapex silt loam, 0 to 3 percent slopes | 2 | 273.5 | 0.001 | \$ 1,636.52 |
| Bucks | MIA | Mount Lucas silt loam, 0 to 3 percent slopes | 2 | 856.7 | 0.002 | \$ 1,319.31 |
| Bucks | MIB | Mount Lucas silt loam, 3 to 8 percent slopes | 2 | 3372.3 | 0.008 | \$ 1,321.11 |
| Bucks | NbB | Neshaminy silt loam, 3 to 8 percent slopes | 2 | 1829.1 | 0.005 | \$ 1,567.42 |
| Bucks | PeA | Penn channery silt loam, 0 to 3 percent slopes | 2 | 440.8 | 0.001 | \$ 1,490.07 |
| Bucks | PeB | Penn channery silt loam, 3 to 8 percent slopes | 2 | 4335 | 0.011 | \$ 1,462.58 |
| Bucks | PkB | Penn-Klinesville channery silt loams, 3 to 8 percent slopes, r | 2 | 2166.6 | 0.005 | \$ 1,419.46 |
| Bucks | PnB | Penn-Lansdale complex, 3 to 8 percent slopes | 2 | 2338.5 | 0.006 | \$ 1,500.91 |
| Bucks | RaA | Raritan silt loam, 0 to 3 percent slopes | 2 | 46.4 | 0 | \$ 1,531.80 |
| Bucks | RaB | Raritan silt loam, 3 to 8 percent slopes | 2 | 70.3 | 0 | \$ 1,499.71 |
| Bucks | ReA | Readington silt loam, 0 to 3 percent slopes | 2 | 3307.5 | 0.008 | \$ 1,490.07 |
| Bucks | ReB | Readington silt loam, 3 to 8 percent slopes | 2 | 10014.2 | 0.025 | \$ 1,472.40 |
| Bucks | Ro | Rowland silt loam | 2 | 1383.6 | 0.003 | \$ 1,490.07 |
| Bucks | StB | Steinsburg gravelly loam, 3 to 8 percent slopes | 2 | 857.6 | 0.002 | \$ 1,384.97 |
| Bucks | WaB | Washington silt loam, 3 to 8 percent slopes | 2 | 844.1 | 0.002 | \$ 1,672.03 |
| Bucks | AbA | Abbottstown silt loam, 0 to 3 percent slopes | 3 | 9291.6 | 0.023 | \$ 1,247.05 |
| Bucks | AbB | Abbottstown silt loam, 3 to 8 percent slopes | 3 | 18361.1 | 0.046 | \$ 1,243.47 |
| Bucks | AbC | Abbottstown silt loam, 8 to 15 percent slopes | 3 | 1453.7 | 0.004 | \$ 1,426.71 |
| Bucks | AmA | Amwell silt loam, 0 to 3 percent slopes | 3 | 3646.1 | 0.009 | \$ 1,442.92 |
| Bucks | AmB | Amwell silt loam, 3 to 8 percent slopes | 3 | 5133.9 | 0.013 | \$ 1,450.72 |
| Bucks | AmC | Amwell silt loam, 8 to 15 percent slopes | 3 | 116.5 | 0 | \$ 1,410.06 |
| Bucks | ArC | Arendtsville gravelly silt loam, 8 to 15 percent slopes | 3 | 1742.8 | 0.004 | \$ 1,459.95 |
| Bucks | BeC | Bedington channery silt loam, 8 to 15 percent slopes | 3 | 424.2 | 0.001 | \$ 1,399.58 |
| Bucks | BrC | Brecknock channery silt loam, 8 to 15 percent slopes | 3 | 301.1 | 0.001 | \$ 1,418.70 |
| Bucks | BsC | Brownsburg silt loam, 8 to 15 percent slopes | 3 | 221.9 | 0.001 | \$ 1,638.34 |
| Bucks | BwB | Buckingham silt loam, 3 to 8 percent slopes | 3 | 5988.1 | 0.015 | \$ 1,443.84 |
| Bucks | CbA | Chalfont silt loam, 0 to 3 percent slopes | 3 | 4742.7 | 0.012 | \$ 1,518.41 |
| Bucks | CbB | Chalfont silt loam, 3 to 8 percent slopes | 3 | 1918.5 | 0.005 | \$ 1,488.86 |
| Bucks | CdC | Chester silt loam, 8 to 15 percent slopes | 3 | 638.9 | 0.002 | \$ 1,783.55 |
| Bucks | CyC | Culleoka-Weikert channery silt loams, 8 to 15 percent slope | 3 | 1661.2 | 0.004 | \$ 1,360.62 |
| Bucks | DgC | Duffield-Ryder silt loams, 8 to 15 percent slopes | 3 | 1358.6 | 0.003 | \$ 1,532.19 |
| Bucks | EcC | Edgemont channery loam, 8 to 15 percent slopes | 3 | 168.9 | 0 | \$ 1,365.87 |
| Bucks | FoC | Fountainville silt loam, 8 to 15 percent slopes | 3 | 74.6 | 0 | \$ 1,446.74 |
| Bucks | GIC | Gladstone gravelly loam, 8 to 15 percent slopes | 3 | 1221.2 | 0.003 | \$ 1,454.35 |
| Bucks | Ho | Holly silt loam | 3 | 90.3 | 0 | \$ 1,292.08 |
| Bucks | KIB | Klinesville very channery silt loam, 3 to 8 percent slopes | 3 | 3181.1 | 0.008 | \$ 1,071.53 |
| Bucks | LgC | Lansdale loam, 8 to 15 percent slopes | 3 | 1876.1 | 0.005 | \$ 1,607.41 |
| Bucks | LmC | Lehigh channery silt loam, 8 to 15 percent slopes | 3 | 778 | 0.002 | \$ 1,379.44 |
| Bucks | MaC | Manor loam, 8 to 15 percent slopes | 3 | 556.7 | 0.001 | \$ 1,399.58 |
| Bucks | MIC | Mount Lucas silt loam, 8 to 15 percent slopes | 3 | 538.6 | 0.001 | \$ 1,279.67 |
| Bucks | NbC | Neshaminy silt loam, 8 to 15 percent slopes | 3 | 724.1 | 0.002 | \$ 1,484.82 |
| Bucks | NkA | Nockamixon silt loam, 0 to 3 percent slopes | 3 | 431.2 | 0.001 | \$ 1,458.64 |
| Bucks | NkB | Nockamixon silt loam, 3 to 8 percent slopes | 3 | 1184.7 | 0.003 | \$ 1,458.64 |
| Bucks | NkC | Nockamixon silt loam, 8 to 15 percent slopes | 3 | 179.1 | 0 | \$ 1,417.44 |
| Bucks | Ot | Othello silt loams, 0 to 2 percent slopes, Northern Coastal P | 3 | 1445.1 | 0.004 | \$ 982.37 |
| Bucks | PeC | Penn channery silt loam, 8 to 15 percent slopes | 3 | 1576.5 | 0.004 | \$ 1,379.27 |
| Bucks | PkC | Penn-Klinesville channery silt loams, 8 to 15 percent slopes | 3 | 1539.1 | 0.004 | \$ 1,130.02 |
| Bucks | PnC | Penn-Lansdale complex, 8 to 15 percent slopes | 3 | 879.5 | 0.002 | \$ 1,431.32 |
| Bucks | RaC | Raritan silt loam, 8 to 15 percent slopes | 3 | 11.6 | 0 | \$ 1,468.15 |
| Bucks | ReC | Readington silt loam, 8 to 15 percent slopes | 3 | 1012.7 | 0.003 | \$ 1,455.84 |
| Bucks | RIA | Reaville channery silt loam, 0 to 3 percent slopes | 3 | 3086.3 | 0.008 | \$ 1,252.78 |
| Bucks | RIB | Reaville channery silt loam, 3 to 8 percent slopes | 3 | 15513.3 | 0.039 | \$ 1,250.53 |

| | | | | | | |
|-------|------|---|---|---------|-------|-------------|
| Bucks | RIC | Reaville channery silt loam, 8 to 15 percent slopes | 3 | 4187.1 | 0.011 | \$ 1,206.83 |
| Bucks | StC | Steinsburg gravelly loam, 8 to 15 percent slopes | 3 | 995.7 | 0.003 | \$ 1,264.65 |
| Bucks | WaC | Washington silt loam, 8 to 15 percent slopes | 3 | 38.4 | 0 | \$ 1,566.96 |
| Bucks | WeB | Weikert channery silt loam, 0 to 8 percent slopes | 3 | 25.2 | 0 | \$ 1,083.82 |
| Bucks | ArD | Arendtsville gravelly silt loam, 15 to 25 percent slopes | 4 | 683.3 | 0.002 | \$ 1,373.19 |
| Bucks | Bo | Bowmansville-Knauers silt loams | 4 | 16599.4 | 0.042 | \$ 1,322.90 |
| Bucks | BrD | Brecknock channery silt loam, 15 to 25 percent slopes | 4 | 36.8 | 0 | \$ 1,377.19 |
| Bucks | CwA | Croton silt loam, occasionally ponded, 0 to 3 percent slopes | 4 | 9569.2 | 0.024 | \$ 1,145.10 |
| Bucks | CwB | Croton silt loam, 3 to 8 percent slopes | 4 | 6372.6 | 0.016 | \$ 1,005.22 |
| Bucks | DdA | Doylestown silt loam, 0 to 3 percent slopes | 4 | 5394.5 | 0.014 | \$ 1,242.34 |
| Bucks | DdB | Doylestown silt loam, 3 to 8 percent slopes | 4 | 3374.9 | 0.008 | \$ 1,242.34 |
| Bucks | GlD | Gladstone gravelly loam, 15 to 25 percent slopes | 4 | 520 | 0.001 | \$ 1,371.54 |
| Bucks | GnD | Gladstone-Parker gravelly loams, 15 to 25 percent slopes | 4 | 65.9 | 0 | \$ 1,301.20 |
| Bucks | Ha | Hatboro silt loam | 4 | 4846.1 | 0.012 | \$ 1,256.44 |
| Bucks | KlC | Klinesville very channery silt loam, 8 to 15 percent slopes | 4 | 4157.6 | 0.01 | \$ 1,020.05 |
| Bucks | LfA | Lamington silt loam, 0 to 3 percent slopes | 4 | 279.4 | 0.001 | \$ 996.62 |
| Bucks | LgD | Lansdale loam, 15 to 25 percent slopes | 4 | 243.2 | 0.001 | \$ 1,500.91 |
| Bucks | MaD | Manor loam, 15 to 25 percent slopes | 4 | 187.1 | 0 | \$ 1,330.25 |
| Bucks | PeD | Penn channery silt loam, 15 to 25 percent slopes | 4 | 304.1 | 0.001 | \$ 1,126.98 |
| Bucks | PkD | Penn-Klinesville channery silt loams, 15 to 25 percent slopes | 4 | 250.5 | 0.001 | \$ 1,118.36 |
| Bucks | PnD | Penn-Lansdale complex, 15 to 25 percent slopes | 4 | 1338.3 | 0.003 | \$ 1,338.19 |
| Bucks | StD | Steinsburg gravelly loam, 15 to 25 percent slopes | 4 | 272.1 | 0.001 | \$ 1,217.41 |
| Bucks | ToA | Towhee silt loam, 0 to 3 percent slopes | 4 | 3556.8 | 0.009 | \$ 1,150.60 |
| Bucks | ToB | Towhee silt loam, 3 to 8 percent slopes | 4 | 2807.3 | 0.007 | \$ 1,162.54 |
| Bucks | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 63.7 | 0 | \$ 871.65 |
| Bucks | Fl | Fluvaquents | 5 | 1259 | 0.003 | \$ 750.61 |
| Bucks | GmB | Gladstone gravelly loam, 0 to 8 percent slopes, very boulder | 6 | 9.8 | 0 | \$ 750.61 |
| Bucks | GmD | Gladstone gravelly loam, 8 to 25 percent slopes, very boulder | 6 | 1239.6 | 0.003 | \$ 750.61 |
| Bucks | KlD | Klinesville very channery silt loam, 15 to 25 percent slopes | 6 | 2743.4 | 0.007 | \$ 873.99 |
| Bucks | MbD | Manor loam, 8 to 25 percent slopes, extremely stony | 6 | 185.1 | 0 | \$ 750.61 |
| Bucks | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 13.5 | 0 | \$ 750.61 |
| Bucks | WfD | Weikert-Culleoka complex, 15 to 25 percent slopes | 6 | 706.3 | 0.002 | \$ 1,045.82 |
| Bucks | BrxD | Brecknock channery silt loam, 8 to 25 percent slopes, extrer | 7 | 116.7 | 0 | \$ 750.61 |
| Bucks | BrxF | Brecknock channery silt loam, 25 to 60 percent slopes, extre | 7 | 224.2 | 0.001 | \$ 750.61 |
| Bucks | CwxB | Croton silt loam, 0 to 8 percent slopes, extremely stony | 7 | 623 | 0.002 | \$ 750.61 |
| Bucks | EdB | Edgemont channery sandy loam, 0 to 8 percent slopes, extri | 7 | 257.9 | 0.001 | \$ 750.61 |
| Bucks | EdD | Edgemont channery sandy loam, 8 to 25 percent slopes, ext | 7 | 691.9 | 0.002 | \$ 750.61 |
| Bucks | EdF | Edgemont channery sandy loam, 25 to 60 percent slopes, e) | 7 | 334.1 | 0.001 | \$ 750.61 |
| Bucks | GmF | Gladstone gravelly loam, 25 to 55 percent slopes, very boult | 7 | 48.4 | 0 | \$ 750.61 |
| Bucks | KlE | Klinesville very channery silt loam, 25 to 45 percent slopes | 7 | 409.1 | 0.001 | \$ 750.61 |
| Bucks | LhB | Lansdale loam, 0 to 8 percent slopes, extremely stony | 7 | 637.3 | 0.002 | \$ 750.61 |
| Bucks | LhD | Lansdale loam, 8 to 25 percent slopes, extremely stony | 7 | 1563.8 | 0.004 | \$ 750.61 |
| Bucks | LhE | Lansdale loam, 25 to 50 percent slopes, extremely stony | 7 | 1243.3 | 0.003 | \$ 750.61 |
| Bucks | LnB | Lehigh channery silt loam, 0 to 8 percent slopes, extremely : | 7 | 79.7 | 0 | \$ 750.61 |
| Bucks | LnD | Lehigh channery silt loam, 8 to 25 percent slopes, extremely | 7 | 520.2 | 0.001 | \$ 750.61 |
| Bucks | MbF | Manor loam, 25 to 60 percent slopes, extremely stony | 7 | 104.5 | 0 | \$ 750.61 |
| Bucks | MmB | Mount Lucas silt loam, 0 to 8 percent slopes, extremely stor | 7 | 7053.5 | 0.018 | \$ 750.61 |
| Bucks | MmD | Mount Lucas silt loam, 8 to 25 percent slopes, extremely stc | 7 | 2293.7 | 0.006 | \$ 750.61 |
| Bucks | NhB | Neshaminy gravelly silt loam, 0 to 8 percent slopes, extreme | 7 | 5160.6 | 0.013 | \$ 750.61 |
| Bucks | NhD | Neshaminy gravelly silt loam, 8 to 25 percent slopes, extrer | 7 | 7156.3 | 0.018 | \$ 750.61 |
| Bucks | NhF | Neshaminy gravelly silt loam, 25 to 60 percent slopes, extre | 7 | 1048.6 | 0.003 | \$ 750.61 |
| Bucks | PIE | Penn-Klinesville channery silt loams, 25 to 45 percent slopes | 7 | 3656 | 0.009 | \$ 750.61 |
| Bucks | Ps | Psammments, dredged river material | 7 | 681.2 | 0.002 | \$ 750.61 |
| Bucks | TrB | Towhee silt loam, 0 to 8 percent slopes, extremely stony | 7 | 10382.4 | 0.026 | \$ 750.61 |
| Bucks | Ua | Udorthents, gravelly | 7 | 2301.7 | 0.006 | \$ 750.61 |
| Bucks | Ub | Udorthents, loamy | 7 | 984.9 | 0.002 | \$ 750.61 |

| | | | | | | | |
|--------|-------|--|---|---------|-------|----|----------|
| Bucks | UcB | Udorthents, sandy | 7 | 2122.9 | 0.005 | \$ | 750.61 |
| Bucks | UdB | Udorthents, shale and sandstone | 7 | 1506.4 | 0.004 | \$ | 750.61 |
| Bucks | UeB | Udorthents, sanitary landfill | 7 | 472.1 | 0.001 | \$ | 750.61 |
| Bucks | UfB | Udorthents, schist and gneiss | 7 | 592.3 | 0.001 | \$ | 750.61 |
| Bucks | DAM | Dams | 8 | 40.6 | 0 | \$ | 750.61 |
| Bucks | Na | Nanticoke-Hatboro silt loams | 8 | 603.4 | 0.002 | \$ | 792.66 |
| Bucks | UfuB | Urban land, 0 to 8 percent slopes | 8 | 13658 | 0.034 | \$ | 750.61 |
| Bucks | Ufw | Urban land, occasionally flooded | 8 | 408.3 | 0.001 | \$ | 750.61 |
| Bucks | UgB | Urban land-Abbottstown complex, 0 to 8 percent slopes | 8 | 11437 | 0.029 | \$ | 750.61 |
| Bucks | UhB | Urban land-Berks complex, 0 to 8 percent slopes | 8 | 166.7 | 0 | \$ | 750.61 |
| Bucks | UkB | Urban land-Chester complex, 0 to 8 percent slopes | 8 | 8271.6 | 0.021 | \$ | 758.48 |
| Bucks | UkD | Urban land-Chester complex, 8 to 25 percent slopes | 8 | 2403.8 | 0.006 | \$ | 781.62 |
| Bucks | UIB | Urban land-Delaware complex, 0 to 8 percent slopes | 8 | 1008.2 | 0.003 | \$ | 750.61 |
| Bucks | UmB | Urban land-Doylestown complex, 0 to 8 percent slopes | 8 | 1178 | 0.003 | \$ | 750.61 |
| Bucks | UnB | Urban land-Duffield complex, 0 to 8 percent slopes | 8 | 5743 | 0.014 | \$ | 756.23 |
| Bucks | UoB | Urban land-Gladstone complex, 0 to 8 percent slopes | 8 | 76.2 | 0 | \$ | 750.61 |
| Bucks | UoD | Urban land-Gladstone complex, 8 to 25 percent slopes | 8 | 64.2 | 0 | \$ | 750.61 |
| Bucks | UpB | Urban land-Glenville complex, 0 to 8 percent slopes | 8 | 685.7 | 0.002 | \$ | 750.61 |
| Bucks | UrB | Urban land-Lansdale complex, 0 to 8 percent slopes | 8 | 7464.4 | 0.019 | \$ | 750.61 |
| Bucks | UrC | Urban land-Lansdale complex, 8 to 15 percent slopes | 8 | 2926.4 | 0.007 | \$ | 897.47 |
| Bucks | UsB | Urban land-Lawrenceville complex, 0 to 8 percent slopes | 8 | 9193.7 | 0.023 | \$ | 750.61 |
| Bucks | UtB | Urban land-Matapeake complex, 0 to 8 percent slopes | 8 | 12119.2 | 0.03 | \$ | 750.61 |
| Bucks | UuB | Urban land-Mattapex complex, 0 to 8 percent slopes | 8 | 72.6 | 0 | \$ | 750.61 |
| Bucks | UvB | Urban land-Neshaminy complex, 0 to 8 percent slopes | 8 | 581 | 0.001 | \$ | 750.61 |
| Bucks | UvD | Urban land-Neshaminy complex, 8 to 25 percent slopes | 8 | 135.5 | 0 | \$ | 750.61 |
| Bucks | Uw | Urban land-Othello complex | 8 | 198.3 | 0 | \$ | 750.61 |
| Bucks | UxB | Urban land-Penn complex, 0 to 8 percent slopes | 8 | 1262.4 | 0.003 | \$ | 750.61 |
| Bucks | UxD | Urban land-Penn complex, 8 to 25 percent slopes | 8 | 572.7 | 0.001 | \$ | 750.61 |
| Bucks | UyB | Urban land-Reaville complex, 0 to 8 percent slopes | 8 | 1585.2 | 0.004 | \$ | 750.61 |
| Bucks | UzaB | Urban land-Udorthents, gravelly complex, 0 to 8 percent slopes | 8 | 419.3 | 0.001 | \$ | 750.61 |
| Bucks | UzbB | Urban land-Udorthents, sandy complex, 0 to 8 percent slopes | 8 | 1027.1 | 0.003 | \$ | 750.61 |
| Bucks | UzcaB | Urban land-Udorthents, schist and gneiss complex, 0 to 8 percent slopes | 8 | 32 | 0 | \$ | 750.61 |
| Bucks | UzcB | Urban land-Udorthents, shale and sandstone complex, 0 to 8 percent slopes | 8 | 963.4 | 0.002 | \$ | 750.61 |
| Bucks | UzcD | Urban land-Udorthents, shale and sandstone complex, 8 to 25 percent slopes | 8 | 14.6 | 0 | \$ | 750.61 |
| Butler | Po | Pope loam | 1 | 408.4 | 0.001 | \$ | 1,514.85 |
| Butler | WhA | Wheeling silt loam, 0 to 3 percent slopes | 1 | 308.5 | 0.001 | \$ | 1,482.80 |
| Butler | BeA | Braceville loam, 0 to 3 percent slopes | 2 | 419.2 | 0.001 | \$ | 1,353.59 |
| Butler | BeB | Braceville loam, 3 to 8 percent slopes | 2 | 1854.7 | 0.004 | \$ | 1,291.16 |
| Butler | BuB | Buchanan loam, 3 to 8 percent slopes | 2 | 6274.1 | 0.012 | \$ | 1,272.27 |
| Butler | CfB | Canfield silt loam, 3 to 8 percent slopes | 2 | 1646.3 | 0.003 | \$ | 1,286.57 |
| Butler | CmB | Clymer loam, 3 to 8 percent slopes | 2 | 3080.7 | 0.006 | \$ | 1,437.59 |
| Butler | CoA | Cookport loam, 0 to 3 percent slopes | 2 | 1281.7 | 0.003 | \$ | 1,286.57 |
| Butler | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 9986.5 | 0.02 | \$ | 1,300.29 |
| Butler | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 10255.6 | 0.02 | \$ | 1,456.25 |
| Butler | GIB | Gilpin silt loam, 3 to 8 percent slopes | 2 | 9718.5 | 0.019 | \$ | 1,272.73 |
| Butler | GoB | Gilpin-Weikert channery silt loams, 3 to 8 percent slopes | 2 | 5976.7 | 0.012 | \$ | 1,173.89 |
| Butler | GrA | Gresham silt loam, 0 to 3 percent slopes | 2 | 507.7 | 0.001 | \$ | 1,123.94 |
| Butler | GrB | Gresham silt loam, 3 to 8 percent slopes | 2 | 6019.6 | 0.012 | \$ | 1,082.37 |
| Butler | HaB | Hazleton channery loam, 3 to 8 percent slopes | 2 | 13158.9 | 0.026 | \$ | 1,412.78 |
| Butler | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 1517 | 0.003 | \$ | 1,367.18 |
| Butler | MrB | Morristown channery silt loam, 0 to 8 percent slopes | 2 | 659.5 | 0.001 | \$ | 871.65 |
| Butler | Ph | Philo loam | 2 | 2802.1 | 0.006 | \$ | 1,478.75 |
| Butler | RdB | Riverhead sandy loam, 3 to 8 percent slopes | 2 | 1028.5 | 0.002 | \$ | 1,261.11 |
| Butler | TaA | Tilsit silt loam, 0 to 3 percent slopes | 2 | 1288.4 | 0.003 | \$ | 1,184.69 |
| Butler | TaB | Tilsit silt loam, 3 to 8 percent slopes | 2 | 8533.8 | 0.017 | \$ | 1,132.54 |
| Butler | TeB | Titusville silt loam, 3 to 8 percent slopes | 2 | 3995.3 | 0.008 | \$ | 1,248.93 |

| | | | | | | |
|--------|-----|---|---|---------|-------|-------------|
| Butler | VcB | Vandergrift-Cavode silt loams, 3 to 8 percent slopes | 2 | 790.5 | 0.002 | \$ 1,179.30 |
| Butler | WaA | Wharton silt loam, 0 to 3 percent slopes | 2 | 730.8 | 0.001 | \$ 1,277.36 |
| Butler | WaB | Wharton silt loam, 3 to 8 percent slopes | 2 | 20014 | 0.039 | \$ 1,274.59 |
| Butler | WhB | Wheeling silt loam, 3 to 8 percent slopes | 2 | 688.9 | 0.001 | \$ 1,482.80 |
| Butler | WoB | Wooster gravelly silt loam, 3 to 8 percent slopes | 2 | 139.3 | 0 | \$ 1,367.18 |
| Butler | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 3 | 26325.3 | 0.052 | \$ 1,258.78 |
| Butler | BaB | Bethesda channery silt loam, 0 to 8 percent slopes | 3 | 463.4 | 0.001 | \$ 871.65 |
| Butler | BeC | Braceville loam, 8 to 15 percent slopes | 3 | 348.2 | 0.001 | \$ 1,254.10 |
| Butler | BuC | Buchanan loam, 8 to 15 percent slopes | 3 | 10340.2 | 0.02 | \$ 1,196.38 |
| Butler | CeA | Caneadea silt loam, 0 to 3 percent slopes | 3 | 769.7 | 0.002 | \$ 1,199.77 |
| Butler | CeB | Caneadea silt loam, 3 to 8 percent slopes | 3 | 1803.4 | 0.004 | \$ 1,229.64 |
| Butler | CfC | Canfield silt loam, 8 to 15 percent slopes | 3 | 543.2 | 0.001 | \$ 1,244.70 |
| Butler | ClA | Cavode silt loam, 0 to 3 percent slopes | 3 | 1247.3 | 0.002 | \$ 1,160.06 |
| Butler | ClB | Cavode silt loam, 3 to 8 percent slopes | 3 | 11660.9 | 0.023 | \$ 1,160.06 |
| Butler | ClC | Cavode silt loam, 8 to 15 percent slopes | 3 | 14042.3 | 0.028 | \$ 1,117.34 |
| Butler | CmC | Clymer silt loam, 8 to 15 percent slopes | 3 | 0.5 | 0 | \$ 1,443.42 |
| Butler | CoC | Cookport loam, 8 to 15 percent slopes | 3 | 6782 | 0.013 | \$ 1,216.16 |
| Butler | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 13286.6 | 0.026 | \$ 1,351.82 |
| Butler | FaB | Fairpoint channery silt loam, 0 to 8 percent slopes | 3 | 2288.4 | 0.004 | \$ 871.65 |
| Butler | FeA | Fredon loam, 0 to 3 percent slopes | 3 | 557.3 | 0.001 | \$ 1,260.83 |
| Butler | FeB | Fredon loam, 3 to 8 percent slopes | 3 | 716 | 0.001 | \$ 1,260.55 |
| Butler | GIC | Gilpin silt loam, 8 to 15 percent slopes | 3 | 6766.5 | 0.013 | \$ 1,251.75 |
| Butler | GnC | Gilpin-Upshur complex, 8 to 15 percent slopes | 3 | 277.8 | 0.001 | \$ 1,201.71 |
| Butler | GoC | Gilpin-Weikert channery silt loams, 8 to 15 percent slopes | 3 | 7047.1 | 0.014 | \$ 1,119.37 |
| Butler | GpC | Gilpin-Wharton silt loams, 8 to 15 percent slopes | 3 | 25398.7 | 0.05 | \$ 1,091.70 |
| Butler | GrC | Gresham silt loam, 8 to 15 percent slopes | 3 | 1037.8 | 0.002 | \$ 1,036.03 |
| Butler | HaC | Hazleton channery loam, 8 to 15 percent slopes | 3 | 16881.1 | 0.033 | \$ 1,269.49 |
| Butler | MoC | Monongahela silt loam, 8 to 15 percent slopes | 3 | 231.6 | 0 | \$ 1,281.97 |
| Butler | RaA | Ravenna silt loam, 0 to 3 percent slopes | 3 | 213 | 0 | \$ 1,281.05 |
| Butler | RaB | Ravenna silt loam, 3 to 8 percent slopes | 3 | 2678.3 | 0.005 | \$ 1,281.97 |
| Butler | RaC | Ravenna silt loam, 8 to 15 percent slopes | 3 | 177.1 | 0 | \$ 1,150.60 |
| Butler | RdC | Riverhead sandy loam, 8 to 15 percent slopes | 3 | 888.2 | 0.002 | \$ 1,177.34 |
| Butler | TeC | Titusville silt loam, 8 to 15 percent slopes | 3 | 2452.1 | 0.005 | \$ 1,198.80 |
| Butler | UaB | Udorthents, acid material, gently sloping | 3 | 1557.7 | 0.003 | \$ 750.61 |
| Butler | VcC | Vandergrift-Cavode silt loams, 8 to 15 percent slopes | 3 | 2306.1 | 0.005 | \$ 1,112.24 |
| Butler | WaC | Wharton silt loam, 8 to 15 percent slopes | 3 | 7474.2 | 0.015 | \$ 1,286.57 |
| Butler | WoC | Wooster gravelly silt loam, 8 to 15 percent slopes | 3 | 105.4 | 0 | \$ 1,320.66 |
| Butler | AnA | Andover loam, 0 to 3 percent slopes | 4 | 1013.8 | 0.002 | \$ 1,172.42 |
| Butler | AnB | Andover loam, 3 to 8 percent slopes | 4 | 3125.5 | 0.006 | \$ 1,179.79 |
| Butler | AnC | Andover loam, 8 to 15 percent slopes | 4 | 717.9 | 0.001 | \$ 1,175.86 |
| Butler | BaD | Bethesda channery silt loam, 8 to 25 percent slopes | 4 | 2864.4 | 0.006 | \$ 871.65 |
| Butler | BrA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 2832.6 | 0.006 | \$ 1,242.34 |
| Butler | BrB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 14022.8 | 0.028 | \$ 1,258.78 |
| Butler | BrC | Brinkerton silt loam, 8 to 15 percent slopes | 4 | 4404.1 | 0.009 | \$ 1,154.59 |
| Butler | Cd | Canadice silty clay loam | 4 | 2965.3 | 0.006 | \$ 1,061.99 |
| Butler | CeC | Caneadea silt loam, 8 to 15 percent slopes | 4 | 306.4 | 0.001 | \$ 1,152.60 |
| Butler | CfD | Canfield silt loam, 15 to 25 percent slopes | 4 | 67.3 | 0 | \$ 871.65 |
| Butler | ClD | Cavode silt loam, 15 to 25 percent slopes | 4 | 4141.3 | 0.008 | \$ 1,091.70 |
| Butler | CoD | Cookport loam, 15 to 25 percent slopes | 4 | 6191.8 | 0.012 | \$ 1,102.00 |
| Butler | ErD | Ernest silt loam, 15 to 25 percent slopes | 4 | 5.9 | 0 | \$ 1,104.57 |
| Butler | FaD | Fairpoint channery silt loam, 8 to 25 percent slopes | 4 | 2039.4 | 0.004 | \$ 871.65 |
| Butler | FrA | Frenchtown silt loam, 0 to 3 percent slopes | 4 | 1455.8 | 0.003 | \$ 1,157.58 |
| Butler | FrB | Frenchtown silt loam, 3 to 8 percent slopes | 4 | 1871.3 | 0.004 | \$ 1,201.71 |
| Butler | GmD | Gilpin channery silt loam, 15 to 25 percent slopes | 4 | 5036.8 | 0.01 | \$ 1,102.00 |
| Butler | GnD | Gilpin-Upshur complex, 15 to 30 percent slopes | 4 | 670.2 | 0.001 | \$ 1,162.54 |
| Butler | GoD | Gilpin-Weikert channery silt loams, 15 to 25 percent slopes | 4 | 11368.6 | 0.022 | \$ 871.65 |

| | | | | | | |
|---------|-----|--|---|---------|-------|-------------|
| Butler | GpD | Gilpin-Wharton complex, 15 to 25 percent slopes | 4 | 25979.4 | 0.051 | \$ 1,047.20 |
| Butler | HaD | Hazleton channery loam, 15 to 25 percent slopes | 4 | 18773.1 | 0.037 | \$ 1,184.69 |
| Butler | MrD | Morristown channery silt loam, 8 to 25 percent slopes | 4 | 274.6 | 0.001 | \$ 871.65 |
| Butler | TrD | Titusville and Riverhead soils, 15 to 30 percent slopes | 4 | 1196.4 | 0.002 | \$ 871.65 |
| Butler | VcD | Vandergrift-Cavode silt loams, 15 to 25 percent slopes | 4 | 1542.2 | 0.003 | \$ 1,058.30 |
| Butler | WoD | Wooster gravelly silt loam, 15 to 25 percent slopes | 4 | 196.4 | 0 | \$ 1,236.19 |
| Butler | BxB | Buchanan loam, 0 to 8 percent slopes, extremely stony | 6 | 2370.4 | 0.005 | \$ 750.61 |
| Butler | BxD | Buchanan loam, 8 to 25 percent slopes, extremely stony | 6 | 18762.9 | 0.037 | \$ 750.61 |
| Butler | HaE | Hazleton channery loam, 25 to 35 percent slopes | 6 | 7174.7 | 0.014 | \$ 750.61 |
| Butler | HbB | Hazleton loam, 0 to 8 percent slopes, extremely stony | 6 | 2337.6 | 0.005 | \$ 750.61 |
| Butler | HgD | Hazleton and Gilpin soils, 8 to 25 percent slopes, extremely | 6 | 15158.3 | 0.03 | \$ 750.61 |
| Butler | UaD | Udorthents, acid material, moderately steep | 6 | 11567.6 | 0.023 | \$ 750.61 |
| Butler | UcD | Udorthents, calcareous material, moderately steep | 6 | 169.3 | 0 | \$ 750.61 |
| Butler | WoF | Wooster gravelly silt loam, 25 to 50 percent slopes | 6 | 149.2 | 0 | \$ 1,194.44 |
| Butler | AoB | Andover loam, 0 to 8 percent slopes, extremely stony | 7 | 2082.4 | 0.004 | \$ 750.61 |
| Butler | AoC | Andover loam, 8 to 15 percent slopes, extremeley stony | 7 | 1728 | 0.003 | \$ 750.61 |
| Butler | BbF | Bethesda and Fairpoint channery silt loams, 25 to 70 percen | 7 | 812.5 | 0.002 | \$ 750.61 |
| Butler | CeD | Caneadea silt loam, 15 to 25 percent slopes | 7 | 828.7 | 0.002 | \$ 1,070.90 |
| Butler | GoF | Gilpin-Weikert channery silt loams, 25 to 70 percent slopes | 7 | 12247 | 0.024 | \$ 750.61 |
| Butler | HgF | Hazleton and Gilpin soils, 25 to 70 percent slopes, extremel | 7 | 14602.2 | 0.029 | \$ 750.61 |
| Butler | UaF | Udorthents, acid material, very steep | 7 | 10169.9 | 0.02 | \$ 750.61 |
| Butler | UcF | Udorthents, calcareous material, very steep | 7 | 108.8 | 0 | \$ 750.61 |
| Butler | DAM | Dams | 8 | 5.6 | 0 | \$ 750.61 |
| Butler | Dd | Dumps, industrial waste | 8 | 309.4 | 0.001 | \$ 750.61 |
| Butler | Dm | Dumps, mine | 8 | 329.3 | 0.001 | \$ 750.61 |
| Butler | Pn | Pits, sand and gravel | 8 | 412.2 | 0.001 | \$ 750.61 |
| Butler | UB | Urban land | 8 | 31.7 | 0 | \$ 750.61 |
| Butler | UeB | Urban land-Ernest complex, 0 to 8 percent slopes | 8 | 2368.2 | 0.005 | \$ 750.61 |
| Butler | UeC | Urban land-Ernest complex, 8 to 15 percent slopes | 8 | 433.4 | 0.001 | \$ 750.61 |
| Butler | UgD | Urban land-Gilpin complex, 15 to 25 percent slopes | 8 | 316.8 | 0.001 | \$ 750.61 |
| Cambria | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 667.7 | 0.002 | \$ 1,316.15 |
| Cambria | BeB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 1297.4 | 0.003 | \$ 1,192.00 |
| Cambria | CeA | Cookport and Ernest soils, 0 to 3 percent slopes | 2 | 847.4 | 0.002 | \$ 1,277.36 |
| Cambria | CeB | Cookport and Ernest soils, 3 to 8 percent slopes | 2 | 30563.1 | 0.069 | \$ 1,277.36 |
| Cambria | GnB | Gilpin silt loam, 3 to 8 percent slopes | 2 | 15638.1 | 0.035 | \$ 1,211.36 |
| Cambria | GwB | Gilpin-Weikert channery silt loams, 3 to 8 percent slopes | 2 | 2799 | 0.006 | \$ 1,167.48 |
| Cambria | HaB | Hazleton channery loam, 3 to 8 percent slopes | 2 | 11687.4 | 0.026 | \$ 1,480.77 |
| Cambria | LaB | Laidig loam, 3 to 8 percent slopes | 2 | 10704.5 | 0.024 | \$ 1,286.57 |
| Cambria | LkB | Leck kill silt loam, 3 to 8 percent slopes | 2 | 283.8 | 0.001 | \$ 1,500.91 |
| Cambria | Ph | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 2607.4 | 0.006 | \$ 1,380.22 |
| Cambria | Po | Pope silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 640.6 | 0.001 | \$ 1,380.22 |
| Cambria | RaB | Rayne silt loam, 3 to 8 percent slopes | 2 | 437.5 | 0.001 | \$ 1,358.42 |
| Cambria | WaB | Wharton silt loam, 3 to 8 percent slopes | 2 | 16393.3 | 0.037 | \$ 1,049.85 |
| Cambria | AbC | Albrights silt loam, 8 to 15 percent slopes | 3 | 370.1 | 0.001 | \$ 1,277.36 |
| Cambria | BeC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 826.9 | 0.002 | \$ 1,099.43 |
| Cambria | BmB | Blairton silt loam, 3 to 8 percent slopes | 3 | 7470.3 | 0.017 | \$ 1,047.62 |
| Cambria | CaA | Cavode silt loam, 0 to 3 percent slopes | 3 | 938.6 | 0.002 | \$ 1,196.86 |
| Cambria | CaB | Cavode silt loam, 3 to 8 percent slopes | 3 | 15268.5 | 0.034 | \$ 1,201.71 |
| Cambria | CaC | Cavode silt loam, 8 to 15 percent slopes | 3 | 2359.7 | 0.005 | \$ 1,155.09 |
| Cambria | CeC | Cookport and Ernest soils, 8 to 15 percent slopes | 3 | 17844.6 | 0.04 | \$ 1,237.61 |
| Cambria | GtC | Gilpin-Rayne silt loams, 8 to 15 percent slopes | 3 | 11519.2 | 0.026 | \$ 1,239.97 |
| Cambria | GwC | Gilpin-Weikert channery silt loams, 8 to 15 percent slopes | 3 | 3689.4 | 0.008 | \$ 1,104.57 |
| Cambria | HaC | Hazleton channery loam, 8 to 15 percent slopes | 3 | 4905 | 0.011 | \$ 1,401.72 |
| Cambria | LaC | Laidig loam, 8 to 15 percent slopes | 3 | 5869.6 | 0.013 | \$ 1,239.97 |
| Cambria | LkC | Leck kill silt loam, 8 to 15 percent slopes | 3 | 559.4 | 0.001 | \$ 1,460.36 |
| Cambria | RaC | Rayne silt loam, 8 to 15 percent slopes | 3 | 313.1 | 0.001 | \$ 1,284.28 |

| | | | | | | |
|-------------|-----|--|---|---------|-------|-------------|
| Cambria | WaC | Wharton silt loam, 8 to 15 percent slopes | 3 | 3514.3 | 0.008 | \$ 962.99 |
| Cambria | WgC | Wharton-Gilpin silt loams, 8 to 15 percent slopes | 3 | 21065 | 0.047 | \$ 1,047.20 |
| Cambria | AmB | Armagh silt loam, 0 to 8 percent slopes | 4 | 1344.9 | 0.003 | \$ 1,055.14 |
| Cambria | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 4 | 10603.7 | 0.024 | \$ 1,142.60 |
| Cambria | BeD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 999.3 | 0.002 | \$ 1,055.14 |
| Cambria | BmC | Blairton silt loam, 8 to 15 percent slopes | 4 | 2427.4 | 0.005 | \$ 993.78 |
| Cambria | BpC | Blairton-Berks channery silt loams, 8 to 15 percent slopes | 4 | 1624.1 | 0.004 | \$ 1,047.20 |
| Cambria | BtB | Brinkerton soils, 3 to 8 percent slopes | 4 | 23451.8 | 0.053 | \$ 1,218.56 |
| Cambria | CeD | Cookport and Ernest soils, 15 to 25 percent slopes | 4 | 1956.2 | 0.004 | \$ 1,192.00 |
| Cambria | GtD | Gilpin-Rayne silt loams, 15 to 25 percent slopes | 4 | 5421.7 | 0.012 | \$ 1,142.60 |
| Cambria | GwD | Gilpin-Weikert channery silt loams, 15 to 25 percent slopes | 4 | 3618.6 | 0.008 | \$ 871.65 |
| Cambria | HaD | Hazleton channery loam, 15 to 25 percent slopes | 4 | 3389.7 | 0.008 | \$ 1,362.81 |
| Cambria | LkD | Leck kill silt loam, 15 to 25 percent slopes | 4 | 300.6 | 0.001 | \$ 1,331.86 |
| Cambria | RaD | Rayne silt loam, 15 to 25 percent slopes | 4 | 803.9 | 0.002 | \$ 1,239.97 |
| Cambria | WgD | Wharton-Gilpin silt loams, 15 to 25 percent slopes | 4 | 17773.5 | 0.04 | \$ 974.09 |
| Cambria | BnB | Blairton very stony silt loam, 3 to 8 percent slopes | 6 | 707.7 | 0.002 | \$ 929.28 |
| Cambria | CbB | Cavode very stony silt loam, 0 to 8 percent slopes | 6 | 948 | 0.002 | \$ 750.61 |
| Cambria | CvB | Cookport and Ernest very stony soils, 0 to 8 percent slopes | 6 | 21688.5 | 0.049 | \$ 750.61 |
| Cambria | CvD | Cookport and Ernest very stony soils, 8 to 25 percent slopes | 6 | 25503.3 | 0.057 | \$ 750.61 |
| Cambria | GpB | Gilpin very stony silt loam, 3 to 8 percent slopes | 6 | 2924.9 | 0.007 | \$ 750.61 |
| Cambria | GpD | Gilpin very stony silt loam, 8 to 25 percent slopes | 6 | 4641.5 | 0.01 | \$ 750.61 |
| Cambria | HbB | Hazleton channery sandy loam, 3 to 8 percent slopes, extreme | 6 | 11251 | 0.025 | \$ 750.61 |
| Cambria | LtB | Leetonia very stony loamy sand, 3 to 8 percent slopes | 6 | 3727.6 | 0.008 | \$ 750.61 |
| Cambria | UDC | Udorthents, strip mine, sloping | 6 | 9137.3 | 0.021 | \$ 750.61 |
| Cambria | BvB | Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely | 7 | 2895.2 | 0.007 | \$ 750.61 |
| Cambria | GWF | Gilpin-Weikert channery silt loams, 25 to 70 percent slopes | 7 | 9093.4 | 0.02 | \$ 750.61 |
| Cambria | HbD | Hazleton channery sandy loam, 8 to 25 percent slopes, extreme | 7 | 17785.2 | 0.04 | \$ 750.61 |
| Cambria | HbF | Hazleton channery sandy loam, 25 to 70 percent slopes, extreme | 7 | 235.9 | 0.001 | \$ 750.61 |
| Cambria | Hx | Hazleton extremely bouldery sandy loam | 7 | 492.8 | 0.001 | \$ 750.61 |
| Cambria | LDF | Laidig soils, 25 to 70 percent slopes | 7 | 33650.2 | 0.076 | \$ 750.61 |
| Cambria | McF | Macove-Gilpin channery silt loams, 35 to 70 percent slopes, | 7 | 1458.1 | 0.003 | \$ 750.61 |
| Cambria | NoB | Nolo very stony sandy loam, 0 to 8 percent slopes | 7 | 3998.1 | 0.009 | \$ 750.61 |
| Cambria | UDF | Udorthents, strip mine, steep | 7 | 10257.4 | 0.023 | \$ 750.61 |
| Cambria | DAM | Dams and impoundment structures | 8 | 9 | 0 | \$ 750.61 |
| Cambria | Du | Dumps, mine | 8 | 2400.4 | 0.005 | \$ 750.61 |
| Cameron/Elk | Ba | Barbour fine sandy loam | 1 | 417.7 | 0.001 | \$ 1,733.41 |
| Cameron/Elk | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 1249.8 | 0.002 | \$ 1,316.15 |
| Cameron/Elk | Bb | Basher silt loam | 2 | 2512 | 0.003 | \$ 1,448.81 |
| Cameron/Elk | BuB | Buchanan silt loam, 3 to 8 percent slopes | 2 | 14487.6 | 0.018 | \$ 1,325.60 |
| Cameron/Elk | CeB | Clymer channery loam, 3 to 8 percent slopes | 2 | 26.2 | 0 | \$ 1,441.76 |
| Cameron/Elk | CoA | Cookport channery loam, 0 to 3 percent slopes | 2 | 6802.6 | 0.009 | \$ 1,142.60 |
| Cameron/Elk | CoB | Cookport channery loam, 3 to 8 percent slopes | 2 | 29074 | 0.037 | \$ 1,142.60 |
| Cameron/Elk | Cr | Craigsville gravelly loam | 2 | 17 | 0 | \$ 1,132.54 |
| Cameron/Elk | GpB | Gilpin silt loam, 3 to 8 percent slopes | 2 | 13.9 | 0 | \$ 1,211.36 |
| Cameron/Elk | HaB | Hartleton channery silt loam, 3 to 8 percent slopes | 2 | 17342.9 | 0.022 | \$ 1,112.24 |
| Cameron/Elk | HoB | Hazleton channery loam, 3 to 8 percent slopes | 2 | 33409 | 0.042 | \$ 1,480.77 |
| Cameron/Elk | LeB | Leck Kill channery silt loam, 3 to 8 percent slopes | 2 | 2171.3 | 0.003 | \$ 1,447.98 |
| Cameron/Elk | Ph | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 7988 | 0.01 | \$ 1,380.22 |
| Cameron/Elk | Po | Pope silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 1289.2 | 0.002 | \$ 1,380.22 |
| Cameron/Elk | WaB | Wharton silt loam, 3 to 8 percent slopes | 2 | 29428.4 | 0.037 | \$ 1,049.85 |
| Cameron/Elk | AbC | Albrights silt loam, 8 to 15 percent slopes | 3 | 3426.3 | 0.004 | \$ 1,277.36 |
| Cameron/Elk | BuC | Buchanan silt loam, 8 to 15 percent slopes | 3 | 24569.6 | 0.031 | \$ 1,284.73 |
| Cameron/Elk | CaA | Cavode silt loam, 0 to 3 percent slopes | 3 | 2034.8 | 0.003 | \$ 1,196.86 |
| Cameron/Elk | CaB | Cavode silt loam, 3 to 8 percent slopes | 3 | 12086.9 | 0.015 | \$ 1,201.71 |
| Cameron/Elk | CaC | Cavode silt loam, 8 to 15 percent slopes | 3 | 3098.3 | 0.004 | \$ 1,155.09 |
| Cameron/Elk | CeC | Clymer channery loam, 8 to 15 percent slopes | 3 | 217.6 | 0 | \$ 1,395.30 |

| | | | | | | |
|-------------|------|--|---|---------|-------|-------------|
| Cameron/Elk | CoC | Cookport channery loam, 8 to 15 percent slopes | 3 | 8598.7 | 0.011 | \$ 1,099.43 |
| Cameron/Elk | HaC | Hartleton channery silt loam, 8 to 15 percent slopes | 3 | 14221.9 | 0.018 | \$ 1,047.20 |
| Cameron/Elk | HoC | Hazleton channery loam, 8 to 15 percent slopes | 3 | 14264.9 | 0.018 | \$ 1,401.72 |
| Cameron/Elk | LeC | Leck Kill channery silt loam, 8 to 15 percent slopes | 3 | 2624.5 | 0.003 | \$ 1,406.83 |
| Cameron/Elk | WaC | Wharton silt loam, 8 to 15 percent slopes | 3 | 17582.7 | 0.022 | \$ 962.99 |
| Cameron/Elk | AbD | Albrights silt loam, 15 to 25 percent slopes | 4 | 1391.1 | 0.002 | \$ 1,053.02 |
| Cameron/Elk | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 4 | 6862.7 | 0.009 | \$ 1,142.60 |
| Cameron/Elk | BrA | Brinkerton soils, 0 to 3 percent slopes | 4 | 6194.8 | 0.008 | \$ 1,218.56 |
| Cameron/Elk | BrB | Brinkerton soils, 3 to 8 percent slopes | 4 | 17107.9 | 0.022 | \$ 1,218.56 |
| Cameron/Elk | BuD | Buchanan silt loam, 15 to 25 percent slopes | 4 | 11531.2 | 0.015 | \$ 1,228.11 |
| Cameron/Elk | HaD | Hartleton channery silt loam, 15 to 25 percent slopes | 4 | 14968.1 | 0.019 | \$ 1,006.96 |
| Cameron/Elk | HoD | Hazleton channery loam, 15 to 25 percent slopes | 4 | 8937.2 | 0.011 | \$ 1,362.81 |
| Cameron/Elk | LeD | Leck Kill channery silt loam, 15 to 25 percent slopes | 4 | 6274.2 | 0.008 | \$ 1,304.84 |
| Cameron/Elk | NoA | Nolo loam, 0 to 3 percent slopes | 4 | 3129 | 0.004 | \$ 1,106.51 |
| Cameron/Elk | NoB | Nolo loam, 3 to 8 percent slopes | 4 | 1388.4 | 0.002 | \$ 1,106.51 |
| Cameron/Elk | WaD | Wharton silt loam, 15 to 25 percent slopes | 4 | 3924.1 | 0.005 | \$ 871.65 |
| Cameron/Elk | BxB | Buchanan silt loam, 0 to 8 percent, very stony | 6 | 7735 | 0.01 | \$ 750.61 |
| Cameron/Elk | BxD | Buchanan silt loam, 8 to 25 percent slopes, very stony | 6 | 30138.5 | 0.038 | \$ 750.61 |
| Cameron/Elk | CdB | Cavode silt loam, 0 to 8 percent slopes, very stony | 6 | 2662.8 | 0.003 | \$ 750.61 |
| Cameron/Elk | CdD | Cavode silt loam, 8 to 25 percent slopes, very stony | 6 | 1226.6 | 0.002 | \$ 750.61 |
| Cameron/Elk | CfC | Clymer channery loam, 8 to 15 percent slopes, extremely stony | 6 | 29.8 | 0 | \$ 750.61 |
| Cameron/Elk | CpB | Cookport channery loam, 0 to 8 percent slopes, very stony | 6 | 36249.2 | 0.046 | \$ 750.61 |
| Cameron/Elk | CpD | Cookport channery loam, 8 to 25 percent slopes, very stony | 6 | 29875.2 | 0.038 | \$ 750.61 |
| Cameron/Elk | HeB | Hartleton channery silt loam, 0 to 8 percent slopes, very stony | 6 | 1353.8 | 0.002 | \$ 750.61 |
| Cameron/Elk | HeD | Hartleton channery silt loam, 8 to 25 percent slopes, very stony | 6 | 2523.3 | 0.003 | \$ 750.61 |
| Cameron/Elk | HxB | Hazleton channery loam, 0 to 8 percent slopes, very stony | 6 | 29080.4 | 0.037 | \$ 750.61 |
| Cameron/Elk | HxD | Hazleton channery loam, 8 to 25 percent slopes, very stony | 6 | 37813.7 | 0.048 | \$ 750.61 |
| Cameron/Elk | MhD | Meckesville channery loam, 8 to 25 percent slopes, very stony | 6 | 334.3 | 0 | \$ 750.61 |
| Cameron/Elk | WxB | Wharton silt loam, 0 to 8 percent slopes, very stony | 6 | 2979 | 0.004 | \$ 750.61 |
| Cameron/Elk | WxD | Wharton silt loam, 8 to 25 percent slopes, very stony | 6 | 3208.1 | 0.004 | \$ 750.61 |
| Cameron/Elk | BsB | Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely stony | 7 | 6246.8 | 0.008 | \$ 750.61 |
| Cameron/Elk | CfB | Clymer channery loam, 0 to 8 percent slopes, extremely stony | 7 | 41.6 | 0 | \$ 750.61 |
| Cameron/Elk | HaF | Hartleton channery silt loam, 25 to 60 percent slopes | 7 | 121307 | 0.154 | \$ 750.61 |
| Cameron/Elk | HxF | Hazleton channery loam, 25 to 60 percent slopes, very stony | 7 | 73085.8 | 0.093 | \$ 750.61 |
| Cameron/Elk | HyE | Hazleton channery loam, 8 to 35 percent slopes, extremely stony | 7 | 1547.9 | 0.002 | \$ 750.61 |
| Cameron/Elk | LeF | Leck Kill channery silt loam, 25 to 60 percent slopes | 7 | 41855.9 | 0.053 | \$ 750.61 |
| Cameron/Elk | NxB | Nolo loam, 0 to 8 percent slopes, very stony | 7 | 4000.1 | 0.005 | \$ 750.61 |
| Cameron/Elk | Ub | Udifuvents-Buchanan complex | 7 | 6377.9 | 0.008 | \$ 750.61 |
| Cameron/Elk | Ud | Udorthents, sandstone and shale | 7 | 7644.7 | 0.01 | \$ 750.61 |
| Cameron/Elk | UpF | Ungers-Meckesville complex, 25 to 50 percent slopes, extremely stony | 7 | 757.8 | 0.001 | \$ 750.61 |
| Cameron/Elk | Us | Udorthents, sandstone and shale, smoothed | 7 | 4329.4 | 0.005 | \$ 750.61 |
| Cameron/Elk | DAM | Dam | 8 | 57.5 | 0 | \$ 750.61 |
| Carbon | AdA | Allenwood gravelly loam and silt loam, 0 to 3 percent slopes | 1 | 457 | 0.002 | \$ 1,578.85 |
| Carbon | AgA | Allenwood gravelly silt loam, 0 to 3 percent slopes | 1 | 583.8 | 0.002 | \$ 1,578.85 |
| Carbon | FtA | Fleetwood sandy loam, 0 to 3 percent slopes | 1 | 171.3 | 0.001 | \$ 1,460.36 |
| Carbon | HtA | Hazleton loam, 0 to 3 percent slopes | 1 | 1520.1 | 0.006 | \$ 1,500.91 |
| Carbon | MbA | Meckesville channery loam, 0 to 3 percent slopes | 1 | 303.8 | 0.001 | \$ 1,286.57 |
| Carbon | Tf | Tioga fine sandy loam | 1 | 439 | 0.002 | \$ 1,452.12 |
| Carbon | Tg | Tioga silt loam | 1 | 193.2 | 0.001 | \$ 1,452.12 |
| Carbon | TmB | Tioga and Middlebury very stony loams, 0 to 8 percent slopes | 1 | 1878.6 | 0.008 | \$ 1,452.12 |
| Carbon | AaA | Albrights channery loam, 0 to 3 percent slopes | 2 | 32.5 | 0 | \$ 1,258.78 |
| Carbon | AaB2 | Albrights channery loam, 3 to 8 percent slopes moderately eroded | 2 | 55.9 | 0 | \$ 1,295.73 |
| Carbon | AbA | Albrights silt loam, 0 to 3 percent slopes | 2 | 728.2 | 0.003 | \$ 1,258.78 |
| Carbon | AbB2 | Albrights silt loam 3 to 8 percent slopes moderately eroded | 2 | 1919.5 | 0.008 | \$ 1,295.73 |
| Carbon | AdB2 | Allenwood gravelly loam and silt loam, 3 to 8 percent slopes | 2 | 1993.6 | 0.008 | \$ 1,578.85 |
| Carbon | AgB2 | Allenwood gravelly silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 2955.3 | 0.012 | \$ 1,578.85 |

| | | | | | | |
|--------|------|--|---|--------|-------|-------------|
| Carbon | BcB2 | Buchanan gravelly loam, 3 to 10 percent slopes, moderately | 2 | 764.8 | 0.003 | \$ 1,142.60 |
| Carbon | CmA | Comly silt loam, 0 to 3 percent slopes | 2 | 277 | 0.001 | \$ 1,272.73 |
| Carbon | CmB2 | Comly silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 1033.2 | 0.004 | \$ 1,272.73 |
| Carbon | DrA | Drifton loam, 0 to 3 percent slopes | 2 | 1627.5 | 0.007 | \$ 1,279.67 |
| Carbon | DrB2 | Drifton loam, 3 to 8 percent slopes, moderately eroded | 2 | 352.8 | 0.001 | \$ 1,279.67 |
| Carbon | FTB2 | Fleetwood sandy loam, 3 to 8 percent slopes, moderately er | 2 | 190.8 | 0.001 | \$ 1,460.36 |
| Carbon | HaA | Hartleton channery silt loam, 0 to 3 percent slopes | 2 | 287.2 | 0.001 | \$ 1,142.60 |
| Carbon | HaB2 | Hartleton channery silt loam, 3 to 8 percent slopes, modera | 2 | 3420.2 | 0.014 | \$ 1,091.70 |
| Carbon | HtB | Hazleton loam, 3 to 8 percent slopes | 2 | 1516.8 | 0.006 | \$ 1,500.91 |
| Carbon | HtB2 | Hazleton loam, 3 to 8 percent slopes, moderately eroded | 2 | 725.1 | 0.003 | \$ 1,500.91 |
| Carbon | LaB2 | Laidig gravelly loam, 3 to 8 percent slopes, moderately erod | 2 | 465.3 | 0.002 | \$ 1,286.57 |
| Carbon | MbB2 | Meckesville channery loam, 3 to 8 percent slopes, modera | 2 | 3407.8 | 0.014 | \$ 1,286.57 |
| Carbon | MdA | Middlebury silt loam, 0 to 3 percent slopes | 2 | 1557.3 | 0.006 | \$ 1,443.84 |
| Carbon | MdB | Middlebury silt loam, 3 to 8 percent slopes | 2 | 1152.1 | 0.005 | \$ 1,443.84 |
| Carbon | MeA3 | Middlebury and Tioga silt loams, 0 to 3 percent slopes, seve | 2 | 287.1 | 0.001 | \$ 1,405.98 |
| Carbon | PkA | Pekin silt loam, 0 to 3 percent slopes | 2 | 36.1 | 0 | \$ 1,327.39 |
| Carbon | SsB | Swartswood channery silt loam, 0 to 8 percent slopes | 2 | 108.8 | 0 | \$ 1,286.57 |
| Carbon | TuA | Tunkhannock gravelly loam, 0 to 3 percent slopes | 2 | 48.8 | 0 | \$ 1,192.00 |
| Carbon | TuB | Tunkhannock gravelly loam, 3 to 8 percent slopes | 2 | 1807.4 | 0.007 | \$ 1,192.00 |
| Carbon | WaB2 | Watson gravelly silt loam, 0 to 8 percent slopes, moderately | 2 | 521.1 | 0.002 | \$ 1,272.73 |
| Carbon | WsA | Watson silt loam, 0 to 3 percent slopes | 2 | 880.8 | 0.004 | \$ 1,265.77 |
| Carbon | WsB2 | Watson silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 1212.5 | 0.005 | \$ 1,272.73 |
| Carbon | WuA | Wurtsboro channery loam, 0 to 3 percent slopes | 2 | 39.5 | 0 | \$ 1,142.60 |
| Carbon | WuB2 | Wurtsboro channery loam, 3 to 8 percent slopes, moderate | 2 | 32.8 | 0 | \$ 1,157.58 |
| Carbon | AdC2 | Allenwood gravelly loam and silt loam, 8 to 15 percent slope | 3 | 188.1 | 0.001 | \$ 1,500.91 |
| Carbon | AgC2 | Allenwood gravelly silt loam, 8 to 15 percent slopes, moder | 3 | 427.8 | 0.002 | \$ 1,500.91 |
| Carbon | AnB | Alvira gravelly silt loam, 0 to 8 percent slopes | 3 | 485.4 | 0.002 | \$ 1,216.16 |
| Carbon | CmC | Comly silt loam, 8 to 15 percent slopes | 3 | 44.3 | 0 | \$ 1,189.57 |
| Carbon | CnC3 | Comly silty clay loam, 8 to 15 percent slopes, severely erode | 3 | 189.5 | 0.001 | \$ 1,189.57 |
| Carbon | CtA | Conotton gravelly loam, 0 to 3 percent slopes | 3 | 333.9 | 0.001 | \$ 1,091.70 |
| Carbon | CtB | Conotton gravelly loam, 3 to 8 percent slopes | 3 | 51.2 | 0 | \$ 1,091.70 |
| Carbon | FtC2 | Fleetwood sandy loam, 8 to 15 percent slopes, moderately e | 3 | 310 | 0.001 | \$ 1,375.88 |
| Carbon | HaC2 | Hartleton channery silt loam, 8 to 15 percent slopes, moder | 3 | 716.2 | 0.003 | \$ 1,039.23 |
| Carbon | HtC2 | Hazleton loam, 8 to 15 percent slopes, moderately eroded | 3 | 381.4 | 0.002 | \$ 1,418.70 |
| Carbon | Hy | Holly silt loam | 3 | 4243.9 | 0.017 | \$ 1,286.57 |
| Carbon | KcB2 | Klinesville channery silt loam, 3 to 8 percent slopes, modera | 3 | 1731.5 | 0.007 | \$ 871.65 |
| Carbon | LaC2 | Laidig gravelly loam, 8 to 15 percent slopes, moderately ero | 3 | 1073.3 | 0.004 | \$ 1,239.97 |
| Carbon | LeA | Leck kill channery silt loam, 0 to 3 percent slopes | 3 | 218.7 | 0.001 | \$ 1,039.23 |
| Carbon | LeB2 | Leck kill channery silt loam, 3 to 8 percent slopes, moderate | 3 | 2890.9 | 0.012 | \$ 1,039.23 |
| Carbon | MbC2 | Meckesville channery loam, 8 to 15 percent slopes, modera | 3 | 739.3 | 0.003 | \$ 1,239.97 |
| Carbon | MoA | Montevallo channery silt loam, 0 to 3 percent slopes | 3 | 167 | 0.001 | \$ 871.65 |
| Carbon | MoB2 | Montevallo channery silt loam, 3 to 8 percent slopes, mode | 3 | 6950.7 | 0.028 | \$ 871.65 |
| Carbon | MoB3 | Montevallo channery silt loam, 3 to 8 percent slopes, severe | 3 | 2.7 | 0 | \$ 871.65 |
| Carbon | RsB | Rushtown shaly silt loam, 3 to 8 percent slopes | 3 | 1.6 | 0 | \$ 1,039.23 |
| Carbon | SsC2 | Swartswood channery silt loam, 8 to 15 percent slopes, moc | 3 | 13.5 | 0 | \$ 1,192.00 |
| Carbon | TuC | Tunkhannock gravelly loam, 8 to 15 percent slopes | 3 | 1497.5 | 0.006 | \$ 1,039.23 |
| Carbon | VoB | Volusia silt loam, 3 to 8 percent slopes | 3 | 40.9 | 0 | \$ 1,104.57 |
| Carbon | WsC2 | Watson silt loam, 8 to 15 percent slopes, moderately erode | 3 | 18.7 | 0 | \$ 1,189.57 |
| Carbon | WtC3 | Watson silty clay loam, 8 to 15 percent slopes, severely eroc | 3 | 10.9 | 0 | \$ 1,189.57 |
| Carbon | AgD2 | Allenwood gravelly silt loam, 15 to 25 percent slopes, mode | 4 | 14.5 | 0 | \$ 1,375.88 |
| Carbon | AmC3 | Allenwood gravelly silty clay loam, 8 to 15 percent slopes, se | 4 | 236.9 | 0.001 | \$ 1,375.88 |
| Carbon | AmD3 | Allenwood gravelly silty clay loam, 15 to 25 percent slopes, : | 4 | 59.3 | 0 | \$ 1,375.88 |
| Carbon | AsA | Alvira and Shelmadine silt loams, 0 to 3 percent slopes | 4 | 1147.2 | 0.005 | \$ 1,192.00 |
| Carbon | AsB2 | Alvira and Shelmadine silt loams, 3 to 8 percent slopes, moc | 4 | 212.4 | 0.001 | \$ 1,192.00 |
| Carbon | HaC3 | Hartleton channery silt loam, 8 to 15 percent slopes, severe | 4 | 761.6 | 0.003 | \$ 985.12 |
| Carbon | HaD2 | Hartleton channery silt loam, 15 to 25 percent slopes, mode | 4 | 42.6 | 0 | \$ 985.12 |

| | | | | | | |
|--------|------|--|---|---------|-------|-------------|
| Carbon | KcC2 | Klinesville channery silt loam, 8 to 15 percent slopes, moder | 4 | 1796.7 | 0.007 | \$ 871.65 |
| Carbon | LaD3 | Laidig gravelly loam, 15 to 25 percent slopes, severely erode | 4 | 175.3 | 0.001 | \$ 1,142.60 |
| Carbon | LeC2 | Leck kill channery silt loam, 8 to 15 percent slopes, moderat | 4 | 2227.5 | 0.009 | \$ 985.12 |
| Carbon | LeC3 | Leck kill channery silt loam, 8 to 15 percent slopes, severely | 4 | 630.9 | 0.003 | \$ 985.12 |
| Carbon | MoC2 | Montevallo channery silt loam, 8 to 15 percent slopes, modi | 4 | 8206.4 | 0.033 | \$ 871.65 |
| Carbon | Pa | Papakating silty clay loam | 4 | 814.9 | 0.003 | \$ 871.65 |
| Carbon | RsC | Rushtown shaly silt loam, 8 to 15 percent slopes | 4 | 7.3 | 0 | \$ 985.12 |
| Carbon | ShA | Shelmadine silt loam, 0 to 3 percent slopes | 4 | 974.5 | 0.004 | \$ 1,142.60 |
| Carbon | ShB2 | Shelmadine silt loam, 3 to 8 percent slopes, moderately ero | 4 | 280.7 | 0.001 | \$ 1,142.60 |
| Carbon | TuD | Tunkhannock gravelly loam, 15 to 25 percent slopes | 4 | 1823.8 | 0.007 | \$ 985.12 |
| Carbon | LSA | Lickdale and Tughill loams and silt loams, 0 to 3 percent slop | 5 | 72.6 | 0 | \$ 750.61 |
| Carbon | NoA | Norwich mucky silt loam, 0 to 3 percent slopes | 5 | 42.6 | 0 | \$ 750.61 |
| Carbon | NoB | Norwich mucky silt loam, 3 to 8 percent slopes | 5 | 14.8 | 0 | \$ 750.61 |
| Carbon | AcB | Albrights very stony loam, 0 to 8 percent slopes | 6 | 6639.6 | 0.027 | \$ 750.61 |
| Carbon | AcD | Albrights very stony loam, 8 to 25 percent slopes | 6 | 205.5 | 0.001 | \$ 750.61 |
| Carbon | ArB | Alvira very stony silt loam, 0 to 8 percent slopes | 6 | 1973.3 | 0.008 | \$ 750.61 |
| Carbon | BhB | Buchanan very stony loam, 0 to 8 percent slopes | 6 | 3897.1 | 0.016 | \$ 750.61 |
| Carbon | BhD | Buchanan very stony loam, 8 to 25 percent slopes | 6 | 2142.7 | 0.009 | \$ 750.61 |
| Carbon | CoB | Comly very stony silt loam, 0 to 8 percent slopes | 6 | 371.7 | 0.001 | \$ 750.61 |
| Carbon | CoD | Comly very stony silt loam, 8 to 25 percent slopes | 6 | 168.6 | 0.001 | \$ 750.61 |
| Carbon | DeB | Dekalb very stony loam, 0 to 8 percent slopes | 6 | 2240.9 | 0.009 | \$ 750.61 |
| Carbon | DeD | Dekalb very stony loam, 8 to 25 percent slopes | 6 | 9866.2 | 0.04 | \$ 750.61 |
| Carbon | DsB | Drifton very stony loam, 0 to 8 percent slopes | 6 | 4596.5 | 0.018 | \$ 750.61 |
| Carbon | FvB | Fleetwood very stony loam, shallow, 0 to 8 percent slopes | 6 | 621.9 | 0.002 | \$ 750.61 |
| Carbon | FvD | Fleetwood very stony loam, shallow, 8 to 25 percent slopes | 6 | 2112.7 | 0.008 | \$ 750.61 |
| Carbon | FwB | Fleetwood very stony sandy loam, 0 to 8 percent slopes | 6 | 659 | 0.003 | \$ 750.61 |
| Carbon | FwD | Fleetwood very stony sandy loam, 8 to 25 percent slopes | 6 | 1137.8 | 0.005 | \$ 750.61 |
| Carbon | HaD3 | Hartleton channery silt loam, 15 to 25 percent slopes, sever | 6 | 146.3 | 0.001 | \$ 750.61 |
| Carbon | HsB | Hartleton very stony loam, 0 to 8 percent slopes | 6 | 185.7 | 0.001 | \$ 750.61 |
| Carbon | HsD | Hartleton very stony loam, 8 to 25 percent slopes | 6 | 183.6 | 0.001 | \$ 750.61 |
| Carbon | HvB | Hazleton very stony loam, 0 to 8 percent slopes | 6 | 13666.7 | 0.055 | \$ 750.61 |
| Carbon | HvD | Hazleton very stony loam, 8 to 25 percent slopes | 6 | 6701.3 | 0.027 | \$ 750.61 |
| Carbon | KcC3 | Klinesville channery silt loam, 8 to 15 percent slopes, severe | 6 | 1019.5 | 0.004 | \$ 750.61 |
| Carbon | KcD2 | Klinesville channery silt loam, 15 to 25 percent slopes, mode | 6 | 1086.3 | 0.004 | \$ 750.61 |
| Carbon | KvD | Klinesville very stony silt loam, 8 to 25 percent slopes | 6 | 255.2 | 0.001 | \$ 750.61 |
| Carbon | LdB | Laidig very stony loam, 3 to 8 percent slopes | 6 | 1987.1 | 0.008 | \$ 750.61 |
| Carbon | LdD | Laidig very stony loam, 8 to 25 percent slopes | 6 | 6017 | 0.024 | \$ 750.61 |
| Carbon | LeD2 | Leck kill channery silt loam, 15 to 25 percent slopes, moder | 6 | 324.5 | 0.001 | \$ 750.61 |
| Carbon | LeD3 | Leck kill channery silt loam, 15 to 25 percent slopes, severel | 6 | 482.4 | 0.002 | \$ 750.61 |
| Carbon | LkB | Leck kill very stony loam, 0 to 8 percent slopes | 6 | 1599.2 | 0.006 | \$ 750.61 |
| Carbon | LkD | Leck kill very stony loam, 8 to 25 percent slopes | 6 | 7018.9 | 0.028 | \$ 750.61 |
| Carbon | LvB | Lordstown very stony silt loam, 0 to 8 percent slopes | 6 | 825.2 | 0.003 | \$ 750.61 |
| Carbon | LvD | Lordstown very stony silt loam, 8 to 25 percent slopes | 6 | 1903.3 | 0.008 | \$ 750.61 |
| Carbon | Ma | Made land | 6 | 1969.7 | 0.008 | \$ 750.61 |
| Carbon | McB | Meckesville very stony loam, 0 to 8 percent slopes | 6 | 9333.4 | 0.037 | \$ 750.61 |
| Carbon | McD | Meckesville very stony loam, 8 to 25 percent slopes | 6 | 4600.8 | 0.018 | \$ 750.61 |
| Carbon | MoC3 | Montevallo channery silt loam, 8 to 15 percent slopes, sever | 6 | 84.7 | 0 | \$ 812.12 |
| Carbon | MoD2 | Montevallo channery silt loam, 15 to 25 percent slopes, moi | 6 | 5934.7 | 0.024 | \$ 750.61 |
| Carbon | NaB | Natalie very stony loam, 0 to 8 percent slopes | 6 | 689.3 | 0.003 | \$ 750.61 |
| Carbon | RsD | Rushtown shaly silt loam, 15 to 25 percent slopes | 6 | 1.5 | 0 | \$ 750.61 |
| Carbon | SwB | Swartswood very stony loam, 0 to 8 percent slopes | 6 | 2343.1 | 0.009 | \$ 750.61 |
| Carbon | SwD | Swartswood very stony loam, 8 to 25 percent slopes | 6 | 1091.2 | 0.004 | \$ 750.61 |
| Carbon | WvB | Wurtsboro very stony loam, 0 to 8 percent slopes | 6 | 2503.9 | 0.01 | \$ 750.61 |
| Carbon | WvD | Wurtsboro very stony loam, 8 to 25 percent slopes | 6 | 240.3 | 0.001 | \$ 750.61 |
| Carbon | AtB | Alvira and Shelmadine very stony silt loams, 0 to 8 percent s | 7 | 1490.5 | 0.006 | \$ 750.61 |
| Carbon | AvA | Andover very stony loam, 0 to 3 percent slopes | 7 | 586.1 | 0.002 | \$ 750.61 |

| | | | | | | | |
|--------|------|--|---|---------|-------|----|----------|
| Carbon | CtD | Conotton gravelly loam, 15 to 25 percent slopes | 7 | 27.2 | 0 | \$ | 750.61 |
| Carbon | DeF | Dekalb very stony loam, 25 to 100 percent slopes | 7 | 12779.3 | 0.051 | \$ | 750.61 |
| Carbon | FvF | Fleetwood very stony loam, shallow, 25 to 100 percent slop | 7 | 1870.1 | 0.008 | \$ | 750.61 |
| Carbon | KcD3 | Klinesville channery silt loam, 15 to 25 percent slopes, sever | 7 | 1315.7 | 0.005 | \$ | 750.61 |
| Carbon | KcE2 | Klinesville channery silt loam, 25 to 35 percent slopes, mode | 7 | 953.6 | 0.004 | \$ | 750.61 |
| Carbon | KcE3 | Klinesville channery silt loam, 25 to 35 percent slopes, sever | 7 | 1055.6 | 0.004 | \$ | 750.61 |
| Carbon | KcF | Klinesville channery silt loam, 35 to 80 percent slopes | 7 | 806.2 | 0.003 | \$ | 750.61 |
| Carbon | KcF3 | Klinesville channery silt loam, 35 to 80 percent slopes, sever | 7 | 120.2 | 0 | \$ | 750.61 |
| Carbon | KvF | Klinesville very stony silt loam, 25 to 80 percent slopes | 7 | 5141.1 | 0.021 | \$ | 750.61 |
| Carbon | LkF | Leck kill very stony loam, 25 to 100 percent slopes | 7 | 1582 | 0.006 | \$ | 750.61 |
| Carbon | LtA | Lickdale and Tughill very stony loams, 0 to 8 percent slopes | 7 | 1573.3 | 0.006 | \$ | 750.61 |
| Carbon | LvF | Lordstown very stony silt loam, 25 to 80 percent slopes | 7 | 361.3 | 0.001 | \$ | 750.61 |
| Carbon | Mm | Mine dumps | 7 | 987 | 0.004 | \$ | 750.61 |
| Carbon | Mn | Mine dumps, coal | 7 | 547.5 | 0.002 | \$ | 750.61 |
| Carbon | MoD3 | Montevallo channery silt loam, 15 to 25 percent slopes, sever | 7 | 153.5 | 0.001 | \$ | 750.61 |
| Carbon | MoE2 | Montevallo channery silt loam, 25 to 35 percent slopes, mode | 7 | 3869.7 | 0.016 | \$ | 750.61 |
| Carbon | MoE3 | Montevallo channery silt loam, 25 to 35 percent slopes, sever | 7 | 504.7 | 0.002 | \$ | 750.61 |
| Carbon | MoF2 | Montevallo channery silt loam, 35 to 100 percent slopes, er | 7 | 2589.4 | 0.01 | \$ | 750.61 |
| Carbon | MrB | Morris channery silt loam, 0 to 8 percent slopes, extremely | 7 | 1498.7 | 0.006 | \$ | 750.61 |
| Carbon | NvB | Norwich soils, 0 to 8 percent slopes, extremely stony | 7 | 643.1 | 0.003 | \$ | 750.61 |
| Carbon | Ra | Riverwash | 7 | 268.3 | 0.001 | \$ | 750.61 |
| Carbon | Rc | Riverwash, coal | 7 | 434.6 | 0.002 | \$ | 750.61 |
| Carbon | RsE | Rushtown shaly silt loam, 25 to 35 percent slopes | 7 | 8.4 | 0 | \$ | 750.61 |
| Carbon | SmbB | Shelmadine very stony silt loam, 0 to 8 percent slopes | 7 | 3189 | 0.013 | \$ | 750.61 |
| Carbon | Sr | Strip mines | 7 | 4462.8 | 0.018 | \$ | 750.61 |
| Carbon | VeB | Very stony land, 0 to 8 percent slopes | 7 | 188.3 | 0.001 | \$ | 750.61 |
| Carbon | VeD | Very stony land, 8 to 25 percent slopes | 7 | 467.4 | 0.002 | \$ | 750.61 |
| Carbon | VsB | Volusia very stony loam, 0 to 8 percent slopes | 7 | 1271.6 | 0.005 | \$ | 750.61 |
| Carbon | GP | Gravel pit | 8 | 13.5 | 0 | \$ | 750.61 |
| Carbon | Mu | Muck and Peat | 8 | 577.3 | 0.002 | \$ | 750.61 |
| Carbon | QU | Quarry | 8 | 46 | 0 | \$ | 750.61 |
| Carbon | SP | Sand pit | 8 | 13.9 | 0 | \$ | 750.61 |
| Carbon | VeF | Very stony land, 25 to 120 percent slopes | 8 | 7465 | 0.03 | \$ | 750.61 |
| Centre | Ch | Chagrin soils | 1 | 1943.2 | 0.003 | \$ | 1,472.64 |
| Centre | HaA | Hagerstown silt loam, 0 to 3 percent slopes | 1 | 4823.6 | 0.007 | \$ | 1,641.98 |
| Centre | HuA | Hublersburg silt loam, 0 to 3 percent slopes | 1 | 727 | 0.001 | \$ | 1,520.78 |
| Centre | MuA | Murrill channery silt loam, 0 to 3 percent slopes | 1 | 1745.7 | 0.002 | \$ | 1,478.75 |
| Centre | No | Nolin silt loam, local alluvium, 0 to 5 percent slopes | 1 | 4942.6 | 0.007 | \$ | 1,538.44 |
| Centre | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 1672.1 | 0.002 | \$ | 1,316.15 |
| Centre | AlB | Allegheny silt loam, 2 to 8 percent slopes | 2 | 461.7 | 0.001 | \$ | 1,403.85 |
| Centre | Ba | Basher loam | 2 | 3506.1 | 0.005 | \$ | 1,435.50 |
| Centre | Bb | Barbour-Craigsville complex | 2 | 297.6 | 0 | \$ | 1,416.34 |
| Centre | BkB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 1432 | 0.002 | \$ | 1,086.52 |
| Centre | BtB | Buchanan loam, 2 to 8 percent slopes | 2 | 1387.1 | 0.002 | \$ | 1,229.54 |
| Centre | BuB | Buchanan channery loam, 3 to 8 percent slopes | 2 | 3232 | 0.005 | \$ | 1,272.73 |
| Centre | CkA | Clarksburg silt loam, 0 to 3 percent slopes | 2 | 434 | 0.001 | \$ | 1,478.75 |
| Centre | CkB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 1316.4 | 0.002 | \$ | 1,477.61 |
| Centre | CIB | Clymer sandy loam, 3 to 8 percent slopes | 2 | 2826.7 | 0.004 | \$ | 1,445.91 |
| Centre | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 163.3 | 0 | \$ | 1,091.70 |
| Centre | Cr | Craigsville gravelly loam | 2 | 34.5 | 0 | \$ | 1,132.54 |
| Centre | EdB | Edom silt loam, 2 to 8 percent slopes | 2 | 2903.1 | 0.004 | \$ | 1,291.16 |
| Centre | ErB | Ernest channery silt loam, 3 to 8 percent slopes | 2 | 1370.7 | 0.002 | \$ | 1,272.73 |
| Centre | ErC | Ernest channery silt loam, 8 to 15 percent slopes | 2 | 2792.6 | 0.004 | \$ | 1,268.09 |
| Centre | GIB | Gilpin channery silt loam, 3 to 8 percent slopes | 2 | 5636.7 | 0.008 | \$ | 1,270.42 |
| Centre | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 24964.8 | 0.035 | \$ | 1,642.70 |
| Centre | HcB | Hagerstown silty clay loam, 3 to 8 percent slopes | 2 | 6434.5 | 0.009 | \$ | 1,653.19 |

| | | | | | | |
|--------|-----|---|---|---------|-------|-------------|
| Centre | HhB | Hazleton channery sandy loam, 3 to 8 percent slopes | 2 | 2436.1 | 0.003 | \$ 1,476.71 |
| Centre | HuB | Hublersburg silt loam, 3 to 8 percent slopes | 2 | 9168 | 0.013 | \$ 1,520.78 |
| Centre | LaB | Laidig channery loam, 3 to 8 percent slopes | 2 | 601 | 0.001 | \$ 1,286.57 |
| Centre | LkB | Leck Kill channery silt loam, 3 to 8 percent slopes | 2 | 1293.4 | 0.002 | \$ 1,454.19 |
| Centre | Lx | Lindside soils | 2 | 3141.3 | 0.004 | \$ 1,482.80 |
| Centre | MeB | Meckesville silt loam, 3 to 8 percent slopes | 2 | 391.4 | 0.001 | \$ 1,295.73 |
| Centre | MnB | Millheim silt loam, 2 to 8 percent slopes | 2 | 1872.3 | 0.003 | \$ 1,277.36 |
| Centre | MoB | Monongahela silt loam, 2 to 8 percent slopes | 2 | 379.9 | 0.001 | \$ 1,275.05 |
| Centre | MrB | Morrison sandy loam, 2 to 8 percent slopes | 2 | 9282.7 | 0.013 | \$ 1,281.97 |
| Centre | MuB | Murrill channery silt loam, 3 to 8 percent slopes | 2 | 8707.1 | 0.012 | \$ 1,478.75 |
| Centre | Ph | Philo loam | 2 | 2498.6 | 0.004 | \$ 1,516.83 |
| Centre | Po | Pope soils | 2 | 1454.3 | 0.002 | \$ 1,520.78 |
| Centre | RaB | Rayne silt loam, 2 to 10 percent slopes | 2 | 566.8 | 0.001 | \$ 1,358.42 |
| Centre | TaA | Tilsit silt loam, 0 to 3 percent slopes | 2 | 39.6 | 0 | \$ 1,286.57 |
| Centre | TaB | Tilsit silt loam, 3 to 8 percent slopes | 2 | 324.2 | 0 | \$ 1,286.57 |
| Centre | UmB | Ungers channery loam, 3 to 8 percent slopes | 2 | 1792.1 | 0.003 | \$ 1,407.51 |
| Centre | WhA | Wharton silt loam, 0 to 3 percent slopes | 2 | 374.2 | 0.001 | \$ 1,049.85 |
| Centre | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 11302.8 | 0.016 | \$ 1,049.85 |
| Centre | AbC | Albrights silt loam, 8 to 15 percent slopes | 3 | 1446.4 | 0.002 | \$ 1,277.36 |
| Centre | At | Atkins silt loam | 3 | 4662.7 | 0.007 | \$ 1,295.73 |
| Centre | BkC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 7426.6 | 0.01 | \$ 1,041.89 |
| Centre | BuC | Buchanan channery loam, 8 to 15 percent slopes | 3 | 2436.1 | 0.003 | \$ 1,194.44 |
| Centre | CdA | Cavode silt loam, 0 to 3 percent slopes | 3 | 373.6 | 0.001 | \$ 1,196.86 |
| Centre | CdB | Cavode silt loam, 3 to 8 percent slopes | 3 | 4175.3 | 0.006 | \$ 1,201.71 |
| Centre | CiC | Clymer sandy loam, 8 to 15 percent slopes | 3 | 658.3 | 0.001 | \$ 1,373.71 |
| Centre | EdC | Edom silt loam, 8 to 15 percent slopes | 3 | 1833.9 | 0.003 | \$ 1,194.44 |
| Centre | GiC | Gilpin channery silt loam, 8 to 15 percent slopes | 3 | 4255.4 | 0.006 | \$ 1,225.73 |
| Centre | HaC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 2696.3 | 0.004 | \$ 1,562.05 |
| Centre | HcC | Hagerstown silty clay loam, 8 to 15 percent slopes | 3 | 2076.3 | 0.003 | \$ 1,531.01 |
| Centre | HhC | Hazleton channery sandy loam, 8 to 15 percent slopes | 3 | 1626.2 | 0.002 | \$ 1,397.44 |
| Centre | HuC | Hublersburg silt loam, 8 to 15 percent slopes | 3 | 1376.9 | 0.002 | \$ 1,472.24 |
| Centre | LaC | Laidig channery loam, 8 to 15 percent slopes | 3 | 1334 | 0.002 | \$ 1,239.97 |
| Centre | LkC | Leck Kill channery silt loam, 8 to 15 percent slopes | 3 | 4942.1 | 0.007 | \$ 1,439.68 |
| Centre | MeC | Meckesville silt loam, 8 to 15 percent slopes | 3 | 1652.7 | 0.002 | \$ 1,244.70 |
| Centre | Mm | Melvin silt loam | 3 | 4474 | 0.006 | \$ 1,174.88 |
| Centre | MnC | Millheim silt loam, 8 to 15 percent slopes | 3 | 2083.3 | 0.003 | \$ 1,184.69 |
| Centre | MrC | Morrison sandy loam, 8 to 15 percent slopes | 3 | 8649.8 | 0.012 | \$ 1,235.24 |
| Centre | MuC | Murrill channery silt loam, 8 to 15 percent slopes | 3 | 2174 | 0.003 | \$ 1,371.54 |
| Centre | OhB | Opequon-Hagerstown complex, 3 to 8 percent slopes | 3 | 13580.9 | 0.019 | \$ 1,253.06 |
| Centre | Ty | Tyler silt loam | 3 | 483.1 | 0.001 | \$ 1,228.11 |
| Centre | UmC | Ungers channery loam, 8 to 15 percent slopes | 3 | 1994.2 | 0.003 | \$ 1,277.36 |
| Centre | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 2005.1 | 0.003 | \$ 962.99 |
| Centre | WyA | Wyoming gravelly sandy loam, rarely flooded, 0 to 5 percent | 3 | 1118.9 | 0.002 | \$ 1,211.36 |
| Centre | AnB | Andover channery silt loam, 0 to 8 percent slopes | 4 | 6427.5 | 0.009 | \$ 1,165.01 |
| Centre | AnC | Andover channery silt loam, 8 to 15 percent slopes | 4 | 4348.2 | 0.006 | \$ 1,157.58 |
| Centre | ArA | Armagh silt loam, 0 to 3 percent slopes | 4 | 755.2 | 0.001 | \$ 1,102.00 |
| Centre | ArB | Armagh silt loam, 3 to 8 percent slopes | 4 | 1840.3 | 0.003 | \$ 1,102.00 |
| Centre | BkD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 10356.8 | 0.015 | \$ 996.07 |
| Centre | BrA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 469.8 | 0.001 | \$ 1,218.08 |
| Centre | BrB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 3778.1 | 0.005 | \$ 1,212.32 |
| Centre | BrC | Brinkerton silt loam, 8 to 15 percent slopes | 4 | 2548.2 | 0.004 | \$ 1,150.10 |
| Centre | Du | Dunning silty clay loam | 4 | 1563.6 | 0.002 | \$ 1,445.91 |
| Centre | EdD | Edom silt loam, 15 to 25 percent slopes | 4 | 198 | 0 | \$ 1,007.50 |
| Centre | ErD | Ernest channery silt loam, 15 to 25 percent slopes | 4 | 582.2 | 0.001 | \$ 1,180.28 |
| Centre | GiD | Gilpin channery silt loam, 15 to 25 percent slopes | 4 | 1801.2 | 0.003 | \$ 1,179.79 |
| Centre | HcD | Hagerstown silty clay loam, 15 to 25 percent slopes | 4 | 594.9 | 0.001 | \$ 1,453.77 |

| | | | | | | |
|--------|-----|--|---|---------|-------|-------------|
| Centre | HhD | Hazleton channery sandy loam, 15 to 25 percent slopes | 4 | 295.1 | 0 | \$ 1,225.73 |
| Centre | HuD | Hublersburg silt loam, 15 to 25 percent slopes | 4 | 202.8 | 0 | \$ 1,314.35 |
| Centre | LaD | Laidig channery loam, 15 to 25 percent slopes | 4 | 1025.7 | 0.001 | \$ 1,140.09 |
| Centre | LkD | Leck Kill channery silt loam, 15 to 25 percent slopes | 4 | 6531.3 | 0.009 | \$ 1,242.34 |
| Centre | LvB | Leetonia sand, variant, 3 to 8 percent slopes | 4 | 564.3 | 0.001 | \$ 911.27 |
| Centre | LvC | Leetonia sand, variant, 8 to 15 percent slopes | 4 | 321.8 | 0 | \$ 871.65 |
| Centre | MaB | Markes silt loam, 2 to 10 percent slopes | 4 | 212.4 | 0 | \$ 1,017.78 |
| Centre | MnD | Millheim silt loam, 15 to 25 percent slopes | 4 | 340.1 | 0 | \$ 1,086.52 |
| Centre | MrD | Morrison sandy loam, 15 to 25 percent slopes | 4 | 1120.7 | 0.002 | \$ 1,184.69 |
| Centre | MuD | Murrill channery silt loam, 15 to 25 percent slopes | 4 | 177.6 | 0 | \$ 1,223.34 |
| Centre | NoA | Nolo silt loam, 0 to 3 percent slopes | 4 | 1033.5 | 0.001 | \$ 1,201.71 |
| Centre | OhC | Opequon-Hagerstown complex, 8 to 15 percent slopes | 4 | 12180.6 | 0.017 | \$ 1,173.01 |
| Centre | Pu | Purdy silt loam | 4 | 413.9 | 0.001 | \$ 1,112.24 |
| Centre | UmD | Ungers channery loam, 15 to 25 percent slopes | 4 | 415.5 | 0.001 | \$ 1,147.61 |
| Centre | VaC | Vanderlip loamy sand, 5 to 20 percent slopes | 4 | 314.4 | 0 | \$ 974.09 |
| Centre | WeC | Weikert shaly silt loam, 5 to 15 percent slopes | 4 | 2556.7 | 0.004 | \$ 871.65 |
| Centre | OxB | Opequon-Rock outcrop complex, 0 to 8 percent slopes | 5 | 977.3 | 0.001 | \$ 967.33 |
| Centre | BiD | Berks very stony silt loam, 8 to 25 percent slopes | 6 | 1152.3 | 0.002 | \$ 750.61 |
| Centre | BsB | Brinkerton very stony silt loam, 0 to 8 percent slopes | 6 | 496.6 | 0.001 | \$ 750.61 |
| Centre | CvB | Clymer very stony sandy loam, 0 to 8 percent slopes | 6 | 26246.4 | 0.037 | \$ 750.61 |
| Centre | CvD | Clymer very stony sandy loam, 8 to 25 percent slopes | 6 | 9647.1 | 0.014 | \$ 750.61 |
| Centre | EvB | Ernest very stony silt loam, 3 to 8 percent slopes | 6 | 439 | 0.001 | \$ 750.61 |
| Centre | EvD | Ernest very stony silt loam, 8 to 25 percent slopes | 6 | 449.9 | 0.001 | \$ 750.61 |
| Centre | LiB | Leck Kill very stony silt loam, 0 to 8 percent slopes | 6 | 366.7 | 0.001 | \$ 750.61 |
| Centre | LiD | Leck Kill very stony silt loam, 8 to 25 percent slopes | 6 | 2227.9 | 0.003 | \$ 750.61 |
| Centre | MkB | Meckesville very stony silt loam, 0 to 8 percent slopes | 6 | 463 | 0.001 | \$ 750.61 |
| Centre | MkD | Meckesville very stony silt loam, 8 to 25 percent slopes | 6 | 1956.7 | 0.003 | \$ 750.61 |
| Centre | MsB | Morrison very stony sandy loam, 0 to 8 percent slopes | 6 | 1924.3 | 0.003 | \$ 750.61 |
| Centre | MsD | Morrison very stony sandy loam, 8 to 25 percent slopes | 6 | 6091.9 | 0.009 | \$ 750.61 |
| Centre | MvB | Murrill very stony silt loam, 0 to 8 percent slopes | 6 | 1504.4 | 0.002 | \$ 750.61 |
| Centre | MvD | Murrill very stony silt loam, 8 to 25 percent slopes | 6 | 287.3 | 0 | \$ 750.61 |
| Centre | OhD | Opequon-Hagerstown complex, 15 to 25 percent slopes | 6 | 4623.5 | 0.006 | \$ 750.61 |
| Centre | OxD | Opequon-Rock outcrop complex, 8 to 25 percent slopes | 6 | 2153.7 | 0.003 | \$ 750.61 |
| Centre | Pk | Philo and Atkins very stony soils | 6 | 7083.7 | 0.01 | \$ 1,438.26 |
| Centre | UnB | Ungers very stony loam, 0 to 8 percent slopes | 6 | 2500.2 | 0.004 | \$ 750.61 |
| Centre | UnD | Ungers very stony loam, 8 to 25 percent slopes | 6 | 8919.9 | 0.013 | \$ 750.61 |
| Centre | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 1737.2 | 0.002 | \$ 750.61 |
| Centre | AcB | Albrights silt loam, 0 to 8 percent slopes, extremely stony | 7 | 787.5 | 0.001 | \$ 750.61 |
| Centre | AcC | Albrights silt loam, 8 to 15 percent slopes, extremely stony | 7 | 1705.6 | 0.002 | \$ 750.61 |
| Centre | AoB | Andover very stony loam, 0 to 8 percent slopes | 7 | 7036.7 | 0.01 | \$ 750.61 |
| Centre | AoC | Andover very stony loam, 8 to 15 percent slopes | 7 | 13167.7 | 0.018 | \$ 750.61 |
| Centre | BMF | Berks and Weikert soils, steep | 7 | 28255.1 | 0.04 | \$ 750.61 |
| Centre | BxB | Buchanan extremely stony loam, 0 to 8 percent slopes | 7 | 4297.8 | 0.006 | \$ 750.61 |
| Centre | BxD | Buchanan extremely stony loam, 8 to 25 percent slopes | 7 | 11060 | 0.016 | \$ 750.61 |
| Centre | CA | Carlisle muck | 7 | 650.3 | 0.001 | \$ 1,510.88 |
| Centre | CpB | Cookport channery loam, 0 to 8 percent slopes, extremely s | 7 | 9825.1 | 0.014 | \$ 750.61 |
| Centre | CpD | Cookport channery loam, 8 to 25 percent slopes, extremely | 7 | 2747.2 | 0.004 | \$ 750.61 |
| Centre | HkE | Hazleton channery sandy loam, 25 to 80 percent slopes, rub | 7 | 4174.4 | 0.006 | \$ 750.61 |
| Centre | HSB | Hazleton extremely stony sandy loam, gently sloping | 7 | 30889.5 | 0.043 | \$ 750.61 |
| Centre | HSD | Hazleton extremely stony sandy loam, moderately steep | 7 | 41478.9 | 0.058 | \$ 750.61 |
| Centre | HTF | Hazleton-Dekalb association, very steep | 7 | 41767 | 0.059 | \$ 750.61 |
| Centre | LcB | Laidig extremely stony loam, 0 to 8 percent slopes | 7 | 2480 | 0.003 | \$ 750.61 |
| Centre | LcD | Laidig extremely stony loam, 8 to 25 percent slopes | 7 | 28940.5 | 0.041 | \$ 750.61 |
| Centre | LDF | Laidig extremely stony loam, steep | 7 | 13255.3 | 0.019 | \$ 750.61 |
| Centre | LMF | Leck Kill and Calvin soils, steep | 7 | 15670.2 | 0.022 | \$ 750.61 |
| Centre | LtB | Leetonia extremely stony loamy sand, 0 to 12 percent slope | 7 | 13653.7 | 0.019 | \$ 750.61 |

| | | | | | | |
|---------|-----|--|---|---------|-------|-------------|
| Centre | MTF | Morrison very stony sandy loam, steep | 7 | 1929.3 | 0.003 | \$ 750.61 |
| Centre | NsA | Nolo silt loam, 0 to 3 percent slopes, extremely stony | 7 | 1223.6 | 0.002 | \$ 750.61 |
| Centre | ORF | Opequon-Hagerstown complex, steep | 7 | 2857.4 | 0.004 | \$ 750.61 |
| Centre | Sm | Strip mines, acid | 7 | 14592.9 | 0.021 | \$ 750.61 |
| Centre | QU | Quarry | 8 | 886.6 | 0.001 | \$ 750.61 |
| Centre | Ru | Rubble land | 8 | 7081.7 | 0.01 | \$ 750.61 |
| Centre | URB | Urban land-Hagerstown complex, gently sloping | 8 | 2466.8 | 0.003 | \$ 848.07 |
| Centre | VrF | Varilla-Laidig complex, 25 to 60 percent slopes, very rubbly | 8 | 49773.1 | 0.07 | \$ 750.61 |
| Chester | CdA | Chester silt loam, 0 to 3 percent slopes | 1 | 1030.3 | 0.002 | \$ 1,803.10 |
| Chester | Cs | Comus silt loam | 1 | 824.4 | 0.002 | \$ 1,811.49 |
| Chester | CtA | Conestoga silt loam, 0 to 3 percent slopes | 1 | 1262 | 0.003 | \$ 1,800.84 |
| Chester | DfA | Duffield silt loam, 0 to 3 percent slopes | 1 | 122.3 | 0 | \$ 1,701.87 |
| Chester | GgA | Glenelg silt loam, 0 to 3 percent slopes | 1 | 2884.7 | 0.006 | \$ 1,853.89 |
| Chester | MaA | Manor loam, 0 to 3 percent slopes | 1 | 152.7 | 0 | \$ 1,757.04 |
| Chester | NeA | Neshaminy silt loam, 0 to 3 percent slopes | 1 | 220.8 | 0 | \$ 1,578.85 |
| Chester | NvA | Neshaminy silt loam, very deep over mafic gneiss, 0 to 3 per | 1 | 903 | 0.002 | \$ 1,578.85 |
| Chester | BrB | Brecknock channery silt loam, 3 to 8 percent slopes | 2 | 402.7 | 0.001 | \$ 1,457.48 |
| Chester | CaA | Califon loam, 0 to 3 percent slopes | 2 | 1579.2 | 0.003 | \$ 1,393.15 |
| Chester | CaB | Califon loam, 3 to 8 percent slopes | 2 | 9521.9 | 0.02 | \$ 1,420.39 |
| Chester | CdB | Chester silt loam, 3 to 8 percent slopes | 2 | 4168 | 0.009 | \$ 1,794.99 |
| Chester | ClA | Clarksburg silt loam, 0 to 3 percent slopes | 2 | 605.8 | 0.001 | \$ 1,478.75 |
| Chester | ClB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 1038 | 0.002 | \$ 1,477.61 |
| Chester | Co | Codorus silt loam | 2 | 7359.9 | 0.015 | \$ 1,487.25 |
| Chester | CtB | Conestoga silt loam, 3 to 8 percent slopes | 2 | 8090.4 | 0.017 | \$ 1,800.84 |
| Chester | CwA | Conowingo silt loam, 0 to 3 percent slopes | 2 | 413 | 0.001 | \$ 1,239.97 |
| Chester | DfB | Duffield silt loam, 3 to 8 percent slopes | 2 | 164.4 | 0 | \$ 1,703.82 |
| Chester | EdB | Edgemont channery loam, 3 to 8 percent slopes | 2 | 10106.7 | 0.021 | \$ 1,445.08 |
| Chester | Gb | Gibraltar silt loam | 2 | 849.3 | 0.002 | \$ 1,452.12 |
| Chester | GdA | Gladstone gravelly loam, 0 to 3 percent slopes | 2 | 1635.4 | 0.003 | \$ 1,602.04 |
| Chester | GdB | Gladstone gravelly loam, 3 to 8 percent slopes | 2 | 46610.6 | 0.096 | \$ 1,516.83 |
| Chester | GgB | Glenelg silt loam, 3 to 8 percent slopes | 2 | 60917.1 | 0.125 | \$ 1,573.52 |
| Chester | GlA | Glenville silt loam, 0 to 3 percent slopes | 2 | 1198.8 | 0.002 | \$ 1,504.91 |
| Chester | GlB | Glenville silt loam, 3 to 8 percent slopes | 2 | 9375.1 | 0.019 | \$ 1,608.90 |
| Chester | HlB | Hollinger silt loam, 3 to 8 percent slopes | 2 | 123.1 | 0 | \$ 1,797.92 |
| Chester | JoB | Joanna loam, 3 to 8 percent slopes | 2 | 1848.2 | 0.004 | \$ 1,433.41 |
| Chester | LcB | Lawrenceville silt loam, 3 to 8 percent slopes | 2 | 6.2 | 0 | \$ 1,549.71 |
| Chester | LeA | Legore silt loam, 0 to 3 percent slopes | 2 | 198 | 0 | \$ 1,244.98 |
| Chester | LeB | Legore silt loam, 3 to 8 percent slopes | 2 | 2973.8 | 0.006 | \$ 1,244.98 |
| Chester | LhB | Lehigh channery silt loam, 3 to 8 percent slopes | 2 | 51.9 | 0 | \$ 1,435.84 |
| Chester | Ln | Lindside silt loam | 2 | 781.3 | 0.002 | \$ 1,705.91 |
| Chester | MaB | Manor loam, 3 to 8 percent slopes | 2 | 12242.8 | 0.025 | \$ 1,534.93 |
| Chester | McA | Mattapex silt loam, 0 to 3 percent slopes | 2 | 139.5 | 0 | \$ 1,636.52 |
| Chester | MlA | Mount Lucas silt loam, 0 to 3 percent slopes | 2 | 375.1 | 0.001 | \$ 1,319.31 |
| Chester | MlB | Mount Lucas silt loam, 3 to 8 percent slopes | 2 | 2836.5 | 0.006 | \$ 1,321.11 |
| Chester | MuB | Murrill gravelly loam, 3 to 8 percent slopes | 2 | 30.5 | 0 | \$ 1,437.17 |
| Chester | NeB | Neshaminy silt loam, 3 to 8 percent slopes | 2 | 1650.9 | 0.003 | \$ 1,567.42 |
| Chester | NvB | Neshaminy silt loam, very deep over mafic gneiss, 3 to 8 per | 2 | 6230.2 | 0.013 | \$ 1,578.85 |
| Chester | PaB | Parker gravelly loam, 3 to 8 percent slopes | 2 | 1042.2 | 0.002 | \$ 1,297.56 |
| Chester | PeB | Penn silt loam, 3 to 8 percent slopes | 2 | 12978.7 | 0.027 | \$ 1,488.86 |
| Chester | RaB | Raritan silt loam, 3 to 8 percent slopes | 2 | 11.8 | 0 | \$ 1,499.71 |
| Chester | ReA | Readington silt loam, 0 to 3 percent slopes | 2 | 911.1 | 0.002 | \$ 1,490.07 |
| Chester | ReB | Readington silt loam, 3 to 8 percent slopes | 2 | 1936.1 | 0.004 | \$ 1,472.40 |
| Chester | Ro | Rowland silt loam | 2 | 816.8 | 0.002 | \$ 1,490.07 |
| Chester | BrC | Brecknock channery silt loam, 8 to 15 percent slopes | 3 | 148.7 | 0 | \$ 1,418.70 |
| Chester | CaC | Califon loam, 8 to 15 percent slopes | 3 | 213.5 | 0 | \$ 1,362.19 |
| Chester | CdC | Chester silt loam, 8 to 15 percent slopes | 3 | 60.4 | 0 | \$ 1,783.55 |

| | | | | | | |
|---------|-----|--|---|---------|-------|-------------|
| Chester | CtC | Conestoga silt loam, 8 to 15 percent slopes | 3 | 1764 | 0.004 | \$ 1,744.26 |
| Chester | CwB | Conowingo silt loam, 3 to 8 percent slopes | 3 | 999.9 | 0.002 | \$ 1,239.97 |
| Chester | CwC | Conowingo silt loam, 8 to 15 percent slopes | 3 | 20.2 | 0 | \$ 1,192.00 |
| Chester | DfC | Duffield silt loam, 8 to 15 percent slopes | 3 | 71 | 0 | \$ 1,669.32 |
| Chester | EdC | Edgemont channery loam, 8 to 15 percent slopes | 3 | 8697 | 0.018 | \$ 1,365.87 |
| Chester | GdC | Gladstone gravelly loam, 8 to 15 percent slopes | 3 | 26223.1 | 0.054 | \$ 1,454.35 |
| Chester | GgC | Glenelg silt loam, 8 to 15 percent slopes | 3 | 19001.6 | 0.039 | \$ 1,466.84 |
| Chester | GlC | Glenville silt loam, 8 to 15 percent slopes | 3 | 107.9 | 0 | \$ 1,239.97 |
| Chester | HlC | Hollinger silt loam, 8 to 15 percent slopes | 3 | 168.6 | 0 | \$ 1,735.79 |
| Chester | Ho | Holly silt loam | 3 | 1435.7 | 0.003 | \$ 1,292.08 |
| Chester | JoC | Joanna loam, 8 to 15 percent slopes | 3 | 2832.2 | 0.006 | \$ 1,395.30 |
| Chester | LeC | Legore silt loam, 8 to 15 percent slopes | 3 | 1149.2 | 0.002 | \$ 1,142.60 |
| Chester | LhC | Lehigh channery silt loam, 8 to 15 percent slopes | 3 | 32.4 | 0 | \$ 1,379.44 |
| Chester | MaC | Manor loam, 8 to 15 percent slopes | 3 | 23668.2 | 0.049 | \$ 1,399.58 |
| Chester | MIc | Mount Lucas silt loam, 8 to 15 percent slopes | 3 | 40.7 | 0 | \$ 1,279.67 |
| Chester | NeC | Neshaminy silt loam, 8 to 15 percent slopes | 3 | 519.8 | 0.001 | \$ 1,484.82 |
| Chester | NvC | Neshaminy silt loam, very deep over mafic gneiss, 8 to 15 p | 3 | 1267 | 0.003 | \$ 1,500.91 |
| Chester | PaC | Parker gravelly loam, 8 to 15 percent slopes | 3 | 3160.9 | 0.007 | \$ 1,247.05 |
| Chester | PdA | Penlaw silt loam, 0 to 3 percent slopes | 3 | 716.5 | 0.001 | \$ 1,239.97 |
| Chester | PdB | Penlaw silt loam, 3 to 8 percent slopes | 3 | 717.4 | 0.001 | \$ 1,192.00 |
| Chester | PeC | Penn silt loam, 8 to 15 percent slopes | 3 | 5363.4 | 0.011 | \$ 1,455.84 |
| Chester | PfC | Penn channery silt loam, 8 to 15 percent slopes | 3 | 21.5 | 0 | \$ 1,379.27 |
| Chester | Bo | Bowmansville-Knauers silt loams | 4 | 860.5 | 0.002 | \$ 1,322.90 |
| Chester | BrD | Brecknock channery silt loam, 15 to 25 percent slopes | 4 | 40.2 | 0 | \$ 1,377.19 |
| Chester | CpA | Cokesbury silt loam, 0 to 3 percent slopes | 4 | 7148 | 0.015 | \$ 1,372.93 |
| Chester | CpB | Cokesbury silt loam, 3 to 8 percent slopes | 4 | 3078.4 | 0.006 | \$ 1,286.57 |
| Chester | CyA | Croton silt loam, occasionally ponded, 0 to 3 percent slopes | 4 | 974.4 | 0.002 | \$ 1,145.10 |
| Chester | CyB | Croton silt loam, 3 to 8 percent slopes | 4 | 751.4 | 0.002 | \$ 1,005.22 |
| Chester | EdD | Edgemont channery loam, 15 to 25 percent slopes | 4 | 3756.1 | 0.008 | \$ 1,239.03 |
| Chester | GaD | Gaila silt loam, 15 to 25 percent slopes | 4 | 1460.5 | 0.003 | \$ 1,239.97 |
| Chester | GdD | Gladstone gravelly loam, 15 to 25 percent slopes | 4 | 3681.4 | 0.008 | \$ 1,371.54 |
| Chester | GdE | Gladstone gravelly loam, 25 to 35 percent slopes | 4 | 519 | 0.001 | \$ 1,372.76 |
| Chester | GeD | Gladstone-Parker gravelly loams, 15 to 25 percent slopes | 4 | 4107.3 | 0.008 | \$ 1,301.20 |
| Chester | GgD | Glenelg silt loam, 15 to 25 percent slopes | 4 | 1024.1 | 0.002 | \$ 1,540.39 |
| Chester | Ha | Hatboro silt loam | 4 | 12857.8 | 0.026 | \$ 1,256.44 |
| Chester | HIc | Hollinger silt loam, 15 to 25 percent slopes | 4 | 192.2 | 0 | \$ 1,610.39 |
| Chester | JoD | Joanna loam, 15 to 25 percent slopes | 4 | 422.9 | 0.001 | \$ 1,275.05 |
| Chester | LbA | Lamington silt loam, 0 to 3 percent slopes | 4 | 40.3 | 0 | \$ 996.62 |
| Chester | LfD | Legore gravelly silt loam, 15 to 25 percent slopes | 4 | 269.6 | 0.001 | \$ 1,091.70 |
| Chester | MaD | Manor loam, 15 to 25 percent slopes | 4 | 14444.8 | 0.03 | \$ 1,330.25 |
| Chester | NeD | Neshaminy silt loam, 15 to 25 percent slopes | 4 | 12.6 | 0 | \$ 1,445.91 |
| Chester | NvD | Neshaminy silt loam, very deep over mafic gneiss, 15 to 25 p | 4 | 444.7 | 0.001 | \$ 1,500.91 |
| Chester | PaD | Parker gravelly loam, 15 to 25 percent slopes | 4 | 2913 | 0.006 | \$ 1,203.65 |
| Chester | PeD | Penn silt loam, 15 to 25 percent slopes | 4 | 1139.4 | 0.002 | \$ 1,100.05 |
| Chester | PeE | Penn silt loam, 25 to 35 percent slopes | 4 | 115.9 | 0 | \$ 1,100.05 |
| Chester | Th | Thorndale silt loam | 4 | 1081.3 | 0.002 | \$ 985.12 |
| Chester | ToA | Towhee silt loam, 0 to 3 percent slopes | 4 | 1131.4 | 0.002 | \$ 1,150.60 |
| Chester | ToB | Towhee silt loam, 3 to 8 percent slopes | 4 | 916.1 | 0.002 | \$ 1,162.54 |
| Chester | WaA | Watchung silt loam, 0 to 3 percent slopes | 4 | 642.8 | 0.001 | \$ 1,165.01 |
| Chester | Ba | Baile silt loam | 5 | 3616.4 | 0.007 | \$ 750.61 |
| Chester | BaB | Baile silt loam, 3 to 8 percent slopes | 5 | 3037.9 | 0.006 | \$ 750.61 |
| Chester | CbB | Califon loam, 0 to 8 percent slopes, extremely stony | 6 | 193.6 | 0 | \$ 750.61 |
| Chester | ChB | Chrome silt loam, 3 to 8 percent slopes | 6 | 1916 | 0.004 | \$ 1,004.25 |
| Chester | ChC | Chrome silt loam, 8 to 15 percent slopes | 6 | 1007.8 | 0.002 | \$ 1,004.25 |
| Chester | ChD | Chrome silt loam, 15 to 25 percent slopes | 6 | 383.6 | 0.001 | \$ 750.61 |
| Chester | ChE | Chrome silt loam, 25 to 45 percent slopes | 6 | 443.1 | 0.001 | \$ 750.61 |

| | | | | | | | |
|---------|------|---|---|--------|-------|----|----------|
| Chester | GfB | Gladstone gravelly loam, 0 to 8 percent slopes, very boulder | 6 | 417.8 | 0.001 | \$ | 750.61 |
| Chester | GfD | Gladstone gravelly loam, 8 to 25 percent slopes, very boulder | 6 | 2136.9 | 0.004 | \$ | 750.61 |
| Chester | GxB | Glenville silt loam, 0 to 8 percent slopes, extremely stony | 6 | 23.8 | 0 | \$ | 750.61 |
| Chester | LgB | Legore gravelly silt loam, 0 to 8 percent slopes, extremely stony | 6 | 206.4 | 0 | \$ | 750.61 |
| Chester | LgD | Legore gravelly silt loam, 8 to 25 percent slopes, extremely stony | 6 | 205.9 | 0 | \$ | 750.61 |
| Chester | MaE | Manor loam, 25 to 35 percent slopes | 6 | 6755.5 | 0.014 | \$ | 750.61 |
| Chester | MbB | Manor loam, 0 to 8 percent slopes, very stony | 6 | 27.3 | 0 | \$ | 750.61 |
| Chester | MbD | Manor loam, 8 to 25 percent slopes, very stony | 6 | 209.7 | 0 | \$ | 750.61 |
| Chester | PaE | Parker gravelly loam, 25 to 35 percent slopes | 6 | 1782.1 | 0.004 | \$ | 750.61 |
| Chester | PaF | Parker gravelly loam, 35 to 60 percent slopes | 6 | 551.7 | 0.001 | \$ | 750.61 |
| Chester | PbB | Parker loam, 0 to 8 percent slopes, extremely stony | 6 | 82.1 | 0 | \$ | 750.61 |
| Chester | PbD | Parker loam, 8 to 25 percent slopes, extremely stony | 6 | 385.2 | 0.001 | \$ | 750.61 |
| Chester | PgB | Penn silt loam, 0 to 8 percent slopes, very stony | 6 | 94.7 | 0 | \$ | 750.61 |
| Chester | PgD | Penn silt loam, 8 to 25 percent slopes, very stony | 6 | 159.6 | 0 | \$ | 750.61 |
| Chester | WaB | Watchung silt loam, 3 to 8 percent slopes | 6 | 417.1 | 0.001 | \$ | 1,136.07 |
| Chester | BbB | Baile silt loam, 0 to 8 percent slopes, very stony | 7 | 1367.4 | 0.003 | \$ | 750.61 |
| Chester | BxB | Brecknock channery silt loam, 0 to 8 percent slopes, extremely stony | 7 | 56.5 | 0 | \$ | 750.61 |
| Chester | BxD | Brecknock channery silt loam, 8 to 25 percent slopes, extremely stony | 7 | 53.7 | 0 | \$ | 750.61 |
| Chester | CqB | Cokesbury silt loam, 0 to 8 percent slopes, very stony | 7 | 332.7 | 0.001 | \$ | 750.61 |
| Chester | ExB | Edgemont channery sandy loam, 0 to 8 percent slopes, extremely stony | 7 | 888.1 | 0.002 | \$ | 750.61 |
| Chester | ExD | Edgemont channery sandy loam, 8 to 25 percent slopes, extremely stony | 7 | 1209.4 | 0.002 | \$ | 750.61 |
| Chester | ExF | Edgemont channery sandy loam, 25 to 60 percent slopes, extremely stony | 7 | 1082.6 | 0.002 | \$ | 750.61 |
| Chester | GfF | Gladstone gravelly loam, 25 to 50 percent slopes, very boulder | 7 | 870.1 | 0.002 | \$ | 750.61 |
| Chester | HIE | Hollinger silt loam, 25 to 35 percent slopes | 7 | 82.2 | 0 | \$ | 750.61 |
| Chester | JpB | Joanna loam, 0 to 8 percent slopes, extremely stony | 7 | 311.5 | 0.001 | \$ | 750.61 |
| Chester | JpD | Joanna loam, 8 to 25 percent slopes, extremely stony | 7 | 1213.2 | 0.002 | \$ | 750.61 |
| Chester | JpF | Joanna loam, 25 to 50 percent slopes, extremely stony | 7 | 97.7 | 0 | \$ | 750.61 |
| Chester | LgF | Legore gravelly silt loam, 25 to 50 percent slopes, extremely stony | 7 | 38.4 | 0 | \$ | 750.61 |
| Chester | LkB | Lehigh channery silt loam, 0 to 8 percent slopes, extremely stony | 7 | 6.8 | 0 | \$ | 750.61 |
| Chester | MaF | Manor loam, 35 to 60 percent slopes | 7 | 1804.7 | 0.004 | \$ | 750.61 |
| Chester | MbF | Manor loam, 25 to 60 percent slopes, very stony | 7 | 1171.2 | 0.002 | \$ | 750.61 |
| Chester | MnB | Mount Lucas silt loam, 0 to 8 percent slopes, extremely stony | 7 | 321 | 0.001 | \$ | 750.61 |
| Chester | NfB | Neshaminy gravelly silt loam, 0 to 8 percent slopes, extremely stony | 7 | 696.5 | 0.001 | \$ | 750.61 |
| Chester | NfD | Neshaminy gravelly silt loam, 8 to 25 percent slopes, extremely stony | 7 | 772.2 | 0.002 | \$ | 750.61 |
| Chester | NfF | Neshaminy gravelly silt loam, 25 to 60 percent slopes, extremely stony | 7 | 87.1 | 0 | \$ | 750.61 |
| Chester | NxB | Neshaminy silt loam, very deep over mafic gneiss, 0 to 8 percent slopes | 7 | 221.9 | 0 | \$ | 750.61 |
| Chester | NxD | Neshaminy silt loam, very deep over mafic gneiss, 8 to 25 percent slopes | 7 | 494.5 | 0.001 | \$ | 750.61 |
| Chester | NxF | Neshaminy silt loam, very deep over mafic gneiss, 25 to 60 percent slopes | 7 | 288.2 | 0.001 | \$ | 750.61 |
| Chester | PbF | Parker loam, 25 to 60 percent slopes, extremely stony | 7 | 164.6 | 0 | \$ | 750.61 |
| Chester | PgF | Penn silt loam, 25 to 50 percent slopes, very stony | 7 | 70.6 | 0 | \$ | 750.61 |
| Chester | TxB | Towhee silt loam, 0 to 8 percent slopes, very stony | 7 | 495.4 | 0.001 | \$ | 750.61 |
| Chester | UdIB | Udorthents, limestone, 0 to 8 percent slopes | 7 | 309.6 | 0.001 | \$ | 750.61 |
| Chester | Udp | Udorthents, sanitary landfill | 7 | 86.6 | 0 | \$ | 750.61 |
| Chester | UdsB | Udorthents, schist and gneiss, 0 to 8 percent slopes | 7 | 421.5 | 0.001 | \$ | 750.61 |
| Chester | UdsD | Udorthents, schist and gneiss, 8 to 25 percent slopes | 7 | 19.8 | 0 | \$ | 750.61 |
| Chester | UdtB | Udorthents, shale and sandstone, 0 to 8 percent slopes | 7 | 454.3 | 0.001 | \$ | 750.61 |
| Chester | DAM | Dams | 8 | 8.2 | 0 | \$ | 750.61 |
| Chester | Ura | Urban land, occasionally flooded | 8 | 48.6 | 0 | \$ | 750.61 |
| Chester | UrB | Urban land, 0 to 8 percent slopes | 8 | 4883.5 | 0.01 | \$ | 750.61 |
| Chester | UrbB | Urban land-Baile complex, 0 to 8 percent slopes | 8 | 62.6 | 0 | \$ | 750.61 |
| Chester | UrcB | Urban land-Califon complex, 0 to 8 percent slopes | 8 | 366.2 | 0.001 | \$ | 750.61 |
| Chester | UrdB | Urban land-Chester complex, 0 to 8 percent slopes | 8 | 627.4 | 0.001 | \$ | 758.48 |
| Chester | UrdD | Urban land-Chester complex, 8 to 25 percent slopes | 8 | 30.9 | 0 | \$ | 781.62 |
| Chester | UreB | Urban land-Chrome complex, 0 to 8 percent slopes | 8 | 127.6 | 0 | \$ | 750.61 |
| Chester | UrfB | Urban land-Cokesbury complex, 0 to 8 percent slopes | 8 | 120.4 | 0 | \$ | 750.61 |
| Chester | UrfD | Urban land-Cokesbury complex, 8 to 25 percent slopes | 8 | 23.9 | 0 | \$ | 750.61 |

| | | | | | | |
|---------|------|--|---|---------|-------|-------------|
| Chester | UrgB | Urban land-Conestoga complex, 0 to 8 percent slopes | 8 | 3350.9 | 0.007 | \$ 1,030.68 |
| Chester | UrgD | Urban land-Conestoga complex, 8 to 25 percent slopes | 8 | 365.8 | 0.001 | \$ 781.62 |
| Chester | UrhB | Urban land-Duffield complex, 0 to 8 percent slopes | 8 | 58.1 | 0 | \$ 756.23 |
| Chester | UrkB | Urban land-Edgemont complex, 0 to 8 percent slopes | 8 | 993.7 | 0.002 | \$ 750.61 |
| Chester | UrkD | Urban land-Edgemont complex, 8 to 25 percent slopes | 8 | 607.4 | 0.001 | \$ 750.61 |
| Chester | UrlB | Urban land-Gladstone complex, 0 to 8 percent slopes | 8 | 7281.4 | 0.015 | \$ 750.61 |
| Chester | UrlD | Urban land-Gladstone complex, 8 to 25 percent slopes | 8 | 1615.5 | 0.003 | \$ 750.61 |
| Chester | UrmB | Urban land-Glenelg complex, 0 to 8 percent slopes | 8 | 8271.6 | 0.017 | \$ 750.61 |
| Chester | UrmD | Urban land-Glenelg complex, 8 to 25 percent slopes | 8 | 2569.5 | 0.005 | \$ 750.61 |
| Chester | UrnB | Urban land-Glenville complex, 0 to 8 percent slopes | 8 | 230.4 | 0 | \$ 750.61 |
| Chester | Uro | Urban land-Hatboro complex | 8 | 169.6 | 0 | \$ 750.61 |
| Chester | Urp | Urban land-Holly complex | 8 | 21.4 | 0 | \$ 750.61 |
| Chester | UrqB | Urban land-Legore complex, 0 to 8 percent slopes | 8 | 80.7 | 0 | \$ 750.61 |
| Chester | Urr | Urban land-Lindside complex | 8 | 74.4 | 0 | \$ 871.65 |
| Chester | UrsB | Urban land-Manor complex, 0 to 8 percent slopes | 8 | 610.7 | 0.001 | \$ 871.65 |
| Chester | UrsD | Urban land-Manor complex, 8 to 25 percent slopes | 8 | 485.6 | 0.001 | \$ 750.61 |
| Chester | UrtB | Urban land-Mount Lucas complex, 0 to 8 percent slopes | 8 | 26.7 | 0 | \$ 750.61 |
| Chester | UruB | Urban land-Neshaminy complex, 0 to 8 percent slopes | 8 | 319.3 | 0.001 | \$ 750.61 |
| Chester | UrvB | Urban land-Parker complex, 0 to 8 percent slopes | 8 | 22.4 | 0 | \$ 750.61 |
| Chester | UrvD | Urban land-Parker complex, 8 to 25 percent slopes | 8 | 79.4 | 0 | \$ 750.61 |
| Chester | UrwB | Urban land-Penlaw complex, 0 to 8 percent slopes | 8 | 183.7 | 0 | \$ 750.61 |
| Chester | UrxB | Urban land-Penn complex, 0 to 8 percent slopes | 8 | 4317.2 | 0.009 | \$ 750.61 |
| Chester | UrxD | Urban land-Penn complex, 8 to 25 percent slopes | 8 | 444.5 | 0.001 | \$ 750.61 |
| Chester | UryB | Urban land-Towhee complex, 0 to 8 percent slopes | 8 | 30.9 | 0 | \$ 750.61 |
| Chester | UudB | Urban land-Udorthents, limestone complex, 0 to 8 percent slopes | 8 | 5091.2 | 0.01 | \$ 750.61 |
| Chester | UudD | Urban land-Udorthents, limestone complex, 8 to 25 percent slopes | 8 | 171 | 0 | \$ 750.61 |
| Chester | UugB | Urban land-Udorthents, schist and gneiss complex, 0 to 8 percent slopes | 8 | 12762.1 | 0.026 | \$ 750.61 |
| Chester | UugD | Urban land-Udorthents, schist and gneiss complex, 8 to 25 percent slopes | 8 | 3476.1 | 0.007 | \$ 750.61 |
| Chester | UuhB | Urban land-Udorthents, serpentine complex, 0 to 8 percent slopes | 8 | 116.2 | 0 | \$ 750.61 |
| Chester | UusB | Urban land-Udorthents, shale and sandstone complex, 0 to 8 percent slopes | 8 | 861.5 | 0.002 | \$ 750.61 |
| Chester | UusD | Urban land-Udorthents, shale and sandstone complex, 8 to 25 percent slopes | 8 | 68.9 | 0 | \$ 750.61 |
| Clarion | AhA | Allegheny silt loam, 0 to 3 percent slopes | 1 | 226.2 | 0.001 | \$ 1,500.91 |
| Clarion | CIA | Clymer channery loam, 0 to 3 percent slopes | 1 | 893 | 0.002 | \$ 1,439.68 |
| Clarion | PmA | Pope fine sandy loam, 0 to 2 percent slopes, rarely flooded | 1 | 865.2 | 0.002 | \$ 1,524.73 |
| Clarion | PoA | Pope silt loam, 0 to 2 percent slopes, occasionally flooded | 1 | 510.5 | 0.001 | \$ 1,516.83 |
| Clarion | WsA | Wheeling silt loam, 0 to 3 percent slopes | 1 | 597.5 | 0.002 | \$ 1,439.68 |
| Clarion | AhB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 525 | 0.001 | \$ 1,431.32 |
| Clarion | CIB | Clymer channery loam, 3 to 8 percent slopes | 2 | 5468.4 | 0.014 | \$ 1,439.68 |
| Clarion | CmB | Clymer loam, 0 to 8 percent slopes | 2 | 473.4 | 0.001 | \$ 1,447.98 |
| Clarion | CoA | Cookport loam, 0 to 3 percent slopes | 2 | 1519.4 | 0.004 | \$ 1,142.60 |
| Clarion | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 16944 | 0.043 | \$ 1,091.70 |
| Clarion | CuB | Culleoka channery silt loam, 3 to 8 percent slopes | 2 | 56.7 | 0 | \$ 1,486.84 |
| Clarion | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 16069.5 | 0.041 | \$ 1,456.25 |
| Clarion | GcB | Gilpin channery silt loam, 3 to 8 percent slopes | 2 | 2190.9 | 0.006 | \$ 1,268.09 |
| Clarion | GgB | Gilpin silt loam, 3 to 8 percent slopes | 2 | 1631.2 | 0.004 | \$ 1,272.73 |
| Clarion | GwB | Gilpin-Weikert channery silt loams, 3 to 8, percent slopes | 2 | 1902.1 | 0.005 | \$ 1,173.89 |
| Clarion | GyB | Guernsey silt loam, 3 to 8 percent slopes | 2 | 348.3 | 0.001 | \$ 1,420.81 |
| Clarion | HaB | Hazleton channery loam, 3 to 8 percent slopes | 2 | 127.3 | 0 | \$ 1,480.77 |
| Clarion | HnB | Hazleton channery sandy loam, 3 to 8 percent slopes | 2 | 1621 | 0.004 | \$ 1,476.71 |
| Clarion | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 235.1 | 0.001 | \$ 1,367.18 |
| Clarion | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 1359.4 | 0.003 | \$ 1,367.18 |
| Clarion | PeA | Philo loam, 0 to 3 percent slopes, occasionally flooded | 2 | 2074.1 | 0.005 | \$ 1,380.22 |
| Clarion | PhA | Philo silt loam, 0 to 2 percent slopes, occasionally flooded | 2 | 3679.9 | 0.009 | \$ 1,528.66 |
| Clarion | RnB | Rayne-Gilpin channery silt loams, 3 to 8 percent slopes | 2 | 1348.3 | 0.003 | \$ 1,295.73 |
| Clarion | ScA | Sciotoville silt loam, 0 to 2 percent slopes | 2 | 1292.2 | 0.003 | \$ 1,468.56 |
| Clarion | ScB | Sciotoville silt loam, 2 to 6 percent slopes | 2 | 1208.2 | 0.003 | \$ 1,488.86 |

| | | | | | | |
|---------|-----|---|---|---------|-------|-------------|
| Clarion | ShB | Shelocta silt loam, 3 to 8 percent slopes | 2 | 66.8 | 0 | \$ 1,349.62 |
| Clarion | WhA | Wharton silt loam, 0 to 3 percent slopes | 2 | 552.3 | 0.001 | \$ 1,277.36 |
| Clarion | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 5723.5 | 0.015 | \$ 1,274.59 |
| Clarion | WIB | Wheeling gravelly loam, 2 to 6 percent slopes | 2 | 46.3 | 0 | \$ 1,490.88 |
| Clarion | WsB | Wheeling silt loam, 3 to 8 percent slopes | 2 | 866.6 | 0.002 | \$ 1,443.84 |
| Clarion | AhC | Allegheny silt loam, 8 to 15 percent slopes | 3 | 335.2 | 0.001 | \$ 1,338.54 |
| Clarion | BeB | Bethesda very channery silt loam, 0 to 8 percent slopes | 3 | 11427.2 | 0.029 | \$ 871.65 |
| Clarion | CaA | Cavode silt loam, 0 to 3 percent slopes | 3 | 2532.7 | 0.006 | \$ 1,160.06 |
| Clarion | CaB | Cavode silt loam, 3 to 8 percent slopes | 3 | 25757.7 | 0.066 | \$ 1,160.06 |
| Clarion | CaC | Cavode silt loam, 8 to 15 percent slopes | 3 | 10974.8 | 0.028 | \$ 1,117.34 |
| Clarion | ChC | Chenango gravelly silt loam, 8 to 15 percent slopes | 3 | 394.8 | 0.001 | \$ 1,201.32 |
| Clarion | CIC | Clymer channery loam, 8 to 15 percent slopes | 3 | 2461.3 | 0.006 | \$ 1,360.62 |
| Clarion | CmC | Clymer loam, 8 to 15 percent slopes | 3 | 64.5 | 0 | \$ 1,360.62 |
| Clarion | CoC | Cookport loam, 8 to 15 percent slopes | 3 | 6392.9 | 0.016 | \$ 1,049.85 |
| Clarion | CuC | Culleoka channery silt loam, 8 to 15 percent slopes | 3 | 64.8 | 0 | \$ 1,382.38 |
| Clarion | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 14873.7 | 0.038 | \$ 1,351.82 |
| Clarion | GcC | Gilpin channery silt loam, 8 to 15 percent slopes | 3 | 4589.7 | 0.012 | \$ 1,265.77 |
| Clarion | GgC | Gilpin silt loam, 8 to 15 percent slopes | 3 | 3549.1 | 0.009 | \$ 1,251.75 |
| Clarion | GwC | Gilpin-Weikert channery silt loams, 8 to 15 percent slopes | 3 | 5013.1 | 0.013 | \$ 1,119.37 |
| Clarion | GyC | Guernsey silt loam, 8 to 15 percent slopes | 3 | 235.9 | 0.001 | \$ 1,225.73 |
| Clarion | HaC | Hazleton channery loam, 8 to 15 percent slopes | 3 | 412.1 | 0.001 | \$ 1,401.72 |
| Clarion | HnC | Hazleton channery sandy loam, 8 to 15 percent slopes | 3 | 1400.1 | 0.004 | \$ 1,397.44 |
| Clarion | ItB | Itmann extremely channery loam, 0 to 8 percent slopes | 3 | 14 | 0 | \$ 871.65 |
| Clarion | MoC | Monongahela silt loam, 8 to 15 percent slopes | 3 | 228.4 | 0.001 | \$ 1,281.97 |
| Clarion | RnC | Rayne-Gilpin channery silt loams, 8 to 15 percent slopes | 3 | 604.4 | 0.002 | \$ 1,220.95 |
| Clarion | ScC | Sciotoville silt loam, 6 to 12 percent slopes | 3 | 221.6 | 0.001 | \$ 1,369.36 |
| Clarion | ShC | Shelocta silt loam, 8 to 15 percent slopes | 3 | 105.9 | 0 | \$ 1,288.87 |
| Clarion | TyA | Tyler silt loam, 0 to 2 percent slopes | 3 | 203.6 | 0.001 | \$ 1,261.11 |
| Clarion | TyB | Tyler silt loam, 2 to 6 percent slopes | 3 | 99.4 | 0 | \$ 1,261.11 |
| Clarion | WgC | Wharton-Gilpin silt loams, 8 to 15 percent slopes | 3 | 255.7 | 0.001 | \$ 1,192.00 |
| Clarion | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 5446 | 0.014 | \$ 1,286.57 |
| Clarion | WIC | Wheeling gravelly loam, 6 to 12 percent slopes | 3 | 131.5 | 0 | \$ 1,405.98 |
| Clarion | WsC | Wheeling silt loam, 8 to 15 percent slopes | 3 | 339.8 | 0.001 | \$ 1,458.72 |
| Clarion | ArA | Armagh silt loam, 0 to 3 percent slopes | 4 | 2490.9 | 0.006 | \$ 1,006.96 |
| Clarion | ArB | Armagh silt loam, 3 to 8 percent slopes | 4 | 2399.9 | 0.006 | \$ 1,006.96 |
| Clarion | AtA | Atkins-Philo complex, 0 to 3 percent slopes, frequently floor | 4 | 4787.2 | 0.012 | \$ 1,211.36 |
| Clarion | BkA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 3473.3 | 0.009 | \$ 1,242.34 |
| Clarion | BkB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 1207.2 | 0.003 | \$ 1,258.78 |
| Clarion | ChD | Chenango gravelly silt loam, 15 to 25 percent slopes | 4 | 179.6 | 0 | \$ 1,140.09 |
| Clarion | EkA | Elkins silt loam, 0 to 3 percent slopes, occasionally flooded | 4 | 934.3 | 0.002 | \$ 871.65 |
| Clarion | ErD | Ernest silt loam, 15 to 25 percent slopes | 4 | 489.4 | 0.001 | \$ 1,137.58 |
| Clarion | GcD | Gilpin channery silt loam, 15 to 25 percent slopes | 4 | 5938.5 | 0.015 | \$ 1,102.00 |
| Clarion | GgD | Gilpin silt loam, 15 to 25 percent slopes | 4 | 3933.2 | 0.01 | \$ 1,184.69 |
| Clarion | GxA | Ginat silt loam, 0 to 2 percent slopes | 4 | 341.3 | 0.001 | \$ 1,147.61 |
| Clarion | GyD | Guernsey silt loam, 15 to 25 percent slopes | 4 | 78.1 | 0 | \$ 1,147.61 |
| Clarion | HaD | Hazleton channery loam, 15 to 25 percent slopes | 4 | 394.5 | 0.001 | \$ 1,362.81 |
| Clarion | HnD | Hazleton channery sandy loam, 15 to 25 percent slopes | 4 | 3784 | 0.01 | \$ 1,225.73 |
| Clarion | ItD | Itmann extremely channery loam, 8 to 25 percent slopes | 4 | 92.5 | 0 | \$ 871.65 |
| Clarion | RnD | Rayne-Gilpin channery silt loams, 15 to 25 percent slopes | 4 | 206.8 | 0.001 | \$ 1,132.54 |
| Clarion | WgD | Wharton-Gilpin silt loams, 15 to 25 percent slopes | 4 | 8560.5 | 0.022 | \$ 1,109.69 |
| Clarion | WhD | Wharton silt loam, 15 to 25 percent slopes | 4 | 1885.7 | 0.005 | \$ 1,205.58 |
| Clarion | AeB | Aeric Epiaquents, 0 to 8 percent slopes | 6 | 2757.6 | 0.007 | \$ 750.61 |
| Clarion | AsB | Armagh silt loam, 0 to 8 percent slopes, very stony | 6 | 322 | 0.001 | \$ 750.61 |
| Clarion | BeD | Bethesda very channery silt loam, 8 to 25 percent slopes | 6 | 29935.3 | 0.077 | \$ 750.61 |
| Clarion | BsB | Brinkerton mucky silt loam, 0 to 8 percent slopes, very stony | 6 | 924.2 | 0.002 | \$ 750.61 |
| Clarion | CdB | Cavode silt loam, 0 to 8 percent slopes, very stony | 6 | 2202.6 | 0.006 | \$ 750.61 |

| | | | | | | | |
|------------|-----|---|---|---------|-------|----|----------|
| Clarion | CdD | Cavode silt loam, 8 to 25 percent slopes, very stony | 6 | 589 | 0.002 | \$ | 750.61 |
| Clarion | CnB | Clymer loam, 0 to 8 percent slopes, very stony | 6 | 1903.2 | 0.005 | \$ | 750.61 |
| Clarion | CpB | Cookport loam, 0 to 8 percent slopes, very stony | 6 | 11019.3 | 0.028 | \$ | 750.61 |
| Clarion | CpD | Cookport loam, 8 to 25 percent slopes, very stony | 6 | 7859 | 0.02 | \$ | 750.61 |
| Clarion | HsB | Hazleton channery sandy loam, 0 to 8 percent slopes, extre | 6 | 3430.7 | 0.009 | \$ | 750.61 |
| Clarion | LF | Land fill | 6 | 74.8 | 0 | \$ | 750.61 |
| Clarion | RsB | Rayne-Gilpin channery silt loams, 0 to 8 percent slopes, very | 6 | 107.9 | 0 | \$ | 750.61 |
| Clarion | RsD | Rayne-Gilpin channery silt loams, 8 to 25 percent slopes, ve | 6 | 2212.2 | 0.006 | \$ | 750.61 |
| Clarion | SeB | Sewell very channery sandy loam, 0 to 8 percent slopes | 6 | 992.9 | 0.003 | \$ | 750.61 |
| Clarion | SeD | Sewell very channery sandy loam, 8 to 25 percent slopes | 6 | 1093.8 | 0.003 | \$ | 750.61 |
| Clarion | UdB | Udorthents, 0 to 8 percent slopes | 6 | 1281.9 | 0.003 | \$ | 750.61 |
| Clarion | BhD | Bethesda very channery silt loam, 8 to 25 percent slopes, ve | 7 | 29431.6 | 0.075 | \$ | 750.61 |
| Clarion | BhF | Bethesda very channery silt loams, 25 to 75 percent slopes, | 7 | 3406.9 | 0.009 | \$ | 750.61 |
| Clarion | BxB | Buchanan loam, 0 to 8 percent slopes, extremely stony | 7 | 7523 | 0.019 | \$ | 750.61 |
| Clarion | BxD | Buchanan loam, 8 to 25 percent slopes, extremely stony | 7 | 13186.6 | 0.034 | \$ | 750.61 |
| Clarion | DkB | Dekalb-Hazleton channery sandy loams, 0 to 8 percent slope | 7 | 111.3 | 0 | \$ | 750.61 |
| Clarion | DkD | Dekalb-Hazleton channery sandy loams, 8 to 25 percent slope | 7 | 143.6 | 0 | \$ | 750.61 |
| Clarion | GcF | Gilpin channery silt loam, 25 to 60 percent slopes | 7 | 320.4 | 0.001 | \$ | 750.61 |
| Clarion | GwF | Gilpin-Weikert channery silt loams, 35 to 60 percent slopes | 7 | 10294.8 | 0.026 | \$ | 750.61 |
| Clarion | HnF | Hazleton channery sandy loam, 25 to 70 percent slopes | 7 | 821.9 | 0.002 | \$ | 750.61 |
| Clarion | HsD | Hazleton channery sandy loam, 8 to 25 percent slopes, extre | 7 | 17283 | 0.044 | \$ | 750.61 |
| Clarion | HsF | Hazleton channery sandy loam, 25 to 60 percent slopes, ext | 7 | 9013.1 | 0.023 | \$ | 750.61 |
| Clarion | LaD | Laidig gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 417.5 | 0.001 | \$ | 750.61 |
| Clarion | LaF | Laidig gravelly loam, 25 to 50 percent slopes, extremely bou | 7 | 10864.4 | 0.028 | \$ | 750.61 |
| Clarion | RvA | Riverwash, 0 to 3 percent slopes | 7 | 35.8 | 0 | \$ | 750.61 |
| Clarion | ShF | Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes | 7 | 98.4 | 0 | \$ | 750.61 |
| Clarion | SxF | Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes | 7 | 2066.3 | 0.005 | \$ | 750.61 |
| Clarion | DAM | Dam | 8 | 1.5 | 0 | \$ | 750.61 |
| Clarion | Pk | Pits, quarries | 8 | 16.7 | 0 | \$ | 750.61 |
| Clarion | UgB | Urban land-Gilpin complex, 0 to 8 percent slopes | 8 | 171.9 | 0 | \$ | 750.61 |
| Clarion | UIA | Urban land, 0 to 3 percent slopes | 8 | 31.3 | 0 | \$ | 750.61 |
| Clarion | UIB | Urban land, 3 to 8 percent slopes | 8 | 445.3 | 0.001 | \$ | 750.61 |
| Clarion | UwB | Urban land-Wharton complex, 0 to 8 percent slopes | 8 | 683.9 | 0.002 | \$ | 750.61 |
| Clarion | UwD | Urban land-Wharton complex, 8-25 percent slopes | 8 | 65.8 | 0 | \$ | 750.61 |
| Clarion | VrG | Varilla very channery sandy loam, 50 to 80 percent slopes, e | 8 | 1504.1 | 0.004 | \$ | 750.61 |
| Clearfield | AIB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 653.1 | 0.001 | \$ | 1,431.32 |
| Clearfield | BeB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 1379.4 | 0.002 | \$ | 1,192.00 |
| Clearfield | CIB | Clymer channery loam, 3 to 8 percent slopes | 2 | 13574.6 | 0.018 | \$ | 1,439.68 |
| Clearfield | CoB | Cookport channery loam, 3 to 8 percent slopes | 2 | 31178 | 0.042 | \$ | 1,142.60 |
| Clearfield | DeB | Dekalb channery loam, 3 to 8 percent slopes | 2 | 939.2 | 0.001 | \$ | 1,091.70 |
| Clearfield | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 22445 | 0.03 | \$ | 1,367.18 |
| Clearfield | GIB | Gilpin channery silt loam, 3 to 8 percent slopes | 2 | 24650 | 0.033 | \$ | 1,270.42 |
| Clearfield | HcB | Hazleton-Clymer channery loams, 3 to 8 percent slopes | 2 | 8862.8 | 0.012 | \$ | 1,435.50 |
| Clearfield | HrB | Hartleton channery silt loam, 3 to 8 percent slopes | 2 | 385.1 | 0.001 | \$ | 1,112.24 |
| Clearfield | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 4224.7 | 0.006 | \$ | 1,373.71 |
| Clearfield | Ph | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 9506.4 | 0.013 | \$ | 1,380.22 |
| Clearfield | Po | Pope loam, 0 to 3 percent slopes, occasionally flooded | 2 | 1442.7 | 0.002 | \$ | 1,380.22 |
| Clearfield | RaB | Rayne silt loam, 3 to 8 percent slopes | 2 | 4383.8 | 0.006 | \$ | 1,358.42 |
| Clearfield | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 25532.4 | 0.035 | \$ | 1,049.85 |
| Clearfield | 92B | Bethesda very channery silt loam, 0 to 8 percent slopes | 3 | 5897.6 | 0.008 | \$ | 871.65 |
| Clearfield | BeC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 1354 | 0.002 | \$ | 1,099.43 |
| Clearfield | CaB | Cavode silt loam, 3 to 8 percent slopes | 3 | 7451.3 | 0.01 | \$ | 1,201.71 |
| Clearfield | CaC | Cavode silt loam, 8 to 15 percent slopes | 3 | 2232 | 0.003 | \$ | 1,155.09 |
| Clearfield | CIC | Clymer channery loam, 8 to 15 percent slopes | 3 | 4171.4 | 0.006 | \$ | 1,360.62 |
| Clearfield | CoC | Cookport channery loam, 8 to 15 percent slopes | 3 | 9467.9 | 0.013 | \$ | 1,099.43 |
| Clearfield | DeC | Dekalb channery loam, 8 to 15 percent slopes | 3 | 683.3 | 0.001 | \$ | 1,039.23 |

| | | | | | | |
|------------|-----|---|---|---------|-------|-------------|
| Clearfield | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 38394.3 | 0.052 | \$ 1,291.16 |
| Clearfield | GIC | Gilpin channery silt loam, 8 to 15 percent slopes | 3 | 39219 | 0.053 | \$ 1,225.73 |
| Clearfield | HcC | Hazleton-Clymer channery loams, 8 to 15 percent slopes | 3 | 6416.4 | 0.009 | \$ 1,408.11 |
| Clearfield | HrC | Hartleton channery silt loam, 8 to 15 percent slopes | 3 | 54.8 | 0 | \$ 1,047.20 |
| Clearfield | RaC | Rayne silt loam, 8 to 15 percent slopes | 3 | 2390.9 | 0.003 | \$ 1,284.28 |
| Clearfield | TyA | Tyler silt loam, 0 to 3 percent slopes | 3 | 475.5 | 0.001 | \$ 1,261.11 |
| Clearfield | TyB | Tyler silt loam, 3 to 6 percent slopes | 3 | 1122.3 | 0.002 | \$ 1,137.58 |
| Clearfield | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 22925.5 | 0.031 | \$ 962.99 |
| Clearfield | Ar | Armagh silt loam | 4 | 321.5 | 0 | \$ 1,006.96 |
| Clearfield | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 4 | 12638.8 | 0.017 | \$ 1,142.60 |
| Clearfield | BeD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 1063.7 | 0.001 | \$ 1,055.14 |
| Clearfield | BrA | Brinkerton soils, 0 to 3 percent slopes | 4 | 2249.8 | 0.003 | \$ 1,218.56 |
| Clearfield | BrB | Brinkerton soils, 3 to 8 percent slopes | 4 | 12334.2 | 0.017 | \$ 1,218.56 |
| Clearfield | DeD | Dekalb channery loam, 15 to 25 percent slopes | 4 | 391.3 | 0.001 | \$ 985.12 |
| Clearfield | ErD | Ernest silt loam, 15 to 25 percent slopes | 4 | 7428.5 | 0.01 | \$ 1,239.50 |
| Clearfield | HaD | Hazleton channery loam, 15 to 25 percent slopes | 4 | 4253.6 | 0.006 | \$ 1,362.81 |
| Clearfield | HrD | Hartleton channery silt loam, 15 to 25 percent slopes | 4 | 41.9 | 0 | \$ 1,006.96 |
| Clearfield | NoA | Nolo loam, 0 to 3 percent slopes | 4 | 668.2 | 0.001 | \$ 1,106.51 |
| Clearfield | NoB | Nolo loam, 3 to 8 percent slopes | 4 | 1157.9 | 0.002 | \$ 1,106.51 |
| Clearfield | Pu | Purdy silt loam | 4 | 485.7 | 0.001 | \$ 1,160.06 |
| Clearfield | RcD | Rayne-Gilpin complex, 15 to 25 percent slopes | 4 | 45635.1 | 0.062 | \$ 1,152.60 |
| Clearfield | WhD | Wharton silt loam, 15 to 25 percent slopes | 4 | 4355.6 | 0.006 | \$ 871.65 |
| Clearfield | 92D | Bethesda very channery silt loam, 8 to 25 percent slopes | 6 | 40429.4 | 0.055 | \$ 750.61 |
| Clearfield | 94B | Aeric Epiaquents, gently sloping | 6 | 797.9 | 0.001 | \$ 750.61 |
| Clearfield | CmB | Clymer very stony loam, 0 to 8 percent slopes | 6 | 6808 | 0.009 | \$ 750.61 |
| Clearfield | CmC | Clymer very stony loam, 8 to 15 percent slopes | 6 | 2606.7 | 0.004 | \$ 750.61 |
| Clearfield | CxB | Cookport channery loam, 0 to 8 percent slopes, very stony | 6 | 20034.9 | 0.027 | \$ 750.61 |
| Clearfield | CxD | Cookport channery loam, 8 to 25 percent slopes, very stony | 6 | 10165.7 | 0.014 | \$ 750.61 |
| Clearfield | DxB | Dekalb very stony loam, 0 to 8 percent slopes | 6 | 1904.6 | 0.003 | \$ 750.61 |
| Clearfield | DxD | Dekalb very stony loam, 8 to 25 percent slopes | 6 | 3127.9 | 0.004 | \$ 750.61 |
| Clearfield | HbD | Hazleton very stony loam, 8 to 25 percent slopes | 6 | 22434 | 0.03 | \$ 750.61 |
| Clearfield | HdB | Hazleton-Clymer very stony loams, 0 to 8 percent slopes | 6 | 23016.4 | 0.031 | \$ 750.61 |
| Clearfield | LeB | Leetonia very stony loamy fine sand, 0 to 12 percent slopes | 6 | 228 | 0 | \$ 750.61 |
| Clearfield | 95C | Cedarcreek extremely channery loam, strongly sloping | 7 | 1647.4 | 0.002 | \$ 750.61 |
| Clearfield | 95D | Cedarcreek extremely channery loam, moderately steep | 7 | 70088.6 | 0.095 | \$ 750.61 |
| Clearfield | BvB | Buchanan silt loam, 0 to 8 percent slopes, extremely stony | 7 | 3718.1 | 0.005 | \$ 750.61 |
| Clearfield | BvD | Buchanan silt loam, 8 to 25 percent slopes, extremely stony | 7 | 8568.6 | 0.012 | \$ 750.61 |
| Clearfield | BxB | Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely | 7 | 1479.7 | 0.002 | \$ 750.61 |
| Clearfield | GmB | Gilpin channery silt loam, 3 to 8 percent slopes, extremely s | 7 | 906.2 | 0.001 | \$ 750.61 |
| Clearfield | GmD | Gilpin channery silt loam, 8 to 25 percent slopes, extremely | 7 | 2878 | 0.004 | \$ 750.61 |
| Clearfield | HbF | Hazleton very stony loam, 25 to 80 percent slopes | 7 | 49351 | 0.067 | \$ 750.61 |
| Clearfield | NxB | Nolo very stony loam, 0 to 8 percent slopes | 7 | 1602.5 | 0.002 | \$ 750.61 |
| Clearfield | RbF | Rayne channery silt loam, 25 to 65 percent slopes | 7 | 64700 | 0.088 | \$ 750.61 |
| Clearfield | Ud | Udifuvents, sandy | 7 | 1719.1 | 0.002 | \$ 750.61 |
| Clearfield | Uo | Udorthents, shale | 7 | 462.4 | 0.001 | \$ 750.61 |
| Clearfield | Up | Udorthents, smoothed | 7 | 2312 | 0.003 | \$ 750.61 |
| Clearfield | DAM | Dams and impoundment structures | 8 | 48.4 | 0 | \$ 750.61 |
| Clearfield | QU | Quarries | 8 | 3.5 | 0 | \$ 750.61 |
| Clearfield | Ru | Rubble land-Dystrochrepts complex | 8 | 1163.6 | 0.002 | \$ 750.61 |
| Clearfield | Ur | Urban land | 8 | 998.8 | 0.001 | \$ 750.61 |
| Clinton | Ba | Barbour fine sandy loam | 1 | 1809.9 | 0.003 | \$ 1,733.41 |
| Clinton | CeA | Clymer channery loam, 0 to 3 percent slopes | 1 | 355.4 | 0.001 | \$ 1,496.91 |
| Clinton | HeA | Hagerstown silt loam, 0 to 3 percent slopes | 1 | 1346.9 | 0.002 | \$ 1,641.98 |
| Clinton | Lo | Linden silt loam, occassionally flooded | 1 | 4151.9 | 0.007 | \$ 1,490.88 |
| Clinton | Lr | Linden silt loam, rarely flooded | 1 | 2851.1 | 0.005 | \$ 1,555.90 |
| Clinton | MuA | Murrill silt loam, 0 to 3 percent slopes | 1 | 147.3 | 0 | \$ 1,460.36 |

| | | | | | | |
|---------|-----|--|---|--------|-------|-------------|
| Clinton | TmA | Timberville silt loam, 0 to 3 percent slopes | 1 | 350.6 | 0.001 | \$ 1,555.90 |
| Clinton | WhA | Wheeling silt loam, 0 to 3 percent slopes | 1 | 124.2 | 0 | \$ 1,555.90 |
| Clinton | AgB | Allenwood gravelly silt loam, 3 to 8 percent slopes | 2 | 876 | 0.002 | \$ 1,571.24 |
| Clinton | Bb | Barbour-Craigsville complex | 2 | 3894.7 | 0.007 | \$ 1,416.34 |
| Clinton | Bc | Basher silt loam | 2 | 1054 | 0.002 | \$ 1,723.16 |
| Clinton | BeB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 934.2 | 0.002 | \$ 1,086.52 |
| Clinton | BhB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 393 | 0.001 | \$ 1,184.69 |
| Clinton | BuB | Buchanan-Andover gravelly loams, 3 to 8 percent slopes | 2 | 5525.3 | 0.01 | \$ 1,387.13 |
| Clinton | CcA | Chenango gravelly loam, 0 to 3 percent slopes | 2 | 32.8 | 0 | \$ 1,468.56 |
| Clinton | CcB | Chenango gravelly loam, 3 to 8 percent slopes | 2 | 281.7 | 0 | \$ 1,476.71 |
| Clinton | CdB | Clymer loam, 3 to 8 percent slopes | 2 | 2257.1 | 0.004 | \$ 1,472.64 |
| Clinton | CeB | Clymer channery loam, 3 to 8 percent slopes | 2 | 2668.1 | 0.005 | \$ 1,441.76 |
| Clinton | CmA | Comly silt loam, 0 to 3 percent slopes | 2 | 145.7 | 0 | \$ 1,391.01 |
| Clinton | CmB | Comly silt loam, 3 to 8 percent slopes | 2 | 936.6 | 0.002 | \$ 1,388.85 |
| Clinton | CnB | Cookport silt loam, 3 to 8 percent slopes | 2 | 1187.2 | 0.002 | \$ 1,091.70 |
| Clinton | CoA | Cookport loam, 0 to 3 percent slopes | 2 | 98.6 | 0 | \$ 1,435.50 |
| Clinton | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 337.1 | 0.001 | \$ 1,286.57 |
| Clinton | Cr | Craigsville gravelly loam | 2 | 3739.6 | 0.007 | \$ 1,132.54 |
| Clinton | GpB | Gilpin silt loam, 3 to 8 percent slopes | 2 | 1379.4 | 0.002 | \$ 1,211.36 |
| Clinton | HeB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 9453.4 | 0.016 | \$ 1,642.70 |
| Clinton | HfB | Hagerstown silty clay loam, 3 to 8 percent slopes | 2 | 247.2 | 0 | \$ 1,653.19 |
| Clinton | HhA | Hartleton channery silt loam, 0 to 3 percent slopes | 2 | 88.3 | 0 | \$ 1,439.68 |
| Clinton | HhB | Hartleton channery silt loam, 3 to 8 percent slopes | 2 | 344 | 0.001 | \$ 1,439.68 |
| Clinton | HIB | Hazleton-Clymer channery loams, 3 to 8 percent slopes | 2 | 2127.8 | 0.004 | \$ 1,435.50 |
| Clinton | HuB | Hustontown silt loam, 3 to 8 percent slopes | 2 | 2011.5 | 0.004 | \$ 1,342.98 |
| Clinton | KrA | Kreamer silt loam, 0 to 3 percent slopes | 2 | 438.7 | 0.001 | \$ 1,286.57 |
| Clinton | LaB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 134.6 | 0 | \$ 1,331.86 |
| Clinton | LkB | Leck kill channery silt loam, 3 to 8 percent slopes | 2 | 166.6 | 0 | \$ 1,286.57 |
| Clinton | MeB | Meckesville silt loam, 3 to 8 percent slopes | 2 | 654.6 | 0.001 | \$ 1,286.57 |
| Clinton | MoB | Morrison channery sandy loam, 3 to 8 percent slopes | 2 | 225.5 | 0 | \$ 1,286.57 |
| Clinton | MuB | Murrill silt loam, 3 to 8 percent slopes | 2 | 309 | 0.001 | \$ 1,397.44 |
| Clinton | Pb | Philo silt loam | 2 | 1683 | 0.003 | \$ 1,516.83 |
| Clinton | Pc | Philo-Linden silt loams | 2 | 280.2 | 0 | \$ 1,536.49 |
| Clinton | TaA | Tilsit silt loam, 0 to 3 percent slopes | 2 | 1543.2 | 0.003 | \$ 1,286.57 |
| Clinton | TaB | Tilsit silt loam, 3 to 8 percent slopes | 2 | 1738.2 | 0.003 | \$ 1,286.57 |
| Clinton | TmB | Timberville silt loam, 3 to 8 percent slopes | 2 | 546.5 | 0.001 | \$ 1,555.90 |
| Clinton | UnB | Ungers loam, 3 to 8 percent slopes | 2 | 2471.1 | 0.004 | \$ 1,228.11 |
| Clinton | WaA | Watson silt loam, 0 to 5 percent slopes | 2 | 717.5 | 0.001 | \$ 1,286.57 |
| Clinton | WbB | Wharton silt loam, 3 to 8 percent slopes | 2 | 2368.7 | 0.004 | \$ 1,049.85 |
| Clinton | ZoA | Zoar silt loam, 0 to 3 percent slopes | 2 | 182.7 | 0 | \$ 1,367.18 |
| Clinton | AgC | Allenwood gravelly silt loam, 8 to 15 percent slopes | 3 | 211.7 | 0 | \$ 1,496.91 |
| Clinton | BeC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 4122.4 | 0.007 | \$ 1,041.89 |
| Clinton | BuC | Buchanan-Andover gravelly loams, 8 to 15 percent slopes | 3 | 5766 | 0.01 | \$ 1,314.35 |
| Clinton | CaB | Calvin channery silt loam, 3 to 8 percent slopes | 3 | 804.6 | 0.001 | \$ 1,201.71 |
| Clinton | CeC | Clymer channery loam, 8 to 15 percent slopes | 3 | 380.9 | 0.001 | \$ 1,395.30 |
| Clinton | CmC | Comly silt loam, 8 to 15 percent slopes | 3 | 484.6 | 0.001 | \$ 1,237.61 |
| Clinton | GpC | Gilpin silt loam, 8 to 15 percent slopes | 3 | 325.4 | 0.001 | \$ 1,172.42 |
| Clinton | HeC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 2579.3 | 0.004 | \$ 1,562.05 |
| Clinton | HgC | Hagerstown-Opequon silty clay loams, 8 to 15 percent slope | 3 | 1380.6 | 0.002 | \$ 1,460.36 |
| Clinton | HhC | Hartleton channery silt loam, 8 to 15 percent slopes | 3 | 243.1 | 0 | \$ 1,331.86 |
| Clinton | HIC | Hazleton-Clymer channery loams, 8 to 15 percent slopes | 3 | 1466.8 | 0.003 | \$ 1,408.11 |
| Clinton | HuC | Hustontown silt loam, 8 to 15 percent slopes | 3 | 299.1 | 0.001 | \$ 1,362.81 |
| Clinton | LaC | Laidig gravelly loam, 8 to 15 percent slopes | 3 | 839.5 | 0.001 | \$ 1,249.40 |
| Clinton | LkC | Leck kill channery silt loam, 8 to 15 percent slopes | 3 | 597.9 | 0.001 | \$ 1,249.40 |
| Clinton | MeC | Meckesville silt loam, 8 to 15 percent slopes | 3 | 1458.3 | 0.003 | \$ 1,249.40 |
| Clinton | Mn | Melvin and Newark silt loams | 3 | 2270.8 | 0.004 | \$ 1,291.16 |

| | | | | | | |
|---------|-----|---|---|---------|-------|-------------|
| Clinton | MoC | Morrison channery sandy loam, 8 to 15 percent slopes | 3 | 96.2 | 0 | \$ 1,249.40 |
| Clinton | MuC | Murrill silt loam, 8 to 15 percent slopes | 3 | 41.3 | 0 | \$ 1,331.86 |
| Clinton | TaC | Tilsit silt loam, 8 to 15 percent slopes | 3 | 269.2 | 0 | \$ 1,211.36 |
| Clinton | UnC | Ungers loam, 8 to 15 percent slopes | 3 | 352.2 | 0.001 | \$ 1,211.36 |
| Clinton | WbC | Wharton silt loam, 8 to 15 percent slopes | 3 | 395.8 | 0.001 | \$ 962.99 |
| Clinton | WyA | Wyoming very gravelly loam, 0 to 3 percent slopes | 3 | 2275.1 | 0.004 | \$ 1,342.98 |
| Clinton | WyB | Wyoming very gravelly loam, 3 to 8 percent slopes | 3 | 857.1 | 0.001 | \$ 1,342.98 |
| Clinton | AfD | Allegheny silt loam, 8 to 25 percent slopes | 4 | 288.5 | 0.001 | \$ 1,249.40 |
| Clinton | AgD | Allenwood gravelly silt loam, 15 to 25 percent slopes | 4 | 13.3 | 0 | \$ 1,500.91 |
| Clinton | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 4 | 3772.5 | 0.007 | \$ 1,142.60 |
| Clinton | BeD | Berks-Weikert complex, 15 to 25 percent slopes | 4 | 5738.2 | 0.01 | \$ 871.65 |
| Clinton | BgA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 311.2 | 0.001 | \$ 1,258.78 |
| Clinton | BhD | Buchanan gravelly loam, 8 to 25 percent slopes | 4 | 1168.7 | 0.002 | \$ 1,184.69 |
| Clinton | CaC | Calvin channery silt loam, 8 to 15 percent slopes | 4 | 330.8 | 0.001 | \$ 1,124.96 |
| Clinton | CdD | Clymer loam, 8 to 25 percent slopes | 4 | 78.9 | 0 | \$ 1,460.36 |
| Clinton | GwD | Gilpin-Wharton silt loams, 15 to 25 percent slopes | 4 | 648.6 | 0.001 | \$ 1,235.24 |
| Clinton | HID | Hazleton-Clymer channery loams, 15 to 25 percent slopes | 4 | 308.7 | 0.001 | \$ 1,356.23 |
| Clinton | HuD | Hustontown silt loam, 15 to 25 percent slopes | 4 | 2833.2 | 0.005 | \$ 1,225.73 |
| Clinton | LaD | Laidig gravelly loam, 15 to 25 percent slopes | 4 | 404.7 | 0.001 | \$ 1,172.42 |
| Clinton | LkD | Leck kill channery silt loam, 15 to 25 percent slopes | 4 | 858.2 | 0.001 | \$ 1,172.42 |
| Clinton | MeD | Meckesville silt loam, 15 to 25 percent slopes | 4 | 550.3 | 0.001 | \$ 1,172.42 |
| Clinton | MuD | Murrill silt loam, 15 to 25 percent slopes | 4 | 198.5 | 0 | \$ 1,322.90 |
| Clinton | NoA | Nolo silt loam, 0 to 3 percent slopes | 4 | 4521.1 | 0.008 | \$ 1,201.71 |
| Clinton | Pu | Purdy silt loam, 0 to 3 percent slopes | 4 | 343.3 | 0.001 | \$ 1,006.96 |
| Clinton | Fr | Freetown mucky peat | 5 | 305 | 0.001 | \$ 750.61 |
| Clinton | Pt | Potomac gravelly sandy loam | 5 | 125.5 | 0 | \$ 750.61 |
| Clinton | AeB | Aeric Epiaquents, gently sloping | 6 | 631.4 | 0.001 | \$ 750.61 |
| Clinton | KcD | Klinesville channery silt loam, 15 to 25 percent slopes | 6 | 27.1 | 0 | \$ 750.61 |
| Clinton | LkE | Leck kill channery silt loam, 25 to 35 percent slopes | 6 | 1230.6 | 0.002 | \$ 750.61 |
| Clinton | LmD | Leck kill channery silt loam, 8 to 25 percent slopes, very stor | 6 | 75.6 | 0 | \$ 750.61 |
| Clinton | MhD | Meckesville channery loam, 8 to 25 percent slopes, very sto | 6 | 1722.8 | 0.003 | \$ 750.61 |
| Clinton | OhD | Opequon-Hagerstown silty clay loams, 15 to 25 percent slop | 6 | 1007.3 | 0.002 | \$ 750.61 |
| Clinton | OsD | Opequon-Hagerstown silty clay loams, 15 to 25 percent slop | 6 | 321.3 | 0.001 | \$ 750.61 |
| Clinton | WeB | Wharton silt loam, 0 to 8 percent slopes, very stony | 6 | 4366.5 | 0.008 | \$ 750.61 |
| Clinton | WgB | Wharton-Cookport complex, 0 to 8 percent slopes, very sto | 6 | 6580.5 | 0.011 | \$ 750.61 |
| Clinton | BeE | Berks-Weikert complex, 25 to 60 percent slopes | 7 | 9919.8 | 0.017 | \$ 750.61 |
| Clinton | BmB | Buchanan gravelly loam, 0 to 8 percent slopes, extremely st | 7 | 2782.9 | 0.005 | \$ 750.61 |
| Clinton | BmC | Buchanan gravelly loam, 8 to 25 percent slopes, extremely s | 7 | 9636.8 | 0.017 | \$ 750.61 |
| Clinton | BxB | Buchanan-Andover gravelly loams, 0 to 8 percent slopes, ex | 7 | 1265.6 | 0.002 | \$ 750.61 |
| Clinton | BxC | Buchanan-Andover gravelly loams, 8 to 25 percent slopes, e | 7 | 1020.3 | 0.002 | \$ 750.61 |
| Clinton | CbC | Cedarcreek extremely channery loam, strongly sloping | 7 | 2375.3 | 0.004 | \$ 750.61 |
| Clinton | CbD | Cedarcreek extremely channery loam, moderately steep | 7 | 2543 | 0.004 | \$ 750.61 |
| Clinton | CbE | Cedarcreek extremely channery loam, steep | 7 | 1897.2 | 0.003 | \$ 750.61 |
| Clinton | CfB | Clymer channery loam, 0 to 8 percent slopes, extremely sto | 7 | 28768.3 | 0.05 | \$ 750.61 |
| Clinton | CgB | Clymer-Cookport channery loams, 0 to 8 percent slopes, ext | 7 | 19118.3 | 0.033 | \$ 750.61 |
| Clinton | ChB | Clymer-Hazleton sandy loams, 0 to 8 percent slopes, extrem | 7 | 5544.5 | 0.01 | \$ 750.61 |
| Clinton | CpB | Cookport channery loam, 0 to 8 percent slopes, extremely s | 7 | 27903.1 | 0.049 | \$ 750.61 |
| Clinton | CpD | Cookport channery loam, 8 to 25 percent slopes, extremely | 7 | 34574.7 | 0.06 | \$ 750.61 |
| Clinton | HjC | Hazleton channery sandy loam, 8 to 25 percent slopes, extr | 7 | 8128.3 | 0.014 | \$ 750.61 |
| Clinton | HkE | Hazleton channery sandy loam, 25 to 80 percent slopes, rub | 7 | 54969.1 | 0.096 | \$ 750.61 |
| Clinton | HmB | Hazleton-Clymer channery loams, 0 to 8 percent slopes, ext | 7 | 5791.6 | 0.01 | \$ 750.61 |
| Clinton | HmD | Hazleton-Clymer channery loams, 8 to 25 percent slopes, ex | 7 | 54905.5 | 0.096 | \$ 750.61 |
| Clinton | HoF | Hazleton-Laidig complex, 25 to 50 percent slopes, extremel | 7 | 107959 | 0.188 | \$ 750.61 |
| Clinton | KcE | Klinesville channery silt loam, 25 to 80 percent slopes | 7 | 113 | 0 | \$ 750.61 |
| Clinton | LdB | Laidig gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 276.1 | 0 | \$ 750.61 |
| Clinton | LdC | Laidig gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 6499.8 | 0.011 | \$ 750.61 |

| | | | | | | | |
|----------|------|--|---|---------|-------|----|----------|
| Clinton | LnB | Leetonia channery sandy loam, 0 to 8 percent slopes, extrer | 7 | 4598.6 | 0.008 | \$ | 750.61 |
| Clinton | LnC | Leetonia channery sandy loam, 8 to 25 percent slopes, extrer | 7 | 3572.9 | 0.006 | \$ | 750.61 |
| Clinton | NsA | Nolo silt loam, 0 to 3 percent slopes, extremely stony | 7 | 30.7 | 0 | \$ | 750.61 |
| Clinton | OeE | Opequon silty clay loam, 25 to 60 percent slopes, very rocky | 7 | 318 | 0.001 | \$ | 750.61 |
| Clinton | PaE | Pennval silt loam, 15 to 35 percent slopes, very stony | 7 | 799.8 | 0.001 | \$ | 750.61 |
| Clinton | UoB | Ungers loam, 0 to 8 percent slopes, extremely stony | 7 | 134.4 | 0 | \$ | 750.61 |
| Clinton | UoC | Ungers loam, 8 to 25 percent slopes, extremely stony | 7 | 1755.1 | 0.003 | \$ | 750.61 |
| Clinton | UoE | Ungers loam, 25 to 50 percent slopes, extremely stony | 7 | 3503.9 | 0.006 | \$ | 750.61 |
| Clinton | UpF | Ungers-Meckesville complex, 25 to 50 percent slopes, extrer | 7 | 21998.3 | 0.038 | \$ | 750.61 |
| Clinton | RaF | Rock outcrop-Rubble land complex, 50 to 90 percent slopes | 8 | 4730.6 | 0.008 | \$ | 750.61 |
| Clinton | Rb | Rubble land | 8 | 8450.7 | 0.015 | \$ | 750.61 |
| Clinton | UrC | Urban land-Berks complex, 3 to 15 percent slopes | 8 | 131.7 | 0 | \$ | 750.61 |
| Clinton | UsB | Urban land-Comly complex, 0 to 8 percent slopes | 8 | 221.8 | 0 | \$ | 750.61 |
| Clinton | UsC | Urban land-Comly complex, 8 to 15 percent slopes | 8 | 156.7 | 0 | \$ | 750.61 |
| Clinton | Ut | Urban land-Linden complex | 8 | 1337.6 | 0.002 | \$ | 750.61 |
| Columbia | AeA | Allenwood silt loam, 0 to 3 percent slopes | 1 | 282.5 | 0.001 | \$ | 1,556.98 |
| Columbia | Ba | Barbour fine sandy loam | 1 | 1055 | 0.003 | \$ | 1,457.07 |
| Columbia | Bb | Barbour gravelly loam | 1 | 1377.3 | 0.004 | \$ | 1,455.42 |
| Columbia | Bc | Barbour silt loam | 1 | 1174.6 | 0.004 | \$ | 1,452.12 |
| Columbia | ChA | Chenango silt loam, 0 to 3 percent slopes | 1 | 1762 | 0.006 | \$ | 1,375.88 |
| Columbia | LIA | Leck kill channery silt loam, deep, 0 to 3 percent slopes | 1 | 540.3 | 0.002 | \$ | 1,460.36 |
| Columbia | Tf | Tioga fine sandy loam | 1 | 674.8 | 0.002 | \$ | 1,452.12 |
| Columbia | Tg | Tioga gravelly loam | 1 | 57.4 | 0 | \$ | 1,457.07 |
| Columbia | Ts | Tioga silt loam | 1 | 1585.6 | 0.005 | \$ | 1,452.12 |
| Columbia | Tt | Tioga silt loam, high bottom | 1 | 367.4 | 0.001 | \$ | 1,456.99 |
| Columbia | WaA | Washington silt loam, 0 to 3 percent slopes | 1 | 97 | 0 | \$ | 1,616.32 |
| Columbia | AaA | Albrights gravelly silt loam, 0 to 3 percent slopes | 2 | 258.6 | 0.001 | \$ | 1,283.72 |
| Columbia | AaB2 | Albrights gravelly silt loam, 3 to 8 percent slopes, moderate | 2 | 3526.8 | 0.011 | \$ | 1,328.01 |
| Columbia | AeB2 | Allenwood silt loam, 3 to 12 percent slopes, moderately ero | 2 | 2557.9 | 0.008 | \$ | 1,556.98 |
| Columbia | BaB | Bath channery silt loam, 3 to 8 percent slopes | 2 | 133.9 | 0 | \$ | 1,408.11 |
| Columbia | Bd | Basher fine sandy loam | 2 | 742.2 | 0.002 | \$ | 1,452.12 |
| Columbia | BeB2 | Belmont silt loam, 3 to 12 percent slopes, moderately erode | 2 | 1735.9 | 0.006 | \$ | 1,426.37 |
| Columbia | BkB2 | Berks shaly silt loam, 3 to 12 percent slopes, moderately erc | 2 | 4353.1 | 0.014 | \$ | 1,072.78 |
| Columbia | BrA | Braceville loam, 0 to 3 percent slopes | 2 | 839.9 | 0.003 | \$ | 1,351.82 |
| Columbia | BrB | Braceville loam, 3 to 8 percent slopes | 2 | 292.4 | 0.001 | \$ | 1,313.90 |
| Columbia | BuB | Buchanan cobbly loam, 3 to 8 percent slopes | 2 | 424.6 | 0.001 | \$ | 1,177.34 |
| Columbia | CaB2 | Calvin shaly silt loam, neutral substratum, 3 to 12 percent sl | 2 | 670.1 | 0.002 | \$ | 1,024.67 |
| Columbia | CfB2 | Canfield channery silt loam, 3 to 8 percent slopes, moderate | 2 | 1855.9 | 0.006 | \$ | 1,277.36 |
| Columbia | CgA | Chenango gravelly sandy loam, 0 to 3 percent slopes | 2 | 3409.7 | 0.011 | \$ | 1,294.91 |
| Columbia | CgB2 | Chenango gravelly sandy loam, 3 to 12 percent slopes, mod | 2 | 925.5 | 0.003 | \$ | 1,290.70 |
| Columbia | ChB2 | Chenango silt loam, 3 to 12 percent slopes, moderately eroc | 2 | 1049.6 | 0.003 | \$ | 1,371.97 |
| Columbia | DaB2 | Dekalb channery loam, 3 to 12 percent slopes, moderately e | 2 | 469.5 | 0.001 | \$ | 1,110.40 |
| Columbia | EoB | Edom complex, 3 to 8 percent slopes | 2 | 63.2 | 0 | \$ | 1,340.76 |
| Columbia | HhA | Hartleton channery silt loam, 0 to 3 percent slopes | 2 | 419.7 | 0.001 | \$ | 1,174.88 |
| Columbia | HhB2 | Hartleton channery silt loam, 3 to 12 percent slopes, moder | 2 | 25710.6 | 0.082 | \$ | 1,130.02 |
| Columbia | LaB2 | Lackawanna channery loam, 3 to 12 percent slopes, eroded | 2 | 1258.3 | 0.004 | \$ | 1,364.99 |
| Columbia | LeB2 | Laidig gravelly loam, 3 to 12 percent slopes, moderately ero | 2 | 249.1 | 0.001 | \$ | 1,286.57 |
| Columbia | LgB | Lawrenceville and Duncannon silt loams, 3 to 8 percent slop | 2 | 2176.6 | 0.007 | \$ | 1,338.90 |
| Columbia | LkA | Leck kill channery silt loam, 0 to 3 percent slopes | 2 | 340.5 | 0.001 | \$ | 1,460.36 |
| Columbia | LkB2 | Leck kill channery silt loam, 3 to 12 percent slopes, moderat | 2 | 14032.6 | 0.045 | \$ | 1,460.36 |
| Columbia | LIB2 | Leck kill channery silt loam, deep, 3 to 12 percent slopes, m | 2 | 10880.1 | 0.035 | \$ | 1,460.36 |
| Columbia | LsB2 | Lordstown channery silt loam, 3 to 12 percent slopes, mode | 2 | 3389.2 | 0.011 | \$ | 1,279.67 |
| Columbia | MaB | Mardin channery silt loam, 3 to 8 percent slopes | 2 | 236 | 0.001 | \$ | 1,356.23 |
| Columbia | Mb | Middlebury fine sandy loam | 2 | 784.2 | 0.003 | \$ | 1,452.12 |
| Columbia | Md | Middlebury silt loam | 2 | 3220.7 | 0.01 | \$ | 1,452.12 |
| Columbia | OcB2 | Oquaga channery silt loam, 3 to 12 percent slopes, moderat | 2 | 1525.3 | 0.005 | \$ | 871.65 |

| | | | | | | |
|----------|------|---|---|---------|-------|-------------|
| Columbia | PkA | Pekin silt loam, cobbly variant, 0 to 3 percent slopes | 2 | 400.3 | 0.001 | \$ 1,318.41 |
| Columbia | PkB2 | Pekin silt loam, cobbly variant, 3 to 8 percent slopes, moder | 2 | 255.7 | 0.001 | \$ 1,318.41 |
| Columbia | WaB2 | Washington silt loam, 3 to 12 percent slopes, moderately er | 2 | 1321 | 0.004 | \$ 1,616.32 |
| Columbia | WbA | Watson silt loam, 0 to 3 percent slopes | 2 | 425.9 | 0.001 | \$ 1,309.38 |
| Columbia | WbB2 | Watson silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 5289.1 | 0.017 | \$ 1,309.38 |
| Columbia | WfB2 | Wellsboro channery silt loam, 3 to 8 percent slopes, eroded | 2 | 653.4 | 0.002 | \$ 1,349.62 |
| Columbia | WmB2 | Westmoreland silt loam, 3 to 12 percent slopes, moderately | 2 | 330.4 | 0.001 | \$ 1,375.88 |
| Columbia | WnA | Wiltshire silt loam, 0 to 3 percent slopes | 2 | 243.9 | 0.001 | \$ 1,272.73 |
| Columbia | WnB2 | Wiltshire silt loam, 3 to 8 percent slopes, moderately erode | 2 | 1544.9 | 0.005 | \$ 1,272.73 |
| Columbia | WoB2 | Wooster channery silt loam, 3 to 12 percent slopes, modera | 2 | 2642.2 | 0.008 | \$ 1,331.86 |
| Columbia | AaC | Albrights gravelly silt loam, 8 to 15 percent slopes | 3 | 551.9 | 0.002 | \$ 1,226.40 |
| Columbia | AeC2 | Allenwood silt loam, 12 to 20 percent slopes, moderately er | 3 | 213.5 | 0.001 | \$ 1,361.67 |
| Columbia | ArA | Alvira silt loam, 0 to 3 percent slopes | 3 | 364.9 | 0.001 | \$ 1,235.24 |
| Columbia | ArB | Alvira silt loam, 3 to 8 percent slopes | 3 | 319.1 | 0.001 | \$ 1,237.14 |
| Columbia | AsB2 | Alvira shaly silt loam, 3 to 8 percent slopes, moderately eroc | 3 | 1797.7 | 0.006 | \$ 1,232.87 |
| Columbia | AsC2 | Alvira shaly silt loam, 8 to 15 percent slopes, moderately erc | 3 | 471.5 | 0.002 | \$ 1,187.13 |
| Columbia | At | Atherton loam | 3 | 627.3 | 0.002 | \$ 1,094.28 |
| Columbia | BaC | Bath channery silt loam, 8 to 15 percent slopes | 3 | 11.2 | 0 | \$ 1,327.39 |
| Columbia | BeC2 | Belmont silt loam, 12 to 20 percent slopes, moderately eroc | 3 | 349.6 | 0.001 | \$ 1,156.18 |
| Columbia | BkC2 | Berks shaly silt loam, 12 to 20 percent slopes, moderately er | 3 | 1393.7 | 0.004 | \$ 913.79 |
| Columbia | CaC2 | Calvin shaly silt loam, neutral substratum, 12 to 20 percent : | 3 | 482.1 | 0.002 | \$ 871.65 |
| Columbia | CgC2 | Chenango gravelly sandy loam, 12 to 20 percent slopes, mo | 3 | 270.2 | 0.001 | \$ 1,117.34 |
| Columbia | DaC2 | Dekalb channery loam, 12 to 20 percent slopes, moderately | 3 | 199.3 | 0.001 | \$ 1,000.00 |
| Columbia | EoC | Edom complex, 8 to 15 percent slopes | 3 | 12.8 | 0 | \$ 1,258.78 |
| Columbia | HhC2 | Hartleton channery silt loam, 12 to 20 percent slopes, mode | 3 | 10737.4 | 0.034 | \$ 992.79 |
| Columbia | KaB2 | Klinesville shaly silt loam, 3 to 12 percent slopes, moderatel | 3 | 4511.8 | 0.014 | \$ 887.51 |
| Columbia | LeC2 | Laidig gravelly loam, 12 to 20 percent slopes, moderately er | 3 | 200.2 | 0.001 | \$ 1,142.60 |
| Columbia | LgC2 | Lawrenceville and Duncannon silt loams, 8 to 12 percent slo | 3 | 457.1 | 0.001 | \$ 1,259.80 |
| Columbia | LkC2 | Leck kill channery silt loam, 12 to 20 percent slopes, modera | 3 | 3964 | 0.013 | \$ 1,331.86 |
| Columbia | LlC2 | Leck kill channery silt loam, deep, 12 to 20 percent slopes, n | 3 | 1503.4 | 0.005 | \$ 1,331.86 |
| Columbia | LpB2 | Litz silt loam, 3 to 12 percent slopes, moderately eroded | 3 | 1977.1 | 0.006 | \$ 929.28 |
| Columbia | LsC2 | Lordstown channery silt loam, 12 to 20 percent slopes, mod | 3 | 2336.3 | 0.007 | \$ 1,237.61 |
| Columbia | MaC | Mardin channery silt loam, 8 to 15 percent slopes | 3 | 48.8 | 0 | \$ 1,234.29 |
| Columbia | MrB | Morris channery silt loam, 3 to 8 percent slopes | 3 | 234.7 | 0.001 | \$ 917.90 |
| Columbia | OcC2 | Oquaga channery silt loam, 12 to 20 percent slopes, modera | 3 | 1029.9 | 0.003 | \$ 871.65 |
| Columbia | RaA | Ravenna channery silt loam, 0 to 3 percent slopes | 3 | 206.4 | 0.001 | \$ 1,277.36 |
| Columbia | RaB | Ravenna channery silt loam, 3 to 8 percent slopes | 3 | 812.7 | 0.003 | \$ 1,232.87 |
| Columbia | VoB | Volusia channery silt loam, 0 to 8 percent slopes | 3 | 35.7 | 0 | \$ 1,112.24 |
| Columbia | WaC2 | Washington silt loam, 12 to 20 percent slopes, moderately e | 3 | 311.7 | 0.001 | \$ 1,460.36 |
| Columbia | WbC2 | Watson silt loam, 8 to 15 percent slopes, moderately erode | 3 | 1100.2 | 0.004 | \$ 1,240.45 |
| Columbia | WcB2 | Weikert channery silt loam, 3 to 12 percent slopes, moderat | 3 | 8467.5 | 0.027 | \$ 871.65 |
| Columbia | WfC2 | Wellsboro channery silt loam, 8 to 15 percent slopes, erode | 3 | 86.9 | 0 | \$ 1,235.24 |
| Columbia | WmC2 | Westmoreland silt loam, 12 to 20 percent slopes, moderate | 3 | 192.8 | 0.001 | \$ 1,142.60 |
| Columbia | WnC2 | Wiltshire silt loam, 8 to 15 percent slopes, moderately erod | 3 | 181.1 | 0.001 | \$ 1,182.24 |
| Columbia | WoC2 | Wooster channery silt loam, 12 to 20 percent slopes, moder | 3 | 1011.9 | 0.003 | \$ 1,239.97 |
| Columbia | Zp | Zipp silt loam | 3 | 525 | 0.002 | \$ 1,405.98 |
| Columbia | AnB2 | Allis silt loam, neutral substratum, 3 to 8 percent slopes, mc | 4 | 509.6 | 0.002 | \$ 979.61 |
| Columbia | BaD | Bath channery silt loam, 15 to 25 percent slopes | 4 | 4 | 0 | \$ 1,147.61 |
| Columbia | CbD2 | Calvin and Klinesville soils, neutral substrata, 20 to 35 perce | 4 | 351.7 | 0.001 | \$ 871.65 |
| Columbia | CgD3 | Chenango gravelly sandy loam, 20 to 35 percent slopes, sever | 4 | 165.8 | 0.001 | \$ 871.65 |
| Columbia | ClA | Chippewa silt loam, 0 to 3 percent slopes | 4 | 8.5 | 0 | \$ 871.65 |
| Columbia | HhC3 | Hartleton channery silt loam, 12 to 20 percent slopes, sever | 4 | 2363.8 | 0.008 | \$ 871.65 |
| Columbia | HhD2 | Hartleton channery silt loam, 20 to 35 percent slopes, mode | 4 | 3438.3 | 0.011 | \$ 871.65 |
| Columbia | Hs | Holly silt loam | 4 | 2519.9 | 0.008 | \$ 1,249.40 |
| Columbia | KaC2 | Klinesville shaly silt loam, 12 to 20 percent slopes, moderate | 4 | 1915.3 | 0.006 | \$ 871.65 |
| Columbia | LaC2 | Lackawanna channery loam, 12 to 20 percent slopes, erode | 4 | 472.6 | 0.002 | \$ 1,275.05 |

| | | | | | | |
|----------|------|---|---|---------|-------|-------------|
| Columbia | LkC3 | Leck kill channery silt loam, 12 to 20 percent slopes, severe | 4 | 1186.6 | 0.004 | \$ 1,331.86 |
| Columbia | LkD2 | Leck kill channery silt loam, 20 to 35 percent slopes, moderate | 4 | 1146 | 0.004 | \$ 871.65 |
| Columbia | LlC3 | Leck kill channery silt loam, deep, 12 to 20 percent slopes, severe | 4 | 578.5 | 0.002 | \$ 1,331.86 |
| Columbia | Ln | Lickdale silt loam | 4 | 403.3 | 0.001 | \$ 1,091.70 |
| Columbia | LpC2 | Litz silt loam, 12 to 20 percent slopes, moderately eroded | 4 | 543 | 0.002 | \$ 871.65 |
| Columbia | LsD2 | Lordstown channery silt loam, 20 to 35 percent slopes, moderate | 4 | 1435.4 | 0.005 | \$ 871.65 |
| Columbia | OcD2 | Oquaga channery silt loam, 20 to 35 percent slopes, moderate | 4 | 452.4 | 0.001 | \$ 871.65 |
| Columbia | Pa | Papakating silty clay loam | 4 | 733.3 | 0.002 | \$ 871.65 |
| Columbia | SdA | Shelmadine silt loam, 0 to 3 percent slopes | 4 | 1104.2 | 0.004 | \$ 1,167.48 |
| Columbia | SdB2 | Shelmadine silt loam, 3 to 8 percent slopes, moderately eroded | 4 | 4368.9 | 0.014 | \$ 1,169.95 |
| Columbia | WcC2 | Weikert channery silt loam, 12 to 20 percent slopes, moderate | 4 | 8726.9 | 0.028 | \$ 871.65 |
| Columbia | WoD2 | Wooster channery silt loam, 20 to 35 percent slopes, moderate | 4 | 275.9 | 0.001 | \$ 871.65 |
| Columbia | ASD | Arnot-Rock outcrop complex, 3 to 25 percent slopes | 6 | 38 | 0 | \$ 750.61 |
| Columbia | BvB | Buchanan very stony loam, 0 to 8 percent slopes | 6 | 1756.9 | 0.006 | \$ 750.61 |
| Columbia | DkB | Dekalb very stony loam, 0 to 12 percent slopes | 6 | 4550.4 | 0.015 | \$ 750.61 |
| Columbia | DkD | Dekalb very stony loam, 12 to 35 percent slopes | 6 | 13997.4 | 0.045 | \$ 750.61 |
| Columbia | EdB | Edgemont very stony loam, 0 to 12 percent slopes | 6 | 1167.6 | 0.004 | \$ 750.61 |
| Columbia | EdD | Edgemont very stony loam, 12 to 35 percent slopes | 6 | 230.7 | 0.001 | \$ 750.61 |
| Columbia | HhD3 | Hartleton channery silt loam, 20 to 35 percent slopes, severe | 6 | 2502.4 | 0.008 | \$ 750.61 |
| Columbia | HrB | Hartleton very stony silt loam, 0 to 12 percent slopes | 6 | 304.9 | 0.001 | \$ 750.61 |
| Columbia | HrD | Hartleton very stony silt loam, 12 to 35 percent slopes | 6 | 304.6 | 0.001 | \$ 750.61 |
| Columbia | KaC3 | Klivesville shaly silt loam, 12 to 20 percent slopes, severely eroded | 6 | 1114.3 | 0.004 | \$ 750.61 |
| Columbia | KaD2 | Klivesville shaly silt loam, 20 to 35 percent slopes, moderately eroded | 6 | 1521.2 | 0.005 | \$ 750.61 |
| Columbia | KlB | Klivesville and leck kill very stony silt loams, 0 to 12 percent slopes | 6 | 274.4 | 0.001 | \$ 750.61 |
| Columbia | KlD | Klivesville and leck kill very stony silt loams, 12 to 35 percent slopes | 6 | 1994.3 | 0.006 | \$ 750.61 |
| Columbia | LaD2 | Lackawanna channery loam, 20 to 35 percent slopes, eroded | 6 | 128.6 | 0 | \$ 750.61 |
| Columbia | LcB | Lackawanna very stony loam, 0 to 12 percent slopes, very stony | 6 | 2003.4 | 0.006 | \$ 750.61 |
| Columbia | LcD | Lackawanna very stony loam, 12 to 35 percent slopes, very stony | 6 | 2243.3 | 0.007 | \$ 750.61 |
| Columbia | LfB | Laidig very stony loam, 0 to 12 percent slopes | 6 | 1428.1 | 0.005 | \$ 750.61 |
| Columbia | LfD | Laidig very stony loam, 12 to 35 percent slopes | 6 | 675.2 | 0.002 | \$ 750.61 |
| Columbia | LkD3 | Leck kill channery silt loam, 20 to 35 percent slopes, severe | 6 | 751.1 | 0.002 | \$ 750.61 |
| Columbia | LmB | Leck kill very stony silt loam, deep, 0 to 12 percent slopes | 6 | 2525.9 | 0.008 | \$ 750.61 |
| Columbia | LmD | Leck kill very stony silt loam, deep, 12 to 35 percent slopes | 6 | 5156.4 | 0.016 | \$ 750.61 |
| Columbia | LtB | Lordstown very stony silt loam, 0 to 12 percent slopes | 6 | 679.2 | 0.002 | \$ 750.61 |
| Columbia | LtD | Lordstown very stony silt loam, 12 to 35 percent slopes | 6 | 1194 | 0.004 | \$ 750.61 |
| Columbia | Ma | Made land | 6 | 469.6 | 0.001 | \$ 750.61 |
| Columbia | MkB | Meckesville very stony loam, 3 to 8 percent slopes | 6 | 340.3 | 0.001 | \$ 750.61 |
| Columbia | MkC | Meckesville very stony loam, 8 to 25 percent slopes | 6 | 564.3 | 0.002 | \$ 750.61 |
| Columbia | OsB | Oquaga very stony silt loam, 0 to 12 percent slopes | 6 | 875 | 0.003 | \$ 750.61 |
| Columbia | OsD | Oquaga very stony silt loam, 12 to 35 percent slopes | 6 | 1974.5 | 0.006 | \$ 750.61 |
| Columbia | WcD2 | Weikert channery silt loam, 20 to 35 percent slopes, moderate | 6 | 14953 | 0.048 | \$ 750.61 |
| Columbia | WeD | Weikert very stony silt loam, 12 to 35 percent slopes | 6 | 294.4 | 0.001 | \$ 750.61 |
| Columbia | WhB | Wellsboro channery silt loam, 0 to 8 percent slopes, very stony | 6 | 138.8 | 0 | \$ 750.61 |
| Columbia | WpD | Wooster very stony silt loam, 12 to 35 percent slopes | 6 | 557.6 | 0.002 | \$ 750.61 |
| Columbia | WsB | Wooster and Canfield very stony loams, 0 to 12 percent slopes | 6 | 628.7 | 0.002 | \$ 750.61 |
| Columbia | BbD | Bath channery silt loam, 8 to 25 percent slopes, extremely stony | 7 | 4.5 | 0 | \$ 750.61 |
| Columbia | CbE2 | Calvin and Klivesville soils, neutral substrata, 35 to 50 percent slopes | 7 | 198.5 | 0.001 | \$ 750.61 |
| Columbia | CnB | Chippewa silt loam, 0 to 8 percent slopes, extremely stony | 7 | 69.5 | 0 | \$ 750.61 |
| Columbia | DkF | Dekalb very stony loam, 35 to 100 percent slopes | 7 | 9077.2 | 0.029 | \$ 750.61 |
| Columbia | HGB | Hazleton-Clymer association, gently sloping | 7 | 705.6 | 0.002 | \$ 750.61 |
| Columbia | HGC | Hazleton-Clymer association, sloping | 7 | 380.7 | 0.001 | \$ 750.61 |
| Columbia | KaD3 | Klivesville shaly silt loam, 20 to 35 percent slopes, severely eroded | 7 | 2365.3 | 0.008 | \$ 750.61 |
| Columbia | KkE | Klivesville and leck kill shaly silt loams, 35 to 70 percent slopes | 7 | 2634.7 | 0.008 | \$ 750.61 |
| Columbia | KlF | Klivesville and leck kill very stony silt loams, 35 to 100 percent slopes | 7 | 2599 | 0.008 | \$ 750.61 |
| Columbia | LdF | Lackawanna and Oquaga soils, 35 to 100 percent slopes, very stony | 7 | 2295.8 | 0.007 | \$ 750.61 |
| Columbia | LmE | Leck kill very stony silt loam, deep, 35 to 60 percent slopes | 7 | 3912.4 | 0.012 | \$ 750.61 |

| | | | | | | |
|----------|------|--|---|---------|-------|-------------|
| Columbia | Lo | Lickdale very stony silt loam | 7 | 126.9 | 0 | \$ 750.61 |
| Columbia | LrC3 | Litz and weikert shaly silt loams, 12 to 20 percent slopes, se | 7 | 290.4 | 0.001 | \$ 750.61 |
| Columbia | LrD3 | Litz and weikert shaly silt loams, 20 to 35 percent slopes, se | 7 | 728 | 0.002 | \$ 750.61 |
| Columbia | LrE2 | Litz and weikert shaly silt loams, 35 to 50 percent slopes, m | 7 | 595.5 | 0.002 | \$ 750.61 |
| Columbia | LtF | Lordstown very stony silt loam, 35 to 100 percent slopes | 7 | 2477.5 | 0.008 | \$ 750.61 |
| Columbia | Mn | Mine dumps | 7 | 368.1 | 0.001 | \$ 750.61 |
| Columbia | MsB | Morris very stony silt loam, 0 to 8 percent slopes | 7 | 226.1 | 0.001 | \$ 750.61 |
| Columbia | Rw | Riverwash | 7 | 416.7 | 0.001 | \$ 750.61 |
| Columbia | Sh | Shelmadine very stony silt loam | 7 | 1231.6 | 0.004 | \$ 750.61 |
| Columbia | St | Strip mine spoil | 7 | 3457.3 | 0.011 | \$ 750.61 |
| Columbia | WcF2 | Weikert channery silt loam, 35 to 80 percent slopes, moder | 7 | 15427.5 | 0.049 | \$ 750.61 |
| Columbia | WeF | Weikert very stony silt loam, 35 to 80 percent slopes | 7 | 2291.3 | 0.007 | \$ 750.61 |
| Columbia | WhD | Wellsboro channery silt loam, 8 to 25 percent slopes, extrer | 7 | 206.8 | 0.001 | \$ 750.61 |
| Columbia | GP | Gravel pit | 8 | 11.9 | 0 | \$ 750.61 |
| Columbia | Mu | Mucky peat | 8 | 187.3 | 0.001 | \$ 750.61 |
| Columbia | Qu | Quarries | 8 | 146.9 | 0 | \$ 750.61 |
| Crawford | HnA | Hanover silt loam, 0 to 3 percent slopes | 1 | 703 | 0.001 | \$ 1,475.09 |
| Crawford | HvA | Haven silt loam, 0 to 3 percent slopes | 1 | 4994.2 | 0.008 | \$ 1,286.57 |
| Crawford | 426B | Mardin silt loam, 3 to 8 percent slopes | 2 | 373.7 | 0.001 | \$ 1,211.36 |
| Crawford | BrA | Braceville gravelly loam, 0 to 3 percent slopes | 2 | 1387.8 | 0.002 | \$ 1,354.03 |
| Crawford | BrB | Braceville gravelly loam, 3 to 8 percent slopes | 2 | 7581.2 | 0.011 | \$ 1,322.01 |
| Crawford | CaA | Cambridge silt loam, 0 to 3 percent slopes | 2 | 4310.8 | 0.006 | \$ 1,246.58 |
| Crawford | CaB | Cambridge silt loam, 3 to 8 percent slopes | 2 | 53122.8 | 0.08 | \$ 1,286.57 |
| Crawford | CcB | Cambridge-Venango silt loams, 3 to 8 percent slopes | 2 | 2226.5 | 0.003 | \$ 1,277.36 |
| Crawford | CoA | Chenango gravelly silt loam, 0 to 3 percent slopes | 2 | 2311.4 | 0.003 | \$ 1,288.59 |
| Crawford | CoB | Chenango gravelly silt loam, 3 to 8 percent slopes | 2 | 8252.7 | 0.012 | \$ 1,289.24 |
| Crawford | HnB | Hanover silt loam, 3 to 8 percent slopes | 2 | 5936 | 0.009 | \$ 1,438.01 |
| Crawford | HvB | Haven silt loam, 3 to 8 percent slopes | 2 | 5950 | 0.009 | \$ 1,286.57 |
| Crawford | Ot | Otego silt loam | 2 | 57.3 | 0 | \$ 1,338.54 |
| Crawford | PeB | Pierpont silt loam, 2 to 6 percent slopes | 2 | 89.8 | 0 | \$ 1,117.54 |
| Crawford | Ph | Philo silt loam | 2 | 2473.9 | 0.004 | \$ 1,516.83 |
| Crawford | Po | Pope loam | 2 | 3796.8 | 0.006 | \$ 1,317.51 |
| Crawford | ScA | Scio silt loam, 0 to 3 percent slopes | 2 | 1999 | 0.003 | \$ 1,355.79 |
| Crawford | ScB | Scio silt loam, 3 to 8 percent slopes | 2 | 3915.7 | 0.006 | \$ 1,355.35 |
| Crawford | VaB | Valois gravelly silt loam, 3 to 8 percent slopes | 2 | 5164.1 | 0.008 | \$ 1,275.05 |
| Crawford | VmB | Valois-Cambridge complex, 3 to 8 percent slopes | 2 | 8313.5 | 0.013 | \$ 1,286.57 |
| Crawford | 426C | Mardin silt loam, 8 to 15 percent slopes | 3 | 180.3 | 0 | \$ 1,211.36 |
| Crawford | AvA | Alvira silt loam, 0 to 3 percent slopes | 3 | 1652.9 | 0.002 | \$ 1,249.40 |
| Crawford | AvB | Alvira silt loam, 3 to 8 percent slopes | 3 | 6547.6 | 0.01 | \$ 1,247.05 |
| Crawford | CaC | Cambridge silt loam, 8 to 15 percent slopes | 3 | 32004.6 | 0.048 | \$ 1,206.54 |
| Crawford | CeA | Caneadea silt loam, 0 to 3 percent slopes | 3 | 1043.2 | 0.002 | \$ 1,199.77 |
| Crawford | CeB | Caneadea silt loam, 3 to 8 percent slopes | 3 | 2277.9 | 0.003 | \$ 1,229.64 |
| Crawford | CoC | Chenango gravelly silt loam, 8 to 15 percent slopes | 3 | 2000.4 | 0.003 | \$ 1,201.32 |
| Crawford | HnC | Hanover silt loam, 8 to 15 percent slopes | 3 | 2252.7 | 0.003 | \$ 1,357.98 |
| Crawford | Hy | Holly silt loam | 3 | 31663.2 | 0.048 | \$ 1,304.84 |
| Crawford | MaC | Mardin gravelly silt loam, 8 to 15 percent slopes | 3 | 36.2 | 0 | \$ 1,142.60 |
| Crawford | PeC | Pierpont silt loam, 6 to 12 percent slopes | 3 | 232.9 | 0 | \$ 1,110.40 |
| Crawford | PIA | Platea silt loam, 0 to 2 percent slopes | 3 | 2264.1 | 0.003 | \$ 1,211.84 |
| Crawford | PIB | Platea silt loam, 2 to 6 percent slopes | 3 | 11585.3 | 0.017 | \$ 1,209.53 |
| Crawford | PIC | Platea silt loam, 6 to 12 percent slopes | 3 | 897.5 | 0.001 | \$ 1,205.09 |
| Crawford | Rh | Red Hook loam | 3 | 23866.4 | 0.036 | \$ 1,229.73 |
| Crawford | St | Stanhope silt loam | 3 | 889.5 | 0.001 | \$ 1,201.71 |
| Crawford | VaC | Valois gravelly silt loam, 8 to 15 percent slopes | 3 | 7425.5 | 0.011 | \$ 1,235.24 |
| Crawford | VmC | Valois-Cambridge complex, 8 to 15 percent slopes | 3 | 1175.2 | 0.002 | \$ 1,254.10 |
| Crawford | VnA | Venango silt loam, 0 to 3 percent slopes | 3 | 28907 | 0.044 | \$ 1,263.44 |
| Crawford | VnB | Venango silt loam, 3 to 8 percent slopes | 3 | 136776 | 0.206 | \$ 1,275.05 |

| | | | | | | |
|------------|------|---|---|---------|-------|-------------|
| Crawford | VnC | Venango silt loam, 8 to 15 percent slopes | 3 | 10246 | 0.015 | \$ 1,265.77 |
| Crawford | WyA | Wyoming gravelly sandy loam, 0 to 3 percent slopes | 3 | 1515.6 | 0.002 | \$ 1,189.08 |
| Crawford | WyB | Wyoming gravelly sandy loam, 3 to 8 percent | 3 | 5060.3 | 0.008 | \$ 1,184.20 |
| Crawford | 320A | Fredon silt loam, 0 to 3 percent slopes | 4 | 60.6 | 0 | \$ 1,110.20 |
| Crawford | 426D | Mardin silt loam, 15 to 25 percent slopes | 4 | 107.7 | 0 | \$ 1,210.88 |
| Crawford | AaA | Alden mucky silt loam, 0 to 2 percent slopes | 4 | 1663.4 | 0.003 | \$ 991.70 |
| Crawford | Ad | Alden silt loam | 4 | 16214.4 | 0.024 | \$ 977.40 |
| Crawford | Ax | Aquolls-Eutrudepts complex, frequently flooded | 4 | 869.8 | 0.001 | \$ 871.65 |
| Crawford | BeD | Bethesda channery silt loam, 8 to 25 percent slopes | 4 | 36.3 | 0 | \$ 871.65 |
| Crawford | CaD | Cambridge silt loam, 15 to 25 percent slopes | 4 | 10899.2 | 0.016 | \$ 871.65 |
| Crawford | Cd | Canadice silt loam | 4 | 1755.6 | 0.003 | \$ 1,065.66 |
| Crawford | CpB | Chippewa silt loam, 0 to 8 percent slopes | 4 | 6 | 0 | \$ 1,102.00 |
| Crawford | FhA | Frenchtown silt loam, 0 to 3 percent slopes | 4 | 49756.3 | 0.075 | \$ 1,157.58 |
| Crawford | FhB | Frenchtown silt loam, 3 to 8 percent slopes | 4 | 21671.2 | 0.033 | \$ 1,201.71 |
| Crawford | Ha | Halsey silt loam | 4 | 8646.9 | 0.013 | \$ 871.65 |
| Crawford | Hx | Holly silty clay loam | 4 | 15162.9 | 0.023 | \$ 1,252.22 |
| Crawford | Mh | Mill silt loam | 4 | 32143.2 | 0.048 | \$ 1,023.71 |
| Crawford | PeD | Pierpont silt loam, 12 to 18 percent slopes | 4 | 164.4 | 0 | \$ 871.65 |
| Crawford | SmA | Shelmadine silt loam, 0 to 3 percent slopes | 4 | 730 | 0.001 | \$ 1,147.61 |
| Crawford | SmB | Shelmadine silt loam, 3 to 8 percent slopes | 4 | 785.7 | 0.001 | \$ 1,147.61 |
| Crawford | VaD | Valois gravelly silt loam, 15 to 25 percent slopes | 4 | 7530.3 | 0.011 | \$ 1,147.61 |
| Crawford | Wc | Wick silt loam | 4 | 1209 | 0.002 | \$ 1,028.54 |
| Crawford | WyC | Wyoming gravelly sandy loam, 8 to 15 percent slopes | 4 | 4181.4 | 0.006 | \$ 1,032.82 |
| Crawford | WyD | Wyoming gravelly sandy loam, 15 to 25 percent slopes | 4 | 2754 | 0.004 | \$ 989.51 |
| Crawford | 348A | Canandaigua mucky silt loam | 5 | 55.7 | 0 | \$ 750.61 |
| Crawford | CM | Carlisle muck | 5 | 9197.7 | 0.014 | \$ 750.61 |
| Crawford | CbB | Cambridge silt loam, 0 to 8 percent slopes, very stony | 6 | 1070 | 0.002 | \$ 750.61 |
| Crawford | CbD | Cambridge silt loam, 8 to 25 percent slopes, very stony | 6 | 2794.5 | 0.004 | \$ 750.61 |
| Crawford | FvB | Frenchtown silt loam, 0 to 8 percent slopes, very stony | 6 | 3097.9 | 0.005 | \$ 750.61 |
| Crawford | HoB | Hanover silt loam, 0 to 8 percent slopes, very stony | 6 | 509.7 | 0.001 | \$ 750.61 |
| Crawford | HoD | Hanover silt loam, 8 to 25 percent slopes, very stony | 6 | 1935.6 | 0.003 | \$ 750.61 |
| Crawford | VoB | Venango silt loam, 0 to 8 percent slopes, very stony | 6 | 1978.6 | 0.003 | \$ 750.61 |
| Crawford | VoC | Venango silt loam, 8 to 15 percent slopes, very stony | 6 | 940 | 0.001 | \$ 750.61 |
| Crawford | GaF | Gageville silt loam, 18 to 50 percent slopes | 7 | 647.8 | 0.001 | \$ 750.61 |
| Crawford | VLF | Valois soils, very steep | 7 | 12217.1 | 0.018 | \$ 750.61 |
| Crawford | DAM | Dams | 8 | 30.4 | 0 | \$ 750.61 |
| Crawford | QU | Quarries | 8 | 18.7 | 0 | \$ 750.61 |
| Cumberland | AgA | Allegheny silt loam, 0 to 3 percent slopes | 1 | 467.3 | 0.001 | \$ 1,500.91 |
| Cumberland | BoA | Birdsboro silt loam, 0 to 5 percent slopes | 1 | 179.4 | 0.001 | \$ 1,616.32 |
| Cumberland | Ch | Chavies fine sandy loam | 1 | 306.8 | 0.001 | \$ 1,567.42 |
| Cumberland | DuA | Duffield silt loam, 0 to 3 percent slopes | 1 | 2344.4 | 0.007 | \$ 1,599.57 |
| Cumberland | DxA | Duncannon very fine sandy loam, 0 to 3 percent slopes | 1 | 132.2 | 0 | \$ 1,375.88 |
| Cumberland | HaA | Hagerstown silt loam, 0 to 3 percent slopes | 1 | 5602.9 | 0.016 | \$ 1,641.98 |
| Cumberland | HuA | Huntington silt loam, 0 to 5 percent slopes | 1 | 12977.3 | 0.037 | \$ 1,528.03 |
| Cumberland | MuA | Murrill channery loam, 0 to 3 percent slopes | 1 | 1872 | 0.005 | \$ 1,455.01 |
| Cumberland | Tg | Tioga soils | 1 | 82.3 | 0 | \$ 1,451.71 |
| Cumberland | AgB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 378.7 | 0.001 | \$ 1,431.32 |
| Cumberland | AtB | Athol gravelly loam, 3 to 8 percent slopes | 2 | 781.1 | 0.002 | \$ 1,552.65 |
| Cumberland | BdB | Bedington shaly silt loam, 3 to 8 percent slopes | 2 | 4634 | 0.013 | \$ 1,487.25 |
| Cumberland | BeB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 22894.9 | 0.065 | \$ 1,086.52 |
| Cumberland | BhB | Berks stony silt loam, 3 to 8 percent slopes | 2 | 1943.4 | 0.006 | \$ 1,091.70 |
| Cumberland | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 3881.4 | 0.011 | \$ 1,441.76 |
| Cumberland | DuB | Duffield silt loam, 3 to 8 percent slopes | 2 | 15709.7 | 0.045 | \$ 1,567.42 |
| Cumberland | DxB | Duncannon very fine sandy loam, 3 to 8 percent slopes | 2 | 32.7 | 0 | \$ 1,375.88 |
| Cumberland | EbB | Edgemont channery loam, 3 to 8 percent slopes | 2 | 32.7 | 0 | \$ 1,472.64 |
| Cumberland | EdB | Edom silty clay loam, 3 to 8 percent slopes | 2 | 3004.1 | 0.009 | \$ 1,286.57 |

| | | | | | | |
|------------|-----|---|---|---------|-------|-------------|
| Cumberland | EtB | Ernest silt loam, 3 to 8 percent slopes | 2 | 610.9 | 0.002 | \$ 1,296.65 |
| Cumberland | GnB | Glenville silt loam, 3 to 8 percent slopes | 2 | 1301.2 | 0.004 | \$ 1,504.91 |
| Cumberland | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 33252.6 | 0.095 | \$ 1,642.70 |
| Cumberland | HcB | Hagerstown silt loam, rocky, 3 to 8 percent slopes | 2 | 14276.1 | 0.041 | \$ 1,578.85 |
| Cumberland | HeB | Hazleton channery sandy loam, 3 to 8 percent slopes | 2 | 95.5 | 0 | \$ 1,476.71 |
| Cumberland | HgB | Highfield channery silt loam, 3 to 8 percent slopes | 2 | 2444.3 | 0.007 | \$ 1,406.83 |
| Cumberland | LdB | Laidig channery loam, 3 to 8 percent slopes | 2 | 3372.5 | 0.01 | \$ 1,286.57 |
| Cumberland | Ls | Lindside silt loam | 2 | 1075.3 | 0.003 | \$ 1,439.68 |
| Cumberland | Mf | Middlebury soils | 2 | 1372.5 | 0.004 | \$ 1,452.12 |
| Cumberland | MnA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 2768.9 | 0.008 | \$ 1,370.67 |
| Cumberland | MnB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 3675.4 | 0.01 | \$ 1,292.08 |
| Cumberland | MoB | Morrison sandy loam, 3 to 8 percent slopes | 2 | 151.9 | 0 | \$ 1,281.97 |
| Cumberland | MuB | Murrill channery loam, 3 to 8 percent slopes | 2 | 10239.8 | 0.029 | \$ 1,455.01 |
| Cumberland | NeB | Neshaminy gravelly silt loam, 3 to 8 percent slopes | 2 | 833.7 | 0.002 | \$ 1,546.23 |
| Cumberland | SeB | Sideling gravelly loam, 3 to 8 percent slopes | 2 | 2.4 | 0 | \$ 1,300.29 |
| Cumberland | AtC | Athol gravelly loam, 8 to 15 percent slopes | 3 | 623.9 | 0.002 | \$ 1,500.91 |
| Cumberland | Aw | Atkins silt loam | 3 | 5469.3 | 0.016 | \$ 1,295.82 |
| Cumberland | BdC | Bedington shaly silt loam, 8 to 15 percent slopes | 3 | 2668.8 | 0.008 | \$ 1,399.58 |
| Cumberland | BeC | Berks shaly silt loam, 8 to 15 percent slopes | 3 | 20056.3 | 0.057 | \$ 997.16 |
| Cumberland | BpB | Blairton silt loam, 3 to 8 percent slopes | 3 | 4134.9 | 0.012 | \$ 1,047.62 |
| Cumberland | BuC | Buchanan gravelly loam, 8 to 15 percent slopes | 3 | 370.4 | 0.001 | \$ 1,196.86 |
| Cumberland | CcC | Catoctin channery silt loam, 8 to 15 percent slopes | 3 | 649.1 | 0.002 | \$ 1,096.86 |
| Cumberland | DuC | Duffield silt loam, 8 to 15 percent slopes | 3 | 4721.1 | 0.013 | \$ 1,669.32 |
| Cumberland | EbC | Edgemont channery loam, 8 to 15 percent slopes | 3 | 20.5 | 0 | \$ 1,345.20 |
| Cumberland | EdC | Edom silty clay loam, 8 to 15 percent slopes | 3 | 2457.6 | 0.007 | \$ 1,192.00 |
| Cumberland | EtC | Ernest silt loam, 8 to 15 percent slopes | 3 | 3.1 | 0 | \$ 1,195.89 |
| Cumberland | HaC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 4254.9 | 0.012 | \$ 1,562.05 |
| Cumberland | HcC | Hagerstown silt loam, rocky, 8 to 15 percent slopes | 3 | 8977.7 | 0.026 | \$ 1,500.91 |
| Cumberland | HgC | Highfield channery silt loam, 8 to 15 percent slopes | 3 | 2527.1 | 0.007 | \$ 1,361.93 |
| Cumberland | LdC | Laidig channery loam, 8 to 15 percent slopes | 3 | 2374.9 | 0.007 | \$ 1,239.97 |
| Cumberland | Me | Melvin silt loam | 3 | 3164 | 0.009 | \$ 1,291.16 |
| Cumberland | MnC | Monongahela silt loam, 8 to 15 percent slopes | 3 | 564.8 | 0.002 | \$ 1,189.86 |
| Cumberland | MoC | Morrison sandy loam, 8 to 15 percent slopes | 3 | 247.1 | 0.001 | \$ 1,235.24 |
| Cumberland | MuC | Murrill channery loam, 8 to 15 percent slopes | 3 | 2356.3 | 0.007 | \$ 1,373.97 |
| Cumberland | NeC | Neshaminy gravelly silt loam, 8 to 15 percent slopes | 3 | 818.5 | 0.002 | \$ 1,472.64 |
| Cumberland | Pe | Penlaw silt loam | 3 | 1849.8 | 0.005 | \$ 1,235.24 |
| Cumberland | SeC | Sideling gravelly loam, 8 to 15 percent slopes | 3 | 1.6 | 0 | \$ 1,132.54 |
| Cumberland | Ty | Tyler silt loam | 3 | 832.3 | 0.002 | \$ 1,239.97 |
| Cumberland | Wa | Warners silt loam | 3 | 749.1 | 0.002 | \$ 1,237.51 |
| Cumberland | AnB | Andover gravelly loam, 0 to 8 percent slopes | 4 | 998.7 | 0.003 | \$ 1,157.58 |
| Cumberland | AtD | Athol gravelly loam, 15 to 25 percent slopes | 4 | 293.5 | 0.001 | \$ 1,375.88 |
| Cumberland | BdD | Bedington shaly silt loam, 15 to 25 percent slopes | 4 | 695.1 | 0.002 | \$ 1,284.28 |
| Cumberland | BeD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 1543.2 | 0.004 | \$ 996.07 |
| Cumberland | BrA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 2980.4 | 0.008 | \$ 1,218.08 |
| Cumberland | BrB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 3219.8 | 0.009 | \$ 1,212.32 |
| Cumberland | EdD | Edom silty clay loam, 15 to 25 percent slopes | 4 | 1082.6 | 0.003 | \$ 1,091.70 |
| Cumberland | Fa | Fairplay marl | 4 | 1.3 | 0 | \$ 1,338.54 |
| Cumberland | HaD | Hagerstown silt loam, 15 to 25 percent slopes | 4 | 128 | 0 | \$ 1,490.88 |
| Cumberland | Hc | Hatboro silt loam | 4 | 9.2 | 0 | \$ 1,256.44 |
| Cumberland | HcD | Hagerstown silt loam, rocky, 15 to 25 percent slopes | 4 | 380.5 | 0.001 | \$ 871.65 |
| Cumberland | Pu | Purdy silt loam | 4 | 2139.1 | 0.006 | \$ 1,197.83 |
| Cumberland | WeB | Weikert very channery silt loam, 3 to 8 percent slopes | 4 | 2249.3 | 0.006 | \$ 883.91 |
| Cumberland | WeC | Weikert very channery silt loam, 8 to 15 percent slopes | 4 | 8069.2 | 0.023 | \$ 890.29 |
| Cumberland | BhD | Berks stony silt loam, 8 to 25 percent slopes | 6 | 2329.5 | 0.007 | \$ 1,091.70 |
| Cumberland | BxB | Buchanan very stony loam, 0 to 8 percent slopes | 6 | 4902.7 | 0.014 | \$ 750.61 |
| Cumberland | BxC | Buchanan very stony loam, 8 to 25 percent slopes | 6 | 1140.5 | 0.003 | \$ 750.61 |

| | | | | | | | |
|------------|------|--|---|---------|-------|----|----------|
| Cumberland | CmB | Clymer very stony loam, 0 to 8 percent slopes | 6 | 847 | 0.002 | \$ | 750.61 |
| Cumberland | CmD | Clymer very stony loam, 8 to 25 percent slopes | 6 | 4107.5 | 0.012 | \$ | 750.61 |
| Cumberland | De | Deposit gravelly loam, 0 to 8 percent slopes, very stony | 6 | 9.9 | 0 | \$ | 750.61 |
| Cumberland | EcB | Edgemont channery loam, 0 to 8 percent slopes, very stony | 6 | 1043.2 | 0.003 | \$ | 750.61 |
| Cumberland | EcD | Edgemont channery loam, 8 to 25 percent slopes, very stony | 6 | 3795.3 | 0.011 | \$ | 750.61 |
| Cumberland | EdE | Edom silty clay loam, 25 to 40 percent slopes | 6 | 226.9 | 0.001 | \$ | 750.61 |
| Cumberland | GoB | Glenville very stony silt loam, 0 to 8 percent slopes | 6 | 2887.5 | 0.008 | \$ | 750.61 |
| Cumberland | HdB | Hagerstown-Rock outcrop complex, 0 to 8 percent slopes | 6 | 2645.9 | 0.008 | \$ | 1,070.27 |
| Cumberland | HdD | Hagerstown-Rock outcrop complex, 8 to 25 percent slopes | 6 | 4455.5 | 0.013 | \$ | 925.99 |
| Cumberland | HhB | Highfield very stony silt loam, 0 to 8 percent slopes | 6 | 1140.3 | 0.003 | \$ | 750.61 |
| Cumberland | HhD | Highfield very stony silt loam, 8 to 25 percent slopes | 6 | 4083.7 | 0.012 | \$ | 750.61 |
| Cumberland | LgB | Laidig very stony loam, 0 to 8 percent slopes | 6 | 615.4 | 0.002 | \$ | 750.61 |
| Cumberland | LgD | Laidig very stony loam, 8 to 25 percent slopes | 6 | 10719.6 | 0.03 | \$ | 750.61 |
| Cumberland | LpB | Lehew very stony loam, 0 to 8 percent slopes | 6 | 49 | 0 | \$ | 750.61 |
| Cumberland | LpD | Lehew very stony loam, 8 to 25 percent slopes | 6 | 177.3 | 0.001 | \$ | 750.61 |
| Cumberland | NhB | Neshaminy very stony silt loam, 0 to 8 percent slopes | 6 | 304.3 | 0.001 | \$ | 750.61 |
| Cumberland | NhD | Neshaminy very stony silt loam, 8 to 25 percent slopes | 6 | 289.4 | 0.001 | \$ | 750.61 |
| Cumberland | TsB | Trego gravelly silt loam, 3 to 8 percent slopes, very stony | 6 | 21.5 | 0 | \$ | 750.61 |
| Cumberland | TsC | Trego gravelly silt loam, 8 to 15 percent slopes, very stony | 6 | 12.8 | 0 | \$ | 750.61 |
| Cumberland | WeD | Weikert very channery silt loam, 15 to 25 percent slopes | 6 | 7164.9 | 0.02 | \$ | 750.61 |
| Cumberland | AoB | Andover very stony loam, 0 to 8 percent slopes | 7 | 3351 | 0.01 | \$ | 750.61 |
| Cumberland | BbB | Bagtown cobbly loam, 0 to 8 percent slopes, extremely stony | 7 | 24.6 | 0 | \$ | 750.61 |
| Cumberland | BbD | Bagtown cobbly loam, 8 to 25 percent slopes, extremely stony | 7 | 19.1 | 0 | \$ | 750.61 |
| Cumberland | DbE | Dekalb-Bagtown complex, 25 to 65 percent slopes, extremely stony | 7 | 360.1 | 0.001 | \$ | 750.61 |
| Cumberland | EcF | Edgemont channery loam, 25 to 70 percent slopes, very stony | 7 | 1710.2 | 0.005 | \$ | 750.61 |
| Cumberland | HdF | Hagerstown-Rock outcrop complex, 25 to 60 percent slopes | 7 | 546.9 | 0.002 | \$ | 750.61 |
| Cumberland | HfB | Hazleton extremely stony sandy loam, 0 to 8 percent slopes | 7 | 3886.8 | 0.011 | \$ | 750.61 |
| Cumberland | HfD | Hazleton extremely stony sandy loam, 8 to 25 percent slopes | 7 | 11229.2 | 0.032 | \$ | 750.61 |
| Cumberland | HfF | Hazleton extremely stony sandy loam, 25 to 60 percent slopes | 7 | 15107.8 | 0.043 | \$ | 750.61 |
| Cumberland | HhF | Highfield very stony silt loam, 25 to 50 percent slopes | 7 | 1613 | 0.005 | \$ | 750.61 |
| Cumberland | LCE | Laidig and Hazleton soils, 25 to 60 percent slopes, extremely stony | 7 | 297.3 | 0.001 | \$ | 750.61 |
| Cumberland | WkF | Weikert and Klinesville very shaly silt loams, 25 to 75 percent slopes | 7 | 5513.8 | 0.016 | \$ | 750.61 |
| Cumberland | Dy | Dystrochrepts, bouldery | 8 | 2092.1 | 0.006 | \$ | 750.61 |
| Cumberland | Pt | Pits and quarries | 8 | 913.1 | 0.003 | \$ | 750.61 |
| Cumberland | Ub | Urban land and Udorthents | 8 | 3712.3 | 0.011 | \$ | 750.61 |
| Cumberland | UhB | Urban land-Hagerstown complex, 0 to 8 percent slopes | 8 | 5.4 | 0 | \$ | 750.61 |
| Dauphin | Bb | Barbour silt loam | 1 | 998 | 0.003 | \$ | 1,448.81 |
| Dauphin | BeA | Bedington shaly silt loam, 0 to 3 percent slopes | 1 | 322.2 | 0.001 | \$ | 1,678.06 |
| Dauphin | CnA | Chavies fine sandy loam, 0 to 3 percent slopes | 1 | 625.4 | 0.002 | \$ | 1,456.25 |
| Dauphin | DvA | Duncannon very fine sandy loam, 0 to 3 percent slopes | 1 | 708.8 | 0.002 | \$ | 1,375.88 |
| Dauphin | HaA | Hagerstown silt loam, 0 to 3 percent slopes | 1 | 940 | 0.003 | \$ | 1,641.98 |
| Dauphin | Ta | Tioga fine sandy loam | 1 | 1344.9 | 0.004 | \$ | 1,538.44 |
| Dauphin | Tg | Tioga fine sandy loam, high bottom | 1 | 2012.5 | 0.006 | \$ | 1,538.44 |
| Dauphin | AbA | Albrights silt loam, 0 to 3 percent slopes | 2 | 637.6 | 0.002 | \$ | 1,281.97 |
| Dauphin | AbB2 | Albrights silt loam, 3 to 10 percent slopes, moderately eroded | 2 | 1717.1 | 0.005 | \$ | 1,239.97 |
| Dauphin | AbgB | Albrights silt loam, 3 to 8 percent slopes | 2 | 164.5 | 0 | \$ | 1,288.87 |
| Dauphin | AsB2 | Athol silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 1129.8 | 0.003 | \$ | 1,500.91 |
| Dauphin | Bc | Basher silt loam | 2 | 3277.7 | 0.009 | \$ | 1,448.81 |
| Dauphin | BeB2 | Bedington shaly silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 6403.8 | 0.018 | \$ | 1,487.25 |
| Dauphin | BegB | Bedington channery silt loam, 3 to 8 percent slopes | 2 | 94.5 | 0 | \$ | 1,487.25 |
| Dauphin | BhB2 | Berks channery silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 831.4 | 0.002 | \$ | 1,105.80 |
| Dauphin | BkB2 | Berks shaly silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 24336.1 | 0.068 | \$ | 1,105.80 |
| Dauphin | BkgB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 4.2 | 0 | \$ | 1,086.52 |
| Dauphin | BrB2 | Brecknock channery silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 2880.7 | 0.008 | \$ | 1,457.48 |
| Dauphin | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 429.4 | 0.001 | \$ | 1,441.76 |
| Dauphin | ClA | Calvin-Leck Kill shaly silt loams, 0 to 3 percent slopes | 2 | 1636.6 | 0.005 | \$ | 1,268.65 |

| | | | | | | |
|---------|------|---|---|---------|-------|-------------|
| Dauphin | CIB2 | Calvin-Leck Kill shaly silt loams, 3 to 8 percent slopes, moderate | 2 | 39425.6 | 0.11 | \$ 1,259.71 |
| Dauphin | CmB2 | Captina silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 298 | 0.001 | \$ 1,307.11 |
| Dauphin | CnB2 | Chavies fine sandy loam, 3 to 8 percent slopes, moderately eroded | 2 | 1111.7 | 0.003 | \$ 1,418.70 |
| Dauphin | CoB2 | Comly silt loam, 2 to 8 percent slopes, moderately eroded | 2 | 1665.7 | 0.005 | \$ 1,271.81 |
| Dauphin | DcB2 | Dekalb channery sandy loam, 3 to 8 percent slopes, moderately eroded | 2 | 1030.7 | 0.003 | \$ 1,073.51 |
| Dauphin | DuB2 | Duffield silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 1798.3 | 0.005 | \$ 1,756.37 |
| Dauphin | DvB2 | Duncannon very fine sandy loam, 3 to 8 percent slopes, moderately eroded | 2 | 1804 | 0.005 | \$ 1,375.88 |
| Dauphin | HaB2 | Hagerstown silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 7681 | 0.022 | \$ 1,546.61 |
| Dauphin | Hu | Huntington silt loam, local alluvium | 2 | 463.8 | 0.001 | \$ 1,316.15 |
| Dauphin | HugB | Hustontown silt loam, 3 to 8 percent slopes | 2 | 146.2 | 0 | \$ 1,279.21 |
| Dauphin | LaB2 | Laidig gravelly loam, 3 to 8 percent slopes, moderately eroded | 2 | 2383.1 | 0.007 | \$ 1,286.57 |
| Dauphin | LeB2 | Lawrenceville very fine sandy loam, 2 to 8 percent slopes, moderately eroded | 2 | 674.3 | 0.002 | \$ 1,345.20 |
| Dauphin | LegB | Leck Kill channery silt loam, 3 to 8 percent slopes | 2 | 352.9 | 0.001 | \$ 1,464.47 |
| Dauphin | LhB2 | Lehigh silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 434.2 | 0.001 | \$ 1,400.01 |
| Dauphin | LrB2 | Lewisberry gravelly sandy loam, 3 to 8 percent slopes, moderately eroded | 2 | 1990.7 | 0.006 | \$ 1,155.09 |
| Dauphin | Lt | Lindside silt loam | 2 | 1184.1 | 0.003 | \$ 1,439.68 |
| Dauphin | Lw | Lindside silt loam, coal overwash | 2 | 1391.3 | 0.004 | \$ 1,492.49 |
| Dauphin | NeC2 | Neshaminy gravelly silt loam, 3 to 12 percent slopes, moderately eroded | 2 | 2460 | 0.007 | \$ 1,492.89 |
| Dauphin | PeB2 | Penn shaly silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 5999 | 0.017 | \$ 1,462.58 |
| Dauphin | Ph | Philo silt loam | 2 | 984.2 | 0.003 | \$ 1,516.83 |
| Dauphin | RdB | Readington silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 648.6 | 0.002 | \$ 1,472.40 |
| Dauphin | At | Atkins silt loam | 3 | 6446.3 | 0.018 | \$ 1,295.82 |
| Dauphin | BeC2 | Bedington shaly silt loam, 8 to 15 percent slopes, moderately eroded | 3 | 2212.9 | 0.006 | \$ 1,399.58 |
| Dauphin | BegC | Bedington channery silt loam, 8 to 15 percent slopes | 3 | 9.6 | 0 | \$ 1,399.58 |
| Dauphin | BhC2 | Berks channery silt loam, 8 to 15 percent slopes, moderately eroded | 3 | 826.5 | 0.002 | \$ 997.16 |
| Dauphin | BkC2 | Berks shaly silt loam, 8 to 15 percent slopes, moderately eroded | 3 | 11730.5 | 0.033 | \$ 997.16 |
| Dauphin | BrC2 | Brecknock channery silt loam, 8 to 20 percent slopes, moderately eroded | 3 | 1086.2 | 0.003 | \$ 1,418.70 |
| Dauphin | CIC2 | Calvin-Leck Kill shaly silt loams, 8 to 15 percent slopes, moderately eroded | 3 | 17619.9 | 0.049 | \$ 1,164.72 |
| Dauphin | CnC2 | Chavies fine sandy loam, 8 to 15 percent slopes, moderately eroded | 3 | 338.8 | 0.001 | \$ 1,295.73 |
| Dauphin | DcC2 | Dekalb channery sandy loam, 8 to 15 percent slopes, moderately eroded | 3 | 1640.1 | 0.005 | \$ 1,020.48 |
| Dauphin | HaC2 | Hagerstown silt loam, 8 to 15 percent slopes, moderately eroded | 3 | 1172.2 | 0.003 | \$ 1,464.47 |
| Dauphin | KaB2 | Klinesville shaly silt loam, 3 to 8 percent slopes, moderately eroded | 3 | 536.5 | 0.002 | \$ 882.98 |
| Dauphin | LaC2 | Laidig gravelly loam, 8 to 20 percent slopes, moderately eroded | 3 | 3213.3 | 0.009 | \$ 1,235.24 |
| Dauphin | LegC | Leck Kill channery silt loam, 8 to 15 percent slopes | 3 | 536.4 | 0.002 | \$ 1,425.03 |
| Dauphin | LrC2 | Lewisberry gravelly sandy loam, 8 to 15 percent slopes, moderately eroded | 3 | 2289.2 | 0.006 | \$ 1,063.04 |
| Dauphin | PeC2 | Penn shaly silt loam, 8 to 15 percent slopes, moderately eroded | 3 | 1359.6 | 0.004 | \$ 1,379.27 |
| Dauphin | AnB | Andover gravelly loam, 3 to 8 percent slopes | 4 | 299.1 | 0.001 | \$ 1,109.69 |
| Dauphin | BegD | Bedington channery silt loam, 15 to 25 percent slopes | 4 | 18.1 | 0 | \$ 1,284.28 |
| Dauphin | BkD2 | Berks shaly silt loam, 15 to 25 percent slopes, moderately eroded | 4 | 3995.2 | 0.011 | \$ 893.19 |
| Dauphin | BrgA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 71.9 | 0 | \$ 1,218.08 |
| Dauphin | BtA | Brinkerton and Armagh silt loams, 0 to 3 percent slopes | 4 | 1747.2 | 0.005 | \$ 1,157.58 |
| Dauphin | BtB2 | Brinkerton and Armagh silt loams, 3 to 8 percent slopes, moderately eroded | 4 | 2724.1 | 0.008 | \$ 1,157.58 |
| Dauphin | CkC2 | Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes, moderately eroded | 4 | 4703.4 | 0.013 | \$ 979.61 |
| Dauphin | Cr | Croton silt loam, occasionally ponded, 0 to 3 percent slopes | 4 | 804.3 | 0.002 | \$ 1,145.10 |
| Dauphin | KaC2 | Klinesville shaly silt loam, 8 to 15 percent slopes, moderately eroded | 4 | 727.6 | 0.002 | \$ 871.65 |
| Dauphin | LfgD | Leck Kill-Calvin channery silt loams, 15 to 25 percent slopes | 4 | 497.5 | 0.001 | \$ 1,074.56 |
| Dauphin | LrD2 | Lewisberry gravelly sandy loam, 15 to 25 percent slopes, moderately eroded | 4 | 1263 | 0.004 | \$ 976.85 |
| Dauphin | Wa | Watchung silt loam | 4 | 627.3 | 0.002 | \$ 1,165.01 |
| Dauphin | WeC2 | Weikert shaly silt loam, 5 to 15 percent slopes, moderately eroded | 4 | 594 | 0.002 | \$ 871.65 |
| Dauphin | Rv | Riverwash | 5 | 2059.6 | 0.006 | \$ 750.61 |
| Dauphin | BvB | Buchanan very stony loam, 0 to 8 percent slopes | 6 | 1433.5 | 0.004 | \$ 750.61 |
| Dauphin | CaB | Calvin very stony silt loam, 0 to 8 percent slopes | 6 | 628.1 | 0.002 | \$ 750.61 |
| Dauphin | CaD | Calvin very stony silt loam, 8 to 25 percent slopes | 6 | 5498.7 | 0.015 | \$ 750.61 |
| Dauphin | CkD2 | Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes, moderately eroded | 6 | 5292.9 | 0.015 | \$ 877.50 |
| Dauphin | CkgD | Calvin-Klinesville channery silt loams, 15 to 25 percent slopes | 6 | 32.3 | 0 | \$ 877.50 |
| Dauphin | DIB | Dekalb and Lehigh very stony sandy loams, 0 to 8 percent slopes | 6 | 6853.9 | 0.019 | \$ 750.61 |

| | | | | | | |
|----------|------|---|---|---------|-------|-------------|
| Dauphin | DID | Dekalb and Lehigh very stony sandy loams, 8 to 25 percent slopes | 6 | 18374.8 | 0.051 | \$ 750.61 |
| Dauphin | DlgB | Dekalb and Lehigh sandy loams, 0 to 8 percent slopes, very stony | 6 | 122.3 | 0 | \$ 750.61 |
| Dauphin | HvgB | Hustontown silt loam, 0 to 8 percent slopes, very stony | 6 | 26.8 | 0 | \$ 1,245.64 |
| Dauphin | KaD2 | Klinesville shaly silt loam, 15 to 25 percent slopes, moderately eroded | 6 | 2938.7 | 0.008 | \$ 750.61 |
| Dauphin | LdB | Laidig very stony loam, 0 to 8 percent slopes | 6 | 2391.7 | 0.007 | \$ 750.61 |
| Dauphin | LdD | Laidig very stony loam, 8 to 25 percent slopes | 6 | 24994.2 | 0.07 | \$ 750.61 |
| Dauphin | LggB | Leck Kill channery silt loam, 0 to 8 percent slopes, very stony | 6 | 33.9 | 0 | \$ 750.61 |
| Dauphin | LggD | Leck Kill channery silt loam, 8 to 25 percent slopes, very stony | 6 | 115 | 0 | \$ 750.61 |
| Dauphin | LsD | Lewisberry very stony sandy loam, 5 to 25 percent slopes | 6 | 761.6 | 0.002 | \$ 750.61 |
| Dauphin | MfgB | Meckesville gravelly loam, 3 to 8 percent slopes, extremely stony | 6 | 238.7 | 0.001 | \$ 750.61 |
| Dauphin | NsB | Neshaminy very stony silt loam, 0 to 8 percent slopes | 6 | 927.6 | 0.003 | \$ 750.61 |
| Dauphin | NsD | Neshaminy very stony silt loam, 8 to 25 percent slopes | 6 | 1100.2 | 0.003 | \$ 750.61 |
| Dauphin | WeD2 | Weikert shaly silt loam, 15 to 25 percent slopes, moderately eroded | 6 | 613.2 | 0.002 | \$ 750.61 |
| Dauphin | AoB | Andover very stony loam, 0 to 8 percent slopes | 7 | 1181.3 | 0.003 | \$ 750.61 |
| Dauphin | AogB | Andover gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 56.6 | 0 | \$ 750.61 |
| Dauphin | BxB | Buchanan gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 101 | 0 | \$ 750.61 |
| Dauphin | BxD | Buchanan gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 205.1 | 0.001 | \$ 750.61 |
| Dauphin | CaF | Calvin very stony silt loam, 25 to 75 percent slopes | 7 | 1143.4 | 0.003 | \$ 750.61 |
| Dauphin | DIF | Dekalb and Lehigh very stony sandy loams, 25 to 80 percent slopes | 7 | 34502.7 | 0.097 | \$ 750.61 |
| Dauphin | DlgF | Dekalb and Lehigh sandy loams, 25 to 80 percent slopes, very stony | 7 | 110.7 | 0 | \$ 750.61 |
| Dauphin | HegB | Hazleton very channery loam, 0 to 8 percent slopes, extremely stony | 7 | 60.5 | 0 | \$ 750.61 |
| Dauphin | HegD | Hazleton very channery loam, 8 to 25 percent slopes, extremely stony | 7 | 257.3 | 0.001 | \$ 750.61 |
| Dauphin | HegF | Hazleton very channery loam, 25 to 60 percent slopes, extremely stony | 7 | 604.3 | 0.002 | \$ 750.61 |
| Dauphin | KaE2 | Klinesville shaly silt loam, 25 to 50 percent slopes, moderately eroded | 7 | 5629.4 | 0.016 | \$ 750.61 |
| Dauphin | LdG | Laidig gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 1717.8 | 0.005 | \$ 750.61 |
| Dauphin | LdGF | Laidig gravelly loam, 25 to 60 percent slopes, extremely stony | 7 | 112 | 0 | \$ 750.61 |
| Dauphin | LfgF | Leck Kill-Calvin channery silt loams, 25 to 50 percent slopes | 7 | 75.1 | 0 | \$ 750.61 |
| Dauphin | LsF | Lewisberry very stony sandy loam, 25 to 60 percent slopes | 7 | 557.2 | 0.002 | \$ 750.61 |
| Dauphin | Ma | Made land, sanitary fill | 7 | 121.8 | 0 | \$ 750.61 |
| Dauphin | Md | Mine dumps | 7 | 841.1 | 0.002 | \$ 750.61 |
| Dauphin | MfgD | Meckesville gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 528.5 | 0.001 | \$ 750.61 |
| Dauphin | MfgF | Meckesville gravelly loam, 25 to 35 percent slopes, extremely stony | 7 | 13.5 | 0 | \$ 750.61 |
| Dauphin | Mu | Muck | 7 | 174.8 | 0 | \$ 750.61 |
| Dauphin | St | Strip mine spoil | 7 | 319.6 | 0.001 | \$ 750.61 |
| Dauphin | UdgB | Udorthents, shale and sandstone, 0 to 8 percent slopes | 7 | 40.2 | 0 | \$ 750.61 |
| Dauphin | UdgD | Udorthents, shale and sandstone, 8 to 25 percent slopes | 7 | 6.2 | 0 | \$ 750.61 |
| Dauphin | Wc | Watchung very stony silt loam | 7 | 379.7 | 0.001 | \$ 750.61 |
| Dauphin | WeE2 | Weikert shaly silt loam, 25 to 40 percent slopes, moderately eroded | 7 | 4191 | 0.012 | \$ 750.61 |
| Dauphin | GP | Gravel pits | 8 | 62.2 | 0 | \$ 750.61 |
| Dauphin | VsC | Very stony land, sloping | 8 | 625.8 | 0.002 | \$ 750.61 |
| Delaware | CdA | Chester silt loam, 0 to 3 percent slopes | 1 | 179.5 | 0.001 | \$ 1,803.10 |
| Delaware | Cn | Congaree silt loam | 1 | 264.7 | 0.002 | \$ 1,811.49 |
| Delaware | GeA | Glenelg channery loam, 0 to 3 percent slopes | 1 | 227.1 | 0.002 | \$ 1,679.62 |
| Delaware | NaA | Neshaminy gravelly silt loam, 0 to 3 percent slopes | 1 | 221.8 | 0.002 | \$ 1,578.85 |
| Delaware | SaA | Sassafras loam, 0 to 2 percent slopes | 1 | 38.3 | 0 | \$ 1,516.83 |
| Delaware | AgB2 | Aldino silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 26.8 | 0 | \$ 1,212.32 |
| Delaware | BeA | Beltsville silt loam, 0 to 3 percent slopes | 2 | 673.4 | 0.006 | \$ 1,281.97 |
| Delaware | BeB2 | Beltsville silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 732.1 | 0.006 | \$ 1,150.10 |
| Delaware | BrB2 | Brandywine loam, 3 to 8 percent slopes, moderately eroded | 2 | 26.4 | 0 | \$ 1,132.54 |
| Delaware | ByA | Butlertown silt loam, 0 to 3 percent slopes | 2 | 267.4 | 0.002 | \$ 1,508.49 |
| Delaware | CaaA | Califon loam, 0 to 3 percent slopes | 2 | 25.3 | 0 | \$ 1,393.15 |
| Delaware | CdB | Chester silt loam, 3 to 8 percent slopes | 2 | 1588.1 | 0.013 | \$ 1,794.99 |
| Delaware | Ch | Chewacla silt loam | 2 | 2012.1 | 0.016 | \$ 1,490.31 |
| Delaware | Cm | Codorus silt loam | 2 | 24.4 | 0 | \$ 1,487.25 |
| Delaware | CoA | Conowingo silt loam, 0 to 3 percent slopes | 2 | 6.1 | 0 | \$ 1,239.97 |
| Delaware | GdB | Gladstone gravelly loam, 3 to 8 percent slopes | 2 | 21.1 | 0 | \$ 1,516.83 |

| | | | | | | |
|----------|------|---|---|---------|-------|-------------|
| Delaware | GeB | Glenelg channery loam, 3 to 8 percent slopes | 2 | 13565.8 | 0.111 | \$ 1,638.34 |
| Delaware | GnA | Glenville silt loam 0 to 3 percent slopes | 2 | 293.6 | 0.002 | \$ 1,504.91 |
| Delaware | GnB | Glenville silt loam, 3 to 8 percent slopes | 2 | 2075 | 0.017 | \$ 1,504.91 |
| Delaware | GnB2 | Glenville silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 5013.8 | 0.041 | \$ 1,247.52 |
| Delaware | MgB2 | Manor loam, 3 to 8 percent slopes, moderately eroded | 2 | 1346.4 | 0.011 | \$ 1,534.93 |
| Delaware | MoB2 | Montalto channery silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 2.4 | 0 | \$ 1,472.64 |
| Delaware | NaB2 | Neshaminy gravelly silt loam, 3 to 8 percent slopes, moderately eroded | 2 | 2902.2 | 0.024 | \$ 1,546.23 |
| Delaware | SaB2 | Sassafras loam, 2 to 5 percent slopes | 2 | 134.9 | 0.001 | \$ 1,516.83 |
| Delaware | WnA | Woodstown loam, 0 to 2 percent slopes, Northern Coastal Plain | 2 | 208.9 | 0.002 | \$ 1,502.91 |
| Delaware | BrC | Brandywine loam, 8 to 15 percent slopes | 3 | 102.3 | 0.001 | \$ 1,104.57 |
| Delaware | BrC2 | Brandywine loam, 8 to 15 percent slopes, moderately eroded | 3 | 12.7 | 0 | \$ 1,102.00 |
| Delaware | ByB2 | Butlertown silt loam, 3 to 8 percent slopes, moderately eroded | 3 | 878.5 | 0.007 | \$ 1,431.74 |
| Delaware | CdC | Chester silt loam, 8 to 15 percent slopes | 3 | 118.4 | 0.001 | \$ 1,783.55 |
| Delaware | CoB2 | Conowingo silt loam, 3 to 8 percent slopes, moderately eroded | 3 | 228.6 | 0.002 | \$ 1,239.97 |
| Delaware | GdC | Gladstone gravelly loam, 8 to 15 percent slopes | 3 | 21.7 | 0 | \$ 1,410.23 |
| Delaware | GeB3 | Glenelg channery silt loam, 3 to 8 percent slopes, severely eroded | 3 | 796.2 | 0.007 | \$ 1,476.71 |
| Delaware | GeC | Glenelg channery silt loam, 8 to 15 percent slopes | 3 | 2351.5 | 0.019 | \$ 1,478.75 |
| Delaware | GeC2 | Glenelg channery silt loam, 8 to 15 percent slopes, moderately eroded | 3 | 7928.3 | 0.065 | \$ 1,487.97 |
| Delaware | GnC2 | Glenville silt loam, 8 to 15 percent slopes, moderately eroded | 3 | 112.3 | 0.001 | \$ 1,239.97 |
| Delaware | MgB3 | Manor loam, 3 to 8 percent slopes, severely eroded | 3 | 7.7 | 0 | \$ 1,298.02 |
| Delaware | MgC | Manor loam, 8 to 15 percent slopes | 3 | 3173.7 | 0.026 | \$ 1,399.58 |
| Delaware | Mn | Melvin silt loam | 3 | 398.4 | 0.003 | \$ 1,291.16 |
| Delaware | NaC2 | Neshaminy gravelly silt loam, 8 to 15 percent slopes, moderately eroded | 3 | 1107.6 | 0.009 | \$ 1,472.64 |
| Delaware | OtA | Othello silt loams, 0 to 2 percent slopes, Northern Coastal Plain | 3 | 490.9 | 0.004 | \$ 982.37 |
| Delaware | BrC3 | Brandywine loam, 8 to 15 percent slopes, severely eroded | 4 | 765.5 | 0.006 | \$ 1,041.89 |
| Delaware | BrD | Brandywine loam, 15 to 25 percent slopes | 4 | 261.4 | 0.002 | \$ 1,052.50 |
| Delaware | BrD2 | Brandywine loam, 15 to 25 percent slopes, moderately eroded | 4 | 40.3 | 0 | \$ 871.65 |
| Delaware | CkC3 | Chrome gravelly silty clay loam, 8 to 15 percent slopes, severely eroded | 4 | 311.4 | 0.003 | \$ 936.42 |
| Delaware | GeC3 | Glenelg channery silt loam, 8 to 15 percent slopes, severely eroded | 4 | 4180.2 | 0.034 | \$ 1,369.36 |
| Delaware | GeD | Glenelg channery silt loam, 15 to 25 percent slopes | 4 | 1494 | 0.012 | \$ 1,349.26 |
| Delaware | GeD2 | Glenelg channery silt loam, 15 to 25 percent slopes, moderately eroded | 4 | 856.9 | 0.007 | \$ 1,382.38 |
| Delaware | Ha | Hatboro silt loam | 4 | 2.7 | 0 | \$ 1,256.44 |
| Delaware | MgD | Manor loam, 15 to 25 percent slopes | 4 | 2105 | 0.017 | \$ 1,330.25 |
| Delaware | NaC3 | Neshaminy gravelly silt loam, 8 to 15 percent slopes, severely eroded | 4 | 149.2 | 0.001 | \$ 1,369.79 |
| Delaware | NaD | Neshaminy gravelly silt loam, 15 to 25 percent slopes | 4 | 138.6 | 0.001 | \$ 1,445.91 |
| Delaware | WaA | Watchung silt loam, 0 to 3 percent slopes | 4 | 6.2 | 0 | \$ 1,165.01 |
| Delaware | We | Wehadkee silt loam | 4 | 3350.9 | 0.027 | \$ 871.65 |
| Delaware | CaA | Calvert silt loam, 0 to 3 percent slopes | 5 | 7.2 | 0 | \$ 750.61 |
| Delaware | Tm | Tidal marsh | 5 | 1039.1 | 0.009 | \$ 750.61 |
| Delaware | WoA | Worsham silt loam, 0 to 3 percent slopes | 5 | 1439.6 | 0.012 | \$ 750.61 |
| Delaware | BrD3 | Brandywine loam, 15 to 25 percent slopes, severely eroded | 6 | 725.5 | 0.006 | \$ 982.37 |
| Delaware | BrE | Brandywine loam, 25 to 40 percent slopes | 6 | 635.4 | 0.005 | \$ 750.61 |
| Delaware | BsB | Brandywine very stony loam, 0 to 8 percent slopes | 6 | 2.6 | 0 | \$ 750.61 |
| Delaware | BsD | Brandywine very stony loam, 8 to 25 percent slopes | 6 | 271.4 | 0.002 | \$ 750.61 |
| Delaware | CaB | Calvert silt loam, 3 to 8 percent slopes | 6 | 12.9 | 0 | \$ 750.61 |
| Delaware | CaB2 | Calvert silt loam, 3 to 8 percent slopes, moderately eroded | 6 | 0.7 | 0 | \$ 750.61 |
| Delaware | CkB | Chrome silt loam, 3 to 8 percent slopes | 6 | 213.2 | 0.002 | \$ 1,004.25 |
| Delaware | CkC | Chrome silt loam, 8 to 15 percent slopes | 6 | 170.5 | 0.001 | \$ 1,004.25 |
| Delaware | CkD | Chrome silt loam, 15 to 25 percent slopes | 6 | 71 | 0.001 | \$ 750.61 |
| Delaware | CkD3 | Chrome gravelly silty clay loam, 15 to 25 percent slopes, severely eroded | 6 | 112.4 | 0.001 | \$ 750.61 |
| Delaware | GeD3 | Glenelg channery silt loam, 15 to 25 percent slopes, severely eroded | 6 | 1258.7 | 0.01 | \$ 750.61 |
| Delaware | GeE | Glenelg channery silt loam, 25 to 35 percent slopes | 6 | 709.3 | 0.006 | \$ 750.61 |
| Delaware | GmD | Glenelg very stony silt loam, 15 to 25 percent slopes | 6 | 0.1 | 0 | \$ 750.61 |
| Delaware | GsB | Glenville very stony silt loam, 0 to 8 percent slopes | 6 | 1166.3 | 0.01 | \$ 750.61 |
| Delaware | Mc | Made land, silt and clay materials | 6 | 12224.6 | 0.1 | \$ 750.61 |
| Delaware | Md | Made land, gabbro and diabase materials | 6 | 2671.7 | 0.022 | \$ 750.61 |

| | | | | | | | |
|----------|------|--|---|---------|-------|----|----------|
| Delaware | MhE | Manor loam and channery loam, 25 to 35 percent slopes | 6 | 1005.9 | 0.008 | \$ | 750.61 |
| Delaware | MmD | Manor very stony loam, 8 to 25 percent slopes | 6 | 117.8 | 0.001 | \$ | 750.61 |
| Delaware | NaD3 | Neshaminy gravelly silt loam, 15 to 25 percent slopes, sever | 6 | 152.6 | 0.001 | \$ | 750.61 |
| Delaware | WoB | Worsham silt loam, 3 to 8 percent slopes | 6 | 15 | 0 | \$ | 750.61 |
| Delaware | WoB2 | Worsham silt loam, 3 to 8 percent slopes, moderately erode | 6 | 10.3 | 0 | \$ | 750.61 |
| Delaware | BsF | Brandywine very stony loam, 25 to 50 percent slopes | 7 | 262.2 | 0.002 | \$ | 750.61 |
| Delaware | BvF | Brecknock very stony loam, 25 to 50 percent slopes | 7 | 5.4 | 0 | \$ | 750.61 |
| Delaware | GeE3 | Glenelg channery silt loam, 25 to 35 percent slopes, severe | 7 | 202.2 | 0.002 | \$ | 750.61 |
| Delaware | Ma | Made land, gravelly materials | 7 | 10215.9 | 0.084 | \$ | 750.61 |
| Delaware | Me | Made land, schist and gneiss materials | 7 | 14642.1 | 0.12 | \$ | 750.61 |
| Delaware | Mf | Made land, sanitary land fill | 7 | 211.9 | 0.002 | \$ | 750.61 |
| Delaware | MhE3 | Manor loam and channery loam, 25 to 35 percent slopes, se | 7 | 398 | 0.003 | \$ | 750.61 |
| Delaware | MkF | Manor soils, 35 to 60 percent slopes | 7 | 581.5 | 0.005 | \$ | 750.61 |
| Delaware | MmF | Manor very stony loam, 25 to 60 percent slopes | 7 | 2.1 | 0 | \$ | 750.61 |
| Delaware | MrD | Montalto very stony silt loam, 8 to 25 percent slopes | 7 | 2 | 0 | \$ | 750.61 |
| Delaware | NsB | Neshaminy very stony silt loam, 0 to 8 percent slopes | 7 | 116.9 | 0.001 | \$ | 750.61 |
| Delaware | NsD | Neshaminy very stony silt loam, 8 to 25 percent slopes | 7 | 1114.6 | 0.009 | \$ | 750.61 |
| Delaware | NsF | Neshaminy very stony silt loam, 25 to 45 percent slopes | 7 | 758.3 | 0.006 | \$ | 750.61 |
| Delaware | WcB | Watchung very stony silt loam, 0 to 8 percent slopes | 7 | 2.3 | 0 | \$ | 750.61 |
| Delaware | WsB | Worsham very stony silt loam, 0 to 8 percent slopes | 7 | 315.1 | 0.003 | \$ | 750.61 |
| Delaware | UgB | Urban land, 0 to 8 percent slopes | 8 | 22 | 0 | \$ | 750.61 |
| Delaware | UrIB | Urban land-Gladstone complex, 0 to 8 percent slopes | 8 | 61 | 0.001 | \$ | 750.61 |
| Delaware | UrID | Urban land-Gladstone complex, 8 to 25 percent slopes | 8 | 45 | 0 | \$ | 750.61 |
| Delaware | UrmB | Urban land-Glenelg complex, 0 to 8 percent slopes | 8 | 576.3 | 0.005 | \$ | 750.61 |
| Delaware | UrmD | Urban land-Glenelg complex, 8 to 25 percent slopes | 8 | 58.4 | 0 | \$ | 750.61 |
| Delaware | UugB | Urban land-Udorthents, schist and gneiss complex, 0 to 8 p | 8 | 155.2 | 0.001 | \$ | 750.61 |
| Delaware | UugD | Urban land-Udorthents, schist and gneiss complex, 8 to 25 p | 8 | 15.9 | 0 | \$ | 750.61 |
| Erie | Ha | Hamlin silt loam | 1 | 1095.7 | 0.002 | \$ | 1,412.36 |
| Erie | UdA | Unadilla silt loam, 0 to 3 percent slopes | 1 | 729.9 | 0.001 | \$ | 1,335.87 |
| Erie | CaB | Cambridge silt loam, 3 to 8 percent slopes | 2 | 2703.1 | 0.005 | \$ | 1,286.57 |
| Erie | CnA | Chenango gravelly silt loam, 0 to 3 percent slopes | 2 | 3536.4 | 0.007 | \$ | 1,288.59 |
| Erie | CnB | Chenango gravelly silt loam, 3 to 8 percent slopes | 2 | 9882.4 | 0.019 | \$ | 1,289.24 |
| Erie | CsB | Colonie loamy fine sand, 3 to 8 percent slopes | 2 | 1823.9 | 0.004 | \$ | 1,041.89 |
| Erie | EnA | Elnora fine sandy loam, 0 to 3 percent slopes | 2 | 1647.2 | 0.003 | \$ | 1,099.95 |
| Erie | EnB | Elnora fine sandy loam, 3 to 8 percent slopes | 2 | 1685.8 | 0.003 | \$ | 1,099.95 |
| Erie | FcA | Fitchville silt loam, 0 to 2 percent slopes | 2 | 1272.3 | 0.002 | \$ | 1,356.66 |
| Erie | FcB | Fitchville silt loam, 2 to 6 percent slopes | 2 | 1089.4 | 0.002 | \$ | 1,356.66 |
| Erie | GfB | Glenford silt loam, 2 to 6 percent slopes | 2 | 851.7 | 0.002 | \$ | 1,375.88 |
| Erie | HbA | Harbor fine sandy loam, 0 to 2 percent slopes | 2 | 497.8 | 0.001 | \$ | 1,206.54 |
| Erie | HbB | Harbor fine sandy loam, 2 to 6 percent slopes | 2 | 475.3 | 0.001 | \$ | 1,152.60 |
| Erie | MaB | Mardin gravelly silt loam, 3 to 8 percent slopes | 2 | 535.8 | 0.001 | \$ | 1,187.13 |
| Erie | MdB | Mardin silt loam, 3 to 8 percent slopes | 2 | 9714.2 | 0.019 | \$ | 1,211.36 |
| Erie | Ot | Otego silt loam | 2 | 4810.9 | 0.009 | \$ | 1,338.54 |
| Erie | PeB | Pierpont silt loam, 2 to 6 percent slopes | 2 | 1286.8 | 0.002 | \$ | 1,117.54 |
| Erie | PtA | Pompton silt loam, 0 to 3 percent slopes | 2 | 4521.6 | 0.009 | \$ | 1,349.62 |
| Erie | PtB | Pompton silt loam, 3 to 8 percent slopes | 2 | 19539.3 | 0.038 | \$ | 1,353.14 |
| Erie | ScA | Scio silt loam, 0 to 3 percent slopes | 2 | 1046.3 | 0.002 | \$ | 1,355.79 |
| Erie | ScB | Scio silt loam, 3 to 8 percent slopes | 2 | 933.1 | 0.002 | \$ | 1,355.35 |
| Erie | TyA | Tyner sandy loam, 0 to 3 percent slopes | 2 | 395.8 | 0.001 | \$ | 1,023.17 |
| Erie | TyB | Tyner sandy loam, 3 to 8 percent slopes | 2 | 350.3 | 0.001 | \$ | 1,017.78 |
| Erie | VaB | Valois silt loam, 3 to 8 percent slopes | 2 | 1430.9 | 0.003 | \$ | 1,271.81 |
| Erie | CaC | Cambridge silt loam, 8 to 15 percent slopes | 3 | 3139.7 | 0.006 | \$ | 1,206.54 |
| Erie | CeA | Caneadea silt loam, 0 to 3 percent slopes | 3 | 89 | 0 | \$ | 1,199.77 |
| Erie | CeB | Caneadea silt loam, 3 to 8 percent slopes | 3 | 933 | 0.002 | \$ | 1,229.64 |
| Erie | CnC | Chenango gravelly silt loam, 8 to 15 percent slopes | 3 | 3136.4 | 0.006 | \$ | 1,201.32 |
| Erie | CoC | Collamer silt loam, 8 to 15 percent slopes | 3 | 39.7 | 0 | \$ | 1,265.77 |

| | | | | | | |
|------|-----|--|---|---------|-------|-------------|
| Erie | CsC | Colonie loamy fine sand, 8 to 15 percent slopes | 3 | 235.8 | 0 | \$ 988.41 |
| Erie | GfC | Glenford silt loam, 6 to 12 percent slopes | 3 | 146.9 | 0 | \$ 1,336.32 |
| Erie | HbC | Harbor fine sandy loam, 6 to 12 percent slopes | 3 | 108.6 | 0 | \$ 1,094.28 |
| Erie | HkB | Harborcreek-Tyner complex, 0 to 8 percent slopes | 3 | 9232.9 | 0.018 | \$ 923.60 |
| Erie | HkC | Harborcreek-Tyner complex, 8 to 15 percent slopes | 3 | 1047.9 | 0.002 | \$ 934.95 |
| Erie | HnA | Hornell silt loam, 0 to 2 percent slopes | 3 | 6.8 | 0 | \$ 1,055.14 |
| Erie | HnB | Hornell silt loam, 2 to 6 percent slopes | 3 | 12.8 | 0 | \$ 962.99 |
| Erie | MaC | Mardin gravelly silt loam, 8 to 15 percent slopes | 3 | 748.1 | 0.001 | \$ 1,142.60 |
| Erie | MdC | Mardin silt loam, 8 to 15 percent slopes | 3 | 10727.5 | 0.021 | \$ 1,211.36 |
| Erie | MnA | Minoa fine sandy loam, 0 to 3 percent slopes | 3 | 2765.9 | 0.005 | \$ 1,132.54 |
| Erie | MnB | Minoa fine sandy loam, 3 to 8 percent slopes | 3 | 553.5 | 0.001 | \$ 1,148.61 |
| Erie | NgA | Niagara silt loam, 0 to 3 percent slopes | 3 | 1348.9 | 0.003 | \$ 1,061.99 |
| Erie | NgB | Niagara silt loam, 3 to 8 percent slopes | 3 | 671.7 | 0.001 | \$ 1,106.10 |
| Erie | NgC | Niagara silt loam, 8 to 15 percent slopes | 3 | 24.8 | 0 | \$ 1,139.59 |
| Erie | OkB | Oakville fine sand, 0 to 8 percent slopes | 3 | 405.9 | 0.001 | \$ 871.65 |
| Erie | PaA | Painesville fine sandy loam, 0 to 2 percent slopes | 3 | 1698.7 | 0.003 | \$ 1,230.02 |
| Erie | PeC | Pierpont silt loam, 6 to 12 percent slopes | 3 | 1265.9 | 0.002 | \$ 1,110.40 |
| Erie | PIA | Platea silt loam, 0 to 2 percent slopes | 3 | 2554.9 | 0.005 | \$ 1,211.84 |
| Erie | PIB | Platea silt loam, 2 to 6 percent slopes | 3 | 22049.2 | 0.043 | \$ 1,209.53 |
| Erie | PIC | Platea silt loam, 6 to 12 percent slopes | 3 | 5120 | 0.01 | \$ 1,205.09 |
| Erie | PtC | Pompton silt loam, 8 to 15 percent slopes | 3 | 4045.8 | 0.008 | \$ 1,344.31 |
| Erie | RhA | Red Hook silt loam, 0 to 3 percent slopes | 3 | 6348.4 | 0.012 | \$ 1,251.28 |
| Erie | RhB | Red Hook silt loam, 3 to 8 percent slopes | 3 | 15427.6 | 0.03 | \$ 1,259.71 |
| Erie | ScC | Scio silt loam, 8 to 15 percent slopes | 3 | 233.8 | 0 | \$ 1,369.10 |
| Erie | Se | Sebring silt loam, 0 to 2 percent slopes | 3 | 1368.6 | 0.003 | \$ 1,211.36 |
| Erie | St | Stanhope silt loam | 3 | 5935 | 0.011 | \$ 1,201.71 |
| Erie | VaC | Valois silt loam, 8 to 15 percent slopes | 3 | 2181.1 | 0.004 | \$ 1,262.51 |
| Erie | VeA | Venango silt loam, 0 to 3 percent slopes | 3 | 12765 | 0.025 | \$ 1,263.44 |
| Erie | VeB | Venango silt loam, 3 to 8 percent slopes | 3 | 105972 | 0.205 | \$ 1,275.05 |
| Erie | VeC | Venango silt loam, 8 to 15 percent slopes | 3 | 28394.1 | 0.055 | \$ 1,265.77 |
| Erie | VIA | Volusia gravelly silt loam, 0 to 3 percent slopes | 3 | 74.6 | 0 | \$ 1,081.33 |
| Erie | VIB | Volusia gravelly silt loam, 3 to 8 percent slopes | 3 | 1232.6 | 0.002 | \$ 1,083.41 |
| Erie | VIC | Volusia gravelly silt loam, 8 to 15 percent slopes | 3 | 574.6 | 0.001 | \$ 985.12 |
| Erie | VmA | Volusia-Fremont silt loams, 0 to 3 percent slopes | 3 | 1558.5 | 0.003 | \$ 1,060.41 |
| Erie | VmB | Volusia-Fremont silt loams, 3 to 8 percent slopes | 3 | 7286.8 | 0.014 | \$ 1,086.52 |
| Erie | VmC | Volusia-Fremont silt loams, 8 to 15 percent slopes | 3 | 947.1 | 0.002 | \$ 1,065.66 |
| Erie | Wa | Wakeville silt loam | 3 | 2003.4 | 0.004 | \$ 1,157.58 |
| Erie | AdA | Alden mucky silt loam, 0 to 2 percent slopes | 4 | 1692 | 0.003 | \$ 991.70 |
| Erie | Ax | Aquolls-Eutrudepts complex, frequently flooded | 4 | 9747.7 | 0.019 | \$ 871.65 |
| Erie | CaD | Cambridge silt loam, 15 to 25 percent slopes | 4 | 1994.2 | 0.004 | \$ 871.65 |
| Erie | Cb | Canadice silt loam | 4 | 1895 | 0.004 | \$ 1,065.66 |
| Erie | Cd | Canandaigua silt loam, loamy substratum | 4 | 631.7 | 0.001 | \$ 1,144.60 |
| Erie | CnD | Chenango gravelly silt loam, 15 to 25 percent slopes | 4 | 1913.2 | 0.004 | \$ 1,121.20 |
| Erie | CoD | Collamer silt loam, 15 to 25 percent slopes | 4 | 81.7 | 0 | \$ 1,142.60 |
| Erie | CsD | Colonie loamy fine sand, 15 to 25 percent slopes | 4 | 205.2 | 0 | \$ 934.95 |
| Erie | CtA | Conneaut silt loam, 0 to 2 percent slopes | 4 | 2783.6 | 0.005 | \$ 1,124.96 |
| Erie | FrA | Fredon silt loam, 0 to 3 percent slopes | 4 | 9287.8 | 0.018 | \$ 1,110.20 |
| Erie | Ge | Getzville silt loam | 4 | 2743.5 | 0.005 | \$ 1,155.59 |
| Erie | HkD | Harborcreek-Tyner complex, 15 to 25 percent slopes | 4 | 417.3 | 0.001 | \$ 934.95 |
| Erie | La | Lamson silt loam | 4 | 4473.5 | 0.009 | \$ 871.65 |
| Erie | MaD | Mardin gravelly silt loam, 15 to 25 percent slopes | 4 | 467.6 | 0.001 | \$ 1,096.86 |
| Erie | MdD | Mardin silt loam, 15 to 25 percent slopes | 4 | 11841.7 | 0.023 | \$ 1,210.88 |
| Erie | Mh | Mill silt loam | 4 | 50573.5 | 0.098 | \$ 1,023.71 |
| Erie | PeD | Pierpont silt loam, 12 to 18 percent slopes | 4 | 968.3 | 0.002 | \$ 871.65 |
| Erie | VaD | Valois silt loam, 15 to 25 percent slopes | 4 | 2563.6 | 0.005 | \$ 1,260.27 |
| Erie | VID | Volusia gravelly silt loam, 15 to 25 percent slopes | 4 | 35 | 0 | \$ 932.12 |

| | | | | | | |
|---------|-----|--|---|---------|-------|-------------|
| Erie | Wc | Wick silt loam | 4 | 4412 | 0.009 | \$ 1,028.54 |
| Erie | Aa | Adrian muck | 5 | 449.9 | 0.001 | \$ 750.61 |
| Erie | Cc | Canandaigua mucky silt loam | 5 | 7675.1 | 0.015 | \$ 750.61 |
| Erie | Cm | Carlisle muck | 5 | 1593.2 | 0.003 | \$ 750.61 |
| Erie | MdE | Mardin silt loam, 25 to 40 percent slopes | 6 | 1112.2 | 0.002 | \$ 1,213.76 |
| Erie | VaE | Valois silt loam, 25 to 40 percent slopes | 6 | 2389.2 | 0.005 | \$ 1,268.09 |
| Erie | GaF | Gageville silt loam, 18 to 50 percent slopes | 7 | 6799.7 | 0.013 | \$ 750.61 |
| Erie | LtF | Lordstown channery silt loam, 40 to 70 percent slopes | 7 | 2092.2 | 0.004 | \$ 750.61 |
| Erie | RoF | Rock outcrop-Lordstown complex, 45 to 100 percent slopes | 7 | 363.1 | 0.001 | \$ 750.61 |
| Erie | TvF | Towerville and Valois soils, 40 to 70 percent slopes | 7 | 5231.4 | 0.01 | \$ 750.61 |
| Erie | TxF | Tyner and Harborcreek soils, 25 to 60 percent slopes | 7 | 1732.8 | 0.003 | \$ 871.65 |
| Erie | UaC | Udorthents, loamy, 0 to 15 percent slopes | 7 | 5883.4 | 0.011 | \$ 750.61 |
| Erie | UcC | Udorthents, sandy, 0 to 15 percent slopes | 7 | 2752 | 0.005 | \$ 750.61 |
| Erie | DAM | Dams | 8 | 12.5 | 0 | \$ 750.61 |
| Erie | Rv | Riverwash | 8 | 43.7 | 0 | \$ 750.61 |
| Erie | Ue | Urban land | 8 | 7445.9 | 0.014 | \$ 750.61 |
| Erie | UhB | Urban land-Chenango complex, 0 to 8 percent slopes | 8 | 230.5 | 0 | \$ 750.61 |
| Erie | UIB | Urban land-Elnora complex, 0 to 8 percent slopes | 8 | 861.3 | 0.002 | \$ 750.61 |
| Erie | UmB | Urban land-Fremont complex, 0 to 8 percent slopes | 8 | 1830.7 | 0.004 | \$ 750.61 |
| Erie | UpB | Urban land-Pompton complex, 0 to 8 percent slopes | 8 | 3306.7 | 0.006 | \$ 781.62 |
| Erie | UrA | Urban land-Red Hook complex, 0 to 3 percent slopes | 8 | 793.9 | 0.002 | \$ 750.61 |
| Erie | UtB | Urban land-Tyner-Harborcreek complex, 0 to 8 percent slop | 8 | 4421.8 | 0.009 | \$ 750.61 |
| Erie | UuB | Urban land-Udorthents complex, 0 to 8 percent slopes | 8 | 751.2 | 0.001 | \$ 750.61 |
| Erie | UvB | Urban land-Venango complex, 0 to 8 percent slopes | 8 | 6275.3 | 0.012 | \$ 750.61 |
| Erie | UvC | Urban land-Venango complex, 8 to 15 percent slopes | 8 | 583.7 | 0.001 | \$ 750.61 |
| Fayette | ChA | Chavies fine sandy loam, 0 to 2 percent slopes | 1 | 958.2 | 0.002 | \$ 1,567.42 |
| Fayette | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 1673.9 | 0.003 | \$ 1,316.15 |
| Fayette | AgB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 448.9 | 0.001 | \$ 1,412.36 |
| Fayette | BnB | Buchanan loam, 3 to 8 percent slopes | 2 | 639.6 | 0.001 | \$ 1,229.54 |
| Fayette | ChB | Chavies fine sandy loam, 3 to 8 percent slopes, rarely floode | 2 | 360.5 | 0.001 | \$ 1,358.42 |
| Fayette | CIB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 11303.2 | 0.022 | \$ 1,385.41 |
| Fayette | CmB | Clymer channery loam, 3 to 8 percent slopes | 2 | 3906.2 | 0.008 | \$ 1,439.68 |
| Fayette | CoA | Cookport loam, 0 to 3 percent slopes | 2 | 90.5 | 0 | \$ 1,142.60 |
| Fayette | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 2929.6 | 0.006 | \$ 1,091.70 |
| Fayette | CuB | Culleoka channery silt loam, 3 to 8 percent slopes | 2 | 6960.3 | 0.014 | \$ 1,486.84 |
| Fayette | DoB | Dormont silt loam, 3 to 8 percent slopes | 2 | 4623.8 | 0.009 | \$ 1,488.86 |
| Fayette | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 9113.3 | 0.018 | \$ 1,367.18 |
| Fayette | GcA | Gilpin channery silt loam, 0 to 3 percent slopes | 2 | 336.8 | 0.001 | \$ 1,225.73 |
| Fayette | GcB | Gilpin channery silt loam, 3 to 8 percent slopes | 2 | 10912.2 | 0.021 | \$ 1,270.42 |
| Fayette | GwB | Gilpin-Weikert channery silt loams, 3 to 8 percent slopes | 2 | 259.1 | 0.001 | \$ 1,173.89 |
| Fayette | GyB | Guernsey silt loam, 3 to 8 percent slopes | 2 | 8319.2 | 0.016 | \$ 1,420.81 |
| Fayette | HaB | Hazleton channery sandy loam, 3 to 8 percent slopes | 2 | 810.4 | 0.002 | \$ 1,476.71 |
| Fayette | LeB | Leck Kill channery silt loam, 3 to 8 percent slopes | 2 | 474.4 | 0.001 | \$ 1,456.25 |
| Fayette | Ln | Lindside silt loam, 0 to 3 percent slopes, occasionally floode | 2 | 3109.2 | 0.006 | \$ 1,518.81 |
| Fayette | Lo | Lobdell silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 1570.9 | 0.003 | \$ 1,429.23 |
| Fayette | LwB | Lowell silty clay loam, 3 to 8 percent slopes | 2 | 1306.6 | 0.003 | \$ 1,500.91 |
| Fayette | MeB | Matewan channery loam, 3 to 8 percent slopes | 2 | 1310.3 | 0.003 | \$ 1,182.24 |
| Fayette | MIB | Meckesville silt loam, 3 to 8 percent slopes | 2 | 77.7 | 0 | \$ 1,484.82 |
| Fayette | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 1004.7 | 0.002 | \$ 1,367.18 |
| Fayette | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 5330.9 | 0.01 | \$ 1,367.18 |
| Fayette | Ph | Philo loam, 0 to 3 percent slopes, occasionally flooded | 2 | 3197.3 | 0.006 | \$ 1,380.22 |
| Fayette | RnB | Rayne-Gilpin channery silt loams, 3 to 8 percent slopes | 2 | 254.4 | 0 | \$ 1,309.38 |
| Fayette | WgB | Wharton-Gilpin silt loams, 3 to 8 percent slopes | 2 | 463.7 | 0.001 | \$ 1,070.90 |
| Fayette | WrA | Wharton silt loam, 0 to 3 percent slopes | 2 | 245.2 | 0 | \$ 1,049.85 |
| Fayette | WrB | Wharton silt loam, 3 to 8 percent slopes | 2 | 9987.9 | 0.02 | \$ 1,049.85 |
| Fayette | AbC | Albrights silt loam, 8 to 15 percent slopes | 3 | 2072.9 | 0.004 | \$ 1,277.36 |

| | | | | | | |
|---------|-----|---|---|---------|-------|-------------|
| Fayette | AgC | Allegheny silt loam, 8 to 15 percent slopes | 3 | 305.1 | 0.001 | \$ 1,325.15 |
| Fayette | BeB | Bethesda very channery silt loam, 0 to 8 percent slopes | 3 | 874.5 | 0.002 | \$ 871.65 |
| Fayette | BhB | Bethesda very channery silt loam, 0 to 8 percent slopes, ver | 3 | 268.8 | 0.001 | \$ 871.65 |
| Fayette | BnC | Buchanan loam, 8 to 15 percent slopes | 3 | 519.6 | 0.001 | \$ 1,184.69 |
| Fayette | CaA | Cavode silt loam, 0 to 3 percent slopes | 3 | 105.5 | 0 | \$ 1,196.86 |
| Fayette | CaB | Cavode silt loam, 3 to 8 percent slopes | 3 | 2970 | 0.006 | \$ 1,201.71 |
| Fayette | CaC | Cavode silt loam, 8 to 15 percent slopes | 3 | 886.5 | 0.002 | \$ 1,155.09 |
| Fayette | CIC | Clarksburg silt loam, 8 to 15 percent slopes | 3 | 9983.4 | 0.02 | \$ 1,253.16 |
| Fayette | CmC | Clymer channery loam, 8 to 15 percent slopes | 3 | 2391.3 | 0.005 | \$ 1,360.62 |
| Fayette | CoC | Cookport loam, 8 to 15 percent slopes | 3 | 1056.5 | 0.002 | \$ 1,049.85 |
| Fayette | Cq | Craigsville gravelly sandy loam | 3 | 65.7 | 0 | \$ 871.65 |
| Fayette | CuC | Culleoka channery silt loam, 8 to 15 percent slopes | 3 | 9169.7 | 0.018 | \$ 1,382.38 |
| Fayette | DoC | Dormont silt loam, 8 to 15 percent slopes | 3 | 13180.7 | 0.026 | \$ 1,388.85 |
| Fayette | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 9831 | 0.019 | \$ 1,291.16 |
| Fayette | FaB | Fairpoint very channery silt loam, 0 to 8 percent slopes | 3 | 2214.8 | 0.004 | \$ 871.65 |
| Fayette | FpB | Fairpoint very channery silt loam, 0 to 8 percent slopes, ver | 3 | 1299.1 | 0.003 | \$ 871.65 |
| Fayette | GcC | Gilpin channery silt loam, 8 to 15 percent slopes | 3 | 11812.6 | 0.023 | \$ 1,225.73 |
| Fayette | GwC | Gilpin-Weikert channery silt loams, 8 to 15 percent slopes | 3 | 319.8 | 0.001 | \$ 1,119.37 |
| Fayette | GyC | Guernsey silt loam, 8 to 15 percent slopes | 3 | 13675.4 | 0.027 | \$ 1,225.73 |
| Fayette | HaC | Hazleton channery sandy loam, 8 to 15 percent slopes | 3 | 536.9 | 0.001 | \$ 1,397.44 |
| Fayette | ItB | Itmann extremely channery loam, 0 to 8 percent slopes | 3 | 775.8 | 0.002 | \$ 871.65 |
| Fayette | LeC | Leck Kill channery silt loam, 8 to 15 percent slopes | 3 | 624.4 | 0.001 | \$ 1,414.47 |
| Fayette | LIB | Library silt loam, 0 to 8 percent slopes | 3 | 1076.7 | 0.002 | \$ 1,322.90 |
| Fayette | LIC | Library silt loam, 8 to 15 percent slopes | 3 | 84.8 | 0 | \$ 1,220.95 |
| Fayette | LwC | Lowell silty clay loam, 8 to 15 percent slopes, eroded | 3 | 1411.6 | 0.003 | \$ 1,362.81 |
| Fayette | MeC | Matewan channery loam, 8 to 15 percent slopes | 3 | 1051.9 | 0.002 | \$ 1,102.00 |
| Fayette | MIC | Meckesville silt loam, 8 to 15 percent slopes | 3 | 600.9 | 0.001 | \$ 1,443.84 |
| Fayette | MoC | Monongahela silt loam, 8 to 15 percent slopes | 3 | 1251.1 | 0.002 | \$ 1,281.97 |
| Fayette | RnC | Rayne-Gilpin channery silt loams, 8 to 15 percent slopes | 3 | 104.8 | 0 | \$ 1,216.16 |
| Fayette | TyA | Tyler silt loam, 0 to 2 percent slopes | 3 | 338.2 | 0.001 | \$ 1,261.11 |
| Fayette | WeA | Weinbach silt loam, 0 to 2 percent slopes | 3 | 866.3 | 0.002 | \$ 1,258.78 |
| Fayette | WgC | Wharton-Gilpin silt loams, 8 to 15 percent slopes | 3 | 2054.3 | 0.004 | \$ 1,047.20 |
| Fayette | WrC | Wharton silt loam, 8 to 15 percent slopes | 3 | 10057.4 | 0.02 | \$ 962.99 |
| Fayette | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 4 | 2425.7 | 0.005 | \$ 1,142.60 |
| Fayette | BkA | Brinkerton soils, 0 to 3 percent slopes | 4 | 1887.2 | 0.004 | \$ 1,218.56 |
| Fayette | BkB | Brinkerton soils, 3 to 8 percent slopes | 4 | 3056.8 | 0.006 | \$ 1,218.56 |
| Fayette | BnD | Buchanan loam, 15 to 25 percent slopes | 4 | 146.3 | 0 | \$ 1,111.22 |
| Fayette | CaD | Cavode silt loam, 15 to 25 percent slopes | 4 | 335.1 | 0.001 | \$ 1,055.14 |
| Fayette | CmD | Clymer channery loam, 15 to 25 percent slopes | 4 | 1247.2 | 0.002 | \$ 1,049.85 |
| Fayette | CoD | Cookport loam, 15 to 25 percent slopes | 4 | 124.6 | 0 | \$ 1,055.14 |
| Fayette | CuD | Culleoka channery silt loam, 15 to 25 percent slopes | 4 | 2739.1 | 0.005 | \$ 1,208.95 |
| Fayette | DoD | Dormont silt loam, 15 to 25 percent slopes | 4 | 4179.6 | 0.008 | \$ 1,225.73 |
| Fayette | DrD | Dormont-Culleoka complex, 15 to 25 percent slopes | 4 | 14677.2 | 0.029 | \$ 1,185.17 |
| Fayette | Ek | Elkins silt loam, 0 to 3 percent slopes, occasionally flooded | 4 | 352.8 | 0.001 | \$ 871.65 |
| Fayette | ErD | Ernest silt loam, 15 to 25 percent slopes | 4 | 1730.6 | 0.003 | \$ 1,239.50 |
| Fayette | FaC | Fairpoint very channery silt loam, 8 to 15 percent slopes | 4 | 851.7 | 0.002 | \$ 1,016.70 |
| Fayette | GcD | Gilpin channery silt loam, 15 to 25 percent slopes | 4 | 12126.4 | 0.024 | \$ 1,179.79 |
| Fayette | GwD | Gilpin-Weikert channery silt loams, 15 to 25 percent slopes | 4 | 808.5 | 0.002 | \$ 871.65 |
| Fayette | GxA | Ginat silt loam, 0 to 2 percent slopes | 4 | 255.9 | 0.001 | \$ 1,147.61 |
| Fayette | GyD | Guernsey silt loam, 15 to 25 percent slopes | 4 | 3543.3 | 0.007 | \$ 1,147.61 |
| Fayette | HaD | Hazleton channery sandy loam, 15 to 25 percent slopes | 4 | 473.3 | 0.001 | \$ 1,225.73 |
| Fayette | Hy | Holly silt loam, 0 to 2 percent slopes | 4 | 1471.6 | 0.003 | \$ 1,320.66 |
| Fayette | ItD | Itmann extremely channery loam, 8 to 25 percent slopes | 4 | 1177.9 | 0.002 | \$ 871.65 |
| Fayette | LeD | Leck Kill channery silt loam, 15 to 25 percent slopes | 4 | 1039.6 | 0.002 | \$ 1,272.73 |
| Fayette | LwD | Lowell silty clay loam, 15 to 25 percent slopes, eroded | 4 | 391.7 | 0.001 | \$ 1,187.13 |
| Fayette | MeD | Matewan channery loam, 15 to 25 percent slopes | 4 | 517.5 | 0.001 | \$ 987.86 |

| | | | | | | |
|---------|-----|---|---|---------|-------|-------------|
| Fayette | MID | Meckesville silt loam, 15 to 25 percent slopes | 4 | 457.8 | 0.001 | \$ 1,362.81 |
| Fayette | Mn | Melvin and Newark silt loams | 4 | 2390 | 0.005 | \$ 1,160.06 |
| Fayette | Pu | Purdy silt loam, 0 to 2 percent slopes | 4 | 104.4 | 0 | \$ 1,160.06 |
| Fayette | RnD | Rayne-Gilpin channery silt loams, 15 to 25 percent slopes | 4 | 151.4 | 0 | \$ 1,152.60 |
| Fayette | ThA | Thorndale silt loam, 0 to 3 percent slopes | 4 | 465.5 | 0.001 | \$ 871.65 |
| Fayette | ThB | Thorndale silt loam, 3 to 8 percent slopes | 4 | 1081.8 | 0.002 | \$ 871.65 |
| Fayette | WgD | Wharton-Gilpin silt loams, 15 to 25 percent slopes | 4 | 4039.5 | 0.008 | \$ 974.09 |
| Fayette | WrD | Wharton silt loam, 15 to 25 percent slopes | 4 | 4997 | 0.01 | \$ 871.65 |
| Fayette | AeB | Albrights silt loam, 0 to 8 percent slopes, very stony | 6 | 1049.5 | 0.002 | \$ 750.61 |
| Fayette | AeD | Albrights silt loam, 8 to 25 percent slopes, very stony | 6 | 2230.8 | 0.004 | \$ 750.61 |
| Fayette | BeD | Bethesda very channery silt loam, 8 to 25 percent slopes | 6 | 3120.4 | 0.006 | \$ 750.61 |
| Fayette | BhD | Bethesda very channery silt loam, 8 to 25 percent slopes, ve | 6 | 1515.1 | 0.003 | \$ 750.61 |
| Fayette | BIB | Brinkerton mucky silt loam, 0 to 8 percent slopes, very stony | 6 | 80.9 | 0 | \$ 750.61 |
| Fayette | CeB | Cavode silt loam, 0 to 8 percent slopes, very stony | 6 | 201.2 | 0 | \$ 750.61 |
| Fayette | CeD | Cavode silt loam, 8 to 25 percent slopes, very stony | 6 | 48 | 0 | \$ 750.61 |
| Fayette | CnB | Clymer loam, 0 to 8 percent slopes, very stony | 6 | 286.9 | 0.001 | \$ 750.61 |
| Fayette | CnD | Clymer loam, 8 to 25 percent slopes, very stony | 6 | 1000.5 | 0.002 | \$ 750.61 |
| Fayette | CpB | Cookport loam, 0 to 8 percent slopes, very stony | 6 | 3348.2 | 0.007 | \$ 750.61 |
| Fayette | CpD | Cookport loam, 8 to 25 percent slopes, very stony | 6 | 2784 | 0.005 | \$ 750.61 |
| Fayette | FaD | Fairpoint very channery silt loam, 15 to 25 percent slopes | 6 | 7532.8 | 0.015 | \$ 750.61 |
| Fayette | FpD | Fairpoint very channery silt loam, 8 to 25 percent slopes, ve | 6 | 7978.8 | 0.016 | \$ 750.61 |
| Fayette | HeB | Hazleton channery sandy loam, 3 to 8 percent slopes, extre | 6 | 803.7 | 0.002 | \$ 750.61 |
| Fayette | HsB | Hazleton channery sandy loam, 0 to 8 percent slopes, very b | 6 | 199.3 | 0 | \$ 750.61 |
| Fayette | HsD | Hazleton channery sandy loam, 8 to 25 percent slopes, very | 6 | 1326.8 | 0.003 | \$ 750.61 |
| Fayette | HxD | Hazleton-Clymer complex, 8 to 25 percent slopes, extremel | 6 | 8553.7 | 0.017 | \$ 750.61 |
| Fayette | MkB | Meckesville channery silt loam, 0 to 8 percent slopes, extre | 6 | 80.2 | 0 | \$ 750.61 |
| Fayette | RgB | Rayne channery silt loam, 0 to 8 percent slopes, very stony | 6 | 1663.2 | 0.003 | \$ 750.61 |
| Fayette | RgD | Rayne channery silt loam, 8 to 25 percent slopes, very stony | 6 | 5440.8 | 0.011 | \$ 750.61 |
| Fayette | UaB | Udorthents, 0 to 8 percent slopes | 6 | 1265 | 0.002 | \$ 750.61 |
| Fayette | UaD | Udorthents, 8 to 25 percent slopes | 6 | 395.9 | 0.001 | \$ 750.61 |
| Fayette | WrE | Wharton silt loam, 25 to 35 percent slopes | 6 | 657.3 | 0.001 | \$ 750.61 |
| Fayette | WsB | Wharton silt loam, 0 to 8 percent slopes, very stony | 6 | 1467.4 | 0.003 | \$ 750.61 |
| Fayette | WsD | Wharton silt loam, 8 to 25 percent slopes, very stony | 6 | 2864 | 0.006 | \$ 750.61 |
| Fayette | AnB | Andover gravelly loam, 0 to 8 percent slopes, very stony | 7 | 1874.6 | 0.004 | \$ 750.61 |
| Fayette | BeF | Bethesda very channery silt loam, 25 to 75 percent slopes | 7 | 1008 | 0.002 | \$ 750.61 |
| Fayette | BhF | Bethesda very channery silt loam, 25 to 75 percent slopes, v | 7 | 652.4 | 0.001 | \$ 750.61 |
| Fayette | BuB | Buchanan loam, 0 to 8 percent slopes, extremely stony | 7 | 5654.8 | 0.011 | \$ 750.61 |
| Fayette | BuD | Buchanan loam, 8 to 25 percent slopes, extremely stony | 7 | 15394.6 | 0.03 | \$ 750.61 |
| Fayette | CrB | Craigsville-Buchanan complex, 0 to 8 percent slopes, exterr | 7 | 2881.6 | 0.006 | \$ 750.61 |
| Fayette | DeB | Dekalb-Hazleton channery sandy loams, 0 to 8 percent slop | 7 | 1146.8 | 0.002 | \$ 750.61 |
| Fayette | DeD | Dekalb-Hazleton channery sandy loams, 8 to 25 percent slop | 7 | 1845.2 | 0.004 | \$ 750.61 |
| Fayette | DeF | Dekalb-Hazleton channery sandy loams, 25 to 80 percent sl | 7 | 865.8 | 0.002 | \$ 750.61 |
| Fayette | DrE | Dormont-Culleoka complex, 25 to 50 percent slopes | 7 | 12623 | 0.025 | \$ 750.61 |
| Fayette | FaF | Fairpoint very channery silt loam, 25 to 75 percent slopes | 7 | 835.4 | 0.002 | \$ 750.61 |
| Fayette | FpF | Fairpoint very channery silt loam, 25 to 75 percent slopes, v | 7 | 3937.6 | 0.008 | \$ 750.61 |
| Fayette | GoF | Gilpin-Rock outcrop complex, 45 to 100 percent slopes | 7 | 1901.2 | 0.004 | \$ 750.61 |
| Fayette | GwF | Gilpin-Weikert channery silt loams, 25 to 60 percent slopes | 7 | 14153.5 | 0.028 | \$ 750.61 |
| Fayette | HeD | Hazleton channery sandy loam, 15 to 25 percent slopes, ext | 7 | 4865 | 0.01 | \$ 750.61 |
| Fayette | HeF | Hazleton channery sandy loam, 25 to 70 percent slopes, ext | 7 | 8073.2 | 0.016 | \$ 750.61 |
| Fayette | HxB | Hazleton-Clymer complex, 0 to 8 percent slopes, extremely | 7 | 3208.6 | 0.006 | \$ 750.61 |
| Fayette | IxF | Itmann extremely channery loam, 25 to 70 percent slopes | 7 | 652.8 | 0.001 | \$ 750.61 |
| Fayette | LaB | Laidig gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 106.8 | 0 | \$ 750.61 |
| Fayette | LaD | Laidig gravelly loam, 8 to 25 percent slopes, extremely ston | 7 | 7535.5 | 0.015 | \$ 750.61 |
| Fayette | LaE | Laidig gravelly loam, 25 to 35 percent slopes, extremely stor | 7 | 5043.2 | 0.01 | \$ 750.61 |
| Fayette | LbF | Laidig-Hazleton complex, 35 to 80 percent slopes, bouldery | 7 | 2965.7 | 0.006 | \$ 750.61 |
| Fayette | LkB | Leck Kill channery silt loam, 0 to 8 percent slopes, extremel | 7 | 479.2 | 0.001 | \$ 750.61 |

| | | | | | | | |
|----------|-----|---|---|---------|-------|----|----------|
| Fayette | LkD | Leck Kill channery silt loam, 8 to 25 percent slopes, extreme | 7 | 2548 | 0.005 | \$ | 750.61 |
| Fayette | LkF | Leck Kill channery silt loam, 25 to 60 percent slopes, extreme | 7 | 4132.1 | 0.008 | \$ | 750.61 |
| Fayette | LxF | Lowell-Culleoka complex, 25 to 80 percent slopes, very rocky | 7 | 6107.8 | 0.012 | \$ | 750.61 |
| Fayette | MbF | Macove-Gilpin channery silt loams, 35 to 70 percent slopes, extreme | 7 | 3898 | 0.008 | \$ | 750.61 |
| Fayette | McF | Macove-Gilpin channery silt loams, 35 to 70 percent slopes, extreme | 7 | 28289 | 0.055 | \$ | 750.61 |
| Fayette | MeF | Matewan channery loam, 25 to 50 percent slopes | 7 | 787.9 | 0.002 | \$ | 750.61 |
| Fayette | MkD | Meckesville channery silt loam, 8 to 25 percent slopes, extreme | 7 | 4704.6 | 0.009 | \$ | 750.61 |
| Fayette | MkF | Meckesville channery silt loam, 25 to 70 percent slopes, extreme | 7 | 10134 | 0.02 | \$ | 750.61 |
| Fayette | NoB | Nolo loam, 0 to 8 percent slopes, very stony | 7 | 49.5 | 0 | \$ | 750.61 |
| Fayette | ShF | Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes | 7 | 9350.2 | 0.018 | \$ | 750.61 |
| Fayette | SxF | Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes | 7 | 2498.3 | 0.005 | \$ | 750.61 |
| Fayette | WsE | Wharton silt loam, 25 to 35 percent slopes, very stony | 7 | 277.4 | 0.001 | \$ | 750.61 |
| Fayette | DAM | Dam | 8 | 27.4 | 0 | \$ | 750.61 |
| Fayette | Qu | Quarries | 8 | 479.5 | 0.001 | \$ | 750.61 |
| Fayette | UbB | Urban land, 0 to 8 percent slopes | 8 | 5090 | 0.01 | \$ | 750.61 |
| Fayette | UbC | Urban land, 8 to 15 percent slopes | 8 | 1531 | 0.003 | \$ | 750.61 |
| Fayette | UeB | Urban land-Culleoka complex, 0 to 8 percent slopes | 8 | 670.1 | 0.001 | \$ | 750.61 |
| Fayette | UeD | Urban land-Culleoka complex, 8 to 25 percent slopes | 8 | 199.4 | 0 | \$ | 750.61 |
| Fayette | UgB | Urban land-Gilpin complex, 0 to 8 percent slopes | 8 | 43.2 | 0 | \$ | 750.61 |
| Fayette | UgD | Urban land-Gilpin complex, 8 to 25 percent slopes | 8 | 126.6 | 0 | \$ | 750.61 |
| Fayette | UhB | Urban land-Guernsey complex, 0 to 8 percent slopes | 8 | 1293.3 | 0.003 | \$ | 750.61 |
| Fayette | UhD | Urban land-Guernsey complex, 8 to 25 percent slopes | 8 | 1074.4 | 0.002 | \$ | 750.61 |
| Fayette | UmB | Urban land-Monongahela complex, 0 to 8 percent slopes | 8 | 2339.8 | 0.005 | \$ | 750.61 |
| Fayette | UwB | Urban land-Wharton complex, 0 to 8 percent slopes | 8 | 145.3 | 0 | \$ | 750.61 |
| Fayette | UwD | Urban land-Wharton complex, 8 to 25 percent slopes | 8 | 56.9 | 0 | \$ | 750.61 |
| Franklin | DsA | Duffield silt loam, 0 to 3 percent slopes | 1 | 802.5 | 0.002 | \$ | 1,599.57 |
| Franklin | HaA | Hagerstown silt loam, 0 to 3 percent slopes | 1 | 8044.9 | 0.016 | \$ | 1,641.98 |
| Franklin | MrA | Murrill gravelly loam, 0 to 3 percent slopes | 1 | 1194 | 0.002 | \$ | 1,414.47 |
| Franklin | Po | Pope silt loam | 1 | 625.5 | 0.001 | \$ | 1,504.91 |
| Franklin | AgB | Allegheny loam, 3 to 8 percent slopes | 2 | 2080.3 | 0.004 | \$ | 1,502.11 |
| Franklin | Bf | Basher fine sandy loam | 2 | 980.3 | 0.002 | \$ | 1,448.81 |
| Franklin | BhB | Bedington channery silt loam, 3 to 8 percent slopes | 2 | 6711.1 | 0.014 | \$ | 1,410.23 |
| Franklin | BkB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 23434.1 | 0.047 | \$ | 1,086.52 |
| Franklin | BlA | Blairton channery silt loam, 0 to 3 percent slopes | 2 | 599.3 | 0.001 | \$ | 1,042.42 |
| Franklin | BIB | Blairton channery silt loam, 3 to 8 percent slopes | 2 | 5305.5 | 0.011 | \$ | 1,084.45 |
| Franklin | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 6199.6 | 0.013 | \$ | 1,286.57 |
| Franklin | CaB | Calvin channery loam, 3 to 8 percent slopes | 2 | 94.1 | 0 | \$ | 1,100.46 |
| Franklin | CoB | Carbo silty clay loam, 3 to 8 percent slopes | 2 | 3186.9 | 0.006 | \$ | 1,218.08 |
| Franklin | CsA | Clarksburg silt loam, 0 to 3 percent slopes | 2 | 10510.7 | 0.021 | \$ | 1,428.39 |
| Franklin | CvA | Covegap cobbly sandy loam, 0 to 3 percent slopes | 2 | 97.9 | 0 | \$ | 1,447.16 |
| Franklin | CvB | Covegap cobbly sandy loam, 3 to 8 percent slopes | 2 | 3645.2 | 0.007 | \$ | 1,447.16 |
| Franklin | Dg | Deposit gravelly loam | 2 | 264.2 | 0.001 | \$ | 1,407.68 |
| Franklin | DoB | Downsville gravelly loam, 3 to 8 percent slopes | 2 | 720.9 | 0.001 | \$ | 1,501.31 |
| Franklin | DrB | Dryrun gravelly loam, 3 to 8 percent slopes | 2 | 2360 | 0.005 | \$ | 1,369.79 |
| Franklin | DsB | Duffield silt loam, 3 to 8 percent slopes | 2 | 10805.1 | 0.022 | \$ | 1,567.42 |
| Franklin | EcB | Edgemont channery loam, 3 to 8 percent slopes | 2 | 97.2 | 0 | \$ | 1,107.13 |
| Franklin | EeB | Edom-Carbo silty clay loams, 3 to 8 percent slopes | 2 | 2790.1 | 0.006 | \$ | 1,239.97 |
| Franklin | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 1324.5 | 0.003 | \$ | 1,296.65 |
| Franklin | Fu | Funkstown silt loam | 2 | 6357.8 | 0.013 | \$ | 1,603.46 |
| Franklin | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 22588.8 | 0.046 | \$ | 1,642.70 |
| Franklin | HbB | Hagerstown-Carbo silty clay loams, 3 to 8 percent slopes | 2 | 16948 | 0.034 | \$ | 1,453.36 |
| Franklin | HcB | Hagerstown-Carbo silty clay loams, 3 to 8 percent slopes, very | 2 | 10921.9 | 0.022 | \$ | 1,426.71 |
| Franklin | HSB | Highfield and Catocin channery silt loams, 3 to 8 percent slopes | 2 | 1142.9 | 0.002 | \$ | 1,264.37 |
| Franklin | HwB | Hustontown silt loam, 3 to 8 percent slopes | 2 | 352.5 | 0.001 | \$ | 1,279.21 |
| Franklin | Jg | Jugtown silt loam | 2 | 3001.8 | 0.006 | \$ | 1,460.36 |
| Franklin | LaB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 557.6 | 0.001 | \$ | 1,271.81 |

| | | | | | | |
|----------|-----|---|---|---------|-------|-------------|
| Franklin | Ln | Lindside silt loam | 2 | 310.9 | 0.001 | \$ 1,439.68 |
| Franklin | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 2421.7 | 0.005 | \$ 1,292.08 |
| Franklin | MrB | Murrill gravelly loam, 3 to 8 percent slopes | 2 | 16415.6 | 0.033 | \$ 1,464.47 |
| Franklin | MuB | Murrill cobbly sandy loam, 3 to 8 percent slopes | 2 | 1480.9 | 0.003 | \$ 1,454.19 |
| Franklin | MyB | Myersville silt loam, 3 to 8 percent slopes | 2 | 284.2 | 0.001 | \$ 1,544.28 |
| Franklin | PcB | Pecktonville gravelly silt loam, 3 to 8 percent slopes | 2 | 39.9 | 0 | \$ 1,443.42 |
| Franklin | Ph | Philo silt loam | 2 | 4714.2 | 0.01 | \$ 1,432.16 |
| Franklin | RyB | Ryder-Nollville channery silt loams, 3 to 8 percent slopes | 2 | 1380.1 | 0.003 | \$ 1,358.42 |
| Franklin | SeB | Sideling gravelly loam, 3 to 8 percent slopes | 2 | 3138.7 | 0.006 | \$ 1,300.29 |
| Franklin | SwB | Swanpond-Edom complex, 0 to 8 percent slopes | 2 | 2213.9 | 0.004 | \$ 1,290.70 |
| Franklin | TrB | Trego gravelly silt loam, 3 to 8 percent slopes | 2 | 1329.9 | 0.003 | \$ 1,142.60 |
| Franklin | WuB | Wurno-Nollville channery silt loams, 3 to 8 percent slopes | 2 | 79.5 | 0 | \$ 1,196.86 |
| Franklin | As | Atkins silt loam | 3 | 5836.7 | 0.012 | \$ 1,287.03 |
| Franklin | BhC | Bedington channery silt loam, 8 to 15 percent slopes | 3 | 1912.3 | 0.004 | \$ 1,303.93 |
| Franklin | BkC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 8671.7 | 0.018 | \$ 1,041.89 |
| Franklin | BuC | Buchanan gravelly loam, 8 to 15 percent slopes | 3 | 1354.1 | 0.003 | \$ 1,202.19 |
| Franklin | CaC | Calvin channery loam, 8 to 15 percent slopes | 3 | 390.5 | 0.001 | \$ 1,057.25 |
| Franklin | CtB | Clearbrook channery silt loam, 0 to 8 percent slopes | 3 | 3759.5 | 0.008 | \$ 1,078.73 |
| Franklin | CvC | Covegap cobbly sandy loam, 8 to 15 percent slopes | 3 | 1347.7 | 0.003 | \$ 1,419.55 |
| Franklin | DsC | Duffield silt loam, 8 to 15 percent slopes | 3 | 1141.3 | 0.002 | \$ 1,669.32 |
| Franklin | EcC | Edgemont channery loam, 8 to 15 percent slopes | 3 | 159.9 | 0 | \$ 1,102.00 |
| Franklin | EeC | Edom-Carbo silty clay loams, 8 to 15 percent slopes | 3 | 2013.1 | 0.004 | \$ 1,137.58 |
| Franklin | HaC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 1549.7 | 0.003 | \$ 1,562.05 |
| Franklin | HbC | Hagerstown-Carbo silty clay loams, 8 to 15 percent slopes | 3 | 6490.2 | 0.013 | \$ 1,372.84 |
| Franklin | Hm | Hatboro silt loam | 3 | 136.4 | 0 | \$ 1,189.57 |
| Franklin | HSC | Highfield and Catocin channery silt loams, 8 to 15 percent slopes | 3 | 344.8 | 0.001 | \$ 1,239.50 |
| Franklin | LaC | Laidig gravelly loam, 8 to 15 percent slopes | 3 | 1565.9 | 0.003 | \$ 1,221.43 |
| Franklin | Me | Melvin silt loam | 3 | 3299.1 | 0.007 | \$ 1,291.16 |
| Franklin | MrC | Murrill gravelly loam, 8 to 15 percent slopes | 3 | 5783.8 | 0.012 | \$ 1,391.01 |
| Franklin | MuC | Murrill cobbly sandy loam, 8 to 15 percent slopes | 3 | 1217 | 0.002 | \$ 1,380.22 |
| Franklin | MyC | Myersville silt loam, 8 to 15 percent slopes | 3 | 149.5 | 0 | \$ 1,470.60 |
| Franklin | PcC | Pecktonville gravelly silt loam, 8 to 15 percent slopes | 3 | 77.4 | 0 | \$ 1,367.18 |
| Franklin | Pg | Penlaw silt loam, 0 to 3 percent slopes | 3 | 2107.1 | 0.004 | \$ 1,194.44 |
| Franklin | RaB | Rohrersville silt loam, 3 to 8 percent slopes | 3 | 808.4 | 0.002 | \$ 1,142.60 |
| Franklin | RyC | Ryder-Nollville channery silt loams, 8 to 15 percent slopes | 3 | 6377.6 | 0.013 | \$ 1,286.57 |
| Franklin | SeC | Sideling gravelly loam, 8 to 15 percent slopes | 3 | 4333.7 | 0.009 | \$ 1,132.54 |
| Franklin | TrC | Trego gravelly silt loam, 8 to 15 percent slopes | 3 | 163.9 | 0 | \$ 1,055.14 |
| Franklin | Ty | Tyler silt loam, 0 to 3 percent slopes | 3 | 1591.7 | 0.003 | \$ 1,232.87 |
| Franklin | WeB | Weikert channery silt loam, 3 to 8 percent slopes | 3 | 13084.3 | 0.026 | \$ 1,269.95 |
| Franklin | WuC | Wurno-Nollville channery silt loams, 8 to 15 percent slopes | 3 | 295.9 | 0.001 | \$ 1,152.60 |
| Franklin | AnB | Andover gravelly loam, 3 to 8 percent slopes | 4 | 3222 | 0.007 | \$ 1,109.69 |
| Franklin | BrA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 3391.5 | 0.007 | \$ 1,218.08 |
| Franklin | BrB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 5076.5 | 0.01 | \$ 1,212.32 |
| Franklin | CaD | Calvin channery loam, 15 to 25 percent slopes | 4 | 354.2 | 0.001 | \$ 960.77 |
| Franklin | DoD | Downsville gravelly loam, 8 to 25 percent slopes | 4 | 93.5 | 0 | \$ 1,355.35 |
| Franklin | Du | Dunning silt loam | 4 | 1095.9 | 0.002 | \$ 1,311.19 |
| Franklin | EeD | Edom-Carbo silty clay loams, 15 to 25 percent slopes | 4 | 206.2 | 0 | \$ 1,044.55 |
| Franklin | Fa | Fairplay marl | 4 | 1053.3 | 0.002 | \$ 1,338.54 |
| Franklin | HbD | Hagerstown-Carbo silty clay loams, 15 to 25 percent slopes | 4 | 918.5 | 0.002 | \$ 1,342.09 |
| Franklin | HcC | Hagerstown-Carbo silty clay loams, 8 to 15 percent slopes, v | 4 | 5793.1 | 0.012 | \$ 1,294.36 |
| Franklin | HSD | Highfield and Catocin channery silt loams, 15 to 25 percent | 4 | 69.1 | 0 | \$ 1,174.39 |
| Franklin | Ma | Markes channery silt loam, 0 to 8 percent slopes | 4 | 76.1 | 0 | \$ 1,059.88 |
| Franklin | Mb | Maurertown silt loam | 4 | 1830.7 | 0.004 | \$ 1,148.61 |
| Franklin | MyD | Myersville silt loam, 15 to 25 percent slopes | 4 | 24.9 | 0 | \$ 1,354.03 |
| Franklin | PcD | Pecktonville gravelly silt loam, 15 to 25 percent slopes | 4 | 129.9 | 0 | \$ 1,279.21 |
| Franklin | Pu | Purdy silty clay loam | 4 | 1703.9 | 0.003 | \$ 1,197.83 |

| | | | | | | |
|----------|-----|---|---|---------|-------|-------------|
| Franklin | RyD | Ryder-Nollville channery silt loams, 15 to 25 percent slopes | 4 | 1466.8 | 0.003 | \$ 1,162.54 |
| Franklin | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 12287 | 0.025 | \$ 1,009.67 |
| Franklin | WkB | Weikert very channery silt loam, 3 to 8 percent slopes | 4 | 3119.5 | 0.006 | \$ 883.91 |
| Franklin | WkC | Weikert very channery silt loam, 8 to 15 percent slopes | 4 | 7594.4 | 0.015 | \$ 890.29 |
| Franklin | WuD | Wurno-Nollville channery silt loams, 15 to 25 percent slopes | 4 | 394.8 | 0.001 | \$ 1,086.52 |
| Franklin | LeA | Lantz silt loam, 0 to 3 percent slopes | 5 | 153.5 | 0 | \$ 750.61 |
| Franklin | BaB | Bagtown cobbly loam, 3 to 8 percent slopes, very stony | 6 | 391.2 | 0.001 | \$ 750.61 |
| Franklin | BaC | Bagtown cobbly loam, 8 to 15 percent slopes, very stony | 6 | 746.5 | 0.002 | \$ 750.61 |
| Franklin | Dm | Deposit gravelly loam, 0 to 8 percent slopes, very stony | 6 | 1998.6 | 0.004 | \$ 750.61 |
| Franklin | EdB | Edgemont channery loam, 0 to 8 percent slopes, very stony | 6 | 317.4 | 0.001 | \$ 750.61 |
| Franklin | EdD | Edgemont channery loam, 8 to 25 percent slopes, very stony | 6 | 952 | 0.002 | \$ 750.61 |
| Franklin | HkB | Hagerstown-Rock outcrop complex, 3 to 8 percent slopes | 6 | 6085.4 | 0.012 | \$ 750.61 |
| Franklin | HkD | Hagerstown-Rock outcrop complex, 8 to 35 percent slopes | 6 | 8689.6 | 0.018 | \$ 750.61 |
| Franklin | RcB | Rohrersville silt loam, 0 to 15 percent slopes, very stony | 6 | 881 | 0.002 | \$ 750.61 |
| Franklin | SrB | Sideling gravelly loam, 0 to 8 percent slopes, extremely stony | 6 | 1290.2 | 0.003 | \$ 750.61 |
| Franklin | ThB | Thurmont gravelly loam, 3 to 8 percent slopes, stony | 6 | 354 | 0.001 | \$ 750.61 |
| Franklin | ThC | Thurmont gravelly loam, 8 to 15 percent slopes, stony | 6 | 183.2 | 0 | \$ 750.61 |
| Franklin | ToD | Thurmont gravelly loam, 8 to 25 percent slopes, very stony | 6 | 1350.7 | 0.003 | \$ 750.61 |
| Franklin | TsB | Trego gravelly silt loam, 3 to 8 percent slopes, very stony | 6 | 1609.4 | 0.003 | \$ 750.61 |
| Franklin | TsC | Trego gravelly silt loam, 8 to 15 percent slopes, very stony | 6 | 1281.5 | 0.003 | \$ 750.61 |
| Franklin | VaD | Vanderlip cobbly loamy sand, 0 to 25 percent slopes | 6 | 852.7 | 0.002 | \$ 750.61 |
| Franklin | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 8488.5 | 0.017 | \$ 750.61 |
| Franklin | WkD | Weikert very channery silt loam, 15 to 25 percent slopes | 6 | 6109.3 | 0.012 | \$ 750.61 |
| Franklin | WtB | Weverton very flaggy loam, 0 to 8 percent slopes | 6 | 256.3 | 0.001 | \$ 750.61 |
| Franklin | WtC | Weverton very flaggy loam, 8 to 25 percent slopes | 6 | 543.1 | 0.001 | \$ 750.61 |
| Franklin | AoB | Andover gravelly loam, 0 to 8 percent slopes, very stony | 7 | 1726.9 | 0.003 | \$ 750.61 |
| Franklin | BbB | Bagtown cobbly loam, 0 to 8 percent slopes, extremely stony | 7 | 2422.3 | 0.005 | \$ 750.61 |
| Franklin | BbD | Bagtown cobbly loam, 8 to 25 percent slopes, extremely stony | 7 | 8881.2 | 0.018 | \$ 750.61 |
| Franklin | BcE | Bagtown cobbly loam, 15 to 45 percent slopes, rubbly | 7 | 2264.8 | 0.005 | \$ 750.61 |
| Franklin | BxB | Buchanan cobbly loam, 0 to 8 percent slopes, extremely stony | 7 | 2673.4 | 0.005 | \$ 750.61 |
| Franklin | BxD | Buchanan cobbly loam, 8 to 25 percent slopes, extremely stony | 7 | 3863.6 | 0.008 | \$ 750.61 |
| Franklin | DbE | Dekalb-Bagtown complex, 25 to 65 percent slopes, extremely stony | 7 | 4032.3 | 0.008 | \$ 750.61 |
| Franklin | DED | Dekalb and Hazleton soils, 3 to 25 percent slopes, rubbly | 7 | 2274.8 | 0.005 | \$ 750.61 |
| Franklin | DEF | Dekalb and Hazleton soils, 25 to 75 percent slopes, rubbly | 7 | 15598.1 | 0.032 | \$ 750.61 |
| Franklin | EdF | Edgemont channery loam, 25 to 70 percent slopes, very stony | 7 | 311.3 | 0.001 | \$ 750.61 |
| Franklin | HRB | Hazleton and Dekalb soils, 0 to 8 percent slopes, extremely stony | 7 | 1722.3 | 0.003 | \$ 750.61 |
| Franklin | HRD | Hazleton and Dekalb soils, 8 to 25 percent slopes, extremely stony | 7 | 5979.9 | 0.012 | \$ 750.61 |
| Franklin | HRF | Hazleton and Dekalb soils, 25 to 75 percent slopes, extremely stony | 7 | 11544.7 | 0.023 | \$ 750.61 |
| Franklin | HTB | Highfield and Catoclin channery silt loams, 0 to 8 percent slopes | 7 | 348.6 | 0.001 | \$ 750.61 |
| Franklin | HTD | Highfield and Catoclin channery silt loams, 8 to 25 percent slopes | 7 | 790.4 | 0.002 | \$ 750.61 |
| Franklin | HTF | Highfield and Catoclin channery silt loams, 25 to 50 percent slopes | 7 | 551.8 | 0.001 | \$ 750.61 |
| Franklin | LbB | Laidig gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 651.4 | 0.001 | \$ 750.61 |
| Franklin | LbD | Laidig gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 4799.4 | 0.01 | \$ 750.61 |
| Franklin | LCE | Laidig and Hazleton soils, 25 to 60 percent slopes, extremely stony | 7 | 2850.9 | 0.006 | \$ 750.61 |
| Franklin | LgB | Leetonia gravelly loamy sand, 0 to 15 percent slopes, extremely stony | 7 | 961.3 | 0.002 | \$ 750.61 |
| Franklin | LhD | Lehew very channery fine sandy loam, 8 to 25 percent slopes | 7 | 1409.4 | 0.003 | \$ 750.61 |
| Franklin | MvB | Murrill gravelly loam, 3 to 8 percent slopes, extremely stony | 7 | 1192.8 | 0.002 | \$ 750.61 |
| Franklin | MvD | Murrill gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 1770.6 | 0.004 | \$ 750.61 |
| Franklin | PeE | Pecktonville-Rock outcrop complex, 25 to 45 percent slopes | 7 | 35.4 | 0 | \$ 750.61 |
| Franklin | SrD | Sideling gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 23707.9 | 0.048 | \$ 750.61 |
| Franklin | SSF | Sideling and Hazleton soils 25 to 60 percent slopes, extremely stony | 7 | 13431.3 | 0.027 | \$ 750.61 |
| Franklin | VaE | Vanderlip cobbly loamy sand, 25 to 50 percent slopes | 7 | 718.6 | 0.001 | \$ 750.61 |
| Franklin | WkF | Weikert very channery silt loam, 25 to 60 percent slopes | 7 | 9776.2 | 0.02 | \$ 750.61 |
| Franklin | WtF | Weverton-Rock outcrop complex, 25 to 45 percent slopes | 7 | 497.1 | 0.001 | \$ 750.61 |
| Franklin | DAM | Dam | 8 | 2.7 | 0 | \$ 750.61 |
| Franklin | Q | Quarries | 8 | 936.8 | 0.002 | \$ 750.61 |

| | | | | | | |
|----------|-----|---|---|---------|-------|-------------|
| Franklin | UbB | Urban land-Berks complex, 0 to 8 percent slopes | 8 | 1119.7 | 0.002 | \$ 750.61 |
| Franklin | UbC | Urban land-Berks complex, 8 to 15 percent slopes | 8 | 194.3 | 0 | \$ 750.61 |
| Franklin | UdB | Urban land-Duffield complex, 0 to 8 percent slopes | 8 | 879.3 | 0.002 | \$ 750.61 |
| Franklin | UdC | Urban land-Duffield complex, 8 to 15 percent slopes | 8 | 113.5 | 0 | \$ 750.61 |
| Franklin | UhB | Urban land-Hagerstown complex, 0 to 8 percent slopes | 8 | 3479.3 | 0.007 | \$ 750.61 |
| Fulton | Be | Barbour fine sandy loam | 1 | 1213.1 | 0.004 | \$ 1,722.82 |
| Fulton | Po | Pope silt loam | 1 | 564.1 | 0.002 | \$ 1,504.91 |
| Fulton | AgB | Allegheny loam, 3 to 8 percent slopes | 2 | 335 | 0.001 | \$ 1,502.11 |
| Fulton | Bf | Basher fine sandy loam | 2 | 4616 | 0.016 | \$ 1,448.81 |
| Fulton | BhB | Bedington channery silt loam, 3 to 8 percent slopes | 2 | 92.6 | 0 | \$ 1,410.23 |
| Fulton | BkB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 3068.3 | 0.011 | \$ 1,086.52 |
| Fulton | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 1047.7 | 0.004 | \$ 1,286.57 |
| Fulton | CaB | Calvin channery loam, 3 to 8 percent slopes | 2 | 3845.2 | 0.014 | \$ 1,100.46 |
| Fulton | CkB | Calvin-Leck kill channery silt loams, 3 to 8 percent slopes | 2 | 7040.9 | 0.025 | \$ 1,259.71 |
| Fulton | CsB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 3074.4 | 0.011 | \$ 1,338.99 |
| Fulton | EgB | Elliber very channery silt loam, 3 to 8 percent slopes | 2 | 111.8 | 0 | \$ 1,357.54 |
| Fulton | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 1905.4 | 0.007 | \$ 1,296.65 |
| Fulton | FrB | Frankstown channery silt loam, 3 to 8 percent slopes | 2 | 401.2 | 0.001 | \$ 1,458.31 |
| Fulton | Fu | Funkstown silt loam | 2 | 68.5 | 0 | \$ 1,553.97 |
| Fulton | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 2546.3 | 0.009 | \$ 1,642.70 |
| Fulton | HbB | Hagerstown-Carbo silty clay loams, 3 to 8 percent slopes | 2 | 222.3 | 0.001 | \$ 1,453.36 |
| Fulton | HwB | Hustontown silt loam, 3 to 8 percent slopes | 2 | 3847.8 | 0.014 | \$ 1,279.21 |
| Fulton | Jg | Jugtown-Lindside silt loams | 2 | 593.4 | 0.002 | \$ 1,443.84 |
| Fulton | LaB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 298.5 | 0.001 | \$ 1,271.81 |
| Fulton | Ln | Lindside silt loam | 2 | 35.2 | 0 | \$ 1,439.68 |
| Fulton | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 1736.1 | 0.006 | \$ 1,292.08 |
| Fulton | MrB | Murrill gravelly loam, 3 to 8 percent slopes | 2 | 2209.2 | 0.008 | \$ 1,464.47 |
| Fulton | PcB | Pecktonville gravelly silt loam, 3 to 8 percent slopes | 2 | 54.5 | 0 | \$ 1,443.42 |
| Fulton | Ph | Philo silt loam | 2 | 1102.9 | 0.004 | \$ 1,432.16 |
| Fulton | SeB | Sideling gravelly loam, 3 to 8 percent slopes | 2 | 335 | 0.001 | \$ 1,300.29 |
| Fulton | WuB | Wurno-Nollville channery silt loams, 3 to 8 percent slopes | 2 | 616.8 | 0.002 | \$ 1,196.86 |
| Fulton | As | Atkins silt loam | 3 | 3053.5 | 0.011 | \$ 1,287.03 |
| Fulton | BhC | Bedington channery silt loam, 8 to 15 percent slopes | 3 | 251.2 | 0.001 | \$ 1,303.93 |
| Fulton | BkC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 6708.4 | 0.024 | \$ 1,041.89 |
| Fulton | BuC | Buchanan gravelly loam, 8 to 15 percent slopes | 3 | 856.2 | 0.003 | \$ 1,202.19 |
| Fulton | CaC | Calvin channery loam, 8 to 15 percent slopes | 3 | 12943.3 | 0.046 | \$ 1,057.25 |
| Fulton | CoC | Carbo silty clay loam, 8 to 15 percent slopes | 3 | 213.8 | 0.001 | \$ 1,274.12 |
| Fulton | EgC | Elliber very channery silt loam, 8 to 15 percent slopes | 3 | 365.3 | 0.001 | \$ 1,352.26 |
| Fulton | FrC | Frankstown channery silt loam, 8 to 15 percent slopes | 3 | 809.8 | 0.003 | \$ 1,420.81 |
| Fulton | HaC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 1951.7 | 0.007 | \$ 1,562.05 |
| Fulton | KaB | Klinesville channery silt loam, 3 to 8 percent slopes | 3 | 2214.1 | 0.008 | \$ 933.82 |
| Fulton | LaC | Laidig gravelly loam, 8 to 15 percent slopes | 3 | 651.9 | 0.002 | \$ 1,221.43 |
| Fulton | Me | Melvin silt loam | 3 | 786.2 | 0.003 | \$ 1,291.16 |
| Fulton | MrC | Murrill gravelly loam, 8 to 15 percent slopes | 3 | 1659.9 | 0.006 | \$ 1,391.01 |
| Fulton | PcC | Pecktonville gravelly silt loam, 8 to 15 percent slopes | 3 | 163 | 0.001 | \$ 1,367.18 |
| Fulton | Pg | Penlaw silt loam, 0 to 3 percent slopes | 3 | 1523 | 0.005 | \$ 1,194.44 |
| Fulton | SeC | Sideling gravelly loam, 8 to 15 percent slopes | 3 | 920.5 | 0.003 | \$ 1,132.54 |
| Fulton | Ty | Tyler silt loam, 0 to 3 percent slopes | 3 | 456.9 | 0.002 | \$ 1,232.87 |
| Fulton | WeB | Weikert channery silt loam, 3 to 8 percent slopes | 3 | 1390 | 0.005 | \$ 1,269.95 |
| Fulton | WuC | Wurno-Nollville channery silt loams, 8 to 15 percent slopes | 3 | 1998.9 | 0.007 | \$ 1,152.60 |
| Fulton | AnB | Andover gravelly loam, 3 to 8 percent slopes | 4 | 589.1 | 0.002 | \$ 1,109.69 |
| Fulton | BhD | Bedington channery silt loam, 15 to 25 percent slopes | 4 | 389.6 | 0.001 | \$ 1,237.61 |
| Fulton | BkD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 4734.5 | 0.017 | \$ 996.07 |
| Fulton | BrA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 212.7 | 0.001 | \$ 1,218.08 |
| Fulton | BrB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 1292 | 0.005 | \$ 1,212.32 |
| Fulton | CaD | Calvin channery loam, 15 to 25 percent slopes | 4 | 5996.1 | 0.021 | \$ 960.77 |

| | | | | | | |
|-----------------|-----|--|---|---------|-------|-------------|
| Fulton | CoD | Carbo silty clay loam, 15 to 25 percent slopes | 4 | 553.5 | 0.002 | \$ 1,247.99 |
| Fulton | EgD | Elliber very channery silt loam, 15 to 25 percent slopes | 4 | 259.7 | 0.001 | \$ 1,140.59 |
| Fulton | FrD | Frankstown channery silt loam, 15 to 25 percent slopes | 4 | 547 | 0.002 | \$ 1,320.66 |
| Fulton | HkE | Hagerstown-Rock outcrop complex, 8 to 35 percent slopes | 4 | 668 | 0.002 | \$ 871.65 |
| Fulton | KaC | Klivesville channery silt loam, 8 to 15 percent slopes | 4 | 17684.1 | 0.063 | \$ 886.81 |
| Fulton | Pu | Purdy silty clay loam | 4 | 158.4 | 0.001 | \$ 1,197.83 |
| Fulton | SeD | Sideling gravelly loam, 15 to 25 percent slopes | 4 | 675.2 | 0.002 | \$ 1,065.66 |
| Fulton | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 9407.3 | 0.034 | \$ 1,009.67 |
| Fulton | WuD | Wurno-Nollville channery silt loams, 15 to 25 percent slopes | 4 | 1955.3 | 0.007 | \$ 1,086.52 |
| Fulton | CrC | Cedarcreek very channery loam, 3 to 25 percent slopes | 6 | 323.9 | 0.001 | \$ 750.61 |
| Fulton | FrE | Frankstown channery silt loam, 25 to 35 percent slopes | 6 | 731.5 | 0.003 | \$ 750.61 |
| Fulton | KaD | Klivesville channery silt loam, 15 to 25 percent slopes | 6 | 14301.4 | 0.051 | \$ 750.61 |
| Fulton | SrB | Sideling gravelly loam, 0 to 8 percent slopes, extremely stony | 6 | 272.6 | 0.001 | \$ 750.61 |
| Fulton | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 6615.4 | 0.024 | \$ 750.61 |
| Fulton | AoB | Andover gravelly loam, 0 to 8 percent slopes, very stony | 7 | 1071.2 | 0.004 | \$ 750.61 |
| Fulton | BxB | Buchanan cobbly loam, 0 to 8 percent slopes, extremely stony | 7 | 1970.2 | 0.007 | \$ 750.61 |
| Fulton | BxD | Buchanan cobbly loam, 8 to 25 percent slopes, extremely stony | 7 | 6718.4 | 0.024 | \$ 750.61 |
| Fulton | CpB | Cookport channery loam, 0 to 8 percent slopes, extremely stony | 7 | 1360.1 | 0.005 | \$ 750.61 |
| Fulton | CpD | Cookport channery loam, 8 to 25 percent slopes, extremely stony | 7 | 25.7 | 0 | \$ 750.61 |
| Fulton | CrF | Cedarcreek extremely channery loam, 25 to 80 percent slopes | 7 | 321.8 | 0.001 | \$ 750.61 |
| Fulton | DEF | Dekalb and Hazleton soils, 25 to 75 percent slopes, rubbly | 7 | 2004.8 | 0.007 | \$ 750.61 |
| Fulton | HOD | Hazleton and Clymer soils, 8 to 25 percent slopes, extremely stony | 7 | 2056.3 | 0.007 | \$ 750.61 |
| Fulton | HRB | Hazleton and Dekalb soils, 0 to 8 percent slopes, extremely stony | 7 | 2378 | 0.008 | \$ 750.61 |
| Fulton | HRD | Hazleton and Dekalb soils, 8 to 25 percent slopes, extremely stony | 7 | 7061.5 | 0.025 | \$ 750.61 |
| Fulton | HRF | Hazleton and Dekalb soils, 25 to 75 percent slopes, extremely stony | 7 | 19204.1 | 0.068 | \$ 750.61 |
| Fulton | KWF | Klivesville and Weikert soils, 25 to 60 percent slopes | 7 | 41996 | 0.15 | \$ 750.61 |
| Fulton | LbB | Laidig gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 492.8 | 0.002 | \$ 750.61 |
| Fulton | LbD | Laidig gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 17411.1 | 0.062 | \$ 750.61 |
| Fulton | LCE | Laidig and Hazleton soils, 25 to 60 percent slopes, extremely stony | 7 | 6437.4 | 0.023 | \$ 750.61 |
| Fulton | MvD | Murrill gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 568.6 | 0.002 | \$ 750.61 |
| Fulton | PeE | Pecktonville-Rock outcrop complex, 25 to 45 percent slopes | 7 | 39 | 0 | \$ 750.61 |
| Fulton | SrD | Sideling gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 8928.4 | 0.032 | \$ 750.61 |
| Fulton | SSF | Sideling and Hazleton soils 25 to 60 percent slopes, extremely stony | 7 | 11636.3 | 0.041 | \$ 750.61 |
| Fulton | Q | Quarries | 8 | 255.1 | 0.001 | \$ 750.61 |
| Greene/Washingt | GdA | Glenford silt loam, 0 to 3 percent slopes | 1 | 1797.3 | 0.002 | \$ 1,486.84 |
| Greene/Washingt | Hu | Huntington silt loam | 1 | 6830.8 | 0.007 | \$ 1,536.49 |
| Greene/Washingt | AgB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 1155.1 | 0.001 | \$ 1,412.36 |
| Greene/Washingt | CaB | Culleoka channery silt loam, 3 to 8 percent slopes | 2 | 17110.6 | 0.019 | \$ 1,486.84 |
| Greene/Washingt | Cg | Chagrin silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 4 | 0 | \$ 1,484.82 |
| Greene/Washingt | DaB | Dekalb channery loam, 3 to 8 percent slopes | 2 | 1063.5 | 0.001 | \$ 1,091.70 |
| Greene/Washingt | DoB | Dormont silt loam, 3 to 8 percent slopes | 2 | 17624.8 | 0.019 | \$ 1,488.86 |
| Greene/Washingt | GdB | Glenford silt loam, 3 to 8 percent slopes | 2 | 16711.3 | 0.018 | \$ 1,486.84 |
| Greene/Washingt | GeB | Guernsey silt loam, 3 to 8 percent slopes | 2 | 10796.7 | 0.012 | \$ 1,420.81 |
| Greene/Washingt | Nw | Newark silt loam | 2 | 25281.3 | 0.027 | \$ 1,298.02 |
| Greene/Washingt | Sk | Skidmore gravelly loam | 2 | 42.3 | 0 | \$ 989.29 |
| Greene/Washingt | AgC | Allegheny silt loam, 8 to 15 percent slopes | 3 | 400.6 | 0 | \$ 1,325.15 |
| Greene/Washingt | BoB | Brooke silty clay loam, 3 to 8 percent slopes | 3 | 3437.1 | 0.004 | \$ 1,239.97 |
| Greene/Washingt | CaC | Culleoka channery silt loam, 8 to 15 percent slopes | 3 | 25743 | 0.028 | \$ 1,382.38 |
| Greene/Washingt | CkB | Culleoka-Upshur complex, 3 to 8 percent slopes | 3 | 671.1 | 0.001 | \$ 1,412.36 |
| Greene/Washingt | DaC | Dekalb channery loam, 8 to 15 percent slopes | 3 | 614.5 | 0.001 | \$ 1,039.23 |
| Greene/Washingt | DoC | Dormont silt loam, 8 to 15 percent slopes | 3 | 88168.9 | 0.096 | \$ 1,388.85 |
| Greene/Washingt | GdC | Glenford silt loam, 8 to 15 percent slopes | 3 | 6545.8 | 0.007 | \$ 1,382.38 |
| Greene/Washingt | GeC | Guernsey silt loam, 8 to 15 percent slopes | 3 | 25299.9 | 0.027 | \$ 1,225.73 |
| Greene/Washingt | LbA | Library silty clay loam, 0 to 3 percent slopes | 3 | 1096.6 | 0.001 | \$ 1,247.05 |
| Greene/Washingt | LbB | Library silty clay loam, 3 to 8 percent slopes | 3 | 2447.7 | 0.003 | \$ 1,322.90 |
| Greene/Washingt | LbC | Library silty clay loam, 8 to 15 percent slopes | 3 | 522.7 | 0.001 | \$ 1,220.95 |

| | | | | | |
|---------------------|--|---|---------|-------|-------------|
| Greene/Washingt UkB | Udorthents, strip mine, gently sloping | 3 | 4013.2 | 0.004 | \$ 750.61 |
| Greene/Washingt WeB | Weikert-Culleoka complex, 3 to 8 percent slopes | 3 | 15193.4 | 0.016 | \$ 1,120.90 |
| Greene/Washingt BoC | Brooke silty clay loam, 8 to 15 percent slopes | 4 | 2972 | 0.003 | \$ 1,192.00 |
| Greene/Washingt CaD | Culleoka channery silt loam, 15 to 25 percent slopes | 4 | 41173.7 | 0.045 | \$ 1,208.95 |
| Greene/Washingt CkC | Culleoka-Upshur complex, 8 to 15 percent slopes | 4 | 1687.5 | 0.002 | \$ 1,318.41 |
| Greene/Washingt CkD | Culleoka-Upshur complex, 15 to 25 percent slopes | 4 | 2332.1 | 0.003 | \$ 1,169.95 |
| Greene/Washingt DaD | Dekalb channery loam, 15 to 25 percent slopes | 4 | 818.4 | 0.001 | \$ 985.12 |
| Greene/Washingt DoD | Dormont silt loam, 15 to 25 percent slopes | 4 | 47844.1 | 0.052 | \$ 1,225.73 |
| Greene/Washingt DtD | Dormont-Culleoka complex, 15 to 25 percent slopes | 4 | 145538 | 0.158 | \$ 1,185.17 |
| Greene/Washingt Fa | Fluvaquents, loamy | 4 | 25459.4 | 0.028 | \$ 871.65 |
| Greene/Washingt GeD | Guernsey silt loam, 15 to 25 percent slopes | 4 | 13065.6 | 0.014 | \$ 1,147.61 |
| Greene/Washingt Py | Purdy silt loam | 4 | 1192.6 | 0.001 | \$ 1,160.06 |
| Greene/Washingt UdB | Udorthents, smoothed, gently sloping | 4 | 3896.7 | 0.004 | \$ 871.65 |
| Greene/Washingt Ukd | Udorthents, strip mine, moderately steep | 4 | 7306.4 | 0.008 | \$ 750.61 |
| Greene/Washingt WeC | Weikert-Culleoka complex, 8 to 15 percent slopes | 4 | 11566 | 0.013 | \$ 1,208.95 |
| Greene/Washingt BoD | Brooke silty clay loam, 15 to 25 percent slopes | 6 | 2644.3 | 0.003 | \$ 985.12 |
| Greene/Washingt DbD | Dekalb very stony loam, 8 to 25 percent slopes | 6 | 980.4 | 0.001 | \$ 750.61 |
| Greene/Washingt Udd | Udorthents, smoothed, moderately steep | 6 | 822.4 | 0.001 | \$ 750.61 |
| Greene/Washingt WeD | Weikert-Culleoka complex, 15 to 25 percent slopes | 6 | 23362.7 | 0.025 | \$ 1,031.22 |
| Greene/Washingt DaF | Dekalb channery loam, 25 to 80 percent slopes | 7 | 1138.8 | 0.001 | \$ 750.61 |
| Greene/Washingt DtF | Dormont-Culleoka complex, 25 to 50 percent slopes | 7 | 287608 | 0.312 | \$ 750.61 |
| Greene/Washingt UdF | Udorthents, smoothed, steep | 7 | 1006.9 | 0.001 | \$ 750.61 |
| Greene/Washingt UkF | Udorthents, strip mine, steep | 7 | 10224.4 | 0.011 | \$ 750.61 |
| Greene/Washingt DAM | Dam | 8 | 43.6 | 0 | \$ 750.61 |
| Greene/Washingt Du | Dumps, mine | 8 | 4029 | 0.004 | \$ 750.61 |
| Greene/Washingt Us | Urban land | 8 | 5614.3 | 0.006 | \$ 750.61 |
| Huntingdon Ba | Barbour soils | 1 | 1579.7 | 0.003 | \$ 1,456.99 |
| Huntingdon Bb | Barbour soils, high bottom | 1 | 1525 | 0.003 | \$ 1,451.71 |
| Huntingdon AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 2515 | 0.004 | \$ 1,281.70 |
| Huntingdon Bc | Basher silt loam, neutral variant | 2 | 2023.3 | 0.004 | \$ 1,464.71 |
| Huntingdon BeB | Bedington channery silt loam, 3 to 8 percent slopes | 2 | 343.5 | 0.001 | \$ 1,410.23 |
| Huntingdon BkB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 7224.5 | 0.013 | \$ 1,086.52 |
| Huntingdon BnB | Birdsboro gravelly loam, 2 to 10 percent slopes | 2 | 1127.1 | 0.002 | \$ 1,584.53 |
| Huntingdon BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 5906.8 | 0.01 | \$ 1,441.76 |
| Huntingdon CaB | Calvin shaly silt loam, 3 to 8 percent slopes | 2 | 4054.4 | 0.007 | \$ 1,054.29 |
| Huntingdon CbB | Clarksburg silt loam, 2 to 8 percent slopes | 2 | 3583.4 | 0.006 | \$ 1,477.61 |
| Huntingdon ClB | Clymer channery loam, 3 to 8 percent slopes | 2 | 562.4 | 0.001 | \$ 1,441.76 |
| Huntingdon ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 6325.4 | 0.011 | \$ 1,296.65 |
| Huntingdon HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 3422 | 0.006 | \$ 1,642.70 |
| Huntingdon HhB | Hazleton channery loam, 3 to 8 percent slopes | 2 | 1628.6 | 0.003 | \$ 1,488.86 |
| Huntingdon HuB | Hublersburg silt loam, 2 to 8 percent slopes | 2 | 3873.5 | 0.007 | \$ 1,520.78 |
| Huntingdon HxB | Hublersburg cherty silt loam, 3 to 8 percent slopes | 2 | 989.3 | 0.002 | \$ 1,528.03 |
| Huntingdon LaB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 538.9 | 0.001 | \$ 1,286.57 |
| Huntingdon MoB | Monongahela silt loam, 2 to 10 percent slopes | 2 | 3215.1 | 0.006 | \$ 1,272.73 |
| Huntingdon MrB | Morrison sandy loam, 2 to 8 percent slopes | 2 | 4031.1 | 0.007 | \$ 1,281.97 |
| Huntingdon MuB | Murrill gravelly loam, 3 to 8 percent slopes | 2 | 2420.4 | 0.004 | \$ 1,437.17 |
| Huntingdon Ne | Newark silt loam | 2 | 5801.6 | 0.01 | \$ 1,476.71 |
| Huntingdon Ph | Philo and Basher silt loams | 2 | 6751.1 | 0.012 | \$ 1,492.89 |
| Huntingdon Po | Philo and Basher silt loams, high bottom | 2 | 2982.4 | 0.005 | \$ 1,470.60 |
| Huntingdon RaB | Raritan silt loam, 2 to 10 percent slopes | 2 | 629.8 | 0.001 | \$ 1,354.03 |
| Huntingdon ReB | Rayne channery silt loam, 3 to 8 percent slopes | 2 | 252.6 | 0 | \$ 1,358.42 |
| Huntingdon TaB | Tilsit silt loam, 3 to 8 percent slopes | 2 | 90.6 | 0 | \$ 1,286.57 |
| Huntingdon AbC | Albrights silt loam, 8 to 15 percent slopes | 3 | 809.1 | 0.001 | \$ 1,189.47 |
| Huntingdon At | Atkins silt loam | 3 | 11924.8 | 0.021 | \$ 1,295.82 |
| Huntingdon BeC | Bedington channery silt loam, 8 to 15 percent slopes | 3 | 761.9 | 0.001 | \$ 1,303.93 |
| Huntingdon BkC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 22757.7 | 0.04 | \$ 1,041.89 |

| | | | | | | |
|------------|------|--|---|---------|-------|-------------|
| Huntingdon | BoB | Blairton silt loam, 2 to 8 percent slopes | 3 | 1079.4 | 0.002 | \$ 1,047.62 |
| Huntingdon | BuC | Buchanan gravelly loam, 8 to 15 percent slopes | 3 | 2934.4 | 0.005 | \$ 1,196.86 |
| Huntingdon | CaC | Calvin shaly silt loam, 8 to 15 percent slopes | 3 | 7936.3 | 0.014 | \$ 955.41 |
| Huntingdon | CIC | Clymer channery loam, 8 to 15 percent slopes | 3 | 404.6 | 0.001 | \$ 1,395.30 |
| Huntingdon | EeB | Edom-Opequon complex, 3 to 8 percent slopes | 3 | 209.8 | 0 | \$ 1,232.11 |
| Huntingdon | EgB | Edom-Weikert complex, 3 to 8 percent slopes | 3 | 2384.7 | 0.004 | \$ 1,197.74 |
| Huntingdon | EgC | Edom-Weikert complex, 8 to 15 percent slopes | 3 | 8812.5 | 0.015 | \$ 935.63 |
| Huntingdon | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 2796.6 | 0.005 | \$ 1,195.89 |
| Huntingdon | HhC | Hazleton channery loam, 8 to 15 percent slopes | 3 | 2406.8 | 0.004 | \$ 1,405.98 |
| Huntingdon | HuC | Hublersburg silt loam, 8 to 15 percent slopes | 3 | 1880.5 | 0.003 | \$ 1,472.24 |
| Huntingdon | HxC | Hublersburg cherty silt loam, 8 to 15 percent slopes | 3 | 2645.2 | 0.005 | \$ 1,500.91 |
| Huntingdon | LaC | Laidig gravelly loam, 8 to 15 percent slopes | 3 | 1030.9 | 0.002 | \$ 1,235.24 |
| Huntingdon | MeC | Meckesville silt loam, 8 to 15 percent slopes | 3 | 1101.9 | 0.002 | \$ 1,249.40 |
| Huntingdon | MrC | Morrison sandy loam, 8 to 15 percent slopes | 3 | 5127.9 | 0.009 | \$ 1,235.24 |
| Huntingdon | MuC | Murrill gravelly loam, 8 to 15 percent slopes | 3 | 2379 | 0.004 | \$ 1,360.18 |
| Huntingdon | OpB3 | Opequon clay loam, 3 to 8 percent slopes, eroded | 3 | 319.9 | 0.001 | \$ 1,047.20 |
| Huntingdon | ReC | Rayne channery silt loam, 8 to 15 percent slopes | 3 | 107.9 | 0 | \$ 1,284.28 |
| Huntingdon | Ty | Tyler silt loam | 3 | 926.8 | 0.002 | \$ 1,239.97 |
| Huntingdon | WeB | Weikert channery silt loam, 3 to 8 percent slopes | 3 | 811.2 | 0.001 | \$ 1,269.95 |
| Huntingdon | WhB | Wharton silt loam, 2 to 10 percent slopes | 3 | 511.4 | 0.001 | \$ 1,213.48 |
| Huntingdon | AnB | Andover cobbly loam, 0 to 8 percent slopes | 4 | 1858.2 | 0.003 | \$ 1,160.06 |
| Huntingdon | BeD | Bedington channery silt loam, 15 to 25 percent slopes | 4 | 652 | 0.001 | \$ 1,237.61 |
| Huntingdon | BoC | Blairton silt loam, 8 to 15 percent slopes | 4 | 613.3 | 0.001 | \$ 993.78 |
| Huntingdon | BrA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 2010.2 | 0.004 | \$ 1,218.08 |
| Huntingdon | BrB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 7688.6 | 0.014 | \$ 1,212.32 |
| Huntingdon | BuD | Buchanan gravelly loam, 15 to 25 percent slopes | 4 | 320 | 0.001 | \$ 1,142.60 |
| Huntingdon | EeC | Edom-Opequon complex, 8 to 15 percent slopes | 4 | 628.2 | 0.001 | \$ 1,123.03 |
| Huntingdon | EeD | Edom-Opequon complex, 15 to 25 percent slopes | 4 | 594.6 | 0.001 | \$ 881.35 |
| Huntingdon | ElC | Elliber very cherty loam, 5 to 15 percent slopes | 4 | 778.7 | 0.001 | \$ 1,249.40 |
| Huntingdon | HcC3 | Hagerstown silty clay loam, 8 to 15 percent slopes, eroded | 4 | 5406.9 | 0.01 | \$ 1,382.73 |
| Huntingdon | HcD3 | Hagerstown silty clay loam, 15 to 25 percent slopes | 4 | 2534.7 | 0.004 | \$ 1,453.77 |
| Huntingdon | HeD | Hagerstown-Rock outcrop complex, 5 to 25 percent slopes | 4 | 1769.1 | 0.003 | \$ 1,360.53 |
| Huntingdon | HhD | Hazleton channery loam, 15 to 25 percent slopes | 4 | 2147.5 | 0.004 | \$ 1,364.38 |
| Huntingdon | HuD | Hublersburg silt loam, 15 to 25 percent slopes | 4 | 171.9 | 0 | \$ 1,314.35 |
| Huntingdon | HxD | Hublersburg cherty silt loam, 15 to 25 percent slopes | 4 | 1824.9 | 0.003 | \$ 1,380.22 |
| Huntingdon | KIC | Klainesville shaly silt loam, 8 to 15 percent slopes | 4 | 3521.6 | 0.006 | \$ 871.65 |
| Huntingdon | LaD | Laidig gravelly loam, 15 to 25 percent slopes | 4 | 802.4 | 0.001 | \$ 1,142.60 |
| Huntingdon | MrD | Morrison sandy loam, 15 to 25 percent slopes | 4 | 1230.4 | 0.002 | \$ 1,184.69 |
| Huntingdon | MuD | Murrill gravelly loam, 15 to 25 percent slopes | 4 | 922.6 | 0.002 | \$ 1,254.10 |
| Huntingdon | OpC3 | Opequon clay loam, 8 to 15 percent slopes, eroded | 4 | 1830.3 | 0.003 | \$ 871.65 |
| Huntingdon | Pu | Purdy silt loam | 4 | 995.5 | 0.002 | \$ 1,197.83 |
| Huntingdon | ReD | Rayne channery silt loam, 15 to 25 percent slopes | 4 | 74.2 | 0 | \$ 1,239.97 |
| Huntingdon | VaD | Vanderlip loamy sand, 5 to 25 percent slopes | 4 | 6252 | 0.011 | \$ 960.21 |
| Huntingdon | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 3241 | 0.006 | \$ 1,009.67 |
| Huntingdon | AcB | Albrights very stony silt loam, 0 to 8 percent slopes | 6 | 420.9 | 0.001 | \$ 750.61 |
| Huntingdon | AcD | Albrights very stony silt loam, 8 to 25 percent percent slope | 6 | 3264.2 | 0.006 | \$ 750.61 |
| Huntingdon | BlD | Berks-Weikert channery silt loams, 15 to 25 percent slopes | 6 | 20927.4 | 0.037 | \$ 750.61 |
| Huntingdon | CaD | Calvin shaly silt loam, 15 to 25 percent slopes | 6 | 5850 | 0.01 | \$ 750.61 |
| Huntingdon | CvB | Clymer very stony loam, 3 to 8 percent slopes | 6 | 3063.6 | 0.005 | \$ 750.61 |
| Huntingdon | CvC | Clymer very stony loam, 8 to 15 percent slopes | 6 | 6956.8 | 0.012 | \$ 750.61 |
| Huntingdon | EgD | Edom-Weikert complex, 15 to 25 percent slopes | 6 | 10864 | 0.019 | \$ 791.81 |
| Huntingdon | ElD | Elliber very cherty loam, 15 to 30 percent slopes | 6 | 918.5 | 0.002 | \$ 750.61 |
| Huntingdon | HsB | Hazleton-Dekalb extremely stony sandy loams, 0 to 8 percent slopes | 6 | 5065.7 | 0.009 | \$ 750.61 |
| Huntingdon | KID | Klainesville shaly silt loam, 15 to 25 percent slopes | 6 | 4729.5 | 0.008 | \$ 750.61 |
| Huntingdon | MkB | Meckesville very stony silt loam, 3 to 8 percent slopes | 6 | 258.2 | 0 | \$ 750.61 |
| Huntingdon | MkD | Meckesville very stony silt loam, 8 to 25 percent slopes | 6 | 10250.4 | 0.018 | \$ 750.61 |

| | | | | | | | |
|------------|------|--|---|---------|-------|----|----------|
| Huntingdon | MsB | Morrison very stony sandy loam, 2 to 8 percent slopes | 6 | 1837.9 | 0.003 | \$ | 750.61 |
| Huntingdon | MsD | Morrison very stony sandy loam, 8 to 25 percent slopes | 6 | 7349.6 | 0.013 | \$ | 750.61 |
| Huntingdon | OpD3 | Opequon clay loam, 15 to 25 percent slopes, eroded | 6 | 4107.1 | 0.007 | \$ | 750.61 |
| Huntingdon | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 8797.4 | 0.015 | \$ | 750.61 |
| Huntingdon | AoB | Andover extremely stony loam, 0 to 8 percent slopes | 7 | 9265.3 | 0.016 | \$ | 750.61 |
| Huntingdon | BMF | Berks-Weikert association, steep | 7 | 64096.3 | 0.113 | \$ | 750.61 |
| Huntingdon | BxB | Buchanan extremely stony loam, 3 to 8 percent slopes | 7 | 2950.3 | 0.005 | \$ | 750.61 |
| Huntingdon | BxD | Buchanan extremely stony loam, 8 to 25 percent slopes | 7 | 25236.8 | 0.044 | \$ | 750.61 |
| Huntingdon | CpB | Cookport channery loam, 0 to 8 percent slopes, extremely s | 7 | 2600.7 | 0.005 | \$ | 750.61 |
| Huntingdon | CpD | Cookport channery loam, 8 to 25 percent slopes, extremely | 7 | 492 | 0.001 | \$ | 750.61 |
| Huntingdon | DEF | Dekalb and Hazleton soils, 25 to 75 percent slopes, rubbly | 7 | 14.4 | 0 | \$ | 750.61 |
| Huntingdon | EgF | Edom-Weikert complex, 25 to 60 percent slopes | 7 | 5285.2 | 0.009 | \$ | 750.61 |
| Huntingdon | GpB | Gilpin channery silt loam, 3 to 8 percent slopes, extremely s | 7 | 268.8 | 0 | \$ | 750.61 |
| Huntingdon | GpD | Gilpin channery silt loam, 8 to 25 percent slopes, extremely | 7 | 355 | 0.001 | \$ | 750.61 |
| Huntingdon | HTD | Hazleton-Dekalb association, moderately steep | 7 | 21653.5 | 0.038 | \$ | 750.61 |
| Huntingdon | HTF | Hazleton-Dekalb association, steep | 7 | 59127.9 | 0.104 | \$ | 750.61 |
| Huntingdon | KoF | Klinesville-Rock outcrop complex, 35 to 80 percent slopes | 7 | 585.1 | 0.001 | \$ | 750.61 |
| Huntingdon | LcD | Laidig extremely stony loam, 8 to 30 percent slopes | 7 | 22996.5 | 0.04 | \$ | 750.61 |
| Huntingdon | LDF | Laidig extremely stony loam, steep | 7 | 5410.9 | 0.01 | \$ | 750.61 |
| Huntingdon | LeB | Leetonia extremely stony loamy sand, 0 to 12 percent slope | 7 | 2924.5 | 0.005 | \$ | 750.61 |
| Huntingdon | NsB | Nolo stony silt loam, 0 to 8 percent slopes, extremely stony | 7 | 273.3 | 0 | \$ | 750.61 |
| Huntingdon | ORF | Opequon soils, steep | 7 | 6956.9 | 0.012 | \$ | 750.61 |
| Huntingdon | RgF | Rayne-Gilpin channery silt loams, 25 to 65 percent slopes | 7 | 166.9 | 0 | \$ | 750.61 |
| Huntingdon | Ru | Rubble land | 7 | 20144.1 | 0.035 | \$ | 750.61 |
| Huntingdon | SM | Strip mines | 7 | 2435.9 | 0.004 | \$ | 750.61 |
| Huntingdon | VrF | Vanderlip-Rock outcrop complex, 25 to 60 percent slopes | 7 | 3979.2 | 0.007 | \$ | 750.61 |
| Huntingdon | Qu | Quarries | 8 | 1153.6 | 0.002 | \$ | 750.61 |
| Huntingdon | Ur | Urban land | 8 | 1654.1 | 0.003 | \$ | 750.61 |
| Indiana | AhA | Allegheny silt loam, 0 to 3 percent slopes | 1 | 1151.3 | 0.002 | \$ | 1,500.91 |
| Indiana | ChA | Chavies fine sandy loam, 0 to 2 percent slopes | 1 | 483 | 0.001 | \$ | 1,567.42 |
| Indiana | PmA | Pope fine sandy loam, 0 to 2 percent slopes, rarely flooded | 1 | 1818.4 | 0.003 | \$ | 1,524.73 |
| Indiana | PoA | Pope silt loam, 0 to 2 percent slopes, occasionally flooded | 1 | 1622.8 | 0.003 | \$ | 1,516.83 |
| Indiana | AhB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 1630.8 | 0.003 | \$ | 1,412.36 |
| Indiana | BuB | Buchanan loam, 3 to 8 percent slopes | 2 | 858.3 | 0.002 | \$ | 1,229.54 |
| Indiana | CkB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 205 | 0 | \$ | 1,385.41 |
| Indiana | CIB | Clymer channery loam, 3 to 8 percent slopes | 2 | 11645.9 | 0.022 | \$ | 1,439.68 |
| Indiana | CoA | Cookport loam, 0 to 3 percent slopes | 2 | 2485.5 | 0.005 | \$ | 1,142.60 |
| Indiana | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 9292.9 | 0.017 | \$ | 1,091.70 |
| Indiana | CtA | Cotaco silt loam, 0 to 3 percent slopes, rarely flooded | 2 | 969.6 | 0.002 | \$ | 1,401.72 |
| Indiana | CuB | Culleoka channery silt loam, 3 to 8 percent slopes | 2 | 1410.3 | 0.003 | \$ | 1,486.84 |
| Indiana | DoB | Dormont silt loam, 3 to 8 percent slopes | 2 | 69.8 | 0 | \$ | 1,488.86 |
| Indiana | ErA | Ernest silt loam, 0 to 3 percent slopes | 2 | 726.4 | 0.001 | \$ | 1,334.09 |
| Indiana | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 34347 | 0.064 | \$ | 1,456.25 |
| Indiana | GcA | Gilpin channery silt loam, 0 to 3 percent slopes | 2 | 4300.6 | 0.008 | \$ | 1,263.44 |
| Indiana | GcB | Gilpin channery silt loam, 3 to 8 percent slopes | 2 | 37285.7 | 0.07 | \$ | 1,268.09 |
| Indiana | GuB | Gilpin-Upshur complex, 3 to 8 percent slopes | 2 | 2588.1 | 0.005 | \$ | 1,201.71 |
| Indiana | GwB | Gilpin-Weikert channery silt loams, 3 to 8 percent slopes | 2 | 2695.1 | 0.005 | \$ | 1,173.89 |
| Indiana | GyB | Guernsey silt loam, 3 to 8 percent slopes | 2 | 507.5 | 0.001 | \$ | 1,420.81 |
| Indiana | HnB | Hazleton channery sandy loam, 3 to 8 percent slopes | 2 | 8602.3 | 0.016 | \$ | 1,476.71 |
| Indiana | LoA | Lobdell silt loam, 0 to 2 percent slopes, occasionally flooded | 2 | 2973.7 | 0.006 | \$ | 1,470.60 |
| Indiana | MeB | Matewan channery loam, 3 to 8 percent slopes | 2 | 256.9 | 0 | \$ | 1,182.24 |
| Indiana | MoA | Monongahela silt loam, 0 to 2 percent slopes | 2 | 2356.1 | 0.004 | \$ | 1,476.71 |
| Indiana | MoB | Monongahela silt loam, 2 to 6 percent slopes | 2 | 3593.3 | 0.007 | \$ | 1,476.71 |
| Indiana | PhA | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 5805.1 | 0.011 | \$ | 1,456.25 |
| Indiana | RnB | Rayne-Gilpin channery silt loams, 3 to 8 percent slopes | 2 | 357.7 | 0.001 | \$ | 1,295.73 |
| Indiana | VaB | Vandergrift silt loam, 3 to 8 percent slopes | 2 | 451.4 | 0.001 | \$ | 1,362.81 |

| | | | | | | |
|---------|-----|---|---|---------|-------|-------------|
| Indiana | WhA | Wharton silt loam, 0 to 3 percent slopes | 2 | 5313.2 | 0.01 | \$ 1,277.36 |
| Indiana | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 15361.1 | 0.029 | \$ 1,274.59 |
| Indiana | AhC | Allegheny silt loam, 8 to 15 percent slopes | 3 | 437.9 | 0.001 | \$ 1,325.15 |
| Indiana | BeB | Bethesda very channery silt loam, 0 to 8 percent slopes | 3 | 3621.8 | 0.007 | \$ 871.65 |
| Indiana | BhB | Bethesda very channery silt loam, 0 to 8 percent slopes, ver | 3 | 720.4 | 0.001 | \$ 871.65 |
| Indiana | BuC | Buchanan loam, 8 to 15 percent slopes | 3 | 6139.8 | 0.011 | \$ 1,184.69 |
| Indiana | CaA | Cavode silt loam, 0 to 3 percent slopes | 3 | 1767.1 | 0.003 | \$ 1,160.06 |
| Indiana | CaB | Cavode silt loam, 3 to 8 percent slopes | 3 | 8002.4 | 0.015 | \$ 1,160.06 |
| Indiana | CaC | Cavode silt loam, 8 to 15 percent slopes | 3 | 5028.5 | 0.009 | \$ 1,117.34 |
| Indiana | CkC | Clarksburg silt loam, 8 to 15 percent slopes | 3 | 654.9 | 0.001 | \$ 1,253.16 |
| Indiana | CiC | Clymer channery loam, 8 to 15 percent slopes | 3 | 4051 | 0.008 | \$ 1,360.62 |
| Indiana | CoC | Cookport loam, 8 to 15 percent slopes | 3 | 2401.6 | 0.004 | \$ 1,049.85 |
| Indiana | CuC | Culleoka channery silt loam, 8 to 15 percent slopes | 3 | 2026.2 | 0.004 | \$ 1,382.38 |
| Indiana | DoC | Dormont silt loam, 8 to 15 percent slopes | 3 | 30.4 | 0 | \$ 1,388.85 |
| Indiana | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 23163.2 | 0.043 | \$ 1,351.82 |
| Indiana | FaB | Fairpoint very channery silt loam, 0 to 8 percent slopes | 3 | 455.4 | 0.001 | \$ 871.65 |
| Indiana | GcC | Gilpin channery silt loam, 8 to 15 percent slopes | 3 | 36657.7 | 0.069 | \$ 1,265.77 |
| Indiana | GuC | Gilpin-Upshur complex, 8 to 15 percent slopes | 3 | 3463.6 | 0.006 | \$ 1,201.71 |
| Indiana | GwC | Gilpin-Weikert channery silt loams, 8 to 15 percent slopes | 3 | 12297.9 | 0.023 | \$ 1,119.37 |
| Indiana | GyC | Guernsey silt loam, 8 to 15 percent slopes | 3 | 644 | 0.001 | \$ 1,225.73 |
| Indiana | HnC | Hazleton channery sandy loam, 8 to 15 percent slopes | 3 | 8041.6 | 0.015 | \$ 1,397.44 |
| Indiana | ItB | Itmann extremely channery loam, 0 to 8 percent slopes | 3 | 340.5 | 0.001 | \$ 871.65 |
| Indiana | MeC | Matewan channery loam, 8 to 15 percent slopes | 3 | 172.8 | 0 | \$ 1,102.00 |
| Indiana | MoC | Monongahela silt loam, 6 to 12 percent slopes | 3 | 600.3 | 0.001 | \$ 1,362.81 |
| Indiana | RnC | Rayne-Gilpin channery silt loams, 8 to 15 percent slopes | 3 | 12625.8 | 0.024 | \$ 1,220.95 |
| Indiana | TyA | Tyler silt loam, 0 to 2 percent slopes | 3 | 1201.6 | 0.002 | \$ 1,261.11 |
| Indiana | TyB | Tyler silt loam, 2 to 6 percent slopes | 3 | 664.6 | 0.001 | \$ 1,261.11 |
| Indiana | VaC | Vandergrift silt loam, 8 to 15 percent slopes | 3 | 171.4 | 0 | \$ 1,208.95 |
| Indiana | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 7338 | 0.014 | \$ 1,286.57 |
| Indiana | ArA | Armagh silt loam, 0 to 3 percent slopes | 4 | 221.5 | 0 | \$ 1,006.96 |
| Indiana | ArB | Armagh silt loam, 3 to 8 percent slopes | 4 | 299.7 | 0.001 | \$ 1,006.96 |
| Indiana | AtA | Atkins-Philo complex, 0 to 3 percent slopes, frequently floor | 4 | 8967.8 | 0.017 | \$ 1,211.36 |
| Indiana | BkA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 3010.8 | 0.006 | \$ 1,242.34 |
| Indiana | BkB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 4982.7 | 0.009 | \$ 1,258.78 |
| Indiana | BuD | Buchanan loam, 15 to 25 percent slopes | 4 | 166.9 | 0 | \$ 1,111.22 |
| Indiana | CaD | Cavode silt loam, 15 to 25 percent slopes | 4 | 879.4 | 0.002 | \$ 1,091.70 |
| Indiana | CuD | Culleoka channery silt loam, 15 to 25 percent slopes | 4 | 415.7 | 0.001 | \$ 1,208.95 |
| Indiana | DrD | Dormont-Culleoka complex, 15 to 25 percent slopes | 4 | 937.2 | 0.002 | \$ 1,185.17 |
| Indiana | ErD | Ernest silt loam, 15 to 25 percent slopes | 4 | 610.3 | 0.001 | \$ 1,104.57 |
| Indiana | GcD | Gilpin channery silt loam, 15 to 25 percent slopes | 4 | 19721.4 | 0.037 | \$ 1,102.00 |
| Indiana | GuD | Gilpin-Upshur complex, 15 to 25 percent slopes | 4 | 3037.5 | 0.006 | \$ 906.45 |
| Indiana | GwD | Gilpin-Weikert channery silt loams, 15 to 25 percent slopes | 4 | 28020.1 | 0.052 | \$ 871.65 |
| Indiana | HnD | Hazleton channery sandy loam, 15 to 25 percent slopes | 4 | 7542.8 | 0.014 | \$ 1,225.73 |
| Indiana | HoA | Holly silt loam, 0 to 2 percent slopes, frequently flooded | 4 | 3381.3 | 0.006 | \$ 1,320.66 |
| Indiana | ItD | Itmann extremely channery loam, 8 to 25 percent slopes | 4 | 1132.4 | 0.002 | \$ 871.65 |
| Indiana | MeD | Matewan channery loam, 15 to 25 percent slopes | 4 | 233.8 | 0 | \$ 987.86 |
| Indiana | NoA | Nolo silt loam, 0 to 3 percent slopes | 4 | 398.9 | 0.001 | \$ 1,201.71 |
| Indiana | NoB | Nolo silt loam, 3 to 8 percent slopes | 4 | 438.9 | 0.001 | \$ 1,112.24 |
| Indiana | PuA | Purdy silt loam, 0 to 2 percent slopes | 4 | 785.6 | 0.001 | \$ 1,160.06 |
| Indiana | RnD | Rayne-Gilpin channery silt loams, 15 to 25 percent slopes | 4 | 7501.8 | 0.014 | \$ 1,132.54 |
| Indiana | WhD | Wharton silt loam, 15 to 25 percent slopes | 4 | 718.7 | 0.001 | \$ 1,205.58 |
| Indiana | BeD | Bethesda very channery silt loam, 8 to 25 percent slopes | 6 | 12509 | 0.023 | \$ 750.61 |
| Indiana | BhD | Bethesda very channery silt loam, 8 to 25 percent slopes, ve | 6 | 10064.7 | 0.019 | \$ 750.61 |
| Indiana | BsB | Brinkerton mucky silt loam, 0 to 8 percent slopes, very stony | 6 | 263.2 | 0 | \$ 750.61 |
| Indiana | CdB | Cavode silt loam, 0 to 8 percent slopes, very stony | 6 | 365.7 | 0.001 | \$ 750.61 |
| Indiana | CdD | Cavode silt loam, 8 to 25 percent slopes, very stony | 6 | 69.3 | 0 | \$ 750.61 |

| | | | | | | | |
|-----------|-----|--|---|---------|-------|----|----------|
| Indiana | CpB | Cookport loam, 0 to 8 percent slopes, very stony | 6 | 799.9 | 0.001 | \$ | 750.61 |
| Indiana | CpD | Cookport loam, 8 to 25 percent slopes, very stony | 6 | 668.2 | 0.001 | \$ | 750.61 |
| Indiana | EsB | Ernest silt loam, 0 to 8 percent slopes, very stony | 6 | 1421.8 | 0.003 | \$ | 750.61 |
| Indiana | EsD | Ernest silt loam, 8 to 25 percent slopes, very stony | 6 | 1166.8 | 0.002 | \$ | 750.61 |
| Indiana | FaD | Fairpoint very channery silt loam, 8 to 25 percent slopes | 6 | 1447.1 | 0.003 | \$ | 750.61 |
| Indiana | GnB | Gilpin channery silt loam, 0 to 8 percent slopes, very stony | 6 | 1236.6 | 0.002 | \$ | 750.61 |
| Indiana | GnD | Gilpin channery silt loam, 8 to 25 percent slopes, very stony | 6 | 4064.9 | 0.008 | \$ | 750.61 |
| Indiana | HsB | Hazleton channery sandy loam, 0 to 8 percent slopes, extreme | 6 | 213.4 | 0 | \$ | 750.61 |
| Indiana | HxD | Hazleton-Clymer complex, 8 to 25 percent slopes, extremely | 6 | 4256.6 | 0.008 | \$ | 750.61 |
| Indiana | RsB | Rayne-Gilpin channery silt loams, 0 to 8 percent slopes, very | 6 | 1189.8 | 0.002 | \$ | 750.61 |
| Indiana | RsD | Rayne-Gilpin channery silt loams, 8 to 25 percent slopes, very | 6 | 5146.1 | 0.01 | \$ | 750.61 |
| Indiana | UdB | Udorthents, 0 to 8 percent slopes | 6 | 52.9 | 0 | \$ | 750.61 |
| Indiana | BhF | Bethesda very channery silt loam, 25 to 75 percent slopes, v | 7 | 13491.6 | 0.025 | \$ | 750.61 |
| Indiana | BxB | Buchanan loam, 0 to 8 percent slopes, extremely stony | 7 | 4152.4 | 0.008 | \$ | 750.61 |
| Indiana | BxD | Buchanan loam, 8 to 25 percent slopes, extremely stony | 7 | 3671.3 | 0.007 | \$ | 750.61 |
| Indiana | DkB | Dekalb-Hazleton channery sandy loams, 0 to 8 percent slopes | 7 | 877.5 | 0.002 | \$ | 750.61 |
| Indiana | DkD | Dekalb-Hazleton channery sandy loams, 8 to 25 percent slopes | 7 | 1681.8 | 0.003 | \$ | 750.61 |
| Indiana | DkF | Dekalb-Hazleton channery sandy loams, 25 to 80 percent slopes | 7 | 1055.6 | 0.002 | \$ | 750.61 |
| Indiana | DrE | Dormont-Culleoka complex, 25 to 50 percent slopes | 7 | 307.2 | 0.001 | \$ | 750.61 |
| Indiana | FaF | Fairpoint very channery silt loam, 25 to 75 percent slopes | 7 | 106.2 | 0 | \$ | 750.61 |
| Indiana | GcF | Gilpin channery silt loam, 25 to 60 percent slopes | 7 | 12239.9 | 0.023 | \$ | 750.61 |
| Indiana | GoF | Gilpin-Rock outcrop complex, 45 to 100 percent slopes | 7 | 562 | 0.001 | \$ | 750.61 |
| Indiana | GuE | Gilpin-Upshur complex, 25 to 45 percent slopes | 7 | 1219 | 0.002 | \$ | 750.61 |
| Indiana | GwF | Gilpin-Weikert channery silt loams, 25 to 60 percent slopes | 7 | 18380.8 | 0.034 | \$ | 750.61 |
| Indiana | GxF | Gilpin-Weikert channery silt loams, 25 to 100 percent slopes | 7 | 1886.4 | 0.004 | \$ | 750.61 |
| Indiana | HnF | Hazleton channery sandy loam, 25 to 70 percent slopes | 7 | 3108.4 | 0.006 | \$ | 750.61 |
| Indiana | HsD | Hazleton channery sandy loam, 8 to 25 percent slopes, extreme | 7 | 784.4 | 0.001 | \$ | 750.61 |
| Indiana | HsF | Hazleton channery sandy loam, 25 to 70 percent slopes, extreme | 7 | 3662.4 | 0.007 | \$ | 750.61 |
| Indiana | HxB | Hazleton-Clymer complex, 0 to 8 percent slopes, extremely | 7 | 5030.4 | 0.009 | \$ | 750.61 |
| Indiana | IxF | Itmann extremely channery loam, 25 to 70 percent slopes | 7 | 270.9 | 0.001 | \$ | 750.61 |
| Indiana | LaB | Laidig gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 37.7 | 0 | \$ | 750.61 |
| Indiana | LaD | Laidig gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 1011.2 | 0.002 | \$ | 750.61 |
| Indiana | LaE | Laidig gravelly loam, 25 to 35 percent slopes, extremely stony | 7 | 172.5 | 0 | \$ | 750.61 |
| Indiana | LkF | Leck Kill channery silt loam, 25 to 60 percent slopes, extremely | 7 | 450.9 | 0.001 | \$ | 750.61 |
| Indiana | McF | Macove-Gilpin channery silt loams, 35 to 70 percent slopes, | 7 | 943.2 | 0.002 | \$ | 750.61 |
| Indiana | MeF | Matewan channery loam, 25 to 50 percent slopes | 7 | 156.3 | 0 | \$ | 750.61 |
| Indiana | MkD | Meckesville channery silt loam, 8 to 25 percent slopes, extreme | 7 | 269.7 | 0.001 | \$ | 750.61 |
| Indiana | ShF | Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes | 7 | 3377.4 | 0.006 | \$ | 750.61 |
| Indiana | SxF | Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes, | 7 | 7215 | 0.014 | \$ | 750.61 |
| Indiana | DAM | Dam | 8 | 4.6 | 0 | \$ | 750.61 |
| Indiana | DU | Dumps, fly ash | 8 | 749 | 0.001 | \$ | 750.61 |
| Indiana | Pk | Pits, quarries | 8 | 63.5 | 0 | \$ | 750.61 |
| Jefferson | AhA | Allegheny silt loam, 0 to 3 percent slopes | 1 | 105.6 | 0 | \$ | 1,500.91 |
| Jefferson | ChA | Chavies fine sandy loam, 0 to 3 percent slopes, rarely flooded | 1 | 1518.7 | 0.004 | \$ | 1,416.59 |
| Jefferson | PmA | Pope fine sandy loam, 0 to 2 percent slopes, rarely flooded | 1 | 282.1 | 0.001 | \$ | 1,524.73 |
| Jefferson | PoA | Pope silt loam, 0 to 2 percent slopes, occasionally flooded | 1 | 194.2 | 0 | \$ | 1,516.83 |
| Jefferson | AhB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 258.5 | 0.001 | \$ | 1,431.32 |
| Jefferson | BuB | Buchanan loam, 3 to 8 percent slopes | 2 | 2060.9 | 0.005 | \$ | 1,325.60 |
| Jefferson | CIB | Clymer channery loam, 3 to 8 percent slopes | 2 | 1494.4 | 0.004 | \$ | 1,439.68 |
| Jefferson | CoA | Cookport loam, 0 to 3 percent slopes | 2 | 2156.2 | 0.005 | \$ | 1,142.60 |
| Jefferson | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 4832.5 | 0.011 | \$ | 1,091.70 |
| Jefferson | CtA | Cotaco silt loam, 0 to 3 percent slopes, rarely flooded | 2 | 558.1 | 0.001 | \$ | 1,401.72 |
| Jefferson | CuB | Culleoka channery silt loam, 3 to 8 percent slopes | 2 | 255.2 | 0.001 | \$ | 1,486.84 |
| Jefferson | ErA | Ernest silt loam, 0 to 3 percent slopes | 2 | 1304.2 | 0.003 | \$ | 1,334.09 |
| Jefferson | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 28664.2 | 0.068 | \$ | 1,367.18 |
| Jefferson | GcA | Gilpin channery silt loam, 0 to 3 percent slopes | 2 | 1612.1 | 0.004 | \$ | 1,263.44 |

| | | | | | | |
|-----------|-----|---|---|---------|-------|-------------|
| Jefferson | GcB | Gilpin channery silt loam, 3 to 8 percent slopes | 2 | 13547.3 | 0.032 | \$ 1,270.42 |
| Jefferson | GgA | Gilpin silt loam, 0 to 3 percent slopes | 2 | 3259.4 | 0.008 | \$ 1,242.34 |
| Jefferson | GgB | Gilpin silt loam, 3 to 8 percent slopes | 2 | 18626.2 | 0.044 | \$ 1,211.36 |
| Jefferson | GuB | Gilpin-Upshur complex, 3 to 8 percent slopes | 2 | 48.3 | 0 | \$ 1,201.71 |
| Jefferson | GwB | Gilpin-Weikert channery silt loams, 3 to 8 percent slopes | 2 | 1966.4 | 0.005 | \$ 1,173.89 |
| Jefferson | GyB | Guernsey silt loam, 3 to 8 percent slopes | 2 | 1175.9 | 0.003 | \$ 1,500.91 |
| Jefferson | HIB | Hartleton channery silt loam, 3 to 8 percent slopes | 2 | 912.3 | 0.002 | \$ 1,112.24 |
| Jefferson | HnB | Hazleton channery sandy loam, 3 to 8 percent slopes | 2 | 10655.2 | 0.025 | \$ 1,476.71 |
| Jefferson | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 1064.1 | 0.003 | \$ 1,370.23 |
| Jefferson | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 305.9 | 0.001 | \$ 1,367.18 |
| Jefferson | PhA | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 3568 | 0.008 | \$ 1,380.22 |
| Jefferson | RnB | Rayne-Gilpin channery silt loams, 3 to 8 percent slopes | 2 | 1464.1 | 0.003 | \$ 1,295.73 |
| Jefferson | ShB | Shelocta silt loam, 3 to 8 percent slopes | 2 | 170 | 0 | \$ 1,349.62 |
| Jefferson | WhA | Wharton silt loam, 0 to 3 percent slopes | 2 | 967.6 | 0.002 | \$ 1,049.85 |
| Jefferson | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 1605.1 | 0.004 | \$ 1,049.85 |
| Jefferson | AhC | Allegheny silt loam, 8 to 15 percent slopes | 3 | 170.3 | 0 | \$ 1,338.54 |
| Jefferson | BeB | Bethesda very channery silt loam, 0 to 8 percent slopes | 3 | 5773 | 0.014 | \$ 871.65 |
| Jefferson | BhB | Bethesda very channery silt loam, 0 to 8 percent slopes, ver | 3 | 904.3 | 0.002 | \$ 871.65 |
| Jefferson | BuC | Buchanan loam, 8 to 15 percent slopes | 3 | 1341.8 | 0.003 | \$ 1,284.73 |
| Jefferson | CaA | Cavode silt loam, 0 to 3 percent slopes | 3 | 2889 | 0.007 | \$ 1,196.86 |
| Jefferson | CaB | Cavode silt loam, 3 to 8 percent slopes | 3 | 14904.1 | 0.035 | \$ 1,201.71 |
| Jefferson | CaC | Cavode silt loam, 8 to 15 percent slopes | 3 | 9493.1 | 0.023 | \$ 1,155.09 |
| Jefferson | CIC | Clymer channery loam, 8 to 15 percent slopes | 3 | 1210.9 | 0.003 | \$ 1,360.62 |
| Jefferson | CoC | Cookport loam, 8 to 15 percent slopes | 3 | 758 | 0.002 | \$ 1,049.85 |
| Jefferson | CuC | Culleoka channery silt loam, 8 to 15 percent slopes | 3 | 118.3 | 0 | \$ 1,382.38 |
| Jefferson | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 11771.2 | 0.028 | \$ 1,291.16 |
| Jefferson | GcC | Gilpin channery silt loam, 8 to 15 percent slopes | 3 | 17969 | 0.043 | \$ 1,225.73 |
| Jefferson | GgC | Gilpin silt loam, 8 to 15 percent slopes | 3 | 22830.3 | 0.054 | \$ 1,172.42 |
| Jefferson | GuC | Gilpin-Upshur complex, 8 to 15 percent slopes | 3 | 26.8 | 0 | \$ 1,201.71 |
| Jefferson | GwC | Gilpin-Weikert channery silt loams, 8 to 15 percent slopes | 3 | 1841.5 | 0.004 | \$ 1,119.37 |
| Jefferson | GyC | Guernsey silt loam, 8 to 15 percent slopes | 3 | 96.8 | 0 | \$ 1,225.73 |
| Jefferson | HIC | Hartleton channery silt loam, 8 to 15 percent slopes | 3 | 464.3 | 0.001 | \$ 1,047.20 |
| Jefferson | HnC | Hazleton channery sandy loam, 8 to 15 percent slopes | 3 | 6168.8 | 0.015 | \$ 1,397.44 |
| Jefferson | RnC | Rayne-Gilpin channery silt loams, 8 to 15 percent slopes | 3 | 345.9 | 0.001 | \$ 1,220.95 |
| Jefferson | TyA | Tyler silt loam, 0 to 2 percent slopes | 3 | 237.4 | 0.001 | \$ 1,261.11 |
| Jefferson | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 352.2 | 0.001 | \$ 962.99 |
| Jefferson | ArA | Armagh silt loam, 0 to 3 percent slopes | 4 | 1147.4 | 0.003 | \$ 1,006.96 |
| Jefferson | ArB | Armagh silt loam, 3 to 8 percent slopes | 4 | 1088.9 | 0.003 | \$ 1,006.96 |
| Jefferson | AtA | Atkins-Philo complex, 0 to 3 percent slopes, frequently floor | 4 | 9659.7 | 0.023 | \$ 1,211.36 |
| Jefferson | BkA | Brinkerton soils, 0 to 3 percent slopes | 4 | 7255.7 | 0.017 | \$ 1,218.56 |
| Jefferson | BkB | Brinkerton soils, 3 to 8 percent slopes | 4 | 9262.6 | 0.022 | \$ 1,218.56 |
| Jefferson | GcD | Gilpin channery silt loam, 15 to 25 percent slopes | 4 | 17351.9 | 0.041 | \$ 1,179.79 |
| Jefferson | GgD | Gilpin silt loam, 15 to 25 percent slopes | 4 | 13905.1 | 0.033 | \$ 1,091.70 |
| Jefferson | GuD | Gilpin-Upshur complex, 15 to 25 percent slopes | 4 | 20.5 | 0 | \$ 906.45 |
| Jefferson | GwD | Gilpin-Weikert channery silt loams, 15 to 25 percent slopes | 4 | 4006.2 | 0.01 | \$ 871.65 |
| Jefferson | HID | Hartleton channery silt loam, 15 to 25 percent slopes | 4 | 826.8 | 0.002 | \$ 1,006.96 |
| Jefferson | HnD | Hazleton channery sandy loam, 15 to 25 percent slopes | 4 | 3905 | 0.009 | \$ 1,225.73 |
| Jefferson | NoA | Nolo silt loam, 0 to 3 percent slopes | 4 | 475.2 | 0.001 | \$ 1,201.71 |
| Jefferson | NoB | Nolo silt loam, 3 to 8 percent slopes | 4 | 356.5 | 0.001 | \$ 1,112.24 |
| Jefferson | PuA | Purdy silt loam, 0 to 2 percent slopes | 4 | 1193.4 | 0.003 | \$ 1,160.06 |
| Jefferson | RnD | Rayne-Gilpin channery silt loams, 15 to 25 percent slopes | 4 | 699.9 | 0.002 | \$ 1,132.54 |
| Jefferson | WhD | Wharton silt loam, 15 to 25 percent slopes | 4 | 710.2 | 0.002 | \$ 1,086.52 |
| Jefferson | BeD | Bethesda very channery silt loam, 8 to 25 percent slopes | 6 | 15671.1 | 0.037 | \$ 750.61 |
| Jefferson | BhD | Bethesda very channery silt loam, 8 to 25 percent slopes, ve | 6 | 11843.9 | 0.028 | \$ 750.61 |
| Jefferson | BsB | Brinkerton mucky silt loam, 0 to 8 percent slopes, very ston | 6 | 3409.1 | 0.008 | \$ 750.61 |
| Jefferson | CdB | Cavode silt loam, 0 to 8 percent slopes, very stony | 6 | 1847.9 | 0.004 | \$ 750.61 |

| | | | | | | | |
|-----------------|-----|---|---|---------|-------|----|----------|
| Jefferson | CdD | Cavode silt loam, 8 to 25 percent slopes, very stony | 6 | 906.3 | 0.002 | \$ | 750.61 |
| Jefferson | CpB | Cookport loam, 0 to 8 percent slopes, very stony | 6 | 10244.3 | 0.024 | \$ | 750.61 |
| Jefferson | CpD | Cookport loam, 8 to 25 percent slopes, very stony | 6 | 2738.4 | 0.007 | \$ | 750.61 |
| Jefferson | EsB | Ernest silt loam, 0 to 8 percent slopes, very stony | 6 | 4962.8 | 0.012 | \$ | 750.61 |
| Jefferson | EsD | Ernest silt loam, 8 to 25 percent slopes, very stony | 6 | 2668 | 0.006 | \$ | 750.61 |
| Jefferson | HsB | Hazleton channery sandy loam, 0 to 8 percent slopes, extre | 6 | 8769.1 | 0.021 | \$ | 750.61 |
| Jefferson | RsB | Rayne-Gilpin channery silt loams, 0 to 8 percent slopes, very | 6 | 2904.4 | 0.007 | \$ | 750.61 |
| Jefferson | RsD | Rayne-Gilpin channery silt loams, 8 to 25 percent slopes, ve | 6 | 7871.6 | 0.019 | \$ | 750.61 |
| Jefferson | UdB | Udorthents, 0 to 8 percent slopes | 6 | 613.5 | 0.001 | \$ | 750.61 |
| Jefferson | BhF | Bethesda very channery silt loam, 25 to 75 percent slopes, v | 7 | 8890.2 | 0.021 | \$ | 750.61 |
| Jefferson | BxB | Buchanan loam, 0 to 8 percent slopes, extremely stony | 7 | 7362.5 | 0.018 | \$ | 750.61 |
| Jefferson | BxD | Buchanan loam, 8 to 25 percent slopes, extremely stony | 7 | 5940.8 | 0.014 | \$ | 750.61 |
| Jefferson | DkB | Dekalb-Hazleton channery sandy loams, 0 to 8 percent slop | 7 | 2253.1 | 0.005 | \$ | 750.61 |
| Jefferson | DkD | Dekalb-Hazleton channery sandy loams, 8 to 25 percent slop | 7 | 813.8 | 0.002 | \$ | 750.61 |
| Jefferson | GcF | Gilpin channery silt loam, 25 to 60 percent slopes | 7 | 5528.4 | 0.013 | \$ | 750.61 |
| Jefferson | GwF | Gilpin-Weikert channery silt loams, 25 to 60 percent slopes | 7 | 7227.3 | 0.017 | \$ | 750.61 |
| Jefferson | HIF | Hartleton channery silt loam, 25 to 60 percent slopes | 7 | 185.5 | 0 | \$ | 750.61 |
| Jefferson | HnF | Hazleton channery sandy loam, 25 to 70 percent slopes | 7 | 1669.1 | 0.004 | \$ | 750.61 |
| Jefferson | HsD | Hazleton channery sandy loam, 8 to 25 percent slopes, extre | 7 | 17096.9 | 0.041 | \$ | 750.61 |
| Jefferson | HsF | Hazleton channery sandy loam, 25 to 70 percent slopes, ext | 7 | 4591 | 0.011 | \$ | 750.61 |
| Jefferson | IxF | Iltmann extremely channery loam, 25 to 70 percent slopes | 7 | 159.3 | 0 | \$ | 750.61 |
| Jefferson | LaF | Laidig channery loam, 25 to 50 percent slopes, extremely bc | 7 | 929.1 | 0.002 | \$ | 750.61 |
| Jefferson | NsB | Nolo silt loam, 0 to 8 percent slopes, very stony | 7 | 766.5 | 0.002 | \$ | 750.61 |
| Jefferson | ShF | Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes | 7 | 951.1 | 0.002 | \$ | 750.61 |
| Jefferson | SxF | Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes | 7 | 2521.2 | 0.006 | \$ | 750.61 |
| Jefferson | Pk | Pits, quarry | 8 | 63.7 | 0 | \$ | 750.61 |
| Jefferson | VrG | Varilla very channery sandy loam, 50 to 80 percent slopes, e | 8 | 600.1 | 0.001 | \$ | 750.61 |
| Juniata/Mifflin | As | Ashton silt loam | 1 | 916.7 | 0.002 | \$ | 1,595.83 |
| Juniata/Mifflin | AbB | Allegheny loam, 2 to 8 percent slopes | 2 | 4744.1 | 0.009 | \$ | 1,502.11 |
| Juniata/Mifflin | AdB | Allenwood gravelly silt loam, 2 to 8 percent slopes | 2 | 1294.4 | 0.003 | \$ | 1,571.24 |
| Juniata/Mifflin | BkB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 9144.4 | 0.018 | \$ | 1,086.52 |
| Juniata/Mifflin | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 4267.4 | 0.008 | \$ | 1,441.76 |
| Juniata/Mifflin | CaB | Chavies loam, 2 to 8 percent slopes | 2 | 1598.8 | 0.003 | \$ | 1,412.02 |
| Juniata/Mifflin | EdB | Edom silty clay loam, 3 to 8 percent slopes | 2 | 3907.7 | 0.008 | \$ | 1,286.57 |
| Juniata/Mifflin | EeB | Edom-Klinesville complex, 3 to 8 percent slopes | 2 | 1748.8 | 0.003 | \$ | 1,123.03 |
| Juniata/Mifflin | ErB | Ernest silt loam, 2 to 8 percent slopes | 2 | 6062.1 | 0.012 | \$ | 1,476.71 |
| Juniata/Mifflin | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 9911.7 | 0.019 | \$ | 1,642.70 |
| Juniata/Mifflin | HcB | Hagerstown silty clay loam, 3 to 8 percent slopes | 2 | 4521.3 | 0.009 | \$ | 1,653.19 |
| Juniata/Mifflin | HhB | Hazleton channery loam, 3 to 8 percent slopes | 2 | 679.1 | 0.001 | \$ | 1,488.86 |
| Juniata/Mifflin | KrB | Kreamer cherty silt loam, 2 to 8 percent slopes | 2 | 3454.6 | 0.007 | \$ | 1,196.86 |
| Juniata/Mifflin | LaB | Laidig channery loam, 3 to 8 percent slopes | 2 | 1257.9 | 0.002 | \$ | 1,286.57 |
| Juniata/Mifflin | MeB | Mertz cherty silt loam, 3 to 8 percent slopes | 2 | 4319.6 | 0.008 | \$ | 1,384.97 |
| Juniata/Mifflin | MnB | Millheim silt loam, 3 to 8 percent slopes | 2 | 369.4 | 0.001 | \$ | 1,277.36 |
| Juniata/Mifflin | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 1434.7 | 0.003 | \$ | 1,370.67 |
| Juniata/Mifflin | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 5332.2 | 0.01 | \$ | 1,292.08 |
| Juniata/Mifflin | MrB | Morrison gravelly sandy loam, 3 to 8 percent slopes | 2 | 3680.2 | 0.007 | \$ | 1,239.97 |
| Juniata/Mifflin | MuB | Murrill gravelly loam, 3 to 8 percent slopes | 2 | 4356.3 | 0.008 | \$ | 1,437.17 |
| Juniata/Mifflin | Ne | Newark silt loam | 2 | 734 | 0.001 | \$ | 1,476.71 |
| Juniata/Mifflin | No | Nolin silt loam | 2 | 2458.8 | 0.005 | \$ | 1,419.97 |
| Juniata/Mifflin | Ph | Philo silt loam | 2 | 3244.5 | 0.006 | \$ | 1,516.83 |
| Juniata/Mifflin | Po | Pope soils | 2 | 1059.9 | 0.002 | \$ | 1,520.78 |
| Juniata/Mifflin | WaB | Watson gravelly silt loam, 2 to 8 percent slopes | 2 | 1239.7 | 0.002 | \$ | 1,296.37 |
| Juniata/Mifflin | AdC | Allenwood gravelly silt loam, 8 to 15 percent slopes | 3 | 785.3 | 0.002 | \$ | 1,496.91 |
| Juniata/Mifflin | AlB | Alvira silt loam, 2 to 8 percent slopes | 3 | 985.4 | 0.002 | \$ | 1,237.14 |
| Juniata/Mifflin | At | Atkins silt loam | 3 | 6919.8 | 0.013 | \$ | 1,295.82 |
| Juniata/Mifflin | BkC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 21039.6 | 0.041 | \$ | 1,041.89 |

| | | | | | | |
|-----------------|-----|--|---|---------|-------|-------------|
| Juniata/Mifflin | BuC | Buchanan gravelly loam, 8 to 15 percent slopes | 3 | 2862.3 | 0.006 | \$ 1,196.86 |
| Juniata/Mifflin | EdC | Edom silty clay loam, 8 to 15 percent slopes | 3 | 5629.2 | 0.011 | \$ 1,192.00 |
| Juniata/Mifflin | EeC | Edom-Klinesville complex, 8 to 15 percent slopes | 3 | 2793.3 | 0.005 | \$ 871.65 |
| Juniata/Mifflin | EfB | Edom-Weikert complex, 3 to 8 percent slopes | 3 | 3026.8 | 0.006 | \$ 1,197.74 |
| Juniata/Mifflin | EfC | Edom-Weikert complex, 8 to 15 percent slopes | 3 | 5014.8 | 0.01 | \$ 935.63 |
| Juniata/Mifflin | ElB | Elliber very cherty loam, 3 to 8 percent slopes | 3 | 523.6 | 0.001 | \$ 1,295.73 |
| Juniata/Mifflin | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 2306.3 | 0.004 | \$ 1,195.89 |
| Juniata/Mifflin | Ev | Evendale cherty silt loam | 3 | 898 | 0.002 | \$ 1,151.30 |
| Juniata/Mifflin | HcC | Hagerstown silty clay loam, 8 to 15 percent slopes | 3 | 5497.1 | 0.011 | \$ 1,531.01 |
| Juniata/Mifflin | HhC | Hazleton channery loam, 8 to 15 percent slopes | 3 | 1631.1 | 0.003 | \$ 1,405.98 |
| Juniata/Mifflin | KlB | Klinesville shaly silt loam, 3 to 8 percent slopes | 3 | 960.1 | 0.002 | \$ 882.98 |
| Juniata/Mifflin | KrC | Kreamer cherty silt loam, 8 to 15 percent slopes | 3 | 730.2 | 0.001 | \$ 1,113.77 |
| Juniata/Mifflin | LaC | Laidig channery loam, 8 to 15 percent slopes | 3 | 2763.1 | 0.005 | \$ 1,239.97 |
| Juniata/Mifflin | Ma | Melvin silt loam | 3 | 2118 | 0.004 | \$ 1,174.88 |
| Juniata/Mifflin | MeC | Mertz cherty silt loam, 8 to 15 percent slopes | 3 | 8339.6 | 0.016 | \$ 1,341.21 |
| Juniata/Mifflin | MnC | Millheim silt loam, 8 to 15 percent slopes | 3 | 359.6 | 0.001 | \$ 1,192.00 |
| Juniata/Mifflin | MrC | Morrison gravelly sandy loam, 8 to 15 percent slopes | 3 | 7670.8 | 0.015 | \$ 1,194.44 |
| Juniata/Mifflin | MuC | Murrill gravelly loam, 8 to 15 percent slopes | 3 | 2203.9 | 0.004 | \$ 1,360.18 |
| Juniata/Mifflin | OpB | Opequon silty clay loam, 3 to 8 percent slopes-mlra147 | 3 | 2277.8 | 0.004 | \$ 1,291.16 |
| Juniata/Mifflin | Pe | Penlaw silt loam | 3 | 1700.8 | 0.003 | \$ 1,235.24 |
| Juniata/Mifflin | Ty | Tyler silt loam | 3 | 2739.3 | 0.005 | \$ 1,239.97 |
| Juniata/Mifflin | WaC | Watson gravelly silt loam, 8 to 15 percent slopes | 3 | 258 | 0 | \$ 1,210.30 |
| Juniata/Mifflin | WeB | Weikert channery silt loam, 3 to 8 percent slopes | 3 | 1291.5 | 0.002 | \$ 1,269.95 |
| Juniata/Mifflin | AdD | Allenwood gravelly silt loam, 15 to 25 percent slopes | 4 | 140.1 | 0 | \$ 1,320.66 |
| Juniata/Mifflin | AnB | Andover gravelly loam, 2 to 8 percent slopes | 4 | 2865.8 | 0.006 | \$ 1,109.69 |
| Juniata/Mifflin | BrA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 2400.1 | 0.005 | \$ 1,218.08 |
| Juniata/Mifflin | BrB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 11051.2 | 0.021 | \$ 1,212.32 |
| Juniata/Mifflin | EdD | Edom silty clay loam, 15 to 25 percent slopes | 4 | 2540 | 0.005 | \$ 1,091.70 |
| Juniata/Mifflin | EeD | Edom-Klinesville complex, 15 to 25 percent slopes | 4 | 931.4 | 0.002 | \$ 871.65 |
| Juniata/Mifflin | ElC | Elliber very cherty loam, 8 to 15 percent slopes | 4 | 1924.4 | 0.004 | \$ 1,249.40 |
| Juniata/Mifflin | HcD | Hagerstown silty clay loam, 15 to 25 percent slopes | 4 | 824.1 | 0.002 | \$ 1,453.77 |
| Juniata/Mifflin | HhD | Hazleton channery loam, 15 to 25 percent slopes | 4 | 1184.1 | 0.002 | \$ 1,364.38 |
| Juniata/Mifflin | KlC | Klinesville shaly silt loam, 8 to 15 percent slopes | 4 | 3580.9 | 0.007 | \$ 871.65 |
| Juniata/Mifflin | LaD | Laidig channery loam, 15 to 25 percent slopes | 4 | 559.4 | 0.001 | \$ 1,140.09 |
| Juniata/Mifflin | MeD | Mertz cherty silt loam, 15 to 25 percent slopes | 4 | 3960.8 | 0.008 | \$ 1,298.65 |
| Juniata/Mifflin | MrD | Morrison gravelly sandy loam, 15 to 25 percent slopes | 4 | 5773.3 | 0.011 | \$ 1,150.10 |
| Juniata/Mifflin | OpC | Opequon silty clay loam, 8 to 15 percent slopes | 4 | 4054.2 | 0.008 | \$ 1,265.77 |
| Juniata/Mifflin | Pu | Purdy silt loam | 4 | 3215.7 | 0.006 | \$ 1,112.24 |
| Juniata/Mifflin | VaC | Vanderlip loamy sand, 5 to 15 percent slopes | 4 | 583.2 | 0.001 | \$ 1,020.48 |
| Juniata/Mifflin | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 2684.3 | 0.005 | \$ 1,009.67 |
| Juniata/Mifflin | BlD | Berks-Weikert channery silt loams, 15 to 25 percent slopes | 6 | 17704.3 | 0.034 | \$ 750.61 |
| Juniata/Mifflin | EfD | Edom-Weikert complex, 15 to 25 percent slopes | 6 | 2940.7 | 0.006 | \$ 791.81 |
| Juniata/Mifflin | ElD | Elliber very cherty loam, 15 to 25 percent slopes | 6 | 1968 | 0.004 | \$ 750.61 |
| Juniata/Mifflin | HeB | Hagerstown-Rock outcrop complex, 0 to 8 percent slopes | 6 | 295.9 | 0.001 | \$ 1,070.27 |
| Juniata/Mifflin | HeD | Hagerstown-Rock outcrop complex, 8 to 25 percent slopes | 6 | 1181.7 | 0.002 | \$ 925.99 |
| Juniata/Mifflin | KlD | Klinesville shaly silt loam, 15 to 25 percent slopes | 6 | 2286 | 0.004 | \$ 750.61 |
| Juniata/Mifflin | OpD | Opequon silty clay loam, 15 to 25 percent slopes | 6 | 2985.2 | 0.006 | \$ 1,265.77 |
| Juniata/Mifflin | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 4118.3 | 0.008 | \$ 750.61 |
| Juniata/Mifflin | AoB | Andover extremely stony loam, 0 to 8 percent slopes | 7 | 10060.7 | 0.019 | \$ 750.61 |
| Juniata/Mifflin | AoC | Andover extremely stony loam, 8 to 15 percent slopes | 7 | 2920.4 | 0.006 | \$ 750.61 |
| Juniata/Mifflin | BMF | Berks-Weikert association, steep | 7 | 35605.6 | 0.069 | \$ 750.61 |
| Juniata/Mifflin | BxB | Buchanan extremely stony loam, 3 to 8 percent slopes | 7 | 5570.4 | 0.011 | \$ 750.61 |
| Juniata/Mifflin | BxD | Buchanan extremely stony loam, 8 to 15 percent slopes | 7 | 13618.5 | 0.026 | \$ 750.61 |
| Juniata/Mifflin | ElF | Elliber very cherty loam, 25 to 60 percent slopes | 7 | 5328.8 | 0.01 | \$ 750.61 |
| Juniata/Mifflin | HSB | Hazleton-Dekalb extremely stony sandy loams, gently slopin | 7 | 6846.8 | 0.013 | \$ 750.61 |
| Juniata/Mifflin | HSD | Hazleton-Dekalb extremely stony sandy loams, moderately | 7 | 17067.4 | 0.033 | \$ 750.61 |

| | | | | | | |
|-----------------|-----|--|---|---------|-------|-------------|
| Juniata/Mifflin | HTF | Hazleton-Dekalb association, steep | 7 | 84865.9 | 0.164 | \$ 750.61 |
| Juniata/Mifflin | KIF | Klinesville shaly silt loam, 25 to 50 percent slopes | 7 | 603.6 | 0.001 | \$ 750.61 |
| Juniata/Mifflin | LcB | Laidig extremely stony loam, 3 to 8 percent slopes | 7 | 1785.9 | 0.003 | \$ 750.61 |
| Juniata/Mifflin | LcD | Laidig extremely stony loam, 8 to 25 percent slopes | 7 | 43149.4 | 0.083 | \$ 750.61 |
| Juniata/Mifflin | LDF | Laidig extremely stony loam, steep | 7 | 7073.4 | 0.014 | \$ 750.61 |
| Juniata/Mifflin | LtB | Leetonia extremely stony loamy sand, 0 to 12 percent slope | 7 | 3219.1 | 0.006 | \$ 750.61 |
| Juniata/Mifflin | ORF | Opequon-Hagerstown complex, steep | 7 | 5968.4 | 0.012 | \$ 750.61 |
| Juniata/Mifflin | Ru | Rubble land | 7 | 12126.5 | 0.023 | \$ 750.61 |
| Juniata/Mifflin | GP | Gravel pit | 8 | 3.5 | 0 | \$ 750.61 |
| Juniata/Mifflin | IW | Industrial waste | 8 | 9.6 | 0 | \$ 750.61 |
| Juniata/Mifflin | QU | Quarry | 8 | 477.2 | 0.001 | \$ 750.61 |
| Lackawana | Po | Pope soils | 1 | 659.7 | 0.002 | \$ 1,530.31 |
| Lackawana | Pp | Pope soils, rarely flooded | 1 | 369.8 | 0.001 | \$ 1,530.86 |
| Lackawana | BaB | Bath channery silt loam, 3 to 8 percent slopes | 2 | 540.6 | 0.002 | \$ 1,408.11 |
| Lackawana | BcB | Braceville gravelly loam, 2 to 6 percent slopes | 2 | 133.6 | 0 | \$ 1,306.57 |
| Lackawana | LaB | Lackawanna channery loam, 3 to 8 percent slopes | 2 | 783.9 | 0.003 | \$ 1,398.73 |
| Lackawana | LeB | Lordstown channery silt loam, 3 to 8 percent slopes | 2 | 541.1 | 0.002 | \$ 1,279.67 |
| Lackawana | LfB | Lordstown flaggy silt loam, 3 to 8 percent slopes | 2 | 292.8 | 0.001 | \$ 1,237.61 |
| Lackawana | McB | Mardin channery silt loam, 3 to 8 percent slopes | 2 | 1048.4 | 0.004 | \$ 1,356.23 |
| Lackawana | OcB | Oquaga channery loam, 3 to 8 percent slopes | 2 | 1676.3 | 0.006 | \$ 1,107.13 |
| Lackawana | OfB | Oquaga flaggy loam, 3 to 8 percent slopes | 2 | 1351.5 | 0.005 | \$ 1,107.13 |
| Lackawana | Ph | Philo silt loam | 2 | 603.9 | 0.002 | \$ 1,524.73 |
| Lackawana | SwB | Swartswood channery loam, 3 to 8 percent slopes | 2 | 1023.3 | 0.003 | \$ 1,281.97 |
| Lackawana | UnB | Unadilla silt loam, 3 to 8 percent slopes | 2 | 30.4 | 0 | \$ 1,325.15 |
| Lackawana | WcB | Wellsboro channery loam, 3 to 8 percent slopes | 2 | 4284.5 | 0.014 | \$ 1,349.62 |
| Lackawana | WkB | Wurtsboro channery loam, 3 to 8 percent slopes | 2 | 1684.5 | 0.006 | \$ 1,157.58 |
| Lackawana | BaC | Bath channery silt loam, 8 to 15 percent slopes | 3 | 544.3 | 0.002 | \$ 1,327.39 |
| Lackawana | Hm | Holly silt loam | 3 | 1921.3 | 0.006 | \$ 1,211.36 |
| Lackawana | LaC | Lackawanna channery loam, 8 to 15 percent slopes | 3 | 849.5 | 0.003 | \$ 1,289.79 |
| Lackawana | LeC | Lordstown channery silt loam, 8 to 15 percent slopes | 3 | 416.5 | 0.001 | \$ 1,237.61 |
| Lackawana | LfC | Lordstown flaggy silt loam, 8 to 15 percent slopes | 3 | 382.4 | 0.001 | \$ 1,194.44 |
| Lackawana | McC | Mardin channery silt loam, 8 to 15 percent slopes | 3 | 1331.4 | 0.004 | \$ 1,234.29 |
| Lackawana | MfB | Mardin flaggy silt loam, 3 to 8 percent slopes | 3 | 540.5 | 0.002 | \$ 1,354.03 |
| Lackawana | MrA | Morris channery loam, 0 to 3 percent slopes | 3 | 1426.8 | 0.005 | \$ 1,063.04 |
| Lackawana | MrB | Morris channery loam, 3 to 8 percent slopes | 3 | 11602.8 | 0.039 | \$ 1,057.77 |
| Lackawana | MrC | Morris channery loam, 8 to 15 percent slopes | 3 | 4895.4 | 0.016 | \$ 1,096.86 |
| Lackawana | MsB | Morris flaggy loam, 3 to 8 percent slopes | 3 | 3213.2 | 0.011 | \$ 1,006.96 |
| Lackawana | MsC | Morris flaggy loam, 8 to 15 percent slopes | 3 | 1554.6 | 0.005 | \$ 1,055.14 |
| Lackawana | OcC | Oquaga channery loam, 8 to 15 percent slopes | 3 | 1687.9 | 0.006 | \$ 1,109.69 |
| Lackawana | OfC | Oquaga flaggy loam, 8 to 15 percent slopes | 3 | 1806.4 | 0.006 | \$ 1,104.57 |
| Lackawana | ReA | Rexford loam, 0 to 5 percent slopes | 3 | 259.7 | 0.001 | \$ 1,076.12 |
| Lackawana | SwC | Swartswood channery loam, 8 to 15 percent slopes | 3 | 889.2 | 0.003 | \$ 1,192.00 |
| Lackawana | VcA | Volusia channery silt loam, 0 to 3 percent slopes | 3 | 1100.6 | 0.004 | \$ 1,065.66 |
| Lackawana | VcB | Volusia channery silt loam, 3 to 8 percent slopes | 3 | 4662.4 | 0.016 | \$ 1,104.57 |
| Lackawana | VcC | Volusia channery silt loam, 8 to 18 percent slopes | 3 | 2073 | 0.007 | \$ 1,108.15 |
| Lackawana | VfB | Volusia flaggy silt loam, 3 to 8 percent slopes | 3 | 1723.1 | 0.006 | \$ 1,112.24 |
| Lackawana | VfC | Volusia flaggy silt loam, 8 to 15 percent slopes | 3 | 672.3 | 0.002 | \$ 1,120.39 |
| Lackawana | WcC | Wellsboro channery loam, 8 to 15 percent slopes | 3 | 6013.7 | 0.02 | \$ 1,235.24 |
| Lackawana | WfB | Wellsboro flaggy loam, 3 to 8 percent slopes | 3 | 1092.8 | 0.004 | \$ 1,347.41 |
| Lackawana | WkC | Wurtsboro channery loam, 8 to 15 percent slopes | 3 | 1655.2 | 0.006 | \$ 1,121.91 |
| Lackawana | WyA | Wyoming gravelly sandy loam, 0 to 3 percent slopes | 3 | 428.7 | 0.001 | \$ 1,206.54 |
| Lackawana | WyB | Wyoming gravelly sandy loam, 3 to 8 percent slopes | 3 | 1642.9 | 0.006 | \$ 1,206.54 |
| Lackawana | BaD | Bath channery silt loam, 15 to 25 percent slopes | 4 | 467.5 | 0.002 | \$ 1,147.61 |
| Lackawana | LaD | Lackawanna channery loam, 15 to 25 percent slopes | 4 | 883.8 | 0.003 | \$ 1,237.61 |
| Lackawana | LeD | Lordstown channery silt loam, 15 to 25 percent slopes | 4 | 765.9 | 0.003 | \$ 1,140.09 |
| Lackawana | McD | Mardin channery silt loam, 15 to 25 percent slopes | 4 | 770.2 | 0.003 | \$ 1,055.14 |

| | | | | | | |
|-----------|------|---|---|---------|-------|-------------|
| Lackawana | MfC | Mardin flaggy silt loam, 8 to 15 percent slopes | 4 | 711 | 0.002 | \$ 1,217.12 |
| Lackawana | NcA | Norwich and Chippewa channery silt loams, 0 to 3 percent s | 4 | 2626.4 | 0.009 | \$ 871.65 |
| Lackawana | NcB | Norwich and Chippewa channery silt loams, 3 to 8 percent s | 4 | 1869.7 | 0.006 | \$ 871.65 |
| Lackawana | OcD | Oquaga channery loam, 15 to 25 percent slopes | 4 | 1694.7 | 0.006 | \$ 1,055.14 |
| Lackawana | SwD | Swartswood channery loam, 15 to 25 percent slopes | 4 | 449.5 | 0.002 | \$ 1,099.43 |
| Lackawana | WcD | Wellsboro channery loam, 15 to 25 percent slopes | 4 | 2477.8 | 0.008 | \$ 1,107.13 |
| Lackawana | WfC | Wellsboro flaggy loam, 8 to 15 percent slopes | 4 | 1762 | 0.006 | \$ 1,232.87 |
| Lackawana | Wy | Wyalusing silt loam | 4 | 31.1 | 0 | \$ 1,091.70 |
| Lackawana | WyC | Wyoming gravelly sandy loam, 8 to 15 percent slopes | 4 | 790.3 | 0.003 | \$ 1,068.28 |
| Lackawana | WyD | Wyoming gravelly sandy loam, 15 to 25 percent slopes | 4 | 684.6 | 0.002 | \$ 871.65 |
| Lackawana | At | Atherton loam, ponded | 5 | 242.4 | 0.001 | \$ 750.61 |
| Lackawana | HO | Holly silt loam, ponded | 5 | 1793.4 | 0.006 | \$ 750.61 |
| Lackawana | ArC | Arnot very channery silt loam, very rocky, 3 to 15 percent sl | 6 | 3712.9 | 0.012 | \$ 750.61 |
| Lackawana | DYD | Dystrochrepts and Rock outcrop, moderately steep | 6 | 10272.6 | 0.035 | \$ 750.61 |
| Lackawana | 111B | Edgemere-Shohola complex, 3 to 15 percent slopes, very ru | 7 | 412 | 0.001 | \$ 750.61 |
| Lackawana | 11A | Edgemere extremely stony loam, 0 to 3 percent slopes, very | 7 | 8.3 | 0 | \$ 750.61 |
| Lackawana | 7B | Shohola-Edgemere complex, 0 to 8 percent slopes, very rub | 7 | 491.9 | 0.002 | \$ 750.61 |
| Lackawana | 7C | Shohola-Edgemere complex, 8 to 15 percent slopes, very ru | 7 | 57.1 | 0 | \$ 750.61 |
| Lackawana | AsB | Arnot-Rock outcrop complex, 0 to 8 percent slopes | 7 | 3563 | 0.012 | \$ 750.61 |
| Lackawana | AsD | Arnot-Rock outcrop complex, 8 to 25 percent slopes | 7 | 12897 | 0.043 | \$ 750.61 |
| Lackawana | ASE | Arnot-Rock outcrop complex, steep | 7 | 8849.9 | 0.03 | \$ 750.61 |
| Lackawana | BbB | Bath channery silt loam, 3 to 8 percent slopes, rubbly | 7 | 3010.4 | 0.01 | \$ 750.61 |
| Lackawana | BbD | Bath channery silt loam, 8 to 25 percent slopes, rubbly | 7 | 4231.7 | 0.014 | \$ 750.61 |
| Lackawana | DYE | Dystrochrepts and Rock outcrop, steep | 7 | 8837.7 | 0.03 | \$ 750.61 |
| Lackawana | FA | Fluvents and Fluvaquents | 7 | 1437.1 | 0.005 | \$ 750.61 |
| Lackawana | FF | Fluvents and Fluvaquents, cobbly | 7 | 28.5 | 0 | \$ 750.61 |
| Lackawana | LbB | Lackawanna channery loam, 3 to 8 percent slopes, rubbly | 7 | 1402.8 | 0.005 | \$ 750.61 |
| Lackawana | LbD | Lackawanna channery loam, 8 to 25 percent slopes, rubbly | 7 | 4311.5 | 0.014 | \$ 750.61 |
| Lackawana | LCE | Lackawanna and Bath soils, steep, rubbly | 7 | 2907.3 | 0.01 | \$ 750.61 |
| Lackawana | LxB | Lordstown extremely stony silt loam, 3 to 8 percent slopes | 7 | 2238.8 | 0.008 | \$ 750.61 |
| Lackawana | LxD | Lordstown extremely stony silt loam, 8 to 25 percent slopes | 7 | 8498.4 | 0.029 | \$ 750.61 |
| Lackawana | MhB | Mardin channery silt loam, 3 to 8 percent slopes, rubbly | 7 | 3705.4 | 0.012 | \$ 750.61 |
| Lackawana | MhD | Mardin channery silt loam, 8 to 25 percent slopes, rubbly | 7 | 3915.8 | 0.013 | \$ 750.61 |
| Lackawana | MxB | Morris channery loam, 0 to 8 percent slopes, rubbly | 7 | 9383.2 | 0.032 | \$ 750.61 |
| Lackawana | MxD | Morris channery loam, 8 to 25 percent slopes, rubbly | 7 | 2231.4 | 0.007 | \$ 750.61 |
| Lackawana | NxB | Norwich and Chippewa channery silt loams, 0 to 8 percent s | 7 | 12770.5 | 0.043 | \$ 750.61 |
| Lackawana | OxB | Oquaga extremely stony loam, 3 to 8 percent slopes | 7 | 2992 | 0.01 | \$ 750.61 |
| Lackawana | OxD | Oquaga extremely stony loam, 8 to 25 percent slopes | 7 | 13442.7 | 0.045 | \$ 750.61 |
| Lackawana | OYE | Oquaga and Lordstown extremely stony loams, steep | 7 | 9098.9 | 0.031 | \$ 750.61 |
| Lackawana | RoD | Rock outcrop-Arnot complex, 3 to 25 percent slopes | 7 | 83.2 | 0 | \$ 750.61 |
| Lackawana | SxB | Swartswood extremely stony loam, 3 to 8 percent slopes | 7 | 2371.4 | 0.008 | \$ 750.61 |
| Lackawana | SxD | Swartswood extremely stony loam, 8 to 25 percent slopes | 7 | 4809.7 | 0.016 | \$ 750.61 |
| Lackawana | VxB | Volusia channery silt loam, 0 to 8 percent slopes, rubbly | 7 | 8587.3 | 0.029 | \$ 750.61 |
| Lackawana | VxD | Volusia channery silt loam, 8 to 25 percent slopes, rubbly | 7 | 1640.7 | 0.006 | \$ 750.61 |
| Lackawana | WgB | Wellsboro channery loam, 3 to 8 percent slopes, rubbly | 7 | 4696.9 | 0.016 | \$ 750.61 |
| Lackawana | WgD | Wellsboro channery loam, 8 to 25 percent slopes, rubbly | 7 | 8943.7 | 0.03 | \$ 750.61 |
| Lackawana | WxB | Wurtsboro extremely stony loam, 3 to 8 percent slopes | 7 | 1305.9 | 0.004 | \$ 750.61 |
| Lackawana | WxD | Wurtsboro extremely stony loam, 8 to 25 percent slopes | 7 | 1020.4 | 0.003 | \$ 750.61 |
| Lackawana | WyE | Wyoming gravelly sandy loam, 25 to 45 percent slopes | 7 | 255.3 | 0.001 | \$ 750.61 |
| Lackawana | MK | Medisaprists and Medihemists | 8 | 1873 | 0.006 | \$ 750.61 |
| Lancaster | BdA | Bedington silt loam, 0 to 3 percent slopes | 1 | 1956.9 | 0.003 | \$ 1,745.28 |
| Lancaster | BuA | Bucks silt loam, 0 to 3 percent slopes | 1 | 364 | 0.001 | \$ 1,800.84 |
| Lancaster | CbA | Chester silt loam, 0 to 3 percent slopes | 1 | 4567.9 | 0.007 | \$ 1,803.10 |
| Lancaster | Cm | Comus silt loam | 1 | 2132.2 | 0.003 | \$ 1,811.49 |
| Lancaster | CnA | Conestoga silt loam, 0 to 3 percent slopes | 1 | 2046.3 | 0.003 | \$ 1,800.84 |
| Lancaster | DbA | Duffield silt loam, 0 to 3 percent slopes | 1 | 21490.9 | 0.034 | \$ 1,701.87 |

| | | | | | | |
|-----------|------|--|---|---------|-------|-------------|
| Lancaster | EcA | Elk silt loam, 0 to 3 percent slopes | 1 | 1208.6 | 0.002 | \$ 1,522.76 |
| Lancaster | HaA | Hagerstown silt loam, 0 to 3 percent slopes | 1 | 14917.1 | 0.024 | \$ 1,819.50 |
| Lancaster | HfA | Hollinger silt loam, 0 to 3 percent slopes | 1 | 200.2 | 0 | \$ 1,797.92 |
| Lancaster | LdA | Letort silt loam, 0 to 3 percent slopes | 1 | 807.3 | 0.001 | \$ 1,800.84 |
| Lancaster | Lg | Linden silt loam | 1 | 1537 | 0.002 | \$ 1,452.95 |
| Lancaster | 1GeB | Gladstone gravelly loam, 3 to 8 percent slopes | 2 | 223.5 | 0 | \$ 1,516.83 |
| Lancaster | 1JnB | Joanna loam, 3 to 8 percent slopes | 2 | 96 | 0 | \$ 1,433.41 |
| Lancaster | 1LmB | Lehigh silt loam, 3 to 8 percent slopes | 2 | 289.7 | 0 | \$ 1,400.01 |
| Lancaster | 1Me | Middlebury silt loam | 2 | 183.4 | 0 | \$ 1,452.12 |
| Lancaster | 1MIB | Mount Lucas silt loam, 3 to 8 percent slopes | 2 | 1.6 | 0 | \$ 1,321.11 |
| Lancaster | 1MuB | Murrill gravelly loam, 3 to 8 percent slopes | 2 | 24.7 | 0 | \$ 1,437.17 |
| Lancaster | 1NaB | Neshaminy silt loam, 3 to 8 percent slopes | 2 | 20.8 | 0 | \$ 1,567.42 |
| Lancaster | BdB | Bedington silt loam, 3 to 8 percent slopes | 2 | 18206.2 | 0.029 | \$ 1,388.85 |
| Lancaster | BrB | Brecknock gravelly silt loam, 3 to 8 percent slopes | 2 | 1986 | 0.003 | \$ 1,470.60 |
| Lancaster | BuB | Bucks silt loam, 3 to 8 percent slopes | 2 | 13830.3 | 0.022 | \$ 1,800.84 |
| Lancaster | CbB | Chester silt loam, 3 to 8 percent slopes | 2 | 42014.6 | 0.067 | \$ 1,794.99 |
| Lancaster | CkA | Clarksburg silt loam, 0 to 5 percent slopes | 2 | 12698 | 0.02 | \$ 1,478.75 |
| Lancaster | CnB | Conestoga silt loam, 3 to 8 percent slopes | 2 | 10017.3 | 0.016 | \$ 1,800.84 |
| Lancaster | DbB | Duffield silt loam, 3 to 8 percent slopes | 2 | 50769 | 0.081 | \$ 1,703.82 |
| Lancaster | EcB | Elk silt loam, 3 to 8 percent slopes | 2 | 2098.9 | 0.003 | \$ 1,475.90 |
| Lancaster | Eu | Elk-Urban land complex | 2 | 514.9 | 0.001 | \$ 1,440.92 |
| Lancaster | GbB | Glenelg silt loam, 3 to 8 percent slopes | 2 | 17393.2 | 0.028 | \$ 1,573.52 |
| Lancaster | GdB | Glenville silt loam, 3 to 8 percent slopes | 2 | 17243.3 | 0.027 | \$ 1,608.90 |
| Lancaster | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 40714.5 | 0.065 | \$ 1,705.91 |
| Lancaster | HfB | Hollinger silt loam, 3 to 8 percent slopes | 2 | 3264.2 | 0.005 | \$ 1,797.92 |
| Lancaster | LaB | Lansdale loam, 3 to 8 percent slopes | 2 | 7898 | 0.013 | \$ 1,674.30 |
| Lancaster | LbB | Lehigh silt loam, 3 to 8 percent slopes | 2 | 1089.2 | 0.002 | \$ 1,400.01 |
| Lancaster | LdB | Letort silt loam, 3 to 8 percent slopes | 2 | 15620.7 | 0.025 | \$ 1,800.84 |
| Lancaster | Ln | Lindside silt loam | 2 | 8795.9 | 0.014 | \$ 1,705.91 |
| Lancaster | MaB | Manor silt loam, 3 to 8 percent slopes | 2 | 8124.9 | 0.013 | \$ 1,471.83 |
| Lancaster | MdB | Mount Lucas silt loam, 3 to 8 percent slopes | 2 | 1002.3 | 0.002 | \$ 1,321.11 |
| Lancaster | Nc | Newark silt loam | 2 | 4202.6 | 0.007 | \$ 1,362.81 |
| Lancaster | Nd | Newark silt loam, schist substratum | 2 | 6123.2 | 0.01 | \$ 1,606.29 |
| Lancaster | Ne | Nolin silt loam | 2 | 2507.1 | 0.004 | \$ 1,419.97 |
| Lancaster | RaB | Readington silt loam, 3 to 10 percent slopes | 2 | 5360.5 | 0.009 | \$ 1,472.40 |
| Lancaster | Rd | Rowland silt loam | 2 | 2760.7 | 0.004 | \$ 1,765.71 |
| Lancaster | UaB | Ungers loam, 3 to 8 percent slopes | 2 | 8972.6 | 0.014 | \$ 1,443.42 |
| Lancaster | 1DfC | Duffield-Ryder silt loams, 8 to 15 percent slopes | 3 | 0.6 | 0 | \$ 1,532.19 |
| Lancaster | 1GeC | Gladstone gravelly loam, 8 to 15 percent slopes | 3 | 66.5 | 0 | \$ 1,454.35 |
| Lancaster | 1JnC | Joanna loam, 8 to 15 percent slopes | 3 | 172.7 | 0 | \$ 1,395.30 |
| Lancaster | 1MuC | Murrill gravelly loam, 8 to 15 percent slopes | 3 | 4.6 | 0 | \$ 1,360.18 |
| Lancaster | 1NaC | Neshaminy silt loam, 8 to 15 percent slopes | 3 | 3.2 | 0 | \$ 1,484.82 |
| Lancaster | AbB | Abbottstown silt loam, 3 to 8 percent slopes | 3 | 2043.8 | 0.003 | \$ 1,243.47 |
| Lancaster | BdC | Bedington silt loam, 8 to 15 percent slopes | 3 | 12929 | 0.021 | \$ 1,311.64 |
| Lancaster | Bm | Blairton silt loam, 3 to 10 percent slopes | 3 | 1651.9 | 0.003 | \$ 1,226.21 |
| Lancaster | Bo | Bowmansville silt loam | 3 | 4389 | 0.007 | \$ 1,667.18 |
| Lancaster | BrC | Brecknock gravelly silt loam, 8 to 15 percent slopes | 3 | 1112.6 | 0.002 | \$ 1,430.90 |
| Lancaster | BuC | Bucks silt loam, 8 to 15 percent slopes | 3 | 5669.1 | 0.009 | \$ 1,741.22 |
| Lancaster | CbC | Chester silt loam, 8 to 15 percent slopes | 3 | 11880.8 | 0.019 | \$ 1,783.55 |
| Lancaster | CnC | Conestoga silt loam, 8 to 15 percent slopes | 3 | 472.8 | 0.001 | \$ 1,744.26 |
| Lancaster | EcC | Elk silt loam, 8 to 15 percent slopes | 3 | 657.1 | 0.001 | \$ 1,629.20 |
| Lancaster | GbC | Glenelg silt loam, 8 to 15 percent slopes | 3 | 22878.6 | 0.036 | \$ 1,466.84 |
| Lancaster | HbC | Hagerstown silty clay loam, 8 to 15 percent slopes | 3 | 11335.2 | 0.018 | \$ 1,684.92 |
| Lancaster | HfC | Hollinger silt loam, 8 to 15 percent slopes | 3 | 2384.4 | 0.004 | \$ 1,735.79 |
| Lancaster | Hg | Holly silt loam | 3 | 2786.8 | 0.004 | \$ 1,292.08 |
| Lancaster | LaC | Lansdale loam, 8 to 15 percent slopes | 3 | 5718 | 0.009 | \$ 1,607.41 |

| | | | | | | |
|-----------|------|---|---|---------|-------|-------------|
| Lancaster | LbC | Lehigh silt loam, 8 to 15 percent slopes | 3 | 276 | 0 | \$ 1,357.98 |
| Lancaster | LdC | Letort silt loam, 8 to 15 percent slopes | 3 | 3728.2 | 0.006 | \$ 1,741.22 |
| Lancaster | MaC | Manor silt loam, 8 to 15 percent slopes | 3 | 13208.2 | 0.021 | \$ 1,445.91 |
| Lancaster | Pa | Penlaw silt loam | 3 | 1100.7 | 0.002 | \$ 1,278.28 |
| Lancaster | PeC | Pequea silt loam, 8 to 15 percent slopes | 3 | 5077.1 | 0.008 | \$ 1,433.41 |
| Lancaster | UaC | Ungers loam, 8 to 15 percent slopes | 3 | 5239.5 | 0.008 | \$ 1,368.05 |
| Lancaster | 1DfD | Duffield-Ryder silt loams, 15 to 25 percent slopes | 4 | 1.7 | 0 | \$ 1,248.93 |
| Lancaster | 1JnD | Joanna loam, 15 to 25 percent slopes | 4 | 8.4 | 0 | \$ 1,275.05 |
| Lancaster | 1ToA | Towhee silt loam, 0 to 3 percent slopes | 4 | 0.6 | 0 | \$ 1,150.60 |
| Lancaster | BeD | Bedington channery silt loam, 15 to 25 percent slopes | 4 | 9815.6 | 0.016 | \$ 1,284.28 |
| Lancaster | BuD | Bucks silt loam, 15 to 25 percent slopes | 4 | 918.7 | 0.001 | \$ 1,613.72 |
| Lancaster | Ff | Fluvaquents and Udifluvents, loamy | 4 | 1418 | 0.002 | \$ 871.65 |
| Lancaster | GbD | Glenelg silt loam, 15 to 25 percent slopes | 4 | 6749.1 | 0.011 | \$ 1,540.39 |
| Lancaster | HbD | Hagerstown silty clay loam, 15 to 30 percent slopes | 4 | 2149.9 | 0.003 | \$ 1,620.01 |
| Lancaster | HfD | Hollinger silt loam, 15 to 25 percent slopes | 4 | 283.3 | 0 | \$ 1,610.39 |
| Lancaster | LaD | Lansdale loam, 15 to 25 percent slopes | 4 | 2268 | 0.004 | \$ 1,500.91 |
| Lancaster | MaD | Manor silt loam, 15 to 25 percent slopes | 4 | 13550.9 | 0.022 | \$ 1,329.62 |
| Lancaster | PeD | Pequea silt loam, 15 to 25 percent slopes | 4 | 6070.1 | 0.01 | \$ 1,299.38 |
| Lancaster | UaD | Ungers loam, 15 to 25 percent slopes | 4 | 916.6 | 0.001 | \$ 1,252.69 |
| Lancaster | Ba | Baile silt loam | 5 | 1473.4 | 0.002 | \$ 750.61 |
| Lancaster | 1GfD | Gladstone gravelly loam, 8 to 25 percent slopes, very bould | 6 | 57.9 | 0 | \$ 750.61 |
| Lancaster | BsB | Brecknock very stony silt loam, 3 to 8 percent slopes | 6 | 808 | 0.001 | \$ 750.61 |
| Lancaster | BsC | Brecknock very stony silt loam, 8 to 25 percent slopes | 6 | 1299.1 | 0.002 | \$ 750.61 |
| Lancaster | BxC | Bucks very stony silt loam, 8 to 25 percent slopes | 6 | 477.6 | 0.001 | \$ 750.61 |
| Lancaster | CIB | Clymer very stony loam, 3 to 8 percent slopes | 6 | 1779.3 | 0.003 | \$ 750.61 |
| Lancaster | CID | Clymer very stony loam, 8 to 25 percent slopes | 6 | 3722.7 | 0.006 | \$ 750.61 |
| Lancaster | MbB | Manor very stony silt loam, 3 to 8 percent slopes | 6 | 1450.5 | 0.002 | \$ 750.61 |
| Lancaster | MbD | Manor very stony silt loam, 8 to 25 percent slopes | 6 | 7971.9 | 0.013 | \$ 750.61 |
| Lancaster | MeB | Mount Lucas very stony silt loam, 3 to 12 percent slopes | 6 | 2048.3 | 0.003 | \$ 750.61 |
| Lancaster | 1EdB | Edgemont channery sandy loam, 0 to 8 percent slopes, extr | 7 | 156.8 | 0 | \$ 750.61 |
| Lancaster | 1EdD | Edgemont channery sandy loam, 8 to 25 percent slopes, ext | 7 | 1105.9 | 0.002 | \$ 750.61 |
| Lancaster | 1EdF | Edgemont channery sandy loam, 25 to 60 percent slopes, e | 7 | 212.6 | 0 | \$ 750.61 |
| Lancaster | 1GfF | Gladstone gravelly loam, 25 to 55 percent slopes, very bouk | 7 | 11.8 | 0 | \$ 750.61 |
| Lancaster | 1JpB | Joanna loam, 0 to 8 percent slopes, extremely stony | 7 | 269.8 | 0 | \$ 750.61 |
| Lancaster | 1JpD | Joanna loam, 8 to 25 percent slopes, extremely stony | 7 | 1103.1 | 0.002 | \$ 750.61 |
| Lancaster | 1JpF | Joanna loam, 25 to 60 percent slopes, extremely stony | 7 | 136.4 | 0 | \$ 750.61 |
| Lancaster | 1NhB | Neshaminy gravelly silt loam, 0 to 8 percent slopes, extreme | 7 | 43.8 | 0 | \$ 750.61 |
| Lancaster | 1NhD | Neshaminy gravelly silt loam, 8 to 25 percent slopes, extrerr | 7 | 552.5 | 0.001 | \$ 750.61 |
| Lancaster | AsB | Abbottstown extremely stony silt loam, 3 to 8 percent slope | 7 | 326.5 | 0.001 | \$ 750.61 |
| Lancaster | CIF | Clymer very stony loam, 25 to 50 percent slopes | 7 | 770.9 | 0.001 | \$ 750.61 |
| Lancaster | MbF | Manor very stony silt loam, 25 to 60 percent slopes | 7 | 18250.2 | 0.029 | \$ 750.61 |
| Lancaster | PeE | Pequea silt loam, 25 to 50 percent slopes | 7 | 2685.6 | 0.004 | \$ 750.61 |
| Lancaster | RbB | Readington extremely stony silt loam, 3 to 8 percent slopes | 7 | 1230.4 | 0.002 | \$ 750.61 |
| Lancaster | UbB | Ungers extremely stony loam, 3 to 8 percent slopes | 7 | 2783.5 | 0.004 | \$ 750.61 |
| Lancaster | UbD | Ungers extremely stony loam, 8 to 25 percent slopes | 7 | 15722 | 0.025 | \$ 750.61 |
| Lancaster | UbE | Ungers extremely stony loam, 25 to 50 percent slopes | 7 | 4024.7 | 0.006 | \$ 750.61 |
| Lancaster | Ud | Udorthents, loamy | 7 | 1358.7 | 0.002 | \$ 750.61 |
| Lancaster | WbB | Watchung extremely stony silt loam, 0 to 8 percent slopes | 7 | 48.1 | 0 | \$ 750.61 |
| Lancaster | DAM | Dams | 8 | 2 | 0 | \$ 750.61 |
| Lancaster | Rc | Rock outcrop | 8 | 102.6 | 0 | \$ 750.61 |
| Lancaster | Uc | Urban land | 8 | 8550.4 | 0.014 | \$ 750.61 |
| Lawrence | Cg | Chagrin silt loam | 1 | 1172.6 | 0.005 | \$ 1,564.81 |
| Lawrence | Po | Pope silt loam | 1 | 23.9 | 0 | \$ 1,516.83 |
| Lawrence | AgB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 27.4 | 0 | \$ 1,412.36 |
| Lawrence | BcB | Braceville loam, 3 to 8 percent slopes | 2 | 2258 | 0.01 | \$ 1,291.16 |
| Lawrence | BgB | Bogart loam, 2 to 6 percent slopes | 2 | 7.6 | 0 | \$ 1,328.28 |

| | | | | | | |
|----------|-----|--|---|---------|-------|-------------|
| Lawrence | CdB | Canfield silt loam, 3 to 8 percent slopes | 2 | 29667.9 | 0.128 | \$ 1,286.57 |
| Lawrence | ChB | Chili silt loam, 3 to 8 percent slopes | 2 | 5109.6 | 0.022 | \$ 1,188.89 |
| Lawrence | CmB | Clymer loam, 3 to 8 percent slopes | 2 | 213.6 | 0.001 | \$ 1,447.57 |
| Lawrence | CuB | Culleoka channery silt loam, 3 to 8 percent slopes | 2 | 2.3 | 0 | \$ 1,486.84 |
| Lawrence | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 117.2 | 0.001 | \$ 1,456.25 |
| Lawrence | GnB | Gilpin silt loam, 3 to 8 percent slopes | 2 | 444 | 0.002 | \$ 1,272.73 |
| Lawrence | GsB | Gilpin-Weikert complex, 3 to 8 percent slopes | 2 | 63.3 | 0 | \$ 1,173.89 |
| Lawrence | GtB | Guernsey silt loam, 3 to 8 percent slopes | 2 | 4.7 | 0 | \$ 1,420.81 |
| Lawrence | HaB | Hazleton channery loam, 3 to 8 percent slopes | 2 | 24.6 | 0 | \$ 1,412.78 |
| Lawrence | JtB | Jimtown loam, 2 to 6 percent slopes | 2 | 4.1 | 0 | \$ 1,213.38 |
| Lawrence | JwB | Jimtown-Urban land complex | 2 | 5.8 | 0 | \$ 871.65 |
| Lawrence | Lb | Lobdell silt loam | 2 | 4307.3 | 0.019 | \$ 1,443.84 |
| Lawrence | LoB | Loudonville gravelly silt loam, 3 to 8 percent slopes | 2 | 211.4 | 0.001 | \$ 1,239.97 |
| Lawrence | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 55.7 | 0 | \$ 1,367.18 |
| Lawrence | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 705 | 0.003 | \$ 1,367.18 |
| Lawrence | MrB | Morristown channery silt loam, 0 to 8 percent slopes | 2 | 1634.6 | 0.007 | \$ 871.65 |
| Lawrence | Ph | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 277 | 0.001 | \$ 1,456.25 |
| Lawrence | TsB | Tilsit silt loam, 3 to 8 percent slopes | 2 | 5.2 | 0 | \$ 1,132.54 |
| Lawrence | WhA | Wharton silt loam, 0 to 3 percent slopes | 2 | 13 | 0 | \$ 1,277.36 |
| Lawrence | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 617 | 0.003 | \$ 1,274.59 |
| Lawrence | WoB | Wooster gravelly silt loam, 3 to 8 percent slopes | 2 | 1207.7 | 0.005 | \$ 1,367.18 |
| Lawrence | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 3 | 408.5 | 0.002 | \$ 1,258.78 |
| Lawrence | BaB | Bethesda channery silt loam, 0 to 8 percent slopes | 3 | 1207.2 | 0.005 | \$ 871.65 |
| Lawrence | BcC | Braceville loam, 8 to 15 percent slopes | 3 | 1077.4 | 0.005 | \$ 1,254.10 |
| Lawrence | BgC | Bogart loam, 6 to 12 percent slopes | 3 | 0.9 | 0 | \$ 1,247.05 |
| Lawrence | CdC | Canfield silt loam, 8 to 15 percent slopes | 3 | 19736.8 | 0.085 | \$ 1,244.70 |
| Lawrence | CeB | Cavode silt loam, 3 to 8 percent slopes | 3 | 339.5 | 0.001 | \$ 1,160.06 |
| Lawrence | CeC | Cavode silt loam, 8 to 15 percent slopes | 3 | 576.5 | 0.002 | \$ 1,117.34 |
| Lawrence | ChC | Chili silt loam, 8 to 15 percent slopes | 3 | 2331.8 | 0.01 | \$ 1,095.93 |
| Lawrence | CmC | Clymer loam, 8 to 15 percent slopes | 3 | 183 | 0.001 | \$ 1,437.59 |
| Lawrence | CoB | Conotton gravelly loam, 3 to 8 percent slopes | 3 | 1853.2 | 0.008 | \$ 1,089.11 |
| Lawrence | CuC | Culleoka channery silt loam, 8 to 15 percent slopes | 3 | 16.6 | 0 | \$ 1,382.38 |
| Lawrence | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 545 | 0.002 | \$ 1,351.82 |
| Lawrence | FaB | Fairpoint channery silt loam, 0 to 8 percent slopes | 3 | 5948.5 | 0.026 | \$ 871.65 |
| Lawrence | GnC | Gilpin silt loam, 8 to 15 percent slopes | 3 | 1051.2 | 0.005 | \$ 1,251.75 |
| Lawrence | GsC | Gilpin-Weikert complex, 8 to 15 percent slopes | 3 | 141.1 | 0.001 | \$ 1,119.37 |
| Lawrence | GtC | Guernsey silt loam, 8 to 15 percent slopes | 3 | 20.3 | 0 | \$ 1,225.73 |
| Lawrence | HaC | Hazleton channery loam, 8 to 15 percent slopes | 3 | 94.1 | 0 | \$ 1,269.49 |
| Lawrence | Ho | Holly silt loam | 3 | 8811.7 | 0.038 | \$ 1,304.84 |
| Lawrence | LoC | Loudonville gravelly silt loam, 8 to 15 percent slopes | 3 | 711.9 | 0.003 | \$ 1,142.60 |
| Lawrence | MoC | Monongahela silt loam, 8 to 15 percent slopes | 3 | 104.4 | 0 | \$ 1,281.97 |
| Lawrence | RaA | Ravenna silt loam, 0 to 3 percent slopes | 3 | 9052.7 | 0.039 | \$ 1,281.05 |
| Lawrence | RaB | Ravenna silt loam, 3 to 8 percent slopes | 3 | 33988.4 | 0.146 | \$ 1,281.97 |
| Lawrence | RaC | Ravenna silt loam, 8 to 15 percent slopes | 3 | 7270.6 | 0.031 | \$ 1,150.60 |
| Lawrence | ReB | Rexford silt loam, 3 to 8 percent slopes | 3 | 1267.6 | 0.005 | \$ 1,117.34 |
| Lawrence | Sn | Sloan silt loam | 3 | 2256.7 | 0.01 | \$ 1,508.89 |
| Lawrence | TsC | Tilsit silt loam, 8 to 15 percent slopes | 3 | 20.3 | 0 | \$ 1,235.24 |
| Lawrence | TyA | Tyler silt loam, 0 to 3 percent slopes | 3 | 158.8 | 0.001 | \$ 1,261.11 |
| Lawrence | TyB | Tyler silt loam, 3 to 8 percent slopes | 3 | 229.8 | 0.001 | \$ 1,137.58 |
| Lawrence | UAB | Udorthents, strip mine, gently sloping | 3 | 185.9 | 0.001 | \$ 750.61 |
| Lawrence | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 1493.2 | 0.006 | \$ 1,286.57 |
| Lawrence | WoC | Wooster gravelly silt loam, 8 to 15 percent slopes | 3 | 2630.9 | 0.011 | \$ 1,320.66 |
| Lawrence | BaD | Bethesda channery silt loam, 8 to 25 percent slopes | 4 | 3622 | 0.016 | \$ 871.65 |
| Lawrence | BkB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 53.1 | 0 | \$ 1,258.78 |
| Lawrence | BkC | Brinkerton silt loam, 8 to 15 percent slopes | 4 | 10.5 | 0 | \$ 1,154.59 |
| Lawrence | Ca | Canadice silt loam | 4 | 2944 | 0.013 | \$ 1,065.66 |

| | | | | | | |
|----------|------|---|---|---------|-------|-------------|
| Lawrence | CdD | Canfield silt loam, 15 to 25 percent slopes | 4 | 4881.3 | 0.021 | \$ 871.65 |
| Lawrence | CeD | Cavode silt loam, 15 to 25 percent slopes | 4 | 171.8 | 0.001 | \$ 1,091.70 |
| Lawrence | CmD | Clymer loam, 15 to 25 percent slopes | 4 | 73.5 | 0 | \$ 1,187.13 |
| Lawrence | CoC | Conotton gravelly loam, 8 to 15 percent slopes | 4 | 4845.2 | 0.021 | \$ 892.03 |
| Lawrence | CuD | Culleoka channery silt loam, 15 to 25 percent slopes | 4 | 61.4 | 0 | \$ 1,208.95 |
| Lawrence | ErD | Ernest silt loam, 15 to 25 percent slopes | 4 | 468.9 | 0.002 | \$ 1,104.57 |
| Lawrence | FaD | Fairpoint channery silt loam, 8 to 25 percent slopes | 4 | 5063.7 | 0.022 | \$ 871.65 |
| Lawrence | FnA | Frenchtown silt loam, 0 to 3 percent slopes | 4 | 7201.5 | 0.031 | \$ 1,157.58 |
| Lawrence | FnB | Frenchtown silt loam, 3 to 8 percent slopes | 4 | 3474.6 | 0.015 | \$ 1,201.71 |
| Lawrence | GnD | Gilpin silt loam, 15 to 25 percent slopes | 4 | 1733.7 | 0.007 | \$ 1,184.69 |
| Lawrence | GsD | Gilpin-Weikert complex, 15 to 25 percent slopes | 4 | 778.3 | 0.003 | \$ 871.65 |
| Lawrence | HaD | Hazleton channery loam, 15 to 25 percent slopes | 4 | 272.8 | 0.001 | \$ 1,184.69 |
| Lawrence | LoD | Loudonville gravelly silt loam, 15 to 25 percent slopes | 4 | 2058.3 | 0.009 | \$ 871.65 |
| Lawrence | MrD | Morristown channery silt loam, 8 to 25 percent slopes | 4 | 1022.4 | 0.004 | \$ 871.65 |
| Lawrence | WnD | Wharton-Gilpin silt loams, 15 to 25 percent slopes | 4 | 1410.2 | 0.006 | \$ 1,109.69 |
| Lawrence | WoD | Wooster gravelly silt loam, 15 to 25 percent slopes | 4 | 2398 | 0.01 | \$ 1,236.19 |
| Lawrence | CoD | Conotton gravelly loam, 15 to 25 percent slopes | 6 | 3606.7 | 0.016 | \$ 750.61 |
| Lawrence | EsD | Ernest silt loam, 8 to 25 percent slopes, extremely stony | 6 | 42.9 | 0 | \$ 750.61 |
| Lawrence | LoF | Loudonville gravelly silt loam, 25 to 50 percent slopes | 6 | 6110.7 | 0.026 | \$ 750.61 |
| Lawrence | UAD | Udorthents, strip mine, moderately steep | 6 | 767 | 0.003 | \$ 750.61 |
| Lawrence | BbF | Bethesda and Fairpoint channery silt loams, 25 to 70 percent slopes | 7 | 3388.4 | 0.015 | \$ 750.61 |
| Lawrence | CoF | Conotton gravelly loam, 25 to 50 percent slopes | 7 | 1437.9 | 0.006 | \$ 750.61 |
| Lawrence | GsF | Gilpin-Weikert complex, 25 to 70 percent slopes | 7 | 4934.3 | 0.021 | \$ 750.61 |
| Lawrence | UAE | Udorthents, strip mine, steep | 7 | 589.8 | 0.003 | \$ 750.61 |
| Lawrence | WeF | Weikert-Rock outcrop complex, 25 to 80 percent slopes | 7 | 2496.7 | 0.011 | \$ 750.61 |
| Lawrence | UcB | Urban land-Canfield complex, 0 to 8 percent slopes | 8 | 1965.6 | 0.008 | \$ 750.61 |
| Lawrence | UcD | Urban land-Canfield complex, 8 to 25 percent slopes | 8 | 411.8 | 0.002 | \$ 750.61 |
| Lawrence | UgB | Urban land-Gilpin complex, 0 to 8 percent slopes | 8 | 39.2 | 0 | \$ 750.61 |
| Lawrence | UgD | Urban land-Gilpin complex, 8 to 25 percent slopes | 8 | 170.3 | 0.001 | \$ 750.61 |
| Lawrence | UwB | Urban land-Wharton complex, 0 to 8 percent slopes | 8 | 40.5 | 0 | \$ 750.61 |
| Lawrence | UwD | Urban land-Wharton complex, 8 to 25 percent slopes | 8 | 70.2 | 0 | \$ 750.61 |
| Lebanon | BeA | Bedington shaly silt loam, 0 to 3 percent slopes | 1 | 1935.1 | 0.008 | \$ 1,678.06 |
| Lebanon | DfA | Duffield silt loam, 0 to 3 percent slopes | 1 | 2596.6 | 0.011 | \$ 1,747.30 |
| Lebanon | HaA | Hagerstown silt loam, 0 to 3 percent slopes | 1 | 1934.4 | 0.008 | \$ 1,641.98 |
| Lebanon | Po | Pope loam | 1 | 525.4 | 0.002 | \$ 1,476.71 |
| Lebanon | 1BkB | Berks-Weikert complex, 3 to 8 percent slopes | 2 | 447.3 | 0.002 | \$ 1,123.44 |
| Lebanon | 1GeB | Gladstone gravelly loam, 3 to 8 percent slopes | 2 | 57.3 | 0 | \$ 1,516.83 |
| Lebanon | 1JnB | Joanna loam, 3 to 8 percent slopes | 2 | 426.9 | 0.002 | \$ 1,433.41 |
| Lebanon | 1Me | Middlebury silt loam | 2 | 19.5 | 0 | \$ 1,452.12 |
| Lebanon | Bcg | Basher silt loam | 2 | 43.7 | 0 | \$ 1,448.81 |
| Lebanon | BeB | Bedington shaly silt loam, 3 to 8 percent slopes | 2 | 11793.6 | 0.051 | \$ 1,487.25 |
| Lebanon | BegB | Bedington channery silt loam, 3 to 8 percent slopes | 2 | 413.3 | 0.002 | \$ 1,487.25 |
| Lebanon | BkB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 15430.9 | 0.067 | \$ 1,086.52 |
| Lebanon | BnB | Brecknock channery silt loam, 3 to 8 percent slopes | 2 | 802.9 | 0.003 | \$ 1,457.48 |
| Lebanon | BwB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 870.8 | 0.004 | \$ 1,441.76 |
| Lebanon | ByB | Bucks silt loam, 3 to 8 percent slopes | 2 | 1808.2 | 0.008 | \$ 1,800.84 |
| Lebanon | CeB | Chester channery loam, 3 to 8 percent slopes | 2 | 573.4 | 0.002 | \$ 1,543.12 |
| Lebanon | CkA | Clarksburg silt loam, 0 to 3 percent slopes | 2 | 4184.6 | 0.018 | \$ 1,478.75 |
| Lebanon | CkB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 4936.4 | 0.021 | \$ 1,477.61 |
| Lebanon | CmA | Comly silt loam, 0 to 3 percent slopes | 2 | 1246.3 | 0.005 | \$ 1,281.70 |
| Lebanon | CmB | Comly silt loam, 3 to 8 percent slopes | 2 | 4185 | 0.018 | \$ 1,281.70 |
| Lebanon | DfB | Duffield silt loam, 3 to 8 percent slopes | 2 | 17151.4 | 0.074 | \$ 1,756.37 |
| Lebanon | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 17223.4 | 0.074 | \$ 1,642.70 |
| Lebanon | HugA | Hustontown silt loam, 0 to 3 percent slopes | 2 | 115 | 0 | \$ 1,245.64 |
| Lebanon | HugB | Hustontown silt loam, 3 to 8 percent slopes | 2 | 113.1 | 0 | \$ 1,279.21 |
| Lebanon | LaB | Laidig channery loam, 3 to 8 percent slopes | 2 | 834.1 | 0.004 | \$ 1,286.57 |

| | | | | | | |
|---------|------|---|---|--------|-------|-------------|
| Lebanon | LagB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 44.9 | 0 | \$ 1,286.57 |
| Lebanon | LeB | Leck kill shaly silt loam, 3 to 8 percent slopes | 2 | 832.3 | 0.004 | \$ 1,454.19 |
| Lebanon | LegA | Leck kill channery silt loam, 0 to 3 percent slopes | 2 | 34.4 | 0 | \$ 1,460.36 |
| Lebanon | LegB | Leck kill channery silt loam, 3 to 8 percent slopes | 2 | 119.5 | 0.001 | \$ 1,464.47 |
| Lebanon | Ls | Lindside silt loam | 2 | 1045.2 | 0.005 | \$ 1,439.68 |
| Lebanon | MoB | Mount Lucas silt loam, 3 to 8 percent slopes | 2 | 353.5 | 0.002 | \$ 1,321.11 |
| Lebanon | MuB | Murrill gravelly silt loam, 3 to 8 percent slopes | 2 | 1074.7 | 0.005 | \$ 1,451.71 |
| Lebanon | NeB | Neshaminy gravelly silt loam, 3 to 8 percent slopes | 2 | 2012 | 0.009 | \$ 1,546.23 |
| Lebanon | No | Nolin variant silt loam | 2 | 1491.3 | 0.006 | \$ 1,419.97 |
| Lebanon | PeB | Penn channery silt loam, 3 to 8 percent slopes | 2 | 638.7 | 0.003 | \$ 1,462.58 |
| Lebanon | Ph | Philo silt loam | 2 | 1441.7 | 0.006 | \$ 1,516.83 |
| Lebanon | ReB | Readington silt loam, 3 to 8 percent slopes | 2 | 882.1 | 0.004 | \$ 1,472.40 |
| Lebanon | Ro | Rowland silt loam | 2 | 413.2 | 0.002 | \$ 1,490.07 |
| Lebanon | UnB | Ungers loam, 3 to 8 percent slopes | 2 | 2383.8 | 0.01 | \$ 1,443.42 |
| Lebanon | 1BkC | Berks-Weikert complex, 8 to 15 percent slopes | 3 | 72.6 | 0 | \$ 1,123.44 |
| Lebanon | 1GeC | Gladstone gravelly loam, 8 to 15 percent slopes | 3 | 147.6 | 0.001 | \$ 1,454.35 |
| Lebanon | 1WeB | Weikert-Berks complex, 3 to 8 percent slopes | 3 | 5.6 | 0 | \$ 1,028.54 |
| Lebanon | AbA | Abbottstown silt loam, 0 to 3 percent slopes | 3 | 345.8 | 0.001 | \$ 1,247.05 |
| Lebanon | AbB | Abbottstown silt loam, 3 to 8 percent slopes | 3 | 610.6 | 0.003 | \$ 1,243.47 |
| Lebanon | Atg | Atkins silt loam | 3 | 153.1 | 0.001 | \$ 1,295.82 |
| Lebanon | BeC | Bedington shaly silt loam, 8 to 15 percent slopes | 3 | 1142.7 | 0.005 | \$ 1,399.58 |
| Lebanon | BegC | Bedington channery silt loam, 8 to 15 percent slopes | 3 | 440.6 | 0.002 | \$ 1,399.58 |
| Lebanon | BkC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 9082.1 | 0.039 | \$ 1,041.89 |
| Lebanon | Bm | Bowmansville silt loam | 3 | 2200 | 0.009 | \$ 1,667.18 |
| Lebanon | BnC | Brecknock channery silt loam, 8 to 15 percent slopes | 3 | 445.1 | 0.002 | \$ 1,418.70 |
| Lebanon | CeC | Chester channery loam, 8 to 15 percent slopes | 3 | 546.7 | 0.002 | \$ 1,431.32 |
| Lebanon | DfC | Duffield silt loam, 8 to 15 percent slopes | 3 | 1425.2 | 0.006 | \$ 1,500.91 |
| Lebanon | HbC | Hagerstown silty clay loam, 8 to 15 percent slopes | 3 | 1925.6 | 0.008 | \$ 1,531.01 |
| Lebanon | Ho | Holly silt loam | 3 | 8151.5 | 0.035 | \$ 1,292.08 |
| Lebanon | KnB | Klinesville shaly silt loam, 3 to 8 percent slopes | 3 | 1858.1 | 0.008 | \$ 882.98 |
| Lebanon | LaC | Laidig channery loam, 8 to 15 percent slopes | 3 | 671.8 | 0.003 | \$ 1,239.97 |
| Lebanon | LagC | Laidig gravelly loam, 8 to 15 percent slopes | 3 | 35.2 | 0 | \$ 1,235.24 |
| Lebanon | LeC | Leck kill shaly silt loam, 8 to 15 percent slopes | 3 | 1001.8 | 0.004 | \$ 1,439.68 |
| Lebanon | LegC | Leck kill channery silt loam, 8 to 15 percent slopes | 3 | 309.7 | 0.001 | \$ 1,425.03 |
| Lebanon | LhB | Lehigh silt loam, 2 to 10 percent slopes | 3 | 493.1 | 0.002 | \$ 1,248.37 |
| Lebanon | Me | Melvin variant silt loam | 3 | 1807.7 | 0.008 | \$ 1,302.57 |
| Lebanon | NeC | Neshaminy gravelly silt loam, 8 to 15 percent slopes | 3 | 2218.6 | 0.01 | \$ 1,472.64 |
| Lebanon | PeC | Penn channery silt loam, 8 to 15 percent slopes | 3 | 586.3 | 0.003 | \$ 1,379.27 |
| Lebanon | UnC | Ungers loam, 8 to 15 percent slopes | 3 | 2899.4 | 0.012 | \$ 1,368.05 |
| Lebanon | WeB | Weikert channery silt loam, 3 to 8 percent slopes | 3 | 2959.5 | 0.013 | \$ 1,269.95 |
| Lebanon | 1BhD | Berks-Bedington complex, 15 to 25 percent slopes | 4 | 13.8 | 0 | \$ 1,190.06 |
| Lebanon | 1JnD | Joanna loam, 15 to 25 percent slopes | 4 | 7 | 0 | \$ 1,275.05 |
| Lebanon | AngB | Andover gravelly loam, 3 to 8 percent slopes | 4 | 77.7 | 0 | \$ 1,109.69 |
| Lebanon | BeD | Bedington shaly silt loam, 15 to 25 percent slopes | 4 | 340 | 0.001 | \$ 1,284.28 |
| Lebanon | BegD | Bedington channery silt loam, 15 to 25 percent slopes | 4 | 216.7 | 0.001 | \$ 1,284.28 |
| Lebanon | BkD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 2804.7 | 0.012 | \$ 996.07 |
| Lebanon | BrA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 1884.8 | 0.008 | \$ 1,218.08 |
| Lebanon | BrB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 2252.5 | 0.01 | \$ 1,212.32 |
| Lebanon | HeB | Hagerstown-Rock outcrop complex, 3 to 8 percent slopes | 4 | 1167.9 | 0.005 | \$ 871.65 |
| Lebanon | KnC | Klinesville shaly silt loam, 8 to 15 percent slopes | 4 | 1271.7 | 0.005 | \$ 871.65 |
| Lebanon | LagD | Laidig gravelly loam, 15 to 25 percent slopes | 4 | 8.1 | 0 | \$ 1,131.53 |
| Lebanon | LfgD | Leck kill-Calvin channery silt loams, 15 to 25 percent slopes | 4 | 116.2 | 0.001 | \$ 1,074.56 |
| Lebanon | MaA | Markes silt loam, 0 to 5 percent slopes | 4 | 814.5 | 0.004 | \$ 1,016.06 |
| Lebanon | MagB | Markes silt loam, 3 to 8 percent slopes | 4 | 407.3 | 0.002 | \$ 1,016.06 |
| Lebanon | ThA | Thorndale silt loam, 0 to 3 percent slopes | 4 | 685.3 | 0.003 | \$ 985.12 |
| Lebanon | ThB | Thorndale silt loam, 3 to 8 percent slopes | 4 | 206.7 | 0.001 | \$ 871.65 |

| | | | | | | |
|---------|------|--|---|--------|-------|-------------|
| Lebanon | UnD | Ungers loam, 15 to 25 percent slopes | 4 | 1046.3 | 0.005 | \$ 1,252.69 |
| Lebanon | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 2131.8 | 0.009 | \$ 1,009.67 |
| Lebanon | 1GfB | Gladstone gravelly loam, 0 to 8 percent slopes, very boulder | 6 | 5 | 0 | \$ 750.61 |
| Lebanon | 1GfD | Gladstone gravelly loam, 8 to 25 percent slopes, very boulder | 6 | 810.9 | 0.003 | \$ 750.61 |
| Lebanon | 1WeD | Weikert-Berks complex, 15 to 25 percent slopes | 6 | 1.4 | 0 | \$ 929.28 |
| Lebanon | CagB | Calvin channery silt loam, 0 to 8 percent slopes, very stony | 6 | 2.9 | 0 | \$ 750.61 |
| Lebanon | CagD | Calvin channery silt loam, 8 to 25 percent slopes, very stony | 6 | 15.3 | 0 | \$ 750.61 |
| Lebanon | DlgB | Dekalb and Lehigh sandy loams, 0 to 8 percent slopes, very | 6 | 13.6 | 0 | \$ 750.61 |
| Lebanon | HeC | Hagerstown-Rock outcrop complex, 8 to 25 percent slopes | 6 | 3519.3 | 0.015 | \$ 925.99 |
| Lebanon | HvgB | Hustontown silt loam, 0 to 8 percent slopes, very stony | 6 | 6.3 | 0 | \$ 1,245.64 |
| Lebanon | KnD | Klinesville shaly silt loam, 15 to 25 percent slopes | 6 | 912.9 | 0.004 | \$ 750.61 |
| Lebanon | LfC | Leck kill very stony silt loam, 8 to 25 percent slopes | 6 | 1991.2 | 0.009 | \$ 750.61 |
| Lebanon | LggD | Leck kill channery silt loam, 8 to 25 percent slopes, very stony | 6 | 25 | 0 | \$ 750.61 |
| Lebanon | MfgB | Meckesville gravelly loam, 3 to 8 percent slopes, extremely | 6 | 289.2 | 0.001 | \$ 750.61 |
| Lebanon | WaA | Watchung silt loam, 0 to 5 percent slopes | 6 | 810.1 | 0.003 | \$ 750.61 |
| Lebanon | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 3597.9 | 0.016 | \$ 750.61 |
| Lebanon | 1BkF | Berks-Weikert complex, 25 to 60 percent slopes | 7 | 4.8 | 0 | \$ 750.61 |
| Lebanon | 1JpB | Joanna loam, 0 to 8 percent slopes, extremely stony | 7 | 91.4 | 0 | \$ 750.61 |
| Lebanon | 1JpD | Joanna loam, 8 to 25 percent slopes, extremely stony | 7 | 1755.5 | 0.008 | \$ 750.61 |
| Lebanon | AogB | Andover gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 53.6 | 0 | \$ 750.61 |
| Lebanon | BxB | Buchanan extremely stony loam, 3 to 8 percent slopes | 7 | 448.5 | 0.002 | \$ 750.61 |
| Lebanon | BxC | Buchanan extremely stony loam, 8 to 25 percent slopes | 7 | 680.9 | 0.003 | \$ 750.61 |
| Lebanon | BxB | Buchanan gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 334.2 | 0.001 | \$ 750.61 |
| Lebanon | BxD | Buchanan gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 605.3 | 0.003 | \$ 750.61 |
| Lebanon | ChC | Chester extremely stony loam, 8 to 25 percent slopes | 7 | 884.1 | 0.004 | \$ 750.61 |
| Lebanon | HeD | Hazleton very channery loam, 8 to 25 percent slopes, extremely | 7 | 663.8 | 0.003 | \$ 750.61 |
| Lebanon | HeF | Hazleton very channery loam, 25 to 60 percent slopes, extremely | 7 | 1764.9 | 0.008 | \$ 750.61 |
| Lebanon | HegB | Hazleton very channery loam, 0 to 8 percent slopes, extremely | 7 | 11.6 | 0 | \$ 750.61 |
| Lebanon | HHB | Hazleton sandy loam, 0 to 8 percent slopes, rubbly | 7 | 1339.5 | 0.006 | \$ 750.61 |
| Lebanon | HHE | Hazleton sandy loam, 25 to 50 percent slopes, rubbly | 7 | 5948.9 | 0.026 | \$ 750.61 |
| Lebanon | HLD | Hazleton-Laidig association, moderately steep | 7 | 2923.2 | 0.013 | \$ 750.61 |
| Lebanon | LdB | Laidig extremely stony loam, 3 to 8 percent slopes | 7 | 576.3 | 0.002 | \$ 750.61 |
| Lebanon | LdC | Laidig extremely stony loam, 8 to 25 percent slopes | 7 | 7844.8 | 0.034 | \$ 750.61 |
| Lebanon | LdB | Laidig gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 97.3 | 0 | \$ 750.61 |
| Lebanon | LdD | Laidig gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 3880.4 | 0.017 | \$ 750.61 |
| Lebanon | LdF | Laidig gravelly loam, 25 to 60 percent slopes, extremely stony | 7 | 199.5 | 0.001 | \$ 750.61 |
| Lebanon | MfgD | Meckesville gravelly loam, 8 to 25 percent slopes, extremely | 7 | 731 | 0.003 | \$ 750.61 |
| Lebanon | MfgF | Meckesville gravelly loam, 25 to 35 percent slopes, extremely | 7 | 26.3 | 0 | \$ 750.61 |
| Lebanon | MsB | Mount Lucas extremely stony silt loam, 3 to 8 percent slopes | 7 | 552.1 | 0.002 | \$ 750.61 |
| Lebanon | NhB | Neshaminy extremely stony silt loam, 3 to 8 percent slopes | 7 | 744.5 | 0.003 | \$ 750.61 |
| Lebanon | NhC | Neshaminy extremely stony silt loam, 8 to 25 percent slopes | 7 | 2856.5 | 0.012 | \$ 750.61 |
| Lebanon | NHE | Neshaminy extremely stony silt loam, steep | 7 | 923 | 0.004 | \$ 750.61 |
| Lebanon | UdgB | Udorthents, shale and sandstone, 0 to 8 percent slopes | 7 | 582.5 | 0.003 | \$ 750.61 |
| Lebanon | UdgD | Udorthents, shale and sandstone, 8 to 25 percent slopes | 7 | 90.4 | 0 | \$ 750.61 |
| Lebanon | UegD | Udorthents, sanitary landfill, 0 to 25 percent slopes | 7 | 87.6 | 0 | \$ 750.61 |
| Lebanon | UoB | Ungers extremely stony loam, 3 to 8 percent slopes | 7 | 1035.7 | 0.004 | \$ 750.61 |
| Lebanon | UoC | Ungers extremely stony loam, 8 to 25 percent slopes | 7 | 6604.6 | 0.028 | \$ 750.61 |
| Lebanon | UPE | Ungers and Calvin soils, steep | 7 | 2180.5 | 0.009 | \$ 750.61 |
| Lebanon | WbB | Watchung extremely stony silt loam, 0 to 8 percent slopes | 7 | 972.3 | 0.004 | \$ 750.61 |
| Lebanon | WeE | Weikert shaly silt loam, 25 to 50 percent slopes | 7 | 2416.7 | 0.01 | \$ 750.61 |
| Lebanon | IW | Industrial waste | 8 | 24.2 | 0 | \$ 750.61 |
| Lebanon | Ru | Rubble land | 8 | 2159.8 | 0.009 | \$ 750.61 |
| Lebanon | UggB | Urban land, 0 to 8 percent slopes | 8 | 276.1 | 0.001 | \$ 750.61 |
| Lebanon | UkgB | Urban land-Berks complex, 0 to 8 percent slopes | 8 | 552.9 | 0.002 | \$ 750.61 |
| Lebanon | UkgD | Urban land-Berks complex, 8 to 25 percent slopes | 8 | 73.8 | 0 | \$ 750.61 |
| Lebanon | UR | Urban land-Berks complex | 8 | 105.3 | 0 | \$ 750.61 |

| | | | | | | |
|---------|------|---|---|---------|-------|-------------|
| Lebanon | US | Urban land-Hagerstown complex | 8 | 3754.9 | 0.016 | \$ 750.61 |
| Lebanon | UzcB | Urban land-Udorthents, shale and sandstone complex, 0 to | 8 | 38.8 | 0 | \$ 750.61 |
| Lehigh | AfA | Allenwood silt loam, 0 to 3 percent slopes | 1 | 150.3 | 0.001 | \$ 1,560.13 |
| Lehigh | ArA | Arendtsville gravelly silt loam, 0 to 3 percent slopes | 1 | 197.1 | 0.001 | \$ 1,358.42 |
| Lehigh | BfA | Bedington-Berks complex, 0 to 3 percent slopes | 1 | 956.1 | 0.004 | \$ 1,362.63 |
| Lehigh | BmA | Birdsboro silt loam, 0 to 3 percent slopes | 1 | 27.5 | 0 | \$ 1,599.57 |
| Lehigh | DbA | Duffield silt loam, 0 to 3 percent slopes | 1 | 1704.7 | 0.008 | \$ 1,747.30 |
| Lehigh | Lv | Linden loam | 1 | 559.1 | 0.003 | \$ 1,455.34 |
| Lehigh | WaA | Washington silt loam, 0 to 3 percent slopes | 1 | 6110 | 0.027 | \$ 1,780.60 |
| Lehigh | AfB | Allenwood silt loam, 3 to 8 percent slopes | 2 | 365 | 0.002 | \$ 1,560.13 |
| Lehigh | ArB | Arendtsville gravelly silt loam, 3 to 8 percent slopes | 2 | 3082.7 | 0.014 | \$ 1,607.93 |
| Lehigh | BfB | Bedington-Berks complex, 3 to 8 percent slopes | 2 | 6188.9 | 0.028 | \$ 1,341.30 |
| Lehigh | BkB | Berks-Weikert complex, 3 to 8 percent slopes | 2 | 20129.7 | 0.09 | \$ 1,123.44 |
| Lehigh | BmB | Birdsboro silt loam, 3 to 8 percent slopes | 2 | 362.4 | 0.002 | \$ 1,593.95 |
| Lehigh | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 581.9 | 0.003 | \$ 1,441.76 |
| Lehigh | CmA | Clarksburg silt loam, 0 to 3 percent slopes | 2 | 1618.6 | 0.007 | \$ 1,478.75 |
| Lehigh | CmB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 1173.6 | 0.005 | \$ 1,477.61 |
| Lehigh | CpA | Comly silt loam, 0 to 3 percent slopes | 2 | 637.7 | 0.003 | \$ 1,281.70 |
| Lehigh | CpB | Comly silt loam, 3 to 8 percent slopes | 2 | 3140.8 | 0.014 | \$ 1,281.70 |
| Lehigh | DbB | Duffield silt loam, 3 to 8 percent slopes | 2 | 5613.5 | 0.025 | \$ 1,756.37 |
| Lehigh | EhB | Edgemont channery loam, 3 to 8 percent slopes | 2 | 363.4 | 0.002 | \$ 1,445.08 |
| Lehigh | Gc | Gibraltar silt loam | 2 | 203.6 | 0.001 | \$ 1,452.12 |
| Lehigh | GeA | Gladstone gravelly loam, 0 to 3 percent slopes | 2 | 85.6 | 0 | \$ 1,602.04 |
| Lehigh | GeB | Gladstone gravelly loam, 3 to 8 percent slopes | 2 | 4760.7 | 0.021 | \$ 1,516.83 |
| Lehigh | GnA | Glenville silt loam, 0 to 3 percent slopes | 2 | 121 | 0.001 | \$ 1,504.91 |
| Lehigh | GnB | Glenville silt loam, 3 to 8 percent slopes | 2 | 1150.1 | 0.005 | \$ 1,504.91 |
| Lehigh | LaB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 680.5 | 0.003 | \$ 1,286.57 |
| Lehigh | LmB | Lehigh channery silt loam, 3 to 8 percent slopes | 2 | 10.3 | 0 | \$ 1,435.84 |
| Lehigh | Me | Middlebury silt loam | 2 | 2332.3 | 0.01 | \$ 1,452.12 |
| Lehigh | MgB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 215.1 | 0.001 | \$ 1,269.58 |
| Lehigh | MIB | Mount Lucas silt loam, 3 to 8 percent slopes | 2 | 15.5 | 0 | \$ 1,321.11 |
| Lehigh | MuB | Murrill gravelly loam, 3 to 8 percent slopes | 2 | 498.4 | 0.002 | \$ 1,437.17 |
| Lehigh | NaB | Neshaminy silt loam, 3 to 8 percent slopes | 2 | 410.2 | 0.002 | \$ 1,567.42 |
| Lehigh | PeB | Penn channery silt loam, 3 to 8 percent slopes | 2 | 989.5 | 0.004 | \$ 1,462.58 |
| Lehigh | ReA | Readington silt loam, 0 to 3 percent slopes | 2 | 172.6 | 0.001 | \$ 1,490.07 |
| Lehigh | ReB | Readington silt loam, 3 to 8 percent slopes | 2 | 411.2 | 0.002 | \$ 1,472.40 |
| Lehigh | WaB | Washington silt loam, 3 to 8 percent slopes | 2 | 16687 | 0.075 | \$ 1,672.03 |
| Lehigh | AbC | Abbottstown silt loam, 8 to 15 percent slopes | 3 | 0.3 | 0 | \$ 1,426.71 |
| Lehigh | ArC | Arendtsville gravelly silt loam, 8 to 15 percent slopes | 3 | 1800.3 | 0.008 | \$ 1,459.95 |
| Lehigh | BfC | Bedington-Berks complex, 8 to 15 percent slopes | 3 | 2126.3 | 0.01 | \$ 1,263.16 |
| Lehigh | BkA | Berks-Weikert complex, 0 to 3 percent slopes | 3 | 1339.9 | 0.006 | \$ 1,137.58 |
| Lehigh | BkC | Berks-Weikert complex, 8 to 15 percent slopes | 3 | 18812.2 | 0.084 | \$ 1,123.44 |
| Lehigh | BwB | Buckingham silt loam, 3 to 8 percent slopes | 3 | 2.6 | 0 | \$ 1,443.84 |
| Lehigh | CaB | Calvin-Klinesville channery silt loams, 3 to 8 percent slopes | 3 | 55.1 | 0 | \$ 1,028.54 |
| Lehigh | DfC | Duffield-Ryder silt loams, 8 to 15 percent slopes | 3 | 1343.7 | 0.006 | \$ 1,532.19 |
| Lehigh | EhC | Edgemont channery loam, 8 to 15 percent slopes | 3 | 323.2 | 0.001 | \$ 1,365.87 |
| Lehigh | GeC | Gladstone gravelly loam, 8 to 15 percent slopes | 3 | 5115 | 0.023 | \$ 1,454.35 |
| Lehigh | GnC | Glenville silt loam, 8 to 15 percent slopes | 3 | 83.9 | 0 | \$ 1,239.97 |
| Lehigh | Ho | Holly silt loam | 3 | 5048.1 | 0.023 | \$ 1,292.08 |
| Lehigh | LaC | Laidig gravelly loam, 8 to 15 percent slopes | 3 | 597.8 | 0.003 | \$ 1,235.24 |
| Lehigh | LmC | Lehigh channery silt loam, 8 to 15 percent slopes | 3 | 23.4 | 0 | \$ 1,379.44 |
| Lehigh | MIC | Mount Lucas silt loam, 8 to 15 percent slopes | 3 | 4.1 | 0 | \$ 1,279.67 |
| Lehigh | MuC | Murrill gravelly loam, 8 to 15 percent slopes | 3 | 351.4 | 0.002 | \$ 1,360.18 |
| Lehigh | NaC | Neshaminy silt loam, 8 to 15 percent slopes | 3 | 158.7 | 0.001 | \$ 1,484.82 |
| Lehigh | PeC | Penn channery silt loam, 8 to 15 percent slopes | 3 | 350 | 0.002 | \$ 1,379.27 |
| Lehigh | PkC | Penn-Klinesville channery silt loams, 8 to 15 percent slopes | 3 | 312.6 | 0.001 | \$ 1,130.02 |

| | | | | | | |
|--------|------|---|---|---------|-------|-------------|
| Lehigh | WaC | Washington silt loam, 8 to 15 percent slopes | 3 | 2764.2 | 0.012 | \$ 1,566.96 |
| Lehigh | WeB | Weikert-Berks complex, 3 to 8 percent slopes | 3 | 263.9 | 0.001 | \$ 1,028.54 |
| Lehigh | AnA | Andover-Buchanan gravelly loams, 0 to 3 percent slopes | 4 | 41.7 | 0 | \$ 1,189.57 |
| Lehigh | AnB | Andover-Buchanan gravelly loams, 3 to 8 percent slopes | 4 | 77.4 | 0 | \$ 1,189.57 |
| Lehigh | ArD | Arendtsville gravelly silt loam, 15 to 25 percent slopes | 4 | 669.8 | 0.003 | \$ 1,373.19 |
| Lehigh | BhD | Berks-Bedington complex, 15 to 25 percent slopes | 4 | 767.7 | 0.003 | \$ 1,190.06 |
| Lehigh | BkD | Berks-Weikert complex, 15 to 25 percent slopes | 4 | 11533.7 | 0.052 | \$ 1,022.09 |
| Lehigh | Bo | Bowmansville-Knauers silt loams | 4 | 298.1 | 0.001 | \$ 1,322.90 |
| Lehigh | BtA | Brinkerton-Comly silt loams, 0 to 3 percent slopes | 4 | 1184.7 | 0.005 | \$ 1,212.42 |
| Lehigh | BtB | Brinkerton-Comly silt loams, 3 to 8 percent slopes | 4 | 1639.9 | 0.007 | \$ 1,212.42 |
| Lehigh | CaC | Calvin-Klinesville channery silt loams, 8 to 15 percent slopes | 4 | 38.9 | 0 | \$ 979.61 |
| Lehigh | CnB | Cokesbury silt loam, 3 to 8 percent slopes | 4 | 20.1 | 0 | \$ 1,286.57 |
| Lehigh | CwA | Croton silt loam, occasionally ponded, 0 to 3 percent slopes | 4 | 243.9 | 0.001 | \$ 1,145.10 |
| Lehigh | CwB | Croton silt loam, 3 to 8 percent slopes | 4 | 364.7 | 0.002 | \$ 1,005.22 |
| Lehigh | DfD | Duffield-Ryder silt loams, 15 to 25 percent slopes | 4 | 735.4 | 0.003 | \$ 1,248.93 |
| Lehigh | EhD | Edgemont channery loam, 15 to 25 percent slopes | 4 | 55.8 | 0 | \$ 1,239.03 |
| Lehigh | GeD | Gladstone gravelly loam, 15 to 25 percent slopes | 4 | 2013.9 | 0.009 | \$ 1,371.54 |
| Lehigh | GgD | Gladstone-Parker gravelly loams, 15 to 25 percent slopes | 4 | 23.7 | 0 | \$ 1,301.20 |
| Lehigh | LaD | Laidig gravelly loam, 15 to 25 percent slopes | 4 | 56.8 | 0 | \$ 1,142.60 |
| Lehigh | LfA | Lamington silt loam, 0 to 3 percent slopes | 4 | 39.9 | 0 | \$ 996.62 |
| Lehigh | NaD | Neshaminy silt loam, 15 to 25 percent slopes | 4 | 37.9 | 0 | \$ 1,445.91 |
| Lehigh | PeD | Penn channery silt loam, 15 to 25 percent slopes | 4 | 122.6 | 0.001 | \$ 1,126.98 |
| Lehigh | PkD | Penn-Klinesville channery silt loams, 15 to 25 percent slopes | 4 | 192 | 0.001 | \$ 1,118.36 |
| Lehigh | ThA | Thorndale-Penlaw silt loams, 0 to 3 percent slopes | 4 | 983.7 | 0.004 | \$ 1,107.13 |
| Lehigh | ToA | Towhee silt loam, 0 to 3 percent slopes | 4 | 740.2 | 0.003 | \$ 1,150.60 |
| Lehigh | ToB | Towhee silt loam, 3 to 8 percent slopes | 4 | 980.8 | 0.004 | \$ 1,162.54 |
| Lehigh | WaD | Washington silt loam, 15 to 25 percent slopes | 4 | 257.1 | 0.001 | \$ 1,452.29 |
| Lehigh | Fb | Fluvaquents | 5 | 36.7 | 0 | \$ 750.61 |
| Lehigh | CaD | Calvin-Klinesville channery silt loams, 15 to 25 percent slopes | 6 | 69.9 | 0 | \$ 877.50 |
| Lehigh | GfB | Gladstone gravelly loam, 0 to 8 percent slopes, very boulder | 6 | 1003.8 | 0.005 | \$ 750.61 |
| Lehigh | GfD | Gladstone gravelly loam, 8 to 25 percent slopes, very boulder | 6 | 5005.3 | 0.022 | \$ 750.61 |
| Lehigh | WeD | Weikert-Berks complex, 15 to 25 percent slopes | 6 | 1706.1 | 0.008 | \$ 929.28 |
| Lehigh | AoB | Andover-Buchanan gravelly loams, 0 to 8 percent slopes, extremely stony | 7 | 572 | 0.003 | \$ 750.61 |
| Lehigh | BkF | Berks-Weikert complex, 25 to 60 percent slopes | 7 | 14345.1 | 0.064 | \$ 750.61 |
| Lehigh | BvB | Buchanan gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 1843.1 | 0.008 | \$ 750.61 |
| Lehigh | BvD | Buchanan gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 84.9 | 0 | \$ 750.61 |
| Lehigh | CoB | Cokesbury silt loam, 0 to 8 percent slopes, very stony | 7 | 228.5 | 0.001 | \$ 750.61 |
| Lehigh | EdD | Edgemont channery sandy loam, 8 to 25 percent slopes, extremely stony | 7 | 79.7 | 0 | \$ 750.61 |
| Lehigh | GfF | Gladstone gravelly loam, 25 to 55 percent slopes, very boulder | 7 | 2493.2 | 0.011 | \$ 750.61 |
| Lehigh | HeB | Hazleton very channery loam, 0 to 8 percent slopes, extremely stony | 7 | 339 | 0.002 | \$ 750.61 |
| Lehigh | HeD | Hazleton very channery loam, 8 to 25 percent slopes, extremely stony | 7 | 1076.2 | 0.005 | \$ 750.61 |
| Lehigh | HeF | Hazleton very channery loam, 25 to 60 percent slopes, extremely stony | 7 | 887.2 | 0.004 | \$ 750.61 |
| Lehigh | HgF | Hazleton-Rubble land complex, 25 to 60 percent slopes | 7 | 245.9 | 0.001 | \$ 750.61 |
| Lehigh | KlF | Klinesville-Calvin channery silt loams, 25 to 50 percent slopes | 7 | 103.8 | 0 | \$ 750.61 |
| Lehigh | LbB | Laidig very gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 2312.6 | 0.01 | \$ 750.61 |
| Lehigh | LbD | Laidig very gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 4882.4 | 0.022 | \$ 750.61 |
| Lehigh | LbF | Laidig very gravelly loam, 25 to 55 percent slopes, extremely stony | 7 | 466.1 | 0.002 | \$ 750.61 |
| Lehigh | LdF | Laidig-Rubble land complex, 25 to 55 percent slopes | 7 | 449.9 | 0.002 | \$ 750.61 |
| Lehigh | NhB | Neshaminy gravelly silt loam, 0 to 8 percent slopes, extremely stony | 7 | 306.3 | 0.001 | \$ 750.61 |
| Lehigh | NhD | Neshaminy gravelly silt loam, 8 to 25 percent slopes, extremely stony | 7 | 464.6 | 0.002 | \$ 750.61 |
| Lehigh | NhF | Neshaminy gravelly silt loam, 25 to 60 percent slopes, extremely stony | 7 | 131.5 | 0.001 | \$ 750.61 |
| Lehigh | TrB | Towhee silt loam, 0 to 8 percent slopes, extremely stony | 7 | 145 | 0.001 | \$ 750.61 |
| Lehigh | Ua | Udorthents | 7 | 2262.5 | 0.01 | \$ 750.61 |
| Lehigh | UdIB | Udorthents, limestone, 0 to 8 percent slopes | 7 | 58.8 | 0 | \$ 750.61 |
| Lehigh | UgB | Urban land, 0 to 8 percent slopes | 8 | 5357.6 | 0.024 | \$ 750.61 |
| Lehigh | UgC | Urban land, 8 to 15 percent slopes | 8 | 559.3 | 0.003 | \$ 750.61 |

| | | | | | | | |
|---------|-----|--|---|---------|-------|----|----------|
| Lehigh | Uh | Urban land, occasionally flooded | 8 | 113.7 | 0.001 | \$ | 750.61 |
| Lehigh | UkB | Urban land-Berks complex, 0 to 8 percent slopes | 8 | 1075.9 | 0.005 | \$ | 750.61 |
| Lehigh | UkD | Urban land-Berks complex, 8 to 25 percent slopes | 8 | 228.9 | 0.001 | \$ | 750.61 |
| Lehigh | UmB | Urban land-Duffield complex, 0 to 8 percent slopes | 8 | 21226.8 | 0.095 | \$ | 756.23 |
| Lehigh | UmD | Urban land-Duffield complex, 8 to 25 percent slopes | 8 | 2321.6 | 0.01 | \$ | 750.61 |
| Lehigh | UnB | Urban land-Gladstone complex, 0 to 8 percent slopes | 8 | 996.4 | 0.004 | \$ | 750.61 |
| Lehigh | UnD | Urban land-Gladstone complex, 8 to 25 percent slopes | 8 | 523.4 | 0.002 | \$ | 750.61 |
| Lehigh | UsB | Urban land-Laidig complex, 0 to 8 percent slopes | 8 | 21.4 | 0 | \$ | 750.61 |
| Lehigh | UsD | Urban land-Laidig complex, 8 to 25 percent slopes | 8 | 171.2 | 0.001 | \$ | 750.61 |
| Lehigh | UvB | Urban land-Neshaminy complex, 0 to 8 percent slopes | 8 | 5.4 | 0 | \$ | 750.61 |
| Lehigh | UxB | Urban land-Penn complex, 0 to 8 percent slopes | 8 | 535.1 | 0.002 | \$ | 750.61 |
| Luzerne | Ln | Linden soils | 1 | 4065.2 | 0.007 | \$ | 1,447.16 |
| Luzerne | Ps | Pope soils | 1 | 8978.3 | 0.015 | \$ | 1,528.03 |
| Luzerne | Bf | Basher soils | 2 | 4116.3 | 0.007 | \$ | 1,443.84 |
| Luzerne | BkB | Bath channery silt loam, 3 to 8 percent slopes | 2 | 1072.4 | 0.002 | \$ | 1,408.11 |
| Luzerne | BrA | Braceville gravelly loam, 0 to 3 percent slopes | 2 | 404.5 | 0.001 | \$ | 1,358.42 |
| Luzerne | BrB | Braceville gravelly loam, 3 to 8 percent slopes | 2 | 3411.8 | 0.006 | \$ | 1,320.66 |
| Luzerne | BuB | Buchanan channery loam, 3 to 8 percent slopes | 2 | 877 | 0.002 | \$ | 1,279.30 |
| Luzerne | ChA | Chenango gravelly loam, 0 to 3 percent slopes | 2 | 2868.5 | 0.005 | \$ | 1,281.97 |
| Luzerne | ChB | Chenango gravelly loam, 3 to 8 percent slopes | 2 | 8721.7 | 0.015 | \$ | 1,281.97 |
| Luzerne | KdB | Kedron channery silt loam, 3 to 8 percent slopes | 2 | 3098.3 | 0.005 | \$ | 1,279.30 |
| Luzerne | LaB | Lackawanna channery silt loam, 3 to 8 percent slopes | 2 | 6342.9 | 0.011 | \$ | 1,396.16 |
| Luzerne | LkB | Leck kill channery silt loam, 3 to 8 percent slopes | 2 | 2111.3 | 0.004 | \$ | 1,500.91 |
| Luzerne | MaB | Mardin channery silt loam, 3 to 8 percent slopes | 2 | 6088.7 | 0.01 | \$ | 1,356.23 |
| Luzerne | MeB | Meckesville channery silt loam, 3 to 8 percent slopes | 2 | 7684.6 | 0.013 | \$ | 1,286.57 |
| Luzerne | OIB | Oquaga and Lordstown channery silt loams, 3 to 8 percent s | 2 | 11809 | 0.02 | \$ | 1,175.67 |
| Luzerne | WIB | Wellsboro channery silt loam, 3 to 8 percent slopes | 2 | 17068.9 | 0.029 | \$ | 1,349.62 |
| Luzerne | WrB | Wurtsboro channery loam, 3 to 8 percent slopes | 2 | 3744.9 | 0.006 | \$ | 1,157.58 |
| Luzerne | AlB | Alvira silt loam, 3 to 8 percent slopes | 3 | 247.4 | 0 | \$ | 1,237.14 |
| Luzerne | BkC | Bath channery silt loam, 8 to 15 percent slopes | 3 | 1024 | 0.002 | \$ | 1,327.39 |
| Luzerne | BrC | Braceville gravelly loam, 8 to 15 percent slopes | 3 | 1400.2 | 0.002 | \$ | 1,276.90 |
| Luzerne | ChC | Chenango gravelly loam, 8 to 15 percent slopes | 3 | 5024.5 | 0.009 | \$ | 1,199.77 |
| Luzerne | Ho | Holly silt loam | 3 | 3432.5 | 0.006 | \$ | 1,295.73 |
| Luzerne | KdC | Kedron channery silt loam, 8 to 15 percent slopes | 3 | 742 | 0.001 | \$ | 1,190.45 |
| Luzerne | KwB | Kedron channery silt loam, somewhat poorly drained, 0 to 8 | 3 | 1142.9 | 0.002 | \$ | 1,262.04 |
| Luzerne | LaC | Lackawanna channery silt loam, 8 to 15 percent slopes | 3 | 5305.6 | 0.009 | \$ | 1,325.15 |
| Luzerne | LkC | Leck kill channery silt loam, 8 to 15 percent slopes | 3 | 2299.1 | 0.004 | \$ | 1,460.36 |
| Luzerne | MaC | Mardin channery silt loam, 8 to 15 percent slopes | 3 | 4668.2 | 0.008 | \$ | 1,234.29 |
| Luzerne | MeC | Meckesville channery silt loam, 8 to 15 percent slopes | 3 | 3012.5 | 0.005 | \$ | 1,239.97 |
| Luzerne | MoB | Morris channery silt loam, 0 to 8 percent slopes | 3 | 7339.2 | 0.013 | \$ | 1,057.77 |
| Luzerne | MoC | Morris channery silt loam, 8 to 15 percent slopes | 3 | 1410 | 0.002 | \$ | 1,055.14 |
| Luzerne | OIC | Oquaga and Lordstown channery silt loams, 8 to 15 percent | 3 | 13764.1 | 0.024 | \$ | 1,142.60 |
| Luzerne | PoB | Pocono gravelly sandy loam, 3 to 8 percent slopes | 3 | 2401 | 0.004 | \$ | 1,091.70 |
| Luzerne | PoC | Pocono gravelly sandy loam, 8 to 15 percent slopes | 3 | 486.8 | 0.001 | \$ | 1,039.23 |
| Luzerne | RdA | Rexford loam, 0 to 3 percent slopes | 3 | 1198.5 | 0.002 | \$ | 1,091.70 |
| Luzerne | RdB | Rexford loam, 3 to 8 percent slopes | 3 | 2190.4 | 0.004 | \$ | 1,091.70 |
| Luzerne | VoB | Volusia channery silt loam, 0 to 8 percent slopes | 3 | 3700.9 | 0.006 | \$ | 1,112.24 |
| Luzerne | VoC | Volusia channery silt loam, 8 to 15 percent slopes | 3 | 940.8 | 0.002 | \$ | 1,108.15 |
| Luzerne | WeB | Weikert and Klinesville channery silt loams, 3 to 8 percent sl | 3 | 520.8 | 0.001 | \$ | 871.65 |
| Luzerne | WIC | Wellsboro channery silt loam, 8 to 15 percent slopes | 3 | 11144.4 | 0.019 | \$ | 1,235.24 |
| Luzerne | WrC | Wurtsboro channery loam, 8 to 15 percent slopes | 3 | 2342.5 | 0.004 | \$ | 1,121.91 |
| Luzerne | At | Atherton silt loam, gray subsoil variant | 4 | 838.5 | 0.001 | \$ | 1,076.12 |
| Luzerne | BkD | Bath channery silt loam, 15 to 25 percent slopes | 4 | 733.1 | 0.001 | \$ | 1,147.61 |
| Luzerne | ClA | Chippewa silt loam, 0 to 3 percent slopes | 4 | 6043.1 | 0.01 | \$ | 871.65 |
| Luzerne | ClB | Chippewa silt loam, 3 to 8 percent slopes | 4 | 2153.1 | 0.004 | \$ | 871.65 |
| Luzerne | LaD | Lackawanna channery silt loam, 15 to 25 percent slopes | 4 | 1835.6 | 0.003 | \$ | 1,237.61 |

| | | | | | | |
|---------|-----|---|---|---------|-------|-------------|
| Luzerne | LkD | Leck kill channery silt loam, 15 to 25 percent slopes | 4 | 1155.8 | 0.002 | \$ 1,331.86 |
| Luzerne | MaD | Mardin channery silt loam, 15 to 25 percent slopes | 4 | 626.9 | 0.001 | \$ 1,055.14 |
| Luzerne | MeD | Meckesville channery silt loam, 15 to 25 percent slopes | 4 | 738.7 | 0.001 | \$ 1,142.60 |
| Luzerne | OID | Oquaga and Lordstown channery silt loams, 15 to 25 percent slopes | 4 | 7914.1 | 0.014 | \$ 1,091.70 |
| Luzerne | ShA | Shelmadine silt loam, 0 to 5 percent slopes | 4 | 280.5 | 0 | \$ 1,147.91 |
| Luzerne | SwD | Swartswood channery loam, 15 to 25 percent slopes | 4 | 5 | 0 | \$ 1,099.43 |
| Luzerne | Wa | Wayland silt loam | 4 | 1617.5 | 0.003 | \$ 871.65 |
| Luzerne | WeC | Weikert and Klimesville channery silt loams, 8 to 15 percent slopes | 4 | 677.4 | 0.001 | \$ 871.65 |
| Luzerne | WID | Wellsboro channery silt loam, 15 to 25 percent slopes | 4 | 2383.4 | 0.004 | \$ 1,107.13 |
| Luzerne | WrD | Wurtsboro channery loam, 15 to 25 percent slopes | 4 | 381.6 | 0.001 | \$ 1,091.70 |
| Luzerne | WyD | Wyoming gravelly loam, 15 to 25 percent slopes | 4 | 2784.8 | 0.005 | \$ 985.12 |
| Luzerne | Mu | Muck | 5 | 2635.6 | 0.005 | \$ 750.61 |
| Luzerne | AnB | Alvira very stony silt loam, 0 to 8 percent slopes | 6 | 1257.3 | 0.002 | \$ 750.61 |
| Luzerne | ASD | Arnot-Rock outcrop complex, 3 to 25 percent slopes | 6 | 5.5 | 0 | \$ 750.61 |
| Luzerne | KeB | Kedron very stony silt loam, 3 to 8 percent slopes | 6 | 862.4 | 0.001 | \$ 750.61 |
| Luzerne | KeC | Kedron very stony silt loam, 8 to 20 percent slopes | 6 | 354.3 | 0.001 | \$ 750.61 |
| Luzerne | McB | Mardin channery silt loam, 3 to 8 percent slopes, very stony | 6 | 2712.7 | 0.005 | \$ 750.61 |
| Luzerne | McD | Mardin channery silt loam, 8 to 25 percent slopes, very stony | 6 | 3189.2 | 0.005 | \$ 750.61 |
| Luzerne | MfB | Meckesville very stony silt loam, 3 to 8 percent slopes | 6 | 577.8 | 0.001 | \$ 750.61 |
| Luzerne | MfD | Meckesville very stony silt loam, 8 to 25 percent slopes | 6 | 1109 | 0.002 | \$ 750.61 |
| Luzerne | WeD | Weikert and Klimesville channery silt loams, 15 to 25 percent slopes | 6 | 445.4 | 0.001 | \$ 750.61 |
| Luzerne | Ag | Alluvial land | 7 | 1636.7 | 0.003 | \$ 750.61 |
| Luzerne | ArB | Arnot-Rock outcrop complex, 0 to 8 percent slopes | 7 | 5768 | 0.01 | \$ 750.61 |
| Luzerne | ArD | Arnot-Rock outcrop complex, 8 to 25 percent slopes | 7 | 11524.1 | 0.02 | \$ 750.61 |
| Luzerne | ASF | Arnot-Rock outcrop complex, steep | 7 | 16318.6 | 0.028 | \$ 750.61 |
| Luzerne | BnB | Bath channery silt loam, 3 to 8 percent slopes, extremely stony | 7 | 428.8 | 0.001 | \$ 750.61 |
| Luzerne | BnD | Bath channery silt loam, 8 to 25 percent slopes, extremely stony | 7 | 975.3 | 0.002 | \$ 750.61 |
| Luzerne | BxB | Buchanan extremely stony loam, 3 to 8 percent slopes | 7 | 4161.1 | 0.007 | \$ 750.61 |
| Luzerne | BxD | Buchanan extremely stony loam, 8 to 25 percent slopes | 7 | 679.8 | 0.001 | \$ 750.61 |
| Luzerne | CnB | Chippewa silt loam, 0 to 8 percent slopes, extremely stony | 7 | 8861.7 | 0.015 | \$ 750.61 |
| Luzerne | DdB | Dekalb extremely stony sandy loam, 0 to 8 percent slopes | 7 | 4097.1 | 0.007 | \$ 750.61 |
| Luzerne | DdD | Dekalb extremely stony sandy loam, 8 to 25 percent slopes | 7 | 6249.5 | 0.011 | \$ 750.61 |
| Luzerne | DEF | Dekalb extremely stony sandy loam, steep | 7 | 5306.8 | 0.009 | \$ 750.61 |
| Luzerne | KxB | Kedron very stony silt loam, somewhat poorly drained, 0 to 8 percent slopes | 7 | 318.1 | 0.001 | \$ 750.61 |
| Luzerne | LcB | Lackawanna channery silt loam, 3 to 8 percent slopes, extremely stony | 7 | 11489.6 | 0.02 | \$ 750.61 |
| Luzerne | LcD | Lackawanna channery silt loam, 8 to 25 percent slopes, extremely stony | 7 | 18538.2 | 0.032 | \$ 750.61 |
| Luzerne | LEF | Lackawanna and Bath soils, steep, extremely stony | 7 | 3545.1 | 0.006 | \$ 750.61 |
| Luzerne | LxB | Lordstown extremely stony silt loam, 3 to 8 percent slopes | 7 | 2.1 | 0 | \$ 750.61 |
| Luzerne | LxD | Lordstown extremely stony silt loam, 8 to 25 percent slopes | 7 | 8.8 | 0 | \$ 750.61 |
| Luzerne | Mg | Mine dump | 7 | 6325.1 | 0.011 | \$ 750.61 |
| Luzerne | Mh | Mine dump, burned | 7 | 515.3 | 0.001 | \$ 750.61 |
| Luzerne | Mm | Mine wash | 7 | 937.8 | 0.002 | \$ 750.61 |
| Luzerne | MsB | Morris channery silt loam, 0 to 8 percent slopes, extremely stony | 7 | 16443.7 | 0.028 | \$ 750.61 |
| Luzerne | MsC | Morris channery silt loam, 8 to 15 percent slopes, extremely stony | 7 | 1199.6 | 0.002 | \$ 750.61 |
| Luzerne | OpB | Oquaga and Lordstown extremely stony silt loams, 3 to 8 percent slopes | 7 | 20149.1 | 0.035 | \$ 750.61 |
| Luzerne | OpD | Oquaga and Lordstown extremely stony silt loams, 8 to 25 percent slopes | 7 | 49534 | 0.085 | \$ 750.61 |
| Luzerne | OXF | Oquaga and Lordstown extremely stony silt loams steep | 7 | 46863.7 | 0.081 | \$ 750.61 |
| Luzerne | PpB | Pocono extremely stony sandy loam, 3 to 8 percent slopes | 7 | 10330.9 | 0.018 | \$ 750.61 |
| Luzerne | PpD | Pocono extremely stony sandy loam, 8 to 25 percent slopes | 7 | 7278.9 | 0.013 | \$ 750.61 |
| Luzerne | SkB | Shelmadine very stony silt loam, 0 to 5 percent slopes | 7 | 1249.8 | 0.002 | \$ 750.61 |
| Luzerne | Sm | Strip mine | 7 | 25309.3 | 0.044 | \$ 750.61 |
| Luzerne | SxB | Swartswood extremely stony loam, 3 to 8 percent slopes | 7 | 29.4 | 0 | \$ 750.61 |
| Luzerne | SxD | Swartswood extremely stony loam, 8 to 25 percent slopes | 7 | 82.8 | 0 | \$ 750.61 |
| Luzerne | VrB | Volusia channery silt loam, 0 to 8 percent slopes, extremely stony | 7 | 3332.9 | 0.006 | \$ 750.61 |
| Luzerne | VrC | Volusia channery silt loam, 8 to 15 percent slopes, extremely stony | 7 | 676 | 0.001 | \$ 750.61 |
| Luzerne | WmB | Wellsboro channery silt loam, 3 to 8 percent slopes, extremely stony | 7 | 31323.3 | 0.054 | \$ 750.61 |

| | | | | | | |
|----------|-----|--|---|---------|-------|-------------|
| Luzerne | WmD | Wellsboro channery silt loam, 8 to 25 percent slopes, extrer | 7 | 13939.1 | 0.024 | \$ 750.61 |
| Luzerne | WtB | Wurtsboro extremely stony loam, 3 to 8 percent slopes | 7 | 4003 | 0.007 | \$ 750.61 |
| Luzerne | WtD | Wurtsboro extremely stony loam, 8 to 25 percent slopes | 7 | 2852.7 | 0.005 | \$ 750.61 |
| Luzerne | WyF | Wyoming gravelly loam, 25 to 60 percent slopes | 7 | 2528.2 | 0.004 | \$ 750.61 |
| Luzerne | GP | Gravel pits | 8 | 717.3 | 0.001 | \$ 750.61 |
| Lycoming | Bb | Barbour fine sandy loam, occasionally flooded | 1 | 7678.1 | 0.01 | \$ 1,452.37 |
| Lycoming | HaA | Hagerstown silt loam, 0 to 3 percent slopes | 1 | 728.2 | 0.001 | \$ 1,641.98 |
| Lycoming | Lm | Linden loam | 1 | 1586 | 0.002 | \$ 1,447.32 |
| Lycoming | Ln | Linden loam, occasionally flooded | 1 | 7013.9 | 0.009 | \$ 1,452.95 |
| Lycoming | WaA | Washington silt loam, 0 to 3 percent slopes | 1 | 822.6 | 0.001 | \$ 1,616.32 |
| Lycoming | WsA | Wheeling silt loam, 0 to 3 percent slopes | 1 | 1438.3 | 0.002 | \$ 1,500.91 |
| Lycoming | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 2996.3 | 0.004 | \$ 1,316.15 |
| Lycoming | AlB | Allenwood gravelly silt loam, 3 to 8 percent slopes | 2 | 6064.7 | 0.008 | \$ 1,578.85 |
| Lycoming | Ba | Barbour fine sandy loam | 2 | 2481.1 | 0.003 | \$ 1,366.74 |
| Lycoming | Bc | Basher silt loam | 2 | 3884.8 | 0.005 | \$ 1,435.50 |
| Lycoming | Bd | Basher silt loam, occasionally flooded | 2 | 2806.1 | 0.004 | \$ 1,447.32 |
| Lycoming | BeB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 3751.4 | 0.005 | \$ 1,086.52 |
| Lycoming | BtB | Buchanan-Andover gravelly loams, 3 to 8 percent slopes | 2 | 31.4 | 0 | \$ 1,387.13 |
| Lycoming | ChA | Chenango gravelly loam, 0 to 3 percent slopes | 2 | 2203.5 | 0.003 | \$ 1,281.97 |
| Lycoming | ClA | Clarksburg silt loam, 0 to 3 percent slopes | 2 | 697.5 | 0.001 | \$ 1,478.75 |
| Lycoming | ClB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 1549.3 | 0.002 | \$ 1,477.61 |
| Lycoming | CmB | Clymer channery loam, 3 to 8 percent slopes | 2 | 15746.4 | 0.02 | \$ 1,441.76 |
| Lycoming | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 4578 | 0.006 | \$ 1,091.70 |
| Lycoming | DeB | Dekalb channery loam, 3 to 8 percent slopes | 2 | 1900.6 | 0.002 | \$ 1,091.70 |
| Lycoming | DuB | Duncannon loam, 3 to 8 percent slopes | 2 | 2275.6 | 0.003 | \$ 1,375.88 |
| Lycoming | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 1738.3 | 0.002 | \$ 1,642.70 |
| Lycoming | HhB | Hartleton channery silt loam, 3 to 8 percent slopes | 2 | 4669.9 | 0.006 | \$ 1,137.58 |
| Lycoming | HlB | Hazleton-Clymer channery loams, 3 to 8 percent slopes | 2 | 58.6 | 0 | \$ 1,435.50 |
| Lycoming | LaB | Lackawanna channery silt loam, 3 to 8 percent slopes | 2 | 3898.2 | 0.005 | \$ 1,396.16 |
| Lycoming | LdB | Laidig channery silt loam, 3 to 8 percent slopes | 2 | 984.6 | 0.001 | \$ 1,286.57 |
| Lycoming | LkB | Leck kill channery silt loam, 3 to 8 percent slopes | 2 | 11956.5 | 0.015 | \$ 1,454.19 |
| Lycoming | OgB | Oquaga channery loam, 3 to 8 percent slopes | 2 | 3740.8 | 0.005 | \$ 1,107.13 |
| Lycoming | TuA | Tunkhannock gravelly loam, 0 to 3 percent slopes | 2 | 2679.1 | 0.003 | \$ 1,192.00 |
| Lycoming | TuB | Tunkhannock gravelly loam, 3 to 8 percent slopes | 2 | 2172.6 | 0.003 | \$ 1,192.00 |
| Lycoming | WaB | Washington silt loam, 3 to 8 percent slopes | 2 | 3294.6 | 0.004 | \$ 1,616.32 |
| Lycoming | WbA | Watson silt loam, 0 to 3 percent slopes | 2 | 991.8 | 0.001 | \$ 1,272.73 |
| Lycoming | WbB | Watson silt loam, 3 to 8 percent slopes | 2 | 6938.8 | 0.009 | \$ 1,279.30 |
| Lycoming | WlB | Wellsboro channery silt loam, 3 to 8 percent slopes | 2 | 3702.3 | 0.005 | \$ 1,349.62 |
| Lycoming | WsB | Wheeling silt loam, 3 to 8 percent slopes | 2 | 1612.9 | 0.002 | \$ 1,500.91 |
| Lycoming | AbC | Albrights silt loam, 8 to 15 percent slopes | 3 | 1938.8 | 0.002 | \$ 1,277.36 |
| Lycoming | AlC | Allenwood gravelly silt loam, 8 to 15 percent slopes | 3 | 2387.5 | 0.003 | \$ 1,500.91 |
| Lycoming | AvA | Alvira silt loam, 0 to 3 percent slopes | 3 | 1212 | 0.002 | \$ 1,235.24 |
| Lycoming | AvB | Alvira silt loam, 3 to 8 percent slopes | 3 | 3624.8 | 0.005 | \$ 1,237.14 |
| Lycoming | AvC | Alvira silt loam, 8 to 15 percent slopes | 3 | 1620.3 | 0.002 | \$ 1,198.80 |
| Lycoming | BeC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 12198.8 | 0.015 | \$ 1,041.89 |
| Lycoming | CmC | Clymer channery loam, 8 to 15 percent slopes | 3 | 1669 | 0.002 | \$ 1,395.30 |
| Lycoming | DeC | Dekalb channery loam, 8 to 15 percent slopes | 3 | 1212.4 | 0.002 | \$ 1,039.23 |
| Lycoming | HaC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 526.2 | 0.001 | \$ 1,562.05 |
| Lycoming | HhC | Hartleton channery silt loam, 8 to 15 percent slopes | 3 | 11404.5 | 0.014 | \$ 1,047.20 |
| Lycoming | HlC | Hazleton-Clymer channery loams, 8 to 15 percent slopes | 3 | 30.7 | 0 | \$ 1,408.11 |
| Lycoming | KlB | Klivesville shaly silt loam, 3 to 8 percent slopes | 3 | 1084 | 0.001 | \$ 882.98 |
| Lycoming | LaC | Lackawanna channery silt loam, 8 to 15 percent slopes | 3 | 2906.9 | 0.004 | \$ 1,325.15 |
| Lycoming | LdC | Laidig channery silt loam, 8 to 15 percent slopes | 3 | 1926.4 | 0.002 | \$ 1,239.97 |
| Lycoming | LkC | Leck kill channery silt loam, 8 to 15 percent slopes | 3 | 23903.2 | 0.03 | \$ 1,439.68 |
| Lycoming | MoB | Morris channery silt loam, 3 to 8 percent slopes | 3 | 2571.1 | 0.003 | \$ 1,057.77 |
| Lycoming | MoC | Morris channery silt loam, 8 to 15 percent slopes | 3 | 650 | 0.001 | \$ 1,055.14 |

| | | | | | | |
|----------|-----|---|---|---------|-------|-------------|
| Lycoming | OgC | Oquaga channery loam, 8 to 15 percent slopes | 3 | 6787.1 | 0.009 | \$ 1,109.69 |
| Lycoming | Re | Rexford gravelly loam | 3 | 938.9 | 0.001 | \$ 871.65 |
| Lycoming | TuC | Tunkhannock gravelly loam, 8 to 15 percent slopes | 3 | 1080.4 | 0.001 | \$ 1,039.23 |
| Lycoming | WaC | Washington silt loam, 8 to 15 percent slopes | 3 | 1007.6 | 0.001 | \$ 1,540.39 |
| Lycoming | WbC | Watson silt loam, 8 to 15 percent slopes | 3 | 4388.2 | 0.006 | \$ 1,189.96 |
| Lycoming | WeB | Weikert channery silt loam, 3 to 8 percent slopes | 3 | 658.3 | 0.001 | \$ 1,269.95 |
| Lycoming | WIC | Wellsboro channery silt loam, 8 to 15 percent slopes | 3 | 2182.2 | 0.003 | \$ 1,235.24 |
| Lycoming | Wy | Wyoming gravelly sandy loam, occasionally flooded | 3 | 2582.5 | 0.003 | \$ 1,192.00 |
| Lycoming | BeD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 18486.1 | 0.023 | \$ 996.07 |
| Lycoming | HhD | Hartleton channery silt loam, 15 to 25 percent slopes | 4 | 4297.6 | 0.005 | \$ 1,006.96 |
| Lycoming | KIC | Klinesville shaly silt loam, 8 to 15 percent slopes | 4 | 1957.2 | 0.002 | \$ 871.65 |
| Lycoming | LkD | Leck kill channery silt loam, 15 to 25 percent slopes | 4 | 21040 | 0.026 | \$ 1,242.34 |
| Lycoming | NrA | Norwich silt loam, 0 to 3 percent slopes | 4 | 633.6 | 0.001 | \$ 871.65 |
| Lycoming | OgD | Oquaga channery loam, 15 to 25 percent slopes | 4 | 6075.5 | 0.008 | \$ 1,055.14 |
| Lycoming | ShA | Shelmadine silt loam, 0 to 3 percent slopes | 4 | 2374.7 | 0.003 | \$ 1,152.60 |
| Lycoming | ShB | Shelmadine silt loam, 3 to 8 percent slopes | 4 | 890.8 | 0.001 | \$ 1,152.60 |
| Lycoming | TuD | Tunkhannock gravelly loam, 15 to 25 percent slopes | 4 | 642.2 | 0.001 | \$ 985.12 |
| Lycoming | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 1730.7 | 0.002 | \$ 1,009.67 |
| Lycoming | Ho | Holly silt loam | 5 | 6133.5 | 0.008 | \$ 1,192.00 |
| Lycoming | AsD | Arnot-Rock outcrop complex, 3 to 25 percent slopes | 6 | 41.2 | 0 | \$ 750.61 |
| Lycoming | AxB | Alvira very stony loam, 0 to 8 percent slopes | 6 | 1826.9 | 0.002 | \$ 750.61 |
| Lycoming | BuB | Buchanan very stony loam, 0 to 8 percent slopes | 6 | 1921.5 | 0.002 | \$ 750.61 |
| Lycoming | BuD | Buchanan very stony loam, 8 to 25 percent slopes | 6 | 2996.4 | 0.004 | \$ 750.61 |
| Lycoming | CnB | Clymer very stony loam, 0 to 8 percent slopes | 6 | 14497 | 0.018 | \$ 750.61 |
| Lycoming | CnD | Clymer very stony loam, 8 to 25 percent slopes | 6 | 13934.6 | 0.018 | \$ 750.61 |
| Lycoming | CxB | Cookport very stony loam, 0 to 8 percent slopes | 6 | 6765.1 | 0.008 | \$ 750.61 |
| Lycoming | CxD | Cookport very stony loam, 8 to 25 percent slopes | 6 | 2983.2 | 0.004 | \$ 750.61 |
| Lycoming | DkB | Dekalb very stony sandy loam, 0 to 8 percent slopes | 6 | 20942.7 | 0.026 | \$ 750.61 |
| Lycoming | DkD | Dekalb very stony sandy loam, 8 to 25 percent slopes | 6 | 36246.8 | 0.046 | \$ 750.61 |
| Lycoming | KID | Klinesville shaly silt loam, 15 to 25 percent slopes | 6 | 5396.6 | 0.007 | \$ 750.61 |
| Lycoming | LgB | Laidig very stony loam, 0 to 8 percent slopes | 6 | 1195.8 | 0.002 | \$ 750.61 |
| Lycoming | LgD | Laidig very stony loam, 8 to 25 percent slopes | 6 | 12576.7 | 0.016 | \$ 750.61 |
| Lycoming | OxB | Oquaga and Lordstown very stony loams, 0 to 8 percent slopes | 6 | 12662.5 | 0.016 | \$ 750.61 |
| Lycoming | OxD | Oquaga and Lordstown very stony loams, 8 to 25 percent slopes | 6 | 44325.9 | 0.056 | \$ 750.61 |
| Lycoming | SxD | Swartswood very stony sandy loam, 8 to 25 percent slopes | 6 | 1787.1 | 0.002 | \$ 750.61 |
| Lycoming | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 3205.1 | 0.004 | \$ 750.61 |
| Lycoming | WxB | Wurtsboro very stony sandy loam, 0 to 8 percent slopes | 6 | 4079.3 | 0.005 | \$ 750.61 |
| Lycoming | WxD | Wurtsboro very stony sandy loam, 8 to 25 percent slopes | 6 | 1839.3 | 0.002 | \$ 750.61 |
| Lycoming | DIE | Dekalb and Lehigh very stony sandy loams, 25 to 80 percent slopes | 7 | 84705.7 | 0.106 | \$ 750.61 |
| Lycoming | HkE | Hazleton channery sandy loam, 25 to 80 percent slopes, rub | 7 | 2505.7 | 0.003 | \$ 750.61 |
| Lycoming | HmB | Hazleton-Clymer channery loams, 0 to 8 percent slopes, extreme | 7 | 298.6 | 0 | \$ 750.61 |
| Lycoming | HmD | Hazleton-Clymer channery loams, 8 to 25 percent slopes, extreme | 7 | 1736.4 | 0.002 | \$ 750.61 |
| Lycoming | KIE | Klinesville channery silt loam, 25 to 80 percent slopes | 7 | 19.2 | 0 | \$ 750.61 |
| Lycoming | LbB | Lackawanna channery silt loam, 0 to 8 percent slopes, extreme | 7 | 3024.6 | 0.004 | \$ 750.61 |
| Lycoming | LbD | Lackawanna channery silt loam, 8 to 25 percent slopes, extreme | 7 | 7698.6 | 0.01 | \$ 750.61 |
| Lycoming | LgE | Laidig very stony loam, 25 to 70 percent slopes | 7 | 1796 | 0.002 | \$ 750.61 |
| Lycoming | MrB | Morris channery silt loam, 0 to 8 percent slopes, extremely | 7 | 5379.6 | 0.007 | \$ 750.61 |
| Lycoming | NoB | Nolo very stony loam, 0 to 8 percent slopes | 7 | 1124.1 | 0.001 | \$ 750.61 |
| Lycoming | NxB | Norwich channery silt loam, 0 to 8 percent slopes, extremely | 7 | 946.2 | 0.001 | \$ 750.61 |
| Lycoming | OxE | Oquaga and Lordstown very stony loams, 25 to 70 percent slopes | 7 | 131802 | 0.166 | \$ 750.61 |
| Lycoming | SvB | Shelmadine very stony silt loam, 0 to 8 percent slopes | 7 | 688.5 | 0.001 | \$ 750.61 |
| Lycoming | Ud | Udfluents, loamy | 7 | 7851.6 | 0.01 | \$ 750.61 |
| Lycoming | Uo | Udorthents, sandstone | 7 | 973.5 | 0.001 | \$ 750.61 |
| Lycoming | WkE | Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes | 7 | 53800.7 | 0.068 | \$ 750.61 |
| Lycoming | WmB | Wellsboro channery silt loam, 0 to 8 percent slopes, extreme | 7 | 4834.8 | 0.006 | \$ 750.61 |
| Lycoming | WmD | Wellsboro channery silt loam, 8 to 25 percent slopes, extreme | 7 | 5665.3 | 0.007 | \$ 750.61 |

| | | | | | | |
|----------|-----|--|---|---------|-------|-------------|
| Lycoming | Md | Medisaprists, ponded | 8 | 5.2 | 0 | \$ 750.61 |
| Lycoming | Ru | Rubble land-Dystrochrepts complex, 15 to 80 percent slope: | 8 | 4099.8 | 0.005 | \$ 750.61 |
| McKean | Ba | Barbour loam | 1 | 806.9 | 0.001 | \$ 1,448.81 |
| McKean | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 8624.7 | 0.014 | \$ 1,316.15 |
| McKean | Bb | Basher silt loam | 2 | 4454.2 | 0.007 | \$ 1,448.81 |
| McKean | BeB | Braceville silt loam, 3 to 8 percent slopes | 2 | 1525.4 | 0.002 | \$ 1,284.28 |
| McKean | BuB | Buchanan silt loam, 3 to 8 percent slopes | 2 | 10103.7 | 0.016 | \$ 1,325.60 |
| McKean | CbB | Castile gravelly silt loam, 3 to 8 percent slopes | 2 | 93 | 0 | \$ 1,265.77 |
| McKean | ChB | Chenango gravelly loam, 3 to 8 percent slopes | 2 | 1105 | 0.002 | \$ 1,281.97 |
| McKean | CIB | Clymer loam, 3 to 8 percent slopes | 2 | 3327.2 | 0.005 | \$ 1,472.64 |
| McKean | CoA | Cookport loam, 0 to 3 percent slopes | 2 | 9415.7 | 0.015 | \$ 1,142.60 |
| McKean | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 57906.9 | 0.092 | \$ 1,091.70 |
| McKean | EdB | Eldred silt loam, 3 to 8 percent slopes | 2 | 18.7 | 0 | \$ 962.99 |
| McKean | EIB | Elko silt loam, 3 to 8 percent slopes | 2 | 572.4 | 0.001 | \$ 962.99 |
| McKean | GnB | Gilpin channery silt loam, 3 to 8 percent slopes | 2 | 4.5 | 0 | \$ 1,270.42 |
| McKean | HaB | Hartleton channery silt loam, 3 to 8 percent slopes | 2 | 5804.8 | 0.009 | \$ 1,112.24 |
| McKean | HbB | Hazleton channery loam, 3 to 8 percent slopes | 2 | 19457.6 | 0.031 | \$ 1,480.77 |
| McKean | KnB | Kinzua channery silt loam, 3 to 8 percent slopes | 2 | 132.6 | 0 | \$ 1,055.14 |
| McKean | LeB | Leck Kill channery silt loam, 3 to 8 percent slopes | 2 | 1222.4 | 0.002 | \$ 1,447.98 |
| McKean | MaB | Mandy channery silt loam, 3 to 8 percent slopes | 2 | 20 | 0 | \$ 962.99 |
| McKean | Ph | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 11212.9 | 0.018 | \$ 1,380.22 |
| McKean | Po | Pope loam | 2 | 3015.7 | 0.005 | \$ 1,380.22 |
| McKean | WaB | Wharton silt loam, 3 to 8 percent slopes | 2 | 3908.1 | 0.006 | \$ 1,049.85 |
| McKean | AbC | Albrights silt loam, 8 to 15 percent slopes | 3 | 23972.8 | 0.038 | \$ 1,277.36 |
| McKean | BuC | Buchanan silt loam, 8 to 15 percent slopes | 3 | 15385.8 | 0.024 | \$ 1,284.73 |
| McKean | CaA | Cavode silt loam, 0 to 3 percent slopes | 3 | 875.5 | 0.001 | \$ 1,196.86 |
| McKean | CaB | Cavode silt loam, 3 to 8 percent slopes | 3 | 3031.7 | 0.005 | \$ 1,201.71 |
| McKean | CeC | Ceres channery silt loam, 8 to 15 percent slopes | 3 | 41.3 | 0 | \$ 1,009.67 |
| McKean | CoC | Cookport loam, 8 to 15 percent slopes | 3 | 4050.9 | 0.006 | \$ 1,049.85 |
| McKean | EIC | Elko silt loam, 8 to 15 percent slopes | 3 | 382.9 | 0.001 | \$ 915.05 |
| McKean | GnC | Gilpin channery silt loam, 8 to 15 percent slopes | 3 | 8.1 | 0 | \$ 1,225.73 |
| McKean | HaC | Hartleton channery silt loam, 8 to 15 percent slopes | 3 | 9474.8 | 0.015 | \$ 1,047.20 |
| McKean | HbC | Hazleton channery loam, 8 to 15 percent slopes | 3 | 9337.9 | 0.015 | \$ 1,401.72 |
| McKean | KnC | Kinzua channery silt loam, 8 to 15 percent slopes | 3 | 137.8 | 0 | \$ 1,009.67 |
| McKean | LeC | Leck Kill channery silt loam, 8 to 15 percent slopes | 3 | 5849.2 | 0.009 | \$ 1,406.83 |
| McKean | MaC | Mandy channery silt loam, 8 to 15 percent slopes | 3 | 15.7 | 0 | \$ 915.05 |
| McKean | OnC | Onoville silt loam, 8 to 15 percent slopes | 3 | 47.3 | 0 | \$ 915.05 |
| McKean | PoB | Portville silty clay loam, 3 to 8 percent slopes | 3 | 36.9 | 0 | \$ 962.99 |
| McKean | ReA | Rexford silt loam, 0 to 3 percent slopes | 3 | 390.3 | 0.001 | \$ 1,115.81 |
| McKean | ShB | Shongo silt loam, 3 to 8 percent slopes | 3 | 8.7 | 0 | \$ 871.65 |
| McKean | WaC | Wharton silt loam, 8 to 15 percent slopes | 3 | 19.8 | 0 | \$ 962.99 |
| McKean | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 4 | 9520.4 | 0.015 | \$ 1,142.60 |
| McKean | BrA | Brinkerton soils, 0 to 3 percent slopes | 4 | 4648.3 | 0.007 | \$ 1,218.56 |
| McKean | BrB | Brinkerton soils, 3 to 8 percent slopes | 4 | 3815.7 | 0.006 | \$ 1,218.56 |
| McKean | BuD | Buchanan silt loam, 15 to 25 percent slopes | 4 | 24.3 | 0 | \$ 1,228.11 |
| McKean | CaD | Cavode silt loam, 15 to 25 percent slopes | 4 | 3.5 | 0 | \$ 1,055.14 |
| McKean | CeD | Ceres channery silt loam, 15 to 25 percent slopes | 4 | 83.2 | 0 | \$ 915.05 |
| McKean | HaD | Hartleton channery silt loam, 15 to 25 percent slopes | 4 | 10215.7 | 0.016 | \$ 1,006.96 |
| McKean | KnD | Kinzua channery silt loam, 15 to 25 percent slopes | 4 | 230.6 | 0 | \$ 915.05 |
| McKean | LeD | Leck Kill channery silt loam, 15 to 25 percent slopes | 4 | 17599.8 | 0.028 | \$ 1,304.84 |
| McKean | MeD | Meckesville channery silt loam, 15 to 25 percent slopes | 4 | 1506.1 | 0.002 | \$ 1,109.69 |
| McKean | WaD | Wharton silt loam, 15 to 25 percent slopes | 4 | 6.3 | 0 | \$ 871.65 |
| McKean | Pa | Palms muck | 5 | 265.8 | 0 | \$ 750.61 |
| McKean | BxB | Buchanan silt loam, 0 to 8 percent slopes, very stony | 6 | 15863.1 | 0.025 | \$ 750.61 |
| McKean | BxD | Buchanan silt loam, 8 to 25 percent slopes, very stony | 6 | 55958.5 | 0.089 | \$ 750.61 |
| McKean | CeE | Ceres channery silt loam, 25 to 35 percent slopes | 6 | 2351.6 | 0.004 | \$ 750.61 |

| | | | | | | | |
|--------|------|---|---|---------|-------|----|----------|
| McKean | CpB | Cookport loam, 0 to 8 percent slopes, very stony | 6 | 33756.8 | 0.054 | \$ | 750.61 |
| McKean | CpD | Cookport loam, 8 to 25 percent slopes, very stony | 6 | 16120 | 0.026 | \$ | 750.61 |
| McKean | GsC | Gilpin very stony silt loam, 8 to 15 percent slopes | 6 | 45.4 | 0 | \$ | 750.61 |
| McKean | HdB | Hazleton channery loam, 0 to 8 percent slopes, very stony | 6 | 24450.3 | 0.039 | \$ | 750.61 |
| McKean | HdD | Hazleton channery loam, 8 to 25 percent slopes, very stony | 6 | 30262.1 | 0.048 | \$ | 750.61 |
| McKean | HeD | Hartleton channery silt loam, 8 to 25 percent slopes, very st | 6 | 24 | 0 | \$ | 750.61 |
| McKean | KnE | Kinzua channery silt loam, 25 to 35 percent slopes | 6 | 642.4 | 0.001 | \$ | 750.61 |
| McKean | MaE | Mandy channery silt loam, 25 to 35 percent slopes | 6 | 191.2 | 0 | \$ | 750.61 |
| McKean | WxB | Wharton silt loam, 0 to 8 percent slopes, very stony | 6 | 334.1 | 0.001 | \$ | 750.61 |
| McKean | AdC | Albrights silt loam, 8 to 15 percent slopes, extremely stony | 7 | 1338.8 | 0.002 | \$ | 750.61 |
| McKean | BsB | Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely | 7 | 5542.1 | 0.009 | \$ | 750.61 |
| McKean | CeF | Ceres channery silt loam, 35 to 50 percent slopes | 7 | 628.6 | 0.001 | \$ | 750.61 |
| McKean | GpF | Gilpin channery silt loam, 35 to 65 percent slopes | 7 | 931.5 | 0.001 | \$ | 750.61 |
| McKean | HdF | Hazleton very stony sandy loam, 25 to 80 percent slopes | 7 | 4030.3 | 0.006 | \$ | 750.61 |
| McKean | HeF | Hartleton and Buchanan soils, 25 to 60 percent slopes | 7 | 135738 | 0.215 | \$ | 750.61 |
| McKean | KnF | Kinzua channery silt loam, 35 to 60 percent slopes | 7 | 3340.1 | 0.005 | \$ | 750.61 |
| McKean | LeF | Leck Kill channery silt loam, 25 to 50 percent slopes | 7 | 30391.3 | 0.048 | \$ | 750.61 |
| McKean | MbC | Mandy channery silt loam, 3 to 15 percent slopes, extremely | 7 | 125 | 0 | \$ | 750.61 |
| McKean | MbD | Mandy channery silt loam, 15 to 25 percent slopes, extreme | 7 | 112.2 | 0 | \$ | 750.61 |
| McKean | OxD | Onoville silt loam, 15 to 25 percent slopes, extremely bould | 7 | 72 | 0 | \$ | 750.61 |
| McKean | Sm | Udorthents, extremely channery | 7 | 1190.1 | 0.002 | \$ | 750.61 |
| Mercer | Un | Unadilla silt loam | 1 | 177.8 | 0 | \$ | 1,331.86 |
| Mercer | BrB2 | Braceville gravelly loam, 3 to 8 percent slopes, moderately e | 2 | 3107.8 | 0.007 | \$ | 1,322.01 |
| Mercer | BvA | Braceville silt loam, 0 to 3 percent slopes | 2 | 1176.4 | 0.003 | \$ | 1,318.41 |
| Mercer | BvB2 | Braceville silt loam, 3 to 8 percent slopes, moderately erode | 2 | 9269.3 | 0.021 | \$ | 1,284.28 |
| Mercer | CdA | Canfield silt loam, 0 to 3 percent slopes | 2 | 2519.9 | 0.006 | \$ | 1,239.97 |
| Mercer | CdB2 | Canfield silt loam, 3 to 8 percent slopes | 2 | 35007 | 0.08 | \$ | 1,286.57 |
| Mercer | CeB | Canfield-Urban land complex, 2 to 6 percent slopes | 2 | 4.2 | 0 | \$ | 871.65 |
| Mercer | Cf | Chenango fine sandy loam, flooded | 2 | 657.7 | 0.002 | \$ | 1,286.57 |
| Mercer | Ch | Chenango fine sandy loam, low terrace | 2 | 473.2 | 0.001 | \$ | 1,286.57 |
| Mercer | ClA | Chenango gravelly loam, 0 to 3 percent slopes | 2 | 670.5 | 0.002 | \$ | 1,290.24 |
| Mercer | ClB2 | Chenango gravelly loam, 3 to 8 percent slopes, moderately e | 2 | 9697.5 | 0.022 | \$ | 1,288.41 |
| Mercer | CoA | Chenango silt loam, 0 to 3 percent slopes | 2 | 483.4 | 0.001 | \$ | 1,292.53 |
| Mercer | CoB2 | Chenango silt loam, 3 to 8 percent slopes, moderately erode | 2 | 2721 | 0.006 | \$ | 1,331.41 |
| Mercer | CpA | Chili loam, 0 to 2 percent slopes | 2 | 8.9 | 0 | \$ | 1,352.26 |
| Mercer | CpB | Chili loam, 2 to 6 percent slopes | 2 | 17.8 | 0 | \$ | 1,375.88 |
| Mercer | CsB | Chili-Urban land complex, 2 to 6 percent slopes | 2 | 15 | 0 | \$ | 961.43 |
| Mercer | JtA | Jimtown loam, 0 to 2 percent slopes | 2 | 13.7 | 0 | \$ | 1,214.24 |
| Mercer | JtB | Jimtown loam, 2 to 6 percent slopes | 2 | 10.4 | 0 | \$ | 1,213.38 |
| Mercer | Or | Orrville silt loam, frequently flooded | 2 | 54.6 | 0 | \$ | 1,099.43 |
| Mercer | Rf | Red Hook silt loam, flooded | 2 | 1380.2 | 0.003 | \$ | 1,286.57 |
| Mercer | Rh | Red Hook silt loam, low terrace | 2 | 847.4 | 0.002 | \$ | 1,239.97 |
| Mercer | BeB | Bethesda channery silt loam, 0 to 8 percent slopes | 3 | 739.3 | 0.002 | \$ | 871.65 |
| Mercer | BrC2 | Braceville gravelly loam, 8 to 15 percent slopes, moderately | 3 | 616.5 | 0.001 | \$ | 1,278.28 |
| Mercer | BvC2 | Braceville silt loam, 8 to 15 percent slopes, moderately erod | 3 | 1333.7 | 0.003 | \$ | 1,258.78 |
| Mercer | Ca | Caneadea silt loam | 3 | 316.8 | 0.001 | \$ | 1,199.77 |
| Mercer | CdC2 | Canfield silt loam, 8 to 15 percent slopes | 3 | 18786.4 | 0.043 | \$ | 1,244.70 |
| Mercer | ClC2 | Chenango gravelly loam, 8 to 15 percent slopes, moderately | 3 | 5318.8 | 0.012 | \$ | 1,196.86 |
| Mercer | CoC2 | Chenango silt loam, 8 to 15 percent slopes, moderately erod | 3 | 1185.6 | 0.003 | \$ | 1,196.86 |
| Mercer | CpC | Chili loam, 6 to 12 percent slopes | 3 | 13.8 | 0 | \$ | 1,277.36 |
| Mercer | FaB | Fairpoint channery silt loam, 0 to 8 percent slopes | 3 | 3270.6 | 0.007 | \$ | 871.65 |
| Mercer | Ho | Holly silt loam | 3 | 1519.8 | 0.003 | \$ | 1,304.84 |
| Mercer | LoC | Lordstown silt loam, 5 to 15 percent slopes | 3 | 627.6 | 0.001 | \$ | 1,147.61 |
| Mercer | LzC2 | Loudonville loam, 6 to 12 percent slopes, moderately erode | 3 | 45.8 | 0 | \$ | 1,009.67 |
| Mercer | RaA | Ravenna silt loam, 0 to 3 percent slopes | 3 | 29846.3 | 0.068 | \$ | 1,281.05 |
| Mercer | RaB2 | Ravenna silt loam, 3 to 8 percent slopes | 3 | 123572 | 0.283 | \$ | 1,281.97 |

| | | | | | | |
|--------|------|--|---|---------|-------|-------------|
| Mercer | RaC2 | Ravenna silt loam, 8 to 15 percent slopes | 3 | 7948.7 | 0.018 | \$ 1,150.60 |
| Mercer | RoB2 | Red Hook silt loam, 3 to 8 percent slopes, moderately erode | 3 | 8734 | 0.02 | \$ 1,239.97 |
| Mercer | Sb | Sebring silt loam, 0 to 2 percent slopes | 3 | 2.1 | 0 | \$ 1,211.36 |
| Mercer | Wa | Wayland silt loam, coarse variant | 3 | 21261.3 | 0.049 | \$ 1,286.57 |
| Mercer | BeD | Bethesda channery silt loam, 8 to 25 percent slopes | 4 | 1788.5 | 0.004 | \$ 871.65 |
| Mercer | CdC3 | Canfield silt loam, 8 to 15 percent slopes, severely eroded | 4 | 678.4 | 0.002 | \$ 1,162.54 |
| Mercer | CdD2 | Canfield silt loam, 15 to 25 percent slopes | 4 | 5483.5 | 0.013 | \$ 871.65 |
| Mercer | ClD2 | Chenango gravelly loam, 15 to 25 percent slopes, moderate | 4 | 1379 | 0.003 | \$ 1,102.00 |
| Mercer | CnC2 | Chenango gravelly loam, moderately eroded, rolling | 4 | 3459.5 | 0.008 | \$ 1,192.98 |
| Mercer | CoD2 | Chenango silt loam, 15 to 25 percent slopes, moderately erc | 4 | 354.2 | 0.001 | \$ 1,102.00 |
| Mercer | CrD | Chili gravelly loam, 12 to 18 percent slopes | 4 | 16.7 | 0 | \$ 1,225.73 |
| Mercer | FaD | Fairpoint channery silt loam, 8 to 25 percent slopes | 4 | 842.4 | 0.002 | \$ 871.65 |
| Mercer | FeA | Frenchtown silt loam, 0 to 3 percent slopes | 4 | 54864.6 | 0.126 | \$ 1,157.58 |
| Mercer | FeB | Frenchtown silt loam, 3 to 8 percent slopes | 4 | 15575 | 0.036 | \$ 1,201.71 |
| Mercer | Fr | Frenchtown and Luray silt loams, 0 to 3 percent slopes | 4 | 8200.4 | 0.019 | \$ 1,328.28 |
| Mercer | Ha | Halsey silt loam | 4 | 13741.2 | 0.031 | \$ 871.65 |
| Mercer | LoD | Lordstown silt loam, 15 to 25 percent slopes | 4 | 502.9 | 0.001 | \$ 1,034.43 |
| Mercer | Pa | Papakating silt loam | 4 | 6236.9 | 0.014 | \$ 1,192.00 |
| Mercer | RaC3 | Ravenna silt loam, 8 to 15 percent slopes, severely eroded | 4 | 338.5 | 0.001 | \$ 954.07 |
| Mercer | RaD2 | Ravenna silt loam, 15 to 25 percent slopes, eroded | 4 | 663.5 | 0.002 | \$ 871.65 |
| Mercer | Mp | Muck and Peat | 5 | 1931.5 | 0.004 | \$ 750.61 |
| Mercer | CdE | Canfield silt loam, 25 to 35 percent slopes | 6 | 1533.8 | 0.004 | \$ 750.61 |
| Mercer | CnD2 | Chenango gravelly loam, moderately eroded, hilly | 6 | 1049.1 | 0.002 | \$ 1,102.00 |
| Mercer | FhB | Frenchtown silt loam, 0 to 8 percent slopes, very stony | 6 | 392 | 0.001 | \$ 750.61 |
| Mercer | ReC | Ravenna silt loam, 0 to 15 percent slopes, very stony | 6 | 2426.3 | 0.006 | \$ 750.61 |
| Mercer | BfF | Bethesda and Fairpoint channery silt loams, 25 to 70 percen | 7 | 1377.1 | 0.003 | \$ 750.61 |
| Mercer | LrD | Lordstown silt loam, 8 to 25 percent slopes, very stony | 7 | 1336.3 | 0.003 | \$ 750.61 |
| Mercer | LrE | Lordstown silt loam, 25 to 45 percent slopes, extremely stor | 7 | 3740.5 | 0.009 | \$ 750.61 |
| Mercer | LxF | Lordstown-Rock outcrop complex, 18 to 50 percent slopes | 7 | 51.6 | 0 | \$ 750.61 |
| Mercer | UaC | Udorthents, loamy, 0 to 15 percent slopes | 7 | 630.4 | 0.001 | \$ 750.61 |
| Mercer | Ubc | Udorthents, sandy, 0 to 15 percent slopes | 7 | 2168.3 | 0.005 | \$ 750.61 |
| Mercer | DAM | Dams | 8 | 5.2 | 0 | \$ 750.61 |
| Mercer | Ur | Urban land | 8 | 1934.3 | 0.004 | \$ 750.61 |
| Mercer | UuB | Urban land-Udorthents complex, 0 to 8 percent slopes | 8 | 1563.5 | 0.004 | \$ 750.61 |
| Monroe | AnA | Allenwood gravelly silt loam, 0 to 3 percent slopes | 1 | 452.1 | 0.001 | \$ 1,578.85 |
| Monroe | CpA | Clymer loam, 0 to 3 percent slopes | 1 | 1262.6 | 0.003 | \$ 1,460.36 |
| Monroe | MeA | Meckesville gravelly loam, 0 to 3 percent slopes | 1 | 661.2 | 0.002 | \$ 1,375.88 |
| Monroe | Po | Pope silt loam | 1 | 1886.7 | 0.005 | \$ 1,556.67 |
| Monroe | Pp | Pope silt loam, high bottom | 1 | 1720.6 | 0.004 | \$ 1,552.04 |
| Monroe | AnB | Allenwood gravelly silt loam, 3 to 8 percent slopes | 2 | 737 | 0.002 | \$ 1,578.85 |
| Monroe | BaB | Bath channery silt loam, 3 to 8 percent slopes | 2 | 1565.8 | 0.004 | \$ 1,408.11 |
| Monroe | BrA | Braceville gravelly loam, 0 to 3 percent slopes | 2 | 1331.1 | 0.003 | \$ 1,358.42 |
| Monroe | BrB | Braceville gravelly loam, 3 to 8 percent slopes | 2 | 1415 | 0.004 | \$ 1,320.66 |
| Monroe | BuB | Buchanan loam, 3 to 8 percent slopes | 2 | 838.9 | 0.002 | \$ 1,281.97 |
| Monroe | ChA | Chenango gravelly loam, 0 to 3 percent slopes | 2 | 1413.6 | 0.004 | \$ 1,281.97 |
| Monroe | ChB | Chenango gravelly loam, 3 to 8 percent slopes | 2 | 1678.5 | 0.004 | \$ 1,281.97 |
| Monroe | CpB | Clymer loam, 3 to 8 percent slopes | 2 | 1069 | 0.003 | \$ 1,460.36 |
| Monroe | HaB | Hartleton channery silt loam, 2 to 8 percent slopes | 2 | 2941 | 0.007 | \$ 1,192.00 |
| Monroe | KaB | Kedron silt loam, 2 to 8 percent slopes | 2 | 1379.2 | 0.004 | \$ 1,279.67 |
| Monroe | LaB | Lackawanna channery loam, 2 to 8 percent slopes | 2 | 2753.3 | 0.007 | \$ 1,398.73 |
| Monroe | Lh | Lawrenceville silt loam | 2 | 633.5 | 0.002 | \$ 1,309.38 |
| Monroe | LkB | Leck kill channery silt loam, 2 to 8 percent slopes | 2 | 2712.5 | 0.007 | \$ 1,500.91 |
| Monroe | LSB | Lordstown channery silt loam, 3 to 8 percent slopes | 2 | 1484.3 | 0.004 | \$ 1,279.67 |
| Monroe | MaB | Mardin channery silt loam, 2 to 8 percent slopes | 2 | 3128.8 | 0.008 | \$ 1,162.54 |
| Monroe | MeB | Meckesville gravelly loam, 3 to 8 percent slopes | 2 | 2266.4 | 0.006 | \$ 1,375.88 |
| Monroe | OkB | Oquaga-Lackawanna channery loams, 3 to 8 percent slopes | 2 | 1908.9 | 0.005 | \$ 1,237.61 |

| | | | | | | |
|--------|------|--|---|--------|-------|-------------|
| Monroe | Ph | Philo silt loam | 2 | 2027.1 | 0.005 | \$ 1,518.81 |
| Monroe | SwB | Swartswood channery sandy loam, 3 to 8 percent slopes | 2 | 724 | 0.002 | \$ 1,281.97 |
| Monroe | WaB | Watson silt loam, 2 to 8 percent slopes | 2 | 1261.1 | 0.003 | \$ 1,275.51 |
| Monroe | WmB | Wellsboro channery loam, 3 to 8 percent slopes | 2 | 3332.4 | 0.008 | \$ 1,349.62 |
| Monroe | WsB | Wurtsboro channery loam, 2 to 12 percent slopes | 2 | 869.8 | 0.002 | \$ 1,182.24 |
| Monroe | AnC | Allenwood gravelly silt loam, 8 to 20 percent slopes | 3 | 194.4 | 0 | \$ 1,500.91 |
| Monroe | AvB | Alvira gravelly silt loam, 3 to 8 percent slopes | 3 | 350.5 | 0.001 | \$ 1,230.49 |
| Monroe | BaC | Bath channery silt loam, 8 to 15 percent slopes | 3 | 1752.8 | 0.004 | \$ 1,327.39 |
| Monroe | ChC | Chenango gravelly loam, 8 to 15 percent slopes | 3 | 798.1 | 0.002 | \$ 1,199.77 |
| Monroe | CpC | Clymer loam, 8 to 15 percent slopes | 3 | 650.6 | 0.002 | \$ 1,375.88 |
| Monroe | HaC | Hartleton channery silt loam, 8 to 20 percent slopes | 3 | 1312.5 | 0.003 | \$ 1,142.60 |
| Monroe | Hy | Holly silt loam | 3 | 3626.5 | 0.009 | \$ 1,286.57 |
| Monroe | KaC | Kedron silt loam, 8 to 15 percent slopes | 3 | 228.4 | 0.001 | \$ 1,190.54 |
| Monroe | KvB | Klinesville channery silt loam, 3 to 8 percent slopes | 3 | 680.3 | 0.002 | \$ 871.65 |
| Monroe | LaC | Lackawanna channery loam, 8 to 15 percent slopes | 3 | 1540.4 | 0.004 | \$ 1,289.79 |
| Monroe | LkC | Leck kill channery silt loam, 8 to 15 percent slopes | 3 | 2178.2 | 0.006 | \$ 1,460.36 |
| Monroe | LsC | Lordstown channery silt loam, 8 to 15 percent slopes | 3 | 2485.9 | 0.006 | \$ 1,237.61 |
| Monroe | MaC | Mardin channery silt loam, 8 to 15 percent slopes | 3 | 1511.7 | 0.004 | \$ 1,234.29 |
| Monroe | MeC | Meckesville gravelly loam, 8 to 15 percent slopes | 3 | 900.8 | 0.002 | \$ 1,331.86 |
| Monroe | MgB | Morris channery silt loam, 2 to 10 percent slopes | 3 | 1360.2 | 0.003 | \$ 1,057.77 |
| Monroe | OkC | Oquaga-Lackawanna channery loams, 8 to 15 percent slope: | 3 | 2195 | 0.006 | \$ 1,130.02 |
| Monroe | ReA | Rexford gravelly silt loam, 0 to 3 percent slopes | 3 | 1512.3 | 0.004 | \$ 1,122.42 |
| Monroe | ReB | Rexford gravelly silt loam, 3 to 8 percent slopes | 3 | 410.4 | 0.001 | \$ 1,137.58 |
| Monroe | Sh | Sheffield silt loam | 3 | 1618.1 | 0.004 | \$ 1,039.23 |
| Monroe | SwC | Swartswood channery sandy loam, 8 to 15 percent slopes | 3 | 483.4 | 0.001 | \$ 1,196.86 |
| Monroe | VoA | Volusia gravelly silt loam, 0 to 3 percent slopes | 3 | 327.2 | 0.001 | \$ 1,065.66 |
| Monroe | VoB | Volusia gravelly silt loam, 3 to 8 percent slopes | 3 | 950.9 | 0.002 | \$ 1,104.57 |
| Monroe | WeB3 | Weikert channery silt loam, 3 to 8 percent slopes, eroded | 3 | 555.8 | 0.001 | \$ 871.65 |
| Monroe | WhB | Weikert-Hartleton channery silt loams, 3 to 8 percent slope: | 3 | 2820.8 | 0.007 | \$ 962.99 |
| Monroe | WmC | Wellsboro channery loam, 8 to 15 percent slopes | 3 | 988.4 | 0.003 | \$ 1,235.24 |
| Monroe | WyA | Wyoming gravelly sandy loam, 0 to 3 percent slopes | 3 | 1915 | 0.005 | \$ 1,206.54 |
| Monroe | WyB | Wyoming gravelly sandy loam, 3 to 8 percent slopes | 3 | 4097.1 | 0.01 | \$ 1,206.54 |
| Monroe | Ad | Alden mucky silt loam | 4 | 745 | 0.002 | \$ 871.65 |
| Monroe | BaD | Bath channery silt loam, 15 to 25 percent slopes | 4 | 283.7 | 0.001 | \$ 1,147.61 |
| Monroe | CmA | Chippewa and Norwich silt loams, 0 to 5 percent slopes | 4 | 1564.6 | 0.004 | \$ 871.65 |
| Monroe | KvC | Klinesville channery silt loam, 8 to 15 percent slopes | 4 | 682.3 | 0.002 | \$ 871.65 |
| Monroe | LaD | Lackawanna channery loam, 15 to 25 percent slopes | 4 | 676.8 | 0.002 | \$ 1,237.61 |
| Monroe | LkD | Leck kill channery silt loam, 15 to 25 percent slopes | 4 | 743.5 | 0.002 | \$ 1,331.86 |
| Monroe | LsD | Lordstown channery silt loam, 15 to 25 percent slopes | 4 | 1704.3 | 0.004 | \$ 1,140.09 |
| Monroe | OkD | Oquaga-Lackawanna channery loams, 15 to 25 percent slop | 4 | 1032.6 | 0.003 | \$ 1,057.77 |
| Monroe | RuC | Rushtown shaly silt loam, 5 to 15 percent slopes | 4 | 561.7 | 0.001 | \$ 985.12 |
| Monroe | SmA | Shelmadine silt loam, 0 to 3 percent slopes | 4 | 509.8 | 0.001 | \$ 1,152.60 |
| Monroe | Wb | Wayland silty clay loam | 4 | 2346.2 | 0.006 | \$ 871.65 |
| Monroe | WeC3 | Weikert channery silt loam, 8 to 15 percent slopes, eroded | 4 | 625.2 | 0.002 | \$ 871.65 |
| Monroe | WhC | Weikert-Hartleton channery silt loams, 8 to 15 percent slop | 4 | 2804.4 | 0.007 | \$ 871.65 |
| Monroe | WyC | Wyoming gravelly sandy loam, 8 to 15 percent slopes | 4 | 5159.9 | 0.013 | \$ 1,068.28 |
| Monroe | WyD | Wyoming gravelly sandy loam, 15 to 25 percent slopes | 4 | 1991.3 | 0.005 | \$ 871.65 |
| Monroe | 18 | Paupack mucky peat | 5 | 28.4 | 0 | \$ 750.61 |
| Monroe | 20 | Freetown mucky peat | 5 | 301.5 | 0.001 | \$ 750.61 |
| Monroe | Mp | Mucky peat, deep | 5 | 3592.4 | 0.009 | \$ 750.61 |
| Monroe | Ms | Mucky peat, shallow | 5 | 5586.2 | 0.014 | \$ 750.61 |
| Monroe | 239B | Oquaga very stony loam, 0 to 8 percent slopes, extremely b | 6 | 4.7 | 0 | \$ 750.61 |
| Monroe | 239C | Oquaga very stony loam, 8 to 15 percent slopes, extremely l | 6 | 402.3 | 0.001 | \$ 750.61 |
| Monroe | 239D | Oquaga very stony loam, 15 to 30 percent slopes, extremely | 6 | 443.8 | 0.001 | \$ 750.61 |
| Monroe | 30B | Wurtsboro stony fine sandy loam, 0 to 8 percent slopes, ext | 6 | 482.7 | 0.001 | \$ 750.61 |
| Monroe | 30C | Wurtsboro stony fine sandy loam, 8 to 15 percent slopes, e | 6 | 6.4 | 0 | \$ 750.61 |

| | | | | | | | |
|--------|------|---|---|---------|-------|----|--------|
| Monroe | 9B | Craigsville-Wyoming complex, 0 to 8 percent slopes, extrem | 6 | 24.1 | 0 | \$ | 750.61 |
| Monroe | AwB | Alvira and Watson very stony loams, 0 to 12 percent slopes | 6 | 713 | 0.002 | \$ | 750.61 |
| Monroe | BeB | Benson-Rock outcrop complex, 0 to 8 percent slopes | 6 | 1774.5 | 0.005 | \$ | 877.50 |
| Monroe | BeC | Benson-Rock outcrop complex, 8 to 25 percent slopes | 6 | 6007.7 | 0.015 | \$ | 750.61 |
| Monroe | KdB | Kedron very stony loam, 0 to 8 percent slopes | 6 | 1230.5 | 0.003 | \$ | 750.61 |
| Monroe | KvD | Klinesville channery silt loam, 15 to 25 percent slopes | 6 | 533.1 | 0.001 | \$ | 750.61 |
| Monroe | MbB | Mardin very stony silt loam, 0 to 8 percent slopes | 6 | 2066.9 | 0.005 | \$ | 750.61 |
| Monroe | MbC | Mardin very stony silt loam, 8 to 25 percent slopes | 6 | 868.8 | 0.002 | \$ | 750.61 |
| Monroe | MfB | Meckesville very stony loam, 0 to 8 percent slopes | 6 | 2296.5 | 0.006 | \$ | 750.61 |
| Monroe | MfC | Meckesville very stony loam, 8 to 25 percent slopes | 6 | 1411.4 | 0.004 | \$ | 750.61 |
| Monroe | RuD | Rushtown shaly silt loam, 15 to 30 percent slopes | 6 | 346 | 0.001 | \$ | 750.61 |
| Monroe | WeD3 | Weikert channery silt loam, 15 to 25 percent slopes, eroded | 6 | 836.1 | 0.002 | \$ | 750.61 |
| Monroe | WhD | Weikert-Hartleton channery silt loams, 15 to 25 percent slop | 6 | 1051.6 | 0.003 | \$ | 750.61 |
| Monroe | 111B | Edgemere-Shohola complex, 3 to 15 percent slopes, very ru | 7 | 186.4 | 0 | \$ | 750.61 |
| Monroe | 11A | Edgemere extremely stony loam, 0 to 3 percent slopes, very | 7 | 255.8 | 0.001 | \$ | 750.61 |
| Monroe | 240F | Oquaga-Arnot-Rock outcrop complex, 20 to 60 percent slop | 7 | 187 | 0 | \$ | 750.61 |
| Monroe | 321D | Lackawanna channery loam, 15 to 30 percent slopes, extren | 7 | 1.4 | 0 | \$ | 750.61 |
| Monroe | 7B | Shohola-Edgemere complex, 0 to 8 percent slopes, very rub | 7 | 47.6 | 0 | \$ | 750.61 |
| Monroe | 7C | Shohola-Edgemere complex, 8 to 15 percent slopes, very ru | 7 | 1.4 | 0 | \$ | 750.61 |
| Monroe | BbB | Bath channery silt loam, 0 to 8 percent slopes, extremely st | 7 | 513.2 | 0.001 | \$ | 750.61 |
| Monroe | BbC | Bath channery silt loam, 8 to 25 percent slopes, extremely s | 7 | 920 | 0.002 | \$ | 750.61 |
| Monroe | BeF | Benson-Rock outcrop complex, 25 to 70 percent slopes | 7 | 5686.8 | 0.014 | \$ | 750.61 |
| Monroe | BxB | Buchanan extremely stony loam, 0 to 8 percent slopes | 7 | 3421.5 | 0.009 | \$ | 750.61 |
| Monroe | BxC | Buchanan extremely stony loam, 8 to 25 percent slopes | 7 | 416.8 | 0.001 | \$ | 750.61 |
| Monroe | CnB | Chippewa and Norwich soils, 0 to 8 percent slopes, extreme | 7 | 18240.2 | 0.046 | \$ | 750.61 |
| Monroe | CxB | Clymer extremely stony loam, 0 to 8 percent slopes | 7 | 8386.7 | 0.021 | \$ | 750.61 |
| Monroe | CxC | Clymer extremely stony loam, 8 to 25 percent slopes | 7 | 1281.2 | 0.003 | \$ | 750.61 |
| Monroe | DxB | Dekalb extremely stony loam, 0 to 8 percent slopes | 7 | 2771.2 | 0.007 | \$ | 750.61 |
| Monroe | DxC | Dekalb extremely stony loam, 8 to 25 percent slopes | 7 | 3561 | 0.009 | \$ | 750.61 |
| Monroe | DxE | Dekalb extremely stony loam, 25 to 80 percent slopes | 7 | 4603.7 | 0.012 | \$ | 750.61 |
| Monroe | ExB | Empeyville extremely stony sandy loam, 0 to 8 percent slop | 7 | 4589.2 | 0.012 | \$ | 750.61 |
| Monroe | HxB | Hazleton extremely stony sandy loam, 0 to 8 percent slopes | 7 | 462.8 | 0.001 | \$ | 750.61 |
| Monroe | HxC | Hazleton extremely stony sandy loam, 8 to 25 percent slope | 7 | 2677.4 | 0.007 | \$ | 750.61 |
| Monroe | LbB | Lackawanna channery loam, 0 to 8 percent slopes, extremel | 7 | 13412.9 | 0.034 | \$ | 750.61 |
| Monroe | LbC | Lackawanna channery loam, 8 to 25 percent slopes, rubbly | 7 | 8259.7 | 0.021 | \$ | 750.61 |
| Monroe | LBE | Lackawanna and Bath soils, steep, rubbly | 7 | 2656.4 | 0.007 | \$ | 750.61 |
| Monroe | LgB | Laidig extremely stony loam, 0 to 8 percent slopes | 7 | 2015.6 | 0.005 | \$ | 750.61 |
| Monroe | LgC | Laidig extremely stony loam, 8 to 25 percent slopes | 7 | 723.8 | 0.002 | \$ | 750.61 |
| Monroe | LxB | Lordstown extremely stony silt loam, 0 to 8 percent slopes | 7 | 3096.6 | 0.008 | \$ | 750.61 |
| Monroe | LxC | Lordstown extremely stony silt loam, 8 to 25 percent slopes | 7 | 9845.1 | 0.025 | \$ | 750.61 |
| Monroe | LyE | Lordstown and Oquaga extremely stony soils, 25 to 70 perc | 7 | 14984.3 | 0.038 | \$ | 750.61 |
| Monroe | MoB | Morris channery silt loam, 0 to 8 percent slopes, extremely : | 7 | 13838.7 | 0.035 | \$ | 750.61 |
| Monroe | MoC | Morris channery silt loam, 8 to 25 percent slopes, extremely | 7 | 865.1 | 0.002 | \$ | 750.61 |
| Monroe | OxB | Oquaga-Lackawanna complex, 0 to 8 percent slopes, extren | 7 | 8320.7 | 0.021 | \$ | 750.61 |
| Monroe | OxC | Oquaga-Lackawanna complex, 8 to 25 percent slopes, extre | 7 | 17197.6 | 0.044 | \$ | 750.61 |
| Monroe | SpB | Shelmadine very stony silt loam, 0 to 8 percent slopes | 7 | 762.4 | 0.002 | \$ | 750.61 |
| Monroe | SxB | Swartswood extremely stony sandy loam, 0 to 8 percent slo | 7 | 12292.8 | 0.031 | \$ | 750.61 |
| Monroe | SxC | Swartswood extremely stony sandy loam, 8 to 25 percent sl | 7 | 4658.5 | 0.012 | \$ | 750.61 |
| Monroe | VaC | Very stony land and Rock outcrops, sloping | 7 | 2677.1 | 0.007 | \$ | 750.61 |
| Monroe | VaE | Very stony land and Rock outcrops, steep | 7 | 2347.5 | 0.006 | \$ | 750.61 |
| Monroe | VxB | Volusia channery silt loam, 0 to 8 percent slopes, rubbly | 7 | 13844.4 | 0.035 | \$ | 750.61 |
| Monroe | WKE | Weikert and Klinesville soils, steep | 7 | 6028.8 | 0.015 | \$ | 750.61 |
| Monroe | WpB | Wellsboro channery loam, 0 to 8 percent slopes, extremely | 7 | 19164.4 | 0.049 | \$ | 750.61 |
| Monroe | WpC | Wellsboro channery loam, 8 to 25 percent slopes, extremel | 7 | 4969 | 0.013 | \$ | 750.61 |
| Monroe | WrB | Worth extremely stony sandy loam, 0 to 8 percent slopes | 7 | 2008.1 | 0.005 | \$ | 750.61 |
| Monroe | WrC | Worth extremely stony sandy loam, 8 to 25 percent slopes | 7 | 1306.9 | 0.003 | \$ | 750.61 |

| | | | | | | |
|------------|-----|--|---|---------|-------|-------------|
| Monroe | WxB | Wurtsboro extremely stony loam, 0 to 8 percent slopes | 7 | 17265.4 | 0.044 | \$ 750.61 |
| Monroe | WxC | Wurtsboro extremely stony loam, 8 to 25 percent slopes | 7 | 2475.4 | 0.006 | \$ 750.61 |
| Monroe | WyE | Wyoming gravelly sandy loam, 25 to 70 percent slopes | 7 | 2358.7 | 0.006 | \$ 750.61 |
| Monroe | As | Alluvial land | 8 | 3333.2 | 0.008 | \$ 750.61 |
| Monroe | GP | Pit, Shale, and Gravel | 8 | 304.6 | 0.001 | \$ 750.61 |
| Montgomery | BnA | Birdsboro silt loam, 0 to 3 percent slopes | 1 | 292.2 | 0.001 | \$ 1,599.57 |
| Montgomery | CgA | Chester silt loam, 0 to 3 percent slopes | 1 | 25.9 | 0 | \$ 1,803.10 |
| Montgomery | LaA | Lansdale loam, 0 to 3 percent slopes | 1 | 140.2 | 0 | \$ 1,654.64 |
| Montgomery | AsB | Athol silt loam, 3 to 8 percent slopes | 2 | 40.2 | 0 | \$ 1,500.91 |
| Montgomery | BnB | Birdsboro silt loam, 3 to 8 percent slopes | 2 | 184 | 0.001 | \$ 1,593.95 |
| Montgomery | BsB | Brecknock channery silt loam, 3 to 8 percent slopes | 2 | 266.3 | 0.001 | \$ 1,457.48 |
| Montgomery | CaA | Califon loam, 0 to 3 percent slopes | 2 | 85 | 0 | \$ 1,393.15 |
| Montgomery | CaB | Califon loam, 3 to 8 percent slopes | 2 | 881.6 | 0.003 | \$ 1,420.39 |
| Montgomery | CgB | Chester silt loam, 3 to 8 percent slopes | 2 | 69.5 | 0 | \$ 1,794.99 |
| Montgomery | Ch | Codorus silt loam | 2 | 1439 | 0.005 | \$ 1,487.25 |
| Montgomery | DuB | Duffield silt loam, 3 to 8 percent slopes | 2 | 1572.7 | 0.005 | \$ 1,703.82 |
| Montgomery | EcB | Edgemont channery loam, 3 to 8 percent slopes | 2 | 627.6 | 0.002 | \$ 1,445.08 |
| Montgomery | Gc | Gibraltar silt loam | 2 | 1798.2 | 0.006 | \$ 1,452.12 |
| Montgomery | GdB | Gladstone gravelly loam, 3 to 8 percent slopes | 2 | 1473.2 | 0.005 | \$ 1,516.83 |
| Montgomery | GnB | Glenelg silt loam, 3 to 8 percent slopes | 2 | 1179.1 | 0.004 | \$ 1,573.52 |
| Montgomery | GsA | Glenville silt loam, 0 to 3 percent slopes | 2 | 108 | 0 | \$ 1,504.91 |
| Montgomery | GsB | Glenville silt loam, 3 to 8 percent slopes | 2 | 660.6 | 0.002 | \$ 1,608.90 |
| Montgomery | LaB | Lansdale loam, 3 to 8 percent slopes | 2 | 1997.3 | 0.006 | \$ 1,674.30 |
| Montgomery | LeA | Lawrenceville silt loam, 0 to 3 percent slopes | 2 | 4039.6 | 0.013 | \$ 1,548.16 |
| Montgomery | LeB | Lawrenceville silt loam, 3 to 8 percent slopes | 2 | 3731.8 | 0.012 | \$ 1,549.71 |
| Montgomery | LhA | Lehigh silt loam, 0 to 3 percent slopes | 2 | 467.4 | 0.001 | \$ 1,433.83 |
| Montgomery | LhB | Lehigh silt loam, 3 to 8 percent slopes | 2 | 6697.6 | 0.021 | \$ 1,400.01 |
| Montgomery | MaB | Manor loam, 3 to 8 percent slopes | 2 | 437.4 | 0.001 | \$ 1,534.93 |
| Montgomery | MoA | Mount Lucas silt loam, 0 to 3 percent slopes | 2 | 216.7 | 0.001 | \$ 1,319.31 |
| Montgomery | MoB | Mount Lucas silt loam, 3 to 8 percent slopes | 2 | 2351.6 | 0.008 | \$ 1,321.11 |
| Montgomery | NhB | Neshaminy silt loam, 3 to 8 percent slopes | 2 | 909.7 | 0.003 | \$ 1,567.42 |
| Montgomery | PaB | Parker gravelly loam, 3 to 8 percent slopes | 2 | 196.5 | 0.001 | \$ 1,297.56 |
| Montgomery | PcA | Penn channery silt loam, 0 to 3 percent slopes | 2 | 197.5 | 0.001 | \$ 1,490.07 |
| Montgomery | PcB | Penn channery silt loam, 3 to 8 percent slopes | 2 | 1579.2 | 0.005 | \$ 1,462.58 |
| Montgomery | PeB | Penn silt loam, 3 to 8 percent slopes | 2 | 7713.8 | 0.025 | \$ 1,488.86 |
| Montgomery | PIB | Penn-Lansdale complex, 3 to 8 percent slopes | 2 | 3449.7 | 0.011 | \$ 1,500.91 |
| Montgomery | RaA | Raritan silt loam, 0 to 3 percent slopes | 2 | 655.3 | 0.002 | \$ 1,531.80 |
| Montgomery | RaB | Raritan silt loam, 3 to 8 percent slopes | 2 | 459.2 | 0.001 | \$ 1,499.71 |
| Montgomery | ReA | Readington silt loam, 0 to 3 percent slopes | 2 | 4473.8 | 0.014 | \$ 1,490.07 |
| Montgomery | ReB | Readington silt loam, 3 to 8 percent slopes | 2 | 22823.8 | 0.073 | \$ 1,472.40 |
| Montgomery | Rt | Rowland silt loam, terrace | 2 | 5114.9 | 0.016 | \$ 1,490.07 |
| Montgomery | RwA | Rowland silt loam, 0 to 3 percent slopes | 2 | 512.8 | 0.002 | \$ 1,320.66 |
| Montgomery | RwB | Rowland silt loam, 3 to 8 percent slopes | 2 | 533.6 | 0.002 | \$ 1,316.15 |
| Montgomery | AbA | Abbottstown silt loam, 0 to 3 percent slopes | 3 | 3075.1 | 0.01 | \$ 1,247.05 |
| Montgomery | AbB | Abbottstown silt loam, 3 to 8 percent slopes | 3 | 7791.3 | 0.025 | \$ 1,243.47 |
| Montgomery | AsC | Athol silt loam, 8 to 15 percent slopes | 3 | 23.1 | 0 | \$ 1,464.06 |
| Montgomery | BsC | Brecknock channery silt loam, 8 to 15 percent slopes | 3 | 574.7 | 0.002 | \$ 1,418.70 |
| Montgomery | BwA | Buckingham silt loam, 0 to 3 percent slopes | 3 | 2268.3 | 0.007 | \$ 1,442.59 |
| Montgomery | BwB | Buckingham silt loam, 3 to 8 percent slopes | 3 | 465.1 | 0.001 | \$ 1,443.84 |
| Montgomery | CfA | Chalfont silt loam, 0 to 3 percent slopes | 3 | 2140.9 | 0.007 | \$ 1,518.41 |
| Montgomery | CfB | Chalfont silt loam, 3 to 8 percent slopes | 3 | 1527.9 | 0.005 | \$ 1,488.86 |
| Montgomery | DuC | Duffield silt loam, 8 to 15 percent slopes | 3 | 382.7 | 0.001 | \$ 1,669.32 |
| Montgomery | EcC | Edgemont channery loam, 8 to 15 percent slopes | 3 | 659.3 | 0.002 | \$ 1,365.87 |
| Montgomery | GdC | Gladstone gravelly loam, 8 to 15 percent slopes | 3 | 884 | 0.003 | \$ 1,454.35 |
| Montgomery | GnC | Glenelg silt loam, 8 to 15 percent slopes | 3 | 300.7 | 0.001 | \$ 1,466.84 |
| Montgomery | LaC | Lansdale loam, 8 to 15 percent slopes | 3 | 316.1 | 0.001 | \$ 1,607.41 |

| | | | | | | |
|------------|-----|---|---|---------|-------|-------------|
| Montgomery | LhC | Lehigh silt loam, 8 to 15 percent slopes | 3 | 3482.4 | 0.011 | \$ 1,357.98 |
| Montgomery | MaC | Manor loam, 8 to 15 percent slopes | 3 | 1014.2 | 0.003 | \$ 1,399.58 |
| Montgomery | MoC | Mount Lucas silt loam, 8 to 15 percent slopes | 3 | 401.9 | 0.001 | \$ 1,279.67 |
| Montgomery | NhC | Neshaminy silt loam, 8 to 15 percent slopes | 3 | 941.7 | 0.003 | \$ 1,484.82 |
| Montgomery | PaC | Parker gravelly loam, 8 to 15 percent slopes | 3 | 613.5 | 0.002 | \$ 1,247.05 |
| Montgomery | PcC | Penn channery silt loam, 8 to 15 percent slopes | 3 | 728.9 | 0.002 | \$ 1,379.27 |
| Montgomery | PeC | Penn silt loam, 8 to 15 percent slopes | 3 | 4903.3 | 0.016 | \$ 1,455.84 |
| Montgomery | PIC | Penn-Lansdale complex, 8 to 15 percent slopes | 3 | 1778.4 | 0.006 | \$ 1,431.32 |
| Montgomery | ReC | Readington silt loam, 8 to 15 percent slopes | 3 | 1528.1 | 0.005 | \$ 1,455.84 |
| Montgomery | RhA | Reaville silt loam, 0 to 3 percent slopes | 3 | 2007.2 | 0.006 | \$ 1,468.97 |
| Montgomery | RhB | Reaville silt loam, 3 to 8 percent slopes | 3 | 15844.7 | 0.051 | \$ 1,448.81 |
| Montgomery | RhC | Reaville silt loam, 8 to 15 percent slopes | 3 | 3901.8 | 0.013 | \$ 1,413.63 |
| Montgomery | AuD | Athol-Oatlands silt loams, 15 to 25 percent slopes | 4 | 49.8 | 0 | \$ 1,268.09 |
| Montgomery | Bo | Bowmansville-Knauers silt loams | 4 | 9900.9 | 0.032 | \$ 1,322.90 |
| Montgomery | BsD | Brecknock channery silt loam, 15 to 25 percent slopes | 4 | 656.9 | 0.002 | \$ 1,377.19 |
| Montgomery | CrA | Croton silt loam, occasionally ponded, 0 to 3 percent slopes | 4 | 3618.9 | 0.012 | \$ 1,145.10 |
| Montgomery | CrB | Croton silt loam, 3 to 8 percent slopes | 4 | 5440.6 | 0.017 | \$ 1,164.52 |
| Montgomery | DsA | Doylestown silt loam, 0 to 3 percent slopes | 4 | 1003.5 | 0.003 | \$ 1,242.34 |
| Montgomery | DsB | Doylestown silt loam, 3 to 8 percent slopes | 4 | 296.9 | 0.001 | \$ 1,242.34 |
| Montgomery | EcD | Edgemont channery loam, 15 to 25 percent slopes | 4 | 476.1 | 0.002 | \$ 1,239.03 |
| Montgomery | GdD | Gladstone gravelly loam, 15 to 25 percent slopes | 4 | 130.3 | 0 | \$ 1,371.54 |
| Montgomery | GnD | Glenelg silt loam, 15 to 25 percent slopes | 4 | 82.4 | 0 | \$ 1,540.39 |
| Montgomery | Ha | Hatboro silt loam | 4 | 1962.1 | 0.006 | \$ 1,256.44 |
| Montgomery | KIB | Klinesville channery silt loam, 3 to 8 percent slopes | 4 | 1119.1 | 0.004 | \$ 1,327.39 |
| Montgomery | LaD | Lansdale loam, 15 to 25 percent slopes | 4 | 889.4 | 0.003 | \$ 1,500.91 |
| Montgomery | MaD | Manor loam, 15 to 25 percent slopes | 4 | 1210.3 | 0.004 | \$ 1,330.25 |
| Montgomery | NhD | Neshaminy silt loam, 15 to 25 percent slopes | 4 | 256.3 | 0.001 | \$ 1,445.91 |
| Montgomery | PaD | Parker gravelly loam, 15 to 25 percent slopes | 4 | 294.1 | 0.001 | \$ 1,203.65 |
| Montgomery | PcD | Penn channery silt loam, 15 to 25 percent slopes | 4 | 10.9 | 0 | \$ 1,126.98 |
| Montgomery | PkD | Penn-Klinesville channery silt loams, 15 to 25 percent slopes | 4 | 4422.8 | 0.014 | \$ 1,118.36 |
| Montgomery | ToA | Towhee silt loam, 0 to 3 percent slopes | 4 | 144.9 | 0 | \$ 1,150.60 |
| Montgomery | ToB | Towhee silt loam, 3 to 8 percent slopes | 4 | 90.1 | 0 | \$ 1,162.54 |
| Montgomery | WaA | Watchung silt loam, 0 to 3 percent slopes | 4 | 325.5 | 0.001 | \$ 1,165.01 |
| Montgomery | LsB | Lehigh silt loam, 0 to 8 percent slopes, very stony | 6 | 396.9 | 0.001 | \$ 750.61 |
| Montgomery | LsD | Lehigh silt loam, 8 to 25 percent slopes, very stony | 6 | 651.9 | 0.002 | \$ 750.61 |
| Montgomery | MaE | Manor loam, 25 to 35 percent slopes | 6 | 1114.2 | 0.004 | \$ 750.61 |
| Montgomery | PaE | Parker gravelly loam, 25 to 35 percent slopes | 6 | 361.1 | 0.001 | \$ 750.61 |
| Montgomery | PbB | Parker loam, 0 to 8 percent slopes, extremely stony | 6 | 49.7 | 0 | \$ 750.61 |
| Montgomery | PbD | Parker loam, 8 to 25 percent slopes, extremely stony | 6 | 531.2 | 0.002 | \$ 750.61 |
| Montgomery | WaB | Watchung silt loam, 3 to 8 percent slopes | 6 | 534.1 | 0.002 | \$ 1,136.07 |
| Montgomery | BvD | Brecknock channery silt loam, 8 to 25 percent slopes, extrer | 7 | 393.5 | 0.001 | \$ 750.61 |
| Montgomery | BvF | Brecknock channery silt loam, 25 to 60 percent slopes, extr | 7 | 219 | 0.001 | \$ 750.61 |
| Montgomery | CsB | Croton silt loam, 0 to 8 percent slopes, extremely stony | 7 | 213.6 | 0.001 | \$ 750.61 |
| Montgomery | ExD | Edgemont channery sandy loam, 8 to 25 percent slopes, ext | 7 | 172.3 | 0.001 | \$ 750.61 |
| Montgomery | ExF | Edgemont channery sandy loam, 25 to 60 percent slopes, e) | 7 | 121.2 | 0 | \$ 750.61 |
| Montgomery | KIC | Klinesville channery silt loam, 8 to 15 percent slopes | 7 | 1792.9 | 0.006 | \$ 1,254.10 |
| Montgomery | KIF | Klinesville channery silt loam, 35 to 60 percent slopes | 7 | 444.4 | 0.001 | \$ 750.61 |
| Montgomery | LbD | Lansdale loam, 8 to 25 percent slopes, very stony | 7 | 111.3 | 0 | \$ 750.61 |
| Montgomery | LbF | Lansdale loam, 25 to 60 percent slopes, very stony | 7 | 367.4 | 0.001 | \$ 750.61 |
| Montgomery | MnF | Manor loam, 25 to 60 percent slopes, very stony | 7 | 741.5 | 0.002 | \$ 750.61 |
| Montgomery | MpB | Mount Lucas silt loam, 0 to 8 percent slopes, extremely stor | 7 | 2312.1 | 0.007 | \$ 750.61 |
| Montgomery | MpD | Mount Lucas silt loam, 8 to 25 percent slopes, extremely stc | 7 | 1670.4 | 0.005 | \$ 750.61 |
| Montgomery | NkB | Neshaminy gravelly silt loam, 0 to 8 percent slopes, extreme | 7 | 1713.6 | 0.005 | \$ 750.61 |
| Montgomery | NkD | Neshaminy gravelly silt loam, 8 to 25 percent slopes, extrer | 7 | 4530.3 | 0.015 | \$ 750.61 |
| Montgomery | NkF | Neshaminy gravelly silt loam, 25 to 60 percent slopes, extre | 7 | 882.5 | 0.003 | \$ 750.61 |
| Montgomery | PbF | Parker loam, 25 to 60 percent slopes, extremely stony | 7 | 225.5 | 0.001 | \$ 750.61 |

| | | | | | | | |
|------------|------|--|---|---------|-------|----|----------|
| Montgomery | TrB | Towhee silt loam, 0 to 8 percent slopes, extremely stony | 7 | 1042.1 | 0.003 | \$ | 750.61 |
| Montgomery | UdlB | Udorthents, limestone, 0 to 8 percent slopes | 7 | 311.3 | 0.001 | \$ | 750.61 |
| Montgomery | UdlD | Udorthents, limestone, 8 to 25 percent slopes | 7 | 175.1 | 0.001 | \$ | 750.61 |
| Montgomery | Udp | Udorthents, sanitary landfill | 7 | 324 | 0.001 | \$ | 750.61 |
| Montgomery | UdsB | Udorthents, schist and gneiss, 0 to 8 percent slopes | 7 | 132.1 | 0 | \$ | 750.61 |
| Montgomery | UdsD | Udorthents, schist and gneiss, 8 to 25 percent slopes | 7 | 61.7 | 0 | \$ | 750.61 |
| Montgomery | UdtB | Udorthents, shale and sandstone, 0 to 8 percent slopes | 7 | 1160 | 0.004 | \$ | 750.61 |
| Montgomery | UdtD | Udorthents, shale and sandstone, 8 to 25 percent slopes | 7 | 218.9 | 0.001 | \$ | 750.61 |
| Montgomery | WcB | Watchung silt loam, 0 to 8 percent slopes, extremely stony | 7 | 1415.7 | 0.005 | \$ | 750.61 |
| Montgomery | DAM | Dams | 8 | 5.4 | 0 | \$ | 750.61 |
| Montgomery | UgB | Urban land, 0 to 8 percent slopes | 8 | 13542.8 | 0.043 | \$ | 750.61 |
| Montgomery | UgD | Urban land, 8 to 25 percent slopes | 8 | 1114.1 | 0.004 | \$ | 750.61 |
| Montgomery | Ura | Urban land, occasionally flooded | 8 | 558.6 | 0.002 | \$ | 750.61 |
| Montgomery | UrcB | Urban land-Abbottstown complex, 0 to 8 percent slopes | 8 | 962.3 | 0.003 | \$ | 750.61 |
| Montgomery | UrhB | Urban land-Duffield complex, 0 to 8 percent slopes | 8 | 4225.6 | 0.014 | \$ | 756.23 |
| Montgomery | UrhD | Urban land-Duffield complex, 8 to 25 percent slopes | 8 | 40.7 | 0 | \$ | 750.61 |
| Montgomery | UrkB | Urban land-Edgemont complex, 0 to 8 percent slopes | 8 | 949.4 | 0.003 | \$ | 750.61 |
| Montgomery | UrkD | Urban land-Edgemont complex, 8 to 25 percent slopes | 8 | 1192.5 | 0.004 | \$ | 750.61 |
| Montgomery | UrlB | Urban land-Gladstone complex, 0 to 8 percent slopes | 8 | 5069.4 | 0.016 | \$ | 750.61 |
| Montgomery | UrlD | Urban land-Gladstone complex, 8 to 25 percent slopes | 8 | 854.8 | 0.003 | \$ | 750.61 |
| Montgomery | UrmB | Urban land-Glenelg complex, 0 to 8 percent slopes | 8 | 3178.3 | 0.01 | \$ | 750.61 |
| Montgomery | UrmD | Urban land-Glenelg complex, 8 to 25 percent slopes | 8 | 634.6 | 0.002 | \$ | 750.61 |
| Montgomery | UroB | Urban land-Lawrenceville complex, 0 to 8 percent slopes | 8 | 4712.1 | 0.015 | \$ | 750.61 |
| Montgomery | UruB | Urban land-Neshaminy complex, 0 to 8 percent slopes | 8 | 452.2 | 0.001 | \$ | 750.61 |
| Montgomery | UrxB | Urban land-Penn complex, 0 to 8 percent slopes | 8 | 13208.6 | 0.042 | \$ | 750.61 |
| Montgomery | UrxD | Urban land-Penn complex, 8 to 25 percent slopes | 8 | 2340.3 | 0.008 | \$ | 750.61 |
| Montgomery | UryB | Urban land-Readington complex, 0 to 8 percent slopes | 8 | 6899 | 0.022 | \$ | 750.61 |
| Montgomery | UudB | Urban land-Udorthents, limestone complex, 0 to 8 percent slopes | 8 | 2657 | 0.009 | \$ | 750.61 |
| Montgomery | UudD | Urban land-Udorthents, limestone complex, 8 to 25 percent slopes | 8 | 539.1 | 0.002 | \$ | 750.61 |
| Montgomery | UugB | Urban land-Udorthents, schist and gneiss complex, 0 to 8 percent slopes | 8 | 9749.5 | 0.031 | \$ | 750.61 |
| Montgomery | UugD | Urban land-Udorthents, schist and gneiss complex, 8 to 25 percent slopes | 8 | 6635.5 | 0.021 | \$ | 750.61 |
| Montgomery | UusB | Urban land-Udorthents, shale and sandstone complex, 0 to 8 percent slopes | 8 | 24797.8 | 0.08 | \$ | 750.61 |
| Montgomery | UusD | Urban land-Udorthents, shale and sandstone complex, 8 to 25 percent slopes | 8 | 9217.8 | 0.03 | \$ | 750.61 |
| Montour | AnA | Allenwood gravelly silt loam, 0 to 3 percent slopes | 1 | 137.3 | 0.002 | \$ | 1,540.39 |
| Montour | Lw | Linden silt loam | 1 | 288 | 0.003 | \$ | 1,447.98 |
| Montour | WsA | Wheeling soils, 0 to 3 percent slopes | 1 | 181.1 | 0.002 | \$ | 1,458.31 |
| Montour | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 132.8 | 0.002 | \$ | 1,288.87 |
| Montour | AoB | Allenwood and Washington soils, 3 to 8 percent slopes | 2 | 538.8 | 0.006 | \$ | 1,540.39 |
| Montour | Bc | Basher soils | 2 | 551.7 | 0.007 | \$ | 1,447.98 |
| Montour | BeB | Bedington silt loam, 3 to 8 percent slopes | 2 | 752.1 | 0.009 | \$ | 1,388.85 |
| Montour | BkB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 2245.2 | 0.027 | \$ | 1,086.52 |
| Montour | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 374 | 0.004 | \$ | 1,270.42 |
| Montour | CaB | Calvin-Klinesville shaly silt loams, 3 to 8 percent slopes | 2 | 237.6 | 0.003 | \$ | 1,023.17 |
| Montour | EdB | Edom complex, 3 to 8 percent slopes | 2 | 1217.5 | 0.014 | \$ | 1,340.76 |
| Montour | EsB | Elliber cherty silt loam, 3 to 8 percent slopes | 2 | 564.5 | 0.007 | \$ | 1,384.54 |
| Montour | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 1730.4 | 0.02 | \$ | 1,642.70 |
| Montour | HtB | Hartleton channery silt loam, 3 to 8 percent slopes | 2 | 1748.7 | 0.021 | \$ | 1,137.58 |
| Montour | KmB | Kreamer cherty silt loam, 3 to 8 percent slopes | 2 | 969 | 0.011 | \$ | 1,196.86 |
| Montour | LaB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 29.9 | 0 | \$ | 1,286.57 |
| Montour | LnB | Leck Kill shaly silt loam, 3 to 8 percent slopes | 2 | 83.2 | 0.001 | \$ | 1,454.19 |
| Montour | MkB | Meckesville silt loam, 3 to 8 percent slopes | 2 | 109.8 | 0.001 | \$ | 1,288.87 |
| Montour | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 1358.8 | 0.016 | \$ | 1,370.67 |
| Montour | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 507 | 0.006 | \$ | 1,292.08 |
| Montour | UnB | Unadilla silt loam, 3 to 8 percent slopes | 2 | 252.4 | 0.003 | \$ | 1,345.20 |
| Montour | WaB | Washington silt loam, wet substratum, 3 to 8 percent slopes | 2 | 1420.1 | 0.017 | \$ | 1,474.27 |
| Montour | WbA | Watson silt loam, 0 to 3 percent slopes | 2 | 2088 | 0.025 | \$ | 1,309.38 |

| | | | | | | |
|---------|-----|---|---|--------|-------|-------------|
| Montour | WbB | Watson silt loam, 3 to 8 percent slopes | 2 | 4352.8 | 0.051 | \$ 1,309.38 |
| Montour | WsB | Wheeling soils, 3 to 8 percent slopes | 2 | 84.7 | 0.001 | \$ 1,454.19 |
| Montour | AoC | Allenwood and Washington soils, 8 to 15 percent slopes | 3 | 100.1 | 0.001 | \$ 1,488.86 |
| Montour | ArA | Alvira silt loam, 0 to 3 percent slopes | 3 | 2362.6 | 0.028 | \$ 1,235.24 |
| Montour | ArB | Alvira silt loam, 3 to 8 percent slopes | 3 | 3688.5 | 0.044 | \$ 1,237.14 |
| Montour | ArC | Alvira silt loam, 8 to 15 percent slopes | 3 | 441.7 | 0.005 | \$ 1,198.80 |
| Montour | Bd | Basher soils, frequently flooded | 3 | 1027.7 | 0.012 | \$ 1,443.84 |
| Montour | BeC | Bedington silt loam, 8 to 15 percent slopes | 3 | 503.5 | 0.006 | \$ 1,311.64 |
| Montour | BkC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 5140.7 | 0.061 | \$ 1,041.89 |
| Montour | BuC | Buchanan gravelly loam, 8 to 15 percent slopes | 3 | 292.9 | 0.003 | \$ 1,196.86 |
| Montour | CaC | Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes | 3 | 480.6 | 0.006 | \$ 871.65 |
| Montour | EdC | Edom complex, 8 to 15 percent slopes | 3 | 728.2 | 0.009 | \$ 1,258.78 |
| Montour | EsC | Elliber cherty silt loam, 8 to 15 percent slopes | 3 | 1155.6 | 0.014 | \$ 1,334.09 |
| Montour | EtB | Elliber very cherty silt loam, 3 to 8 percent slopes | 3 | 59.2 | 0.001 | \$ 1,258.78 |
| Montour | EvB | Evendale cherty silt loam, 3 to 8 percent slopes | 3 | 1600.9 | 0.019 | \$ 1,147.61 |
| Montour | HaC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 1245.3 | 0.015 | \$ 1,562.05 |
| Montour | HtC | Hartleton channery silt loam, 8 to 15 percent | 3 | 3605.5 | 0.043 | \$ 1,025.86 |
| Montour | HZ | Holly silt loam, rarely flooded | 3 | 2664.4 | 0.031 | \$ 1,298.02 |
| Montour | KmC | Kreamer cherty silt loam, 8 to 15 percent slopes | 3 | 153.6 | 0.002 | \$ 1,113.77 |
| Montour | LaC | Laidig gravelly loam, 8 to 15 percent slopes | 3 | 36.9 | 0 | \$ 1,235.24 |
| Montour | LnC | Leck Kill shaly silt loam, 8 to 15 percent slopes | 3 | 125.1 | 0.001 | \$ 1,439.68 |
| Montour | MkC | Meckesville silt loam, 8 to 15 percent slopes | 3 | 38.3 | 0 | \$ 1,249.40 |
| Montour | OpB | Opequon silty clay loam, 3 to 8 percent slopes-mlra147 | 3 | 200.9 | 0.002 | \$ 1,291.16 |
| Montour | UnC | Unadilla silt loam, 8 to 15 percent slopes | 3 | 145 | 0.002 | \$ 1,272.73 |
| Montour | WbC | Watson silt loam, 8 to 15 percent slopes | 3 | 1019.4 | 0.012 | \$ 1,240.45 |
| Montour | WeB | Weikert channery silt loam, 3 to 8 percent slopes | 3 | 1213.8 | 0.014 | \$ 1,269.95 |
| Montour | WyA | Wyoming gravelly sandy loam, 0 to 3 percent slopes | 3 | 66.4 | 0.001 | \$ 1,249.40 |
| Montour | WyB | Wyoming gravelly sandy loam, 3 to 8 percent slopes | 3 | 39.5 | 0 | \$ 1,249.40 |
| Montour | BeD | Bedington silt loam, 15 to 25 percent slopes | 4 | 166.6 | 0.002 | \$ 1,206.54 |
| Montour | BkD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 4122.5 | 0.049 | \$ 996.07 |
| Montour | CaD | Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes | 4 | 493.5 | 0.006 | \$ 871.65 |
| Montour | EdD | Edom complex, 15 to 25 percent slopes | 4 | 220.4 | 0.003 | \$ 1,049.85 |
| Montour | EsD | Elliber cherty silt loam, 15 to 25 percent slopes | 4 | 314.6 | 0.004 | \$ 1,196.86 |
| Montour | EtC | Elliber very cherty silt loam, 8 to 15 percent slopes | 4 | 52.7 | 0.001 | \$ 1,140.09 |
| Montour | HaD | Hagerstown silt loam, 15 to 25 percent slopes | 4 | 71.5 | 0.001 | \$ 1,490.88 |
| Montour | HtD | Hartleton channery silt loam, 15 to 25 percent slopes | 4 | 1774 | 0.021 | \$ 909.32 |
| Montour | Hv | Holly silt loam | 4 | 1208.2 | 0.014 | \$ 1,249.40 |
| Montour | LnD | Leck Kill shaly silt loam, 15 to 25 percent slopes | 4 | 100.2 | 0.001 | \$ 1,242.34 |
| Montour | ShA | Shelmadine silt loam, 0 to 3 percent slopes | 4 | 1542.2 | 0.018 | \$ 1,167.48 |
| Montour | ShB | Shelmadine silt loam, 3 to 8 percent slopes | 4 | 229.6 | 0.003 | \$ 1,169.95 |
| Montour | UnD | Unadilla silt loam, 15 to 25 percent slopes | 4 | 158.4 | 0.002 | \$ 1,122.42 |
| Montour | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 2927.5 | 0.035 | \$ 1,009.67 |
| Montour | Hy | Holly silt loam, ponded | 5 | 361.6 | 0.004 | \$ 750.61 |
| Montour | AsB | Alvira very stony silt loam, 0 to 8 percent slopes | 6 | 106.2 | 0.001 | \$ 750.61 |
| Montour | BxB | Buchanan very stony loam, 0 to 8 percent slopes | 6 | 167.5 | 0.002 | \$ 750.61 |
| Montour | BxD | Buchanan very stony loam, 8 to 25 percent slopes | 6 | 277.7 | 0.003 | \$ 750.61 |
| Montour | EtD | Elliber very cherty silt loam, 15 to 25 percent slopes | 6 | 106.6 | 0.001 | \$ 750.61 |
| Montour | OpD | Opequon silty clay loam, 8 to 25 percent slopes | 6 | 620.2 | 0.007 | \$ 1,201.71 |
| Montour | OpE | Opequon silty clay loam, 25 to 45 percent slopes | 6 | 148.6 | 0.002 | \$ 750.61 |
| Montour | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 3398.5 | 0.04 | \$ 750.61 |
| Montour | DeB | Dekalb extremely stony sandy loam, 0 to 8 percent slopes | 7 | 11 | 0 | \$ 750.61 |
| Montour | DeD | Dekalb extremely stony sandy loam, 8 to 25 percent slopes | 7 | 209.1 | 0.002 | \$ 750.61 |
| Montour | DeF | Dekalb extremely stony sandy loam, steep | 7 | 148.8 | 0.002 | \$ 750.61 |
| Montour | EtF | Elliber very cherty silt loam, 25 to 70 percent slopes | 7 | 80 | 0.001 | \$ 750.61 |
| Montour | HuB | Hazleton and Clymer extremely stony sandy loams, 0 to 8 percent slopes | 7 | 281.9 | 0.003 | \$ 750.61 |
| Montour | HuD | Hazleton and Clymer extremely stony sandy loams, 8 to 25 percent slopes | 7 | 244.6 | 0.003 | \$ 750.61 |

| | | | | | | |
|-------------|-----|---|---|---------|-------|-------------|
| Montour | LdD | Laidig and Meckesville extremely stony soils, 8 to 25 percent | 7 | 543.9 | 0.006 | \$ 750.61 |
| Montour | LdF | Laidig and Meckesville extremely stony soils, steep | 7 | 179.1 | 0.002 | \$ 750.61 |
| Montour | Ug | Udifluvents and Fluvaquents, gravelly | 7 | 386.1 | 0.005 | \$ 750.61 |
| Montour | WkE | Weikert and Klinesville shaly silt loams, steep | 7 | 11854.4 | 0.14 | \$ 750.61 |
| Montour | DAM | Dams | 8 | 5.6 | 0 | \$ 750.61 |
| Northampton | AfA | Allenwood silt loam, 0 to 3 percent slopes | 1 | 711.5 | 0.003 | \$ 1,560.13 |
| Northampton | BfA | Bedington-Berks complex, 0 to 3 percent slopes | 1 | 615.1 | 0.003 | \$ 1,362.63 |
| Northampton | CtA | Conotton gravelly loam, 0 to 3 percent slopes | 1 | 906.4 | 0.004 | \$ 1,790.10 |
| Northampton | DaA | Delaware fine sandy loam, 0 to 3 percent slopes | 1 | 930.4 | 0.004 | \$ 1,783.16 |
| Northampton | DuA | Duffield silt loam, 0 to 3 percent slopes | 1 | 356.4 | 0.001 | \$ 1,747.30 |
| Northampton | WaA | Washington silt loam, 0 to 3 percent slopes | 1 | 7686.2 | 0.032 | \$ 1,780.60 |
| Northampton | AfB | Allenwood silt loam, 3 to 8 percent slopes | 2 | 5289.9 | 0.022 | \$ 1,560.13 |
| Northampton | ArB | Arendtsville gravelly loam, 3 to 8 percent slopes | 2 | 215.7 | 0.001 | \$ 1,450.05 |
| Northampton | BfB | Bedington-Berks complex, 3 to 8 percent slopes | 2 | 2198.2 | 0.009 | \$ 1,341.30 |
| Northampton | BkB | Berks-Weikert complex, 3 to 8 percent slopes | 2 | 16545.4 | 0.068 | \$ 1,123.44 |
| Northampton | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 1702 | 0.007 | \$ 1,441.76 |
| Northampton | CaB | Califon loam, 3 to 8 percent slopes | 2 | 1322.5 | 0.005 | \$ 1,420.39 |
| Northampton | ClA | Clarksburg silt loam, 0 to 3 percent slopes | 2 | 2456.5 | 0.01 | \$ 1,478.75 |
| Northampton | ClB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 2562.5 | 0.011 | \$ 1,477.61 |
| Northampton | CpA | Comly silt loam, 0 to 3 percent slopes | 2 | 1329.3 | 0.006 | \$ 1,281.70 |
| Northampton | CpB | Comly silt loam, 3 to 8 percent slopes | 2 | 8605.3 | 0.036 | \$ 1,281.70 |
| Northampton | CtB | Conotton gravelly loam, 3 to 8 percent slopes | 2 | 2752.8 | 0.011 | \$ 1,460.36 |
| Northampton | DaB | Delaware fine sandy loam, 3 to 8 percent slopes | 2 | 17.7 | 0 | \$ 1,758.04 |
| Northampton | DuB | Duffield silt loam, 3 to 8 percent slopes | 2 | 1876.5 | 0.008 | \$ 1,756.37 |
| Northampton | Gb | Gibraltar silt loam | 2 | 699.9 | 0.003 | \$ 1,452.12 |
| Northampton | GIB | Gladstone gravelly loam, 3 to 8 percent slopes | 2 | 2594.3 | 0.011 | \$ 1,516.83 |
| Northampton | LaB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 503.4 | 0.002 | \$ 1,286.57 |
| Northampton | MaB | Manlius channery silt loam, 3 to 8 percent slopes | 2 | 2272.5 | 0.009 | \$ 1,189.08 |
| Northampton | Mb | Middlebury silt loam | 2 | 907.9 | 0.004 | \$ 1,452.12 |
| Northampton | PgB | Penargyl channery silt loam, 3 to 8 percent slopes | 2 | 620.8 | 0.003 | \$ 1,460.36 |
| Northampton | PhB | Phelps gravelly silt loam, 3 to 8 percent slopes | 2 | 638.4 | 0.003 | \$ 1,330.07 |
| Northampton | ReB | Readington silt loam, 3 to 8 percent slopes | 2 | 26.8 | 0 | \$ 1,472.40 |
| Northampton | RyB | Ryder-Duffield silt loams, 3 to 8 percent slopes | 2 | 702.3 | 0.003 | \$ 1,361.32 |
| Northampton | SvB | Swartswood gravelly loam, 3 to 8 percent slopes | 2 | 3882.8 | 0.016 | \$ 1,248.46 |
| Northampton | WaB | Washington silt loam, 3 to 8 percent slopes | 2 | 12827.7 | 0.053 | \$ 1,672.03 |
| Northampton | WuB | Wurtsboro gravelly silt loam, 3 to 8 percent slopes | 2 | 2633.8 | 0.011 | \$ 1,245.64 |
| Northampton | AfC | Allenwood silt loam, 8 to 15 percent slopes | 3 | 267.7 | 0.001 | \$ 1,498.03 |
| Northampton | ArC | Arendtsville gravelly loam, 8 to 15 percent slopes | 3 | 195.9 | 0.001 | \$ 1,371.10 |
| Northampton | AtB | Arnot channery silt loam, 3 to 8 percent slopes | 3 | 332 | 0.001 | \$ 1,023.17 |
| Northampton | BfC | Bedington-Berks complex, 8 to 15 percent slopes | 3 | 142.4 | 0.001 | \$ 1,263.16 |
| Northampton | BkA | Berks-Weikert complex, 0 to 3 percent slopes | 3 | 2346.9 | 0.01 | \$ 1,137.58 |
| Northampton | BkC | Berks-Weikert complex, 8 to 15 percent slopes | 3 | 12095.4 | 0.05 | \$ 1,123.44 |
| Northampton | CtC | Conotton gravelly loam, 8 to 15 percent slopes | 3 | 1252.7 | 0.005 | \$ 1,286.57 |
| Northampton | DvC | Duffield-Ryder silt loams, 8 to 15 percent slopes | 3 | 825.6 | 0.003 | \$ 1,532.19 |
| Northampton | GIC | Gladstone gravelly loam, 8 to 15 percent slopes | 3 | 4170.9 | 0.017 | \$ 1,454.35 |
| Northampton | Ho | Holly silt loam | 3 | 3801.6 | 0.016 | \$ 1,292.08 |
| Northampton | MaC | Manlius channery silt loam, 8 to 15 percent slopes | 3 | 2643.9 | 0.011 | \$ 1,087.56 |
| Northampton | PgC | Penargyl channery silt loam, 8 to 15 percent slopes | 3 | 100.2 | 0 | \$ 1,375.88 |
| Northampton | Rh | Red Hook silt loam | 3 | 1453.4 | 0.006 | \$ 1,237.51 |
| Northampton | SvC | Swartswood gravelly loam, 8 to 15 percent slopes | 3 | 1408.5 | 0.006 | \$ 1,150.60 |
| Northampton | VoB | Volusia gravelly silt loam, 3 to 8 percent slopes | 3 | 726.2 | 0.003 | \$ 1,017.78 |
| Northampton | WaC | Washington silt loam, 8 to 15 percent slopes | 3 | 2609.4 | 0.011 | \$ 1,566.96 |
| Northampton | WkB | Weikert-Berks complex, 3 to 8 percent slopes | 3 | 1007.6 | 0.004 | \$ 1,028.54 |
| Northampton | WuC | Wurtsboro gravelly silt loam, 8 to 15 percent slopes | 3 | 741.8 | 0.003 | \$ 1,107.13 |
| Northampton | AnA | Andover-Buchanan gravelly loams, 0 to 3 percent slopes | 4 | 479.1 | 0.002 | \$ 1,189.57 |
| Northampton | AnB | Andover-Buchanan gravelly loams, 3 to 8 percent slopes | 4 | 1107.6 | 0.005 | \$ 1,189.57 |

| | | | | | | |
|-------------|------|---|---|--------|-------|-------------|
| Northampton | ArD | Arendtsville gravelly loam, 15 to 25 percent slopes | 4 | 158 | 0.001 | \$ 1,124.45 |
| Northampton | AtC | Arnot channery silt loam, 8 to 15 percent slopes | 4 | 628.3 | 0.003 | \$ 915.05 |
| Northampton | BkD | Berks-Weikert complex, 15 to 25 percent slopes | 4 | 4790 | 0.02 | \$ 1,022.09 |
| Northampton | BtA | Brinkerton-Comly silt loams, 0 to 3 percent slopes | 4 | 1344.3 | 0.006 | \$ 1,212.42 |
| Northampton | BtB | Brinkerton-Comly silt loams, 3 to 8 percent slopes | 4 | 1782.1 | 0.007 | \$ 1,212.42 |
| Northampton | ChA | Chippewa silt loam, 0 to 3 percent slopes | 4 | 267.2 | 0.001 | \$ 871.65 |
| Northampton | ChB | Chippewa silt loam, 3 to 8 percent slopes | 4 | 762.3 | 0.003 | \$ 871.65 |
| Northampton | CnB | Cokesbury silt loam, 3 to 8 percent slopes | 4 | 671.8 | 0.003 | \$ 1,286.57 |
| Northampton | GnD | Gladstone-Parker gravelly loams, 15 to 25 percent slopes | 4 | 1890.4 | 0.008 | \$ 1,301.20 |
| Northampton | MaD | Manlius channery silt loam, 15 to 25 percent slopes | 4 | 1428.3 | 0.006 | \$ 912.19 |
| Northampton | SvD | Swartswood gravelly loam, 15 to 25 percent slopes | 4 | 246.2 | 0.001 | \$ 1,034.96 |
| Northampton | WaD | Washington silt loam, 15 to 25 percent slopes | 4 | 573 | 0.002 | \$ 1,452.29 |
| Northampton | WkC | Weikert-Berks complex, 8 to 15 percent slopes | 4 | 1729.8 | 0.007 | \$ 891.11 |
| Northampton | Cd | Catden muck | 5 | 162.5 | 0.001 | \$ 750.61 |
| Northampton | Fl | Fluvaquents | 5 | 180.7 | 0.001 | \$ 750.61 |
| Northampton | Ha | Halsey silt loam | 5 | 669.8 | 0.003 | \$ 750.61 |
| Northampton | AtD | Arnot channery silt loam, 15 to 25 percent slopes | 6 | 658.7 | 0.003 | \$ 809.10 |
| Northampton | CbB | Califon loam, 0 to 8 percent slopes, extremely stony | 6 | 109.7 | 0 | \$ 750.61 |
| Northampton | CtD | Conotton gravelly loam, 15 to 25 percent slopes | 6 | 316 | 0.001 | \$ 1,091.70 |
| Northampton | GmB | Gladstone gravelly loam, 0 to 8 percent slopes, very boulder | 6 | 349.7 | 0.001 | \$ 750.61 |
| Northampton | GmD | Gladstone gravelly loam, 8 to 25 percent slopes, very boulder | 6 | 4233.2 | 0.018 | \$ 750.61 |
| Northampton | WkD | Weikert-Berks complex, 15 to 25 percent slopes | 6 | 1526.1 | 0.006 | \$ 929.28 |
| Northampton | AoB | Andover-Buchanan gravelly loams, 0 to 8 percent slopes, extremely stony | 7 | 933.3 | 0.004 | \$ 750.61 |
| Northampton | BkF | Berks-Weikert complex, 25 to 60 percent slopes | 7 | 5863.2 | 0.024 | \$ 750.61 |
| Northampton | BvB | Buchanan gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 1999.4 | 0.008 | \$ 750.61 |
| Northampton | CkB | Chippewa silt loam, 0 to 8 percent slopes, extremely stony | 7 | 2521.2 | 0.01 | \$ 750.61 |
| Northampton | CoB | Cokesbury-Califon channery silt loams, 0 to 8 percent slopes | 7 | 461 | 0.002 | \$ 750.61 |
| Northampton | CrB | Comly silt loam, 0 to 8 percent slopes, extremely stony | 7 | 663.1 | 0.003 | \$ 750.61 |
| Northampton | CtF | Conotton gravelly loam, 25 to 65 percent slopes | 7 | 336.5 | 0.001 | \$ 750.61 |
| Northampton | GmF | Gladstone gravelly loam, 25 to 55 percent slopes, very boulder | 7 | 3899.7 | 0.016 | \$ 750.61 |
| Northampton | HeB | Hazleton very channery loam, 0 to 8 percent slopes, extremely stony | 7 | 1067.3 | 0.004 | \$ 750.61 |
| Northampton | HeD | Hazleton very channery loam, 8 to 25 percent slopes, extremely stony | 7 | 1123 | 0.005 | \$ 750.61 |
| Northampton | HeF | Hazleton very channery loam, 25 to 60 percent slopes, extremely stony | 7 | 863.4 | 0.004 | \$ 750.61 |
| Northampton | HgF | Hazleton-Rubble land complex, 25 to 60 percent slopes | 7 | 1106.4 | 0.005 | \$ 750.61 |
| Northampton | LbB | Laidig very gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 2135.9 | 0.009 | \$ 750.61 |
| Northampton | LbD | Laidig very gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 2328.7 | 0.01 | \$ 750.61 |
| Northampton | LbF | Laidig very gravelly loam, 25 to 65 percent slopes, extremely stony | 7 | 521.2 | 0.002 | \$ 750.61 |
| Northampton | LcD | Laidig very channery loam, 8 to 25 percent slopes, rubbly | 7 | 1301.5 | 0.005 | \$ 750.61 |
| Northampton | LdF | Laidig-Rubble land complex, 25 to 60 percent slopes | 7 | 537.2 | 0.002 | \$ 750.61 |
| Northampton | SwB | Swartswood and Wurtsboro soils, 0 to 8 percent slopes, extremely stony | 7 | 2635.3 | 0.011 | \$ 750.61 |
| Northampton | SwD | Swartswood and Wurtsboro soils, 8 to 25 percent slopes, extremely stony | 7 | 1360.8 | 0.006 | \$ 750.61 |
| Northampton | UbB | Udorthents, limestone, 0 to 8 percent slopes | 7 | 3654.2 | 0.015 | \$ 750.61 |
| Northampton | UbD | Udorthents, limestone, 8 to 25 percent slopes | 7 | 421 | 0.002 | \$ 750.61 |
| Northampton | Uc | Udorthents, loamy | 7 | 190 | 0.001 | \$ 750.61 |
| Northampton | UdB | Udorthents, sandy | 7 | 384.7 | 0.002 | \$ 750.61 |
| Northampton | UfB | Udorthents, sanitary landfill | 7 | 181.4 | 0.001 | \$ 750.61 |
| Northampton | UgB | Udorthents, schist and gneiss, 0 to 8 percent slopes | 7 | 212.6 | 0.001 | \$ 750.61 |
| Northampton | UgD | Udorthents, schist and gneiss, 8 to 25 percent slopes | 7 | 98.5 | 0 | \$ 750.61 |
| Northampton | UhB | Udorthents, shale and sandstone, 0 to 8 percent slopes | 7 | 753.1 | 0.003 | \$ 750.61 |
| Northampton | UhD | Udorthents, shale and sandstone, 8 to 25 percent slopes | 7 | 465.2 | 0.002 | \$ 750.61 |
| Northampton | VuB | Volusia gravelly silt loam, 0 to 8 percent slopes, extremely stony | 7 | 1869.7 | 0.008 | \$ 750.61 |
| Northampton | RU | Rubble land | 8 | 229.1 | 0.001 | \$ 750.61 |
| Northampton | UkaB | Urban land, 0 to 8 percent slopes | 8 | 6100.1 | 0.025 | \$ 750.61 |
| Northampton | UkaD | Urban land, 8 to 25 percent slopes | 8 | 140.5 | 0.001 | \$ 750.61 |
| Northampton | Ukb | Urban land, occasionally flooded | 8 | 1072.4 | 0.004 | \$ 750.61 |
| Northampton | UIB | Urban land-Berks complex, 0 to 8 percent slopes | 8 | 4575.1 | 0.019 | \$ 750.61 |

| | | | | | | |
|----------------|------|--|---|---------|-------|-------------|
| Northampton | UID | Urban land-Berks complex, 8 to 25 percent slopes | 8 | 395.1 | 0.002 | \$ 750.61 |
| Northampton | UmB | Urban land-Conotton complex, 0 to 8 percent slopes | 8 | 225.4 | 0.001 | \$ 750.61 |
| Northampton | UnB | Urban land-Delaware complex, 0 to 8 percent slopes | 8 | 706.7 | 0.003 | \$ 750.61 |
| Northampton | UoB | Urban land-Duffield complex, 0 to 8 percent slopes | 8 | 14393.8 | 0.06 | \$ 756.23 |
| Northampton | UoD | Urban land-Duffield complex, 8 to 25 percent slopes | 8 | 2509.4 | 0.01 | \$ 750.61 |
| Northampton | UpB | Urban land-Gladstone complex, 0 to 8 percent slopes | 8 | 672.6 | 0.003 | \$ 750.61 |
| Northampton | UpD | Urban land-Gladstone complex, 8 to 25 percent slopes | 8 | 784.1 | 0.003 | \$ 750.61 |
| Northampton | UrB | Urban land-Laidig complex, 0 to 8 percent slopes | 8 | 768.9 | 0.003 | \$ 750.61 |
| Northampton | UrD | Urban land-Laidig complex, 8 to 25 percent slopes | 8 | 142.8 | 0.001 | \$ 750.61 |
| Northampton | UsB | Urban land-Swartswood complex, 0 to 8 percent slopes | 8 | 1028.8 | 0.004 | \$ 750.61 |
| Northampton | UsD | Urban land-Swartswood complex, 8 to 25 percent slopes | 8 | 394.1 | 0.002 | \$ 750.61 |
| Northampton | UudB | Urban land-Udorthents, limestone complex, 0 to 8 percent slopes | 8 | 8926 | 0.037 | \$ 750.61 |
| Northampton | UudD | Urban land-Udorthents, limestone complex, 8 to 25 percent slopes | 8 | 796.8 | 0.003 | \$ 750.61 |
| Northampton | UulB | Urban land-Udorthents, loamy complex, 0 to 8 percent slopes | 8 | 316.4 | 0.001 | \$ 750.61 |
| Northampton | UunB | Urban land-Udorthents, sandy complex, 0 to 8 percent slopes | 8 | 46.3 | 0 | \$ 750.61 |
| Northampton | UupB | Urban land-Udorthents, schist and gneiss complex, 0 to 8 percent slopes | 8 | 391.6 | 0.002 | \$ 750.61 |
| Northampton | UupD | Urban land-Udorthents, schist and gneiss complex, 8 to 25 percent slopes | 8 | 477.1 | 0.002 | \$ 750.61 |
| Northampton | UusB | Urban land-Udorthents, shale and sandstone complex, 0 to 8 percent slopes | 8 | 1627.1 | 0.007 | \$ 750.61 |
| Northampton | UusD | Urban land-Udorthents, shale and sandstone complex, 8 to 25 percent slopes | 8 | 153.8 | 0.001 | \$ 750.61 |
| Northumberland | AnA | Allenwood gravelly silt loam, 0 to 3 percent slopes | 1 | 467.4 | 0.002 | \$ 1,540.39 |
| Northumberland | Bb | Barbour-Linden complex, rarely flooded | 1 | 3464.8 | 0.011 | \$ 1,441.76 |
| Northumberland | Lw | Linden silt loam | 1 | 1329.8 | 0.004 | \$ 1,447.98 |
| Northumberland | WsA | Wheeling soils, 0 to 3 percent slopes | 1 | 1237.6 | 0.004 | \$ 1,458.31 |
| Northumberland | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 1990 | 0.007 | \$ 1,288.87 |
| Northumberland | AoB | Allenwood and Washington soils, 3 to 8 percent slopes | 2 | 3594.7 | 0.012 | \$ 1,540.39 |
| Northumberland | Ba | Barbour soils, frequently flooded | 2 | 374.4 | 0.001 | \$ 1,327.39 |
| Northumberland | Bc | Basher soils | 2 | 1398.2 | 0.005 | \$ 1,447.98 |
| Northumberland | BeB | Bedington silt loam, 3 to 8 percent slopes | 2 | 2653.4 | 0.009 | \$ 1,388.85 |
| Northumberland | BkB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 6829.1 | 0.022 | \$ 1,086.52 |
| Northumberland | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 230.1 | 0.001 | \$ 1,270.42 |
| Northumberland | CaB | Calvin-Klinesville shaly silt loams, 3 to 8 percent slopes | 2 | 3494.8 | 0.011 | \$ 1,023.17 |
| Northumberland | EdB | Edom complex, 3 to 8 percent slopes | 2 | 3524.4 | 0.012 | \$ 1,340.76 |
| Northumberland | EsB | Elliber cherty silt loam, 3 to 8 percent slopes | 2 | 1306.6 | 0.004 | \$ 1,384.54 |
| Northumberland | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 2403.3 | 0.008 | \$ 1,642.70 |
| Northumberland | HtB | Hartleton channery silt loam, 3 to 8 percent slopes | 2 | 5761.9 | 0.019 | \$ 1,137.58 |
| Northumberland | KmB | Kreamer cherty silt loam, 3 to 8 percent slopes | 2 | 1635.9 | 0.005 | \$ 1,196.86 |
| Northumberland | LaB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 199.2 | 0.001 | \$ 1,286.57 |
| Northumberland | LnB | Leck kill shaly silt loam, 3 to 8 percent slopes | 2 | 2764.9 | 0.009 | \$ 1,454.19 |
| Northumberland | MkB | Meckesville silt loam, 3 to 8 percent slopes | 2 | 1913.3 | 0.006 | \$ 1,288.87 |
| Northumberland | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 1542.2 | 0.005 | \$ 1,370.67 |
| Northumberland | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 1228.2 | 0.004 | \$ 1,292.08 |
| Northumberland | UnB | Unadilla silt loam, 3 to 8 percent slopes | 2 | 429.9 | 0.001 | \$ 1,345.20 |
| Northumberland | WaB | Washington silt loam, wet substratum, 3 to 8 percent slopes | 2 | 1577.6 | 0.005 | \$ 1,474.27 |
| Northumberland | WbA | Watson silt loam, 0 to 3 percent slopes | 2 | 1754.6 | 0.006 | \$ 1,309.38 |
| Northumberland | WbB | Watson silt loam, 3 to 8 percent slopes | 2 | 6738.3 | 0.022 | \$ 1,309.38 |
| Northumberland | WsB | Wheeling soils, 3 to 8 percent slopes | 2 | 1602.2 | 0.005 | \$ 1,454.19 |
| Northumberland | AoC | Allenwood and Washington soils, 8 to 15 percent slopes | 3 | 1426.4 | 0.005 | \$ 1,488.86 |
| Northumberland | ArA | Alvira silt loam, 0 to 3 percent slopes | 3 | 2182.4 | 0.007 | \$ 1,235.24 |
| Northumberland | ArB | Alvira silt loam, 3 to 8 percent slopes | 3 | 5433 | 0.018 | \$ 1,237.14 |
| Northumberland | ArC | Alvira silt loam, 8 to 15 percent slopes | 3 | 934.4 | 0.003 | \$ 1,198.80 |
| Northumberland | Bd | Basher soils, frequently flooded | 3 | 4042.5 | 0.013 | \$ 1,443.84 |
| Northumberland | BeC | Bedington silt loam, 8 to 15 percent slopes | 3 | 2266.5 | 0.007 | \$ 1,311.64 |
| Northumberland | BkC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 13390.5 | 0.044 | \$ 1,041.89 |
| Northumberland | BuC | Buchanan gravelly loam, 8 to 15 percent slopes | 3 | 185.1 | 0.001 | \$ 1,196.86 |
| Northumberland | CaC | Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes | 3 | 7968.8 | 0.026 | \$ 871.65 |
| Northumberland | EdC | Edom complex, 8 to 15 percent slopes | 3 | 2163.1 | 0.007 | \$ 1,258.78 |

| | | | | | | |
|----------------|-----|--|---|---------|-------|-------------|
| Northumberland | EsC | Elliber cherty silt loam, 8 to 15 percent slopes | 3 | 1571.3 | 0.005 | \$ 1,334.09 |
| Northumberland | EtB | Elliber very cherty silt loam, 3 to 8 percent slopes | 3 | 196.1 | 0.001 | \$ 1,258.78 |
| Northumberland | EvB | Evendale cherty silt loam, 3 to 8 percent slopes | 3 | 865.8 | 0.003 | \$ 1,147.61 |
| Northumberland | HaC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 819.5 | 0.003 | \$ 1,562.05 |
| Northumberland | HtC | Hartleton channery silt loam, 8 to 15 percent slopes | 3 | 11338 | 0.037 | \$ 1,025.86 |
| Northumberland | Hz | Holly silt loam, rarely flooded | 3 | 2205.9 | 0.007 | \$ 1,298.02 |
| Northumberland | KmC | Kreamer cherty silt loam, 8 to 15 percent slopes | 3 | 140.5 | 0 | \$ 1,113.77 |
| Northumberland | LaC | Laidig gravelly loam, 8 to 15 percent slopes | 3 | 375.2 | 0.001 | \$ 1,235.24 |
| Northumberland | LkB | Lakin loamy fine sand, 3 to 8 percent slopes | 3 | 1707.1 | 0.006 | \$ 1,124.96 |
| Northumberland | LnC | Leck kill shaly silt loam, 8 to 15 percent slopes | 3 | 3666.5 | 0.012 | \$ 1,439.68 |
| Northumberland | MkC | Meckesville silt loam, 8 to 15 percent slopes | 3 | 4705.1 | 0.015 | \$ 1,249.40 |
| Northumberland | OpB | Opequon silty clay loam, 3 to 8 percent slopes-mlra147 | 3 | 204.7 | 0.001 | \$ 1,291.16 |
| Northumberland | RwB | Rushtown very shaly silt loam, 3 to 8 percent slopes | 3 | 118.9 | 0 | \$ 940.59 |
| Northumberland | UnC | Unadilla silt loam, 8 to 15 percent slopes | 3 | 479.7 | 0.002 | \$ 1,272.73 |
| Northumberland | WbC | Watson silt loam, 8 to 15 percent slopes | 3 | 1684.1 | 0.006 | \$ 1,240.45 |
| Northumberland | WeB | Weikert channery silt loam, 3 to 8 percent slopes | 3 | 4334.5 | 0.014 | \$ 1,269.95 |
| Northumberland | WsC | Wheeling soils, 8 to 15 percent slopes | 3 | 378.7 | 0.001 | \$ 1,382.38 |
| Northumberland | WyA | Wyoming gravelly sandy loam, 0 to 3 percent slopes | 3 | 632.7 | 0.002 | \$ 1,249.40 |
| Northumberland | WyB | Wyoming gravelly sandy loam, 3 to 8 percent slopes | 3 | 501.1 | 0.002 | \$ 1,249.40 |
| Northumberland | AnD | Allenwood gravelly silt loam, 15 to 25 percent slopes | 4 | 242.5 | 0.001 | \$ 1,320.66 |
| Northumberland | BeD | Bedington silt loam, 15 to 25 percent slopes | 4 | 461.4 | 0.002 | \$ 1,206.54 |
| Northumberland | BkD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 7931.5 | 0.026 | \$ 996.07 |
| Northumberland | CaD | Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes | 4 | 4398.9 | 0.014 | \$ 871.65 |
| Northumberland | EdD | Edom complex, 15 to 25 percent slopes | 4 | 657.9 | 0.002 | \$ 1,049.85 |
| Northumberland | EsD | Elliber cherty silt loam, 15 to 25 percent slopes | 4 | 273.4 | 0.001 | \$ 1,196.86 |
| Northumberland | EtC | Elliber very cherty silt loam, 8 to 15 percent slopes | 4 | 298.9 | 0.001 | \$ 1,140.09 |
| Northumberland | HaD | Hagerstown silt loam, 15 to 25 percent slopes | 4 | 56 | 0 | \$ 1,490.88 |
| Northumberland | HtD | Hartleton channery silt loam, 15 to 25 percent slopes | 4 | 4245.7 | 0.014 | \$ 909.32 |
| Northumberland | Hv | Holly silt loam | 4 | 3602.3 | 0.012 | \$ 1,249.40 |
| Northumberland | LkC | Lakin loamy fine sand, 8 to 15 percent slopes | 4 | 298 | 0.001 | \$ 1,033.89 |
| Northumberland | LnD | Leck kill shaly silt loam, 15 to 25 percent slopes | 4 | 636.5 | 0.002 | \$ 1,242.34 |
| Northumberland | MkD | Meckesville silt loam, 15 to 25 percent slopes | 4 | 461.6 | 0.002 | \$ 1,167.48 |
| Northumberland | ShA | Shelmadine silt loam, 0 to 3 percent slopes | 4 | 1904.5 | 0.006 | \$ 1,167.48 |
| Northumberland | ShB | Shelmadine silt loam, 3 to 8 percent slopes | 4 | 907.8 | 0.003 | \$ 1,169.95 |
| Northumberland | UnD | Unadilla silt loam, 15 to 25 percent slopes | 4 | 161.3 | 0.001 | \$ 1,122.42 |
| Northumberland | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 7704 | 0.025 | \$ 1,009.67 |
| Northumberland | Hy | Holly silt loam, ponded | 5 | 649.3 | 0.002 | \$ 750.61 |
| Northumberland | AsB | Alvira very stony silt loam, 0 to 8 percent slopes | 6 | 482.1 | 0.002 | \$ 750.61 |
| Northumberland | BxB | Buchanan very stony loam, 0 to 8 percent slopes | 6 | 1136.5 | 0.004 | \$ 750.61 |
| Northumberland | BxD | Buchanan very stony loam, 8 to 25 percent slopes | 6 | 1556.1 | 0.005 | \$ 750.61 |
| Northumberland | EtD | Elliber very cherty silt loam, 15 to 25 percent slopes | 6 | 271.8 | 0.001 | \$ 750.61 |
| Northumberland | OpD | Opequon silty clay loam, 8 to 25 percent slopes | 6 | 623.7 | 0.002 | \$ 1,201.71 |
| Northumberland | OpE | Opequon silty clay loam, 25 to 45 percent slopes | 6 | 178.6 | 0.001 | \$ 750.61 |
| Northumberland | RwC | Rushtown very shaly silt loam, 8 to 25 percent slopes | 6 | 133.8 | 0 | \$ 750.61 |
| Northumberland | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 8418.6 | 0.028 | \$ 750.61 |
| Northumberland | DeB | Dekalb extremely stony sandy loam, 0 to 8 percent slopes | 7 | 376.7 | 0.001 | \$ 750.61 |
| Northumberland | DeD | Dekalb extremely stony sandy loam, 8 to 25 percent slopes | 7 | 1595.9 | 0.005 | \$ 750.61 |
| Northumberland | DeF | Dekalb extremely stony sandy loam, steep | 7 | 10398.4 | 0.034 | \$ 750.61 |
| Northumberland | EtF | Elliber very cherty silt loam, 25 to 70 percent slopes | 7 | 440.3 | 0.001 | \$ 750.61 |
| Northumberland | HuB | Hazleton and Clymer extremely stony sandy loams, 0 to 8 percent slopes | 7 | 2086.5 | 0.007 | \$ 750.61 |
| Northumberland | HuD | Hazleton and Clymer extremely stony sandy loams, 8 to 25 percent slopes | 7 | 8874.9 | 0.029 | \$ 750.61 |
| Northumberland | HuF | Hazleton and Clymer extremely stony sandy loams, 25 to 80 percent slopes | 7 | 6310.4 | 0.021 | \$ 750.61 |
| Northumberland | LbB | Laidig extremely stony loam, 0 to 8 percent slopes | 7 | 465.7 | 0.002 | \$ 750.61 |
| Northumberland | LdD | Laidig and Meckesville extremely stony soils, 8 to 25 percent slopes | 7 | 14841.2 | 0.049 | \$ 750.61 |
| Northumberland | LdF | Laidig and Meckesville extremely stony soils, steep | 7 | 4034.9 | 0.013 | \$ 750.61 |
| Northumberland | Smb | Shelmadine very stony silt loam, 0 to 8 percent slopes | 7 | 1023.7 | 0.003 | \$ 750.61 |

| | | | | | | | |
|----------------|-----|---|---|---------|-------|----|----------|
| Northumberland | Uf | Udifuvents, coal overwash | 7 | 4259.4 | 0.014 | \$ | 750.61 |
| Northumberland | Ug | Udifuvents and Fluvaquents, gravelly | 7 | 689.6 | 0.002 | \$ | 750.61 |
| Northumberland | Uh | Udorthents, sandstone and shale | 7 | 14085.7 | 0.046 | \$ | 750.61 |
| Northumberland | WKE | Weikert and Klinsville shaly silt loams, steep | 7 | 33639.2 | 0.11 | \$ | 750.61 |
| Northumberland | DAM | Dams | 8 | 3 | 0 | \$ | 750.61 |
| Perry | AgA | Allegheny silt loam, 0 to 3 percent slopes | 1 | 228 | 0.001 | \$ | 1,500.91 |
| Perry | Bb | Barbour soils | 1 | 1150 | 0.003 | \$ | 1,451.71 |
| Perry | BoA | Birdsboro silt loam, 0 to 5 percent slopes | 1 | 1753.9 | 0.005 | \$ | 1,616.32 |
| Perry | Ch | Chavies fine sandy loam | 1 | 575.7 | 0.002 | \$ | 1,567.42 |
| Perry | DuA | Duffield silt loam, 0 to 3 percent slopes | 1 | 369.3 | 0.001 | \$ | 1,599.57 |
| Perry | DxA | Duncannon very fine sandy loam, 0 to 3 percent slopes | 1 | 184.6 | 0.001 | \$ | 1,375.88 |
| Perry | HaA | Hagerstown silt loam, 0 to 3 percent slopes | 1 | 288.7 | 0.001 | \$ | 1,641.98 |
| Perry | HuA | Huntington silt loam, 0 to 5 percent slopes | 1 | 2098.7 | 0.006 | \$ | 1,528.03 |
| Perry | MuA | Murrill channery loam, 0 to 3 percent slopes | 1 | 215.2 | 0.001 | \$ | 1,455.01 |
| Perry | Tg | Tioga soils | 1 | 528.3 | 0.001 | \$ | 1,451.71 |
| Perry | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 6935.3 | 0.02 | \$ | 1,288.87 |
| Perry | AgB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 472.3 | 0.001 | \$ | 1,431.32 |
| Perry | Bc | Basher soils | 2 | 2275.7 | 0.006 | \$ | 1,447.98 |
| Perry | BdB | Bedington shaly silt loam, 3 to 8 percent slopes | 2 | 182.2 | 0.001 | \$ | 1,487.25 |
| Perry | BeB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 7389.5 | 0.021 | \$ | 1,086.52 |
| Perry | BhB | Berks stony silt loam, 3 to 8 percent slopes | 2 | 699.9 | 0.002 | \$ | 1,091.70 |
| Perry | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 1582 | 0.004 | \$ | 1,441.76 |
| Perry | CaB | Calvin shaly silt loam, 3 to 8 percent slopes | 2 | 9280.8 | 0.026 | \$ | 1,054.29 |
| Perry | CbB | Calvin-Berks shaly silt loams, 3 to 8 percent slopes | 2 | 3955.2 | 0.011 | \$ | 1,267.54 |
| Perry | DuB | Duffield silt loam, 3 to 8 percent slopes | 2 | 1119 | 0.003 | \$ | 1,567.42 |
| Perry | DxB | Duncannon very fine sandy loam, 3 to 8 percent slopes | 2 | 273.3 | 0.001 | \$ | 1,375.88 |
| Perry | EdB | Edom silty clay loam, 3 to 8 percent slopes | 2 | 2504.7 | 0.007 | \$ | 1,286.57 |
| Perry | EtB | Ernest silt loam, 3 to 8 percent slopes | 2 | 3847.3 | 0.011 | \$ | 1,296.65 |
| Perry | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 537.2 | 0.002 | \$ | 1,642.70 |
| Perry | HcB | Hagerstown silt loam, rocky, 3 to 8 percent slopes | 2 | 5.9 | 0 | \$ | 1,578.85 |
| Perry | HeB | Hazleton channery sandy loam, 3 to 8 percent slopes | 2 | 842.6 | 0.002 | \$ | 1,476.71 |
| Perry | KrA | Kreamer cherty silt loam, 0 to 3 percent slopes | 2 | 725.1 | 0.002 | \$ | 1,102.00 |
| Perry | KrB | Kreamer cherty silt loam, 3 to 8 percent slopes | 2 | 4568.3 | 0.013 | \$ | 1,196.86 |
| Perry | LdB | Laidig channery loam, 3 to 8 percent slopes | 2 | 935 | 0.003 | \$ | 1,286.57 |
| Perry | Ls | Lindside silt loam | 2 | 854.6 | 0.002 | \$ | 1,439.68 |
| Perry | McB | Meckesville silt loam, 3 to 8 percent slopes | 2 | 700.9 | 0.002 | \$ | 1,288.87 |
| Perry | Mf | Middlebury soils | 2 | 3468.7 | 0.01 | \$ | 1,452.12 |
| Perry | MnA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 1006.9 | 0.003 | \$ | 1,370.67 |
| Perry | MnB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 1552.7 | 0.004 | \$ | 1,292.08 |
| Perry | MoB | Morrison sandy loam, 3 to 8 percent slopes | 2 | 365.6 | 0.001 | \$ | 1,281.97 |
| Perry | MuB | Murrill channery loam, 3 to 8 percent slopes | 2 | 859.2 | 0.002 | \$ | 1,455.01 |
| Perry | NeB | Neshaminy gravelly silt loam, 3 to 8 percent slopes | 2 | 27.7 | 0 | \$ | 1,546.23 |
| Perry | RaA | Raritan silt loam, 0 to 5 percent slopes | 2 | 853.5 | 0.002 | \$ | 1,312.90 |
| Perry | AbC | Albrights silt loam, 8 to 15 percent slopes | 3 | 1890.3 | 0.005 | \$ | 1,189.47 |
| Perry | Aw | Atkins silt loam | 3 | 3074.6 | 0.009 | \$ | 1,295.82 |
| Perry | BdC | Bedington shaly silt loam, 8 to 15 percent slopes | 3 | 204.8 | 0.001 | \$ | 1,399.58 |
| Perry | BeC | Berks shaly silt loam, 8 to 15 percent slopes | 3 | 15270.8 | 0.043 | \$ | 997.16 |
| Perry | BpB | Blairton silt loam, 3 to 8 percent slopes | 3 | 343.7 | 0.001 | \$ | 1,047.62 |
| Perry | BuC | Buchanan gravelly loam, 8 to 15 percent slopes | 3 | 872.7 | 0.002 | \$ | 1,196.86 |
| Perry | CaC | Calvin shaly silt loam, 8 to 15 percent slopes | 3 | 18319.4 | 0.052 | \$ | 955.41 |
| Perry | CbC | Calvin-Berks shaly silt loams, 8 to 15 percent slopes | 3 | 6531.7 | 0.018 | \$ | 1,163.13 |
| Perry | DuC | Duffield silt loam, 8 to 15 percent slopes | 3 | 310.2 | 0.001 | \$ | 1,669.32 |
| Perry | EdC | Edom silty clay loam, 8 to 15 percent slopes | 3 | 1720 | 0.005 | \$ | 1,192.00 |
| Perry | EeB | Elliber very cherty silt loam, 3 to 8 percent slopes | 3 | 4511.9 | 0.013 | \$ | 1,418.70 |
| Perry | EtC | Ernest silt loam, 8 to 15 percent slopes | 3 | 2046.6 | 0.006 | \$ | 1,195.89 |
| Perry | EvA | Evendale cherty silt loam, 0 to 3 percent slopes | 3 | 713.5 | 0.002 | \$ | 1,150.10 |

| | | | | | | |
|-------|-----|--|---|---------|-------|-------------|
| Perry | EvB | Evendale cherty silt loam, 3 to 8 percent slopes | 3 | 257.5 | 0.001 | \$ 1,147.61 |
| Perry | HaC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 582.2 | 0.002 | \$ 1,562.05 |
| Perry | HcC | Hagerstown silt loam, rocky, 8 to 15 percent slopes | 3 | 22.9 | 0 | \$ 1,500.91 |
| Perry | HeC | Hazleton channery sandy loam, 8 to 15 percent slopes | 3 | 1092.2 | 0.003 | \$ 1,397.44 |
| Perry | KnB | Klinesville very shaly silt loam, 3 to 8 percent slopes | 3 | 602.1 | 0.002 | \$ 1,071.53 |
| Perry | KrC | Kreamer cherty silt loam, 8 to 15 percent slopes | 3 | 712.5 | 0.002 | \$ 1,113.77 |
| Perry | LdC | Laidig channery loam, 8 to 15 percent slopes | 3 | 3425.6 | 0.01 | \$ 1,239.97 |
| Perry | Me | Melvin silt loam | 3 | 913.6 | 0.003 | \$ 1,291.16 |
| Perry | MnC | Monongahela silt loam, 8 to 15 percent slopes | 3 | 307.9 | 0.001 | \$ 1,189.86 |
| Perry | MoC | Morrison sandy loam, 8 to 15 percent slopes | 3 | 516.8 | 0.001 | \$ 1,235.24 |
| Perry | MuC | Murrill channery loam, 8 to 15 percent slopes | 3 | 345 | 0.001 | \$ 1,373.97 |
| Perry | Pe | Penlaw silt loam | 3 | 399.1 | 0.001 | \$ 1,235.24 |
| Perry | Ty | Tyler silt loam | 3 | 950.1 | 0.003 | \$ 1,239.97 |
| Perry | AnB | Andover gravelly loam, 0 to 8 percent slopes | 4 | 214.6 | 0.001 | \$ 1,157.58 |
| Perry | BdD | Bedington shaly silt loam, 15 to 25 percent slopes | 4 | 11.1 | 0 | \$ 1,284.28 |
| Perry | BeD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 5073.7 | 0.014 | \$ 996.07 |
| Perry | BrA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 1409 | 0.004 | \$ 1,218.08 |
| Perry | BrB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 2649.2 | 0.007 | \$ 1,212.32 |
| Perry | CbD | Calvin-Berks shaly silt loams, 15 to 25 percent slopes | 4 | 2055.8 | 0.006 | \$ 1,142.60 |
| Perry | EdD | Edom silty clay loam, 15 to 25 percent slopes | 4 | 1183.4 | 0.003 | \$ 1,091.70 |
| Perry | EeC | Elliber very cherty silt loam, 8 to 15 percent slopes | 4 | 7313 | 0.021 | \$ 1,375.88 |
| Perry | HaD | Hagerstown silt loam, 15 to 25 percent slopes | 4 | 524.9 | 0.001 | \$ 1,490.88 |
| Perry | HcD | Hagerstown silt loam, rocky, 15 to 25 percent slopes | 4 | 151.7 | 0 | \$ 871.65 |
| Perry | HeD | Hazleton channery sandy loam, 15 to 25 percent slopes | 4 | 1186.4 | 0.003 | \$ 1,225.73 |
| Perry | KnC | Klinesville very shaly silt loam, 8 to 15 percent slopes | 4 | 1143.8 | 0.003 | \$ 1,020.05 |
| Perry | MoD | Morrison sandy loam, 15 to 25 percent slopes | 4 | 389 | 0.001 | \$ 1,184.69 |
| Perry | Pu | Purdy silt loam | 4 | 648.2 | 0.002 | \$ 1,197.83 |
| Perry | WeB | Weikert very channery silt loam, 3 to 8 percent slopes | 4 | 1880.5 | 0.005 | \$ 883.91 |
| Perry | WeC | Weikert very channery silt loam, 8 to 15 percent slopes | 4 | 4180.2 | 0.012 | \$ 890.29 |
| Perry | BhD | Berks stony silt loam, 8 to 25 percent slopes | 6 | 5237.9 | 0.015 | \$ 1,091.70 |
| Perry | BxB | Buchanan very stony loam, 0 to 8 percent slopes | 6 | 7289.1 | 0.02 | \$ 750.61 |
| Perry | BxC | Buchanan very stony loam, 8 to 25 percent slopes | 6 | 5853.2 | 0.016 | \$ 750.61 |
| Perry | CaD | Calvin shaly silt loam, 15 to 25 percent slopes | 6 | 3959.1 | 0.011 | \$ 750.61 |
| Perry | EdE | Edom silty clay loam, 25 to 40 percent slopes | 6 | 571.8 | 0.002 | \$ 750.61 |
| Perry | EeD | Elliber very cherty silt loam, 15 to 25 percent slopes | 6 | 2022.1 | 0.006 | \$ 750.61 |
| Perry | EfB | Elliber very stony silt loam, 0 to 8 percent slopes | 6 | 1313.9 | 0.004 | \$ 750.61 |
| Perry | EfD | Elliber very stony silt loam, 8 to 25 percent slopes | 6 | 3912.4 | 0.011 | \$ 750.61 |
| Perry | HdB | Hagerstown-Rock outcrop complex, 0 to 8 percent slopes | 6 | 8.9 | 0 | \$ 1,070.27 |
| Perry | HdD | Hagerstown-Rock outcrop complex, 8 to 25 percent slopes | 6 | 30.9 | 0 | \$ 925.99 |
| Perry | KnD | Klinesville very shaly silt loam, 15 to 25 percent slopes | 6 | 5676.9 | 0.016 | \$ 873.99 |
| Perry | LgB | Laidig very stony loam, 0 to 8 percent slopes | 6 | 1112.2 | 0.003 | \$ 750.61 |
| Perry | LgD | Laidig very stony loam, 8 to 25 percent slopes | 6 | 22912.3 | 0.064 | \$ 750.61 |
| Perry | LpB | Lehew very stony loam, 0 to 8 percent slopes | 6 | 798.5 | 0.002 | \$ 750.61 |
| Perry | LpD | Lehew very stony loam, 8 to 25 percent slopes | 6 | 2767.9 | 0.008 | \$ 750.61 |
| Perry | MdB | Meckesville very stony silt loam, 0 to 8 percent slopes | 6 | 282.4 | 0.001 | \$ 750.61 |
| Perry | MdD | Meckesville very stony silt loam, 8 to 25 percent slopes | 6 | 4843.5 | 0.014 | \$ 750.61 |
| Perry | NhB | Neshaminy very stony silt loam, 0 to 8 percent slopes | 6 | 26 | 0 | \$ 750.61 |
| Perry | WeD | Weikert very channery silt loam, 15 to 25 percent slopes | 6 | 8513.6 | 0.024 | \$ 750.61 |
| Perry | AoB | Andover very stony loam, 0 to 8 percent slopes | 7 | 3080.4 | 0.009 | \$ 750.61 |
| Perry | DED | Dekalb and Hazleton soils, 3 to 25 percent slopes, rubbly | 7 | 26.9 | 0 | \$ 750.61 |
| Perry | DEF | Dekalb and Hazleton soils, 25 to 75 percent slopes, rubbly | 7 | 2471.9 | 0.007 | \$ 750.61 |
| Perry | EfF | Elliber very stony silt loam, 25 to 50 percent slopes | 7 | 1962.2 | 0.006 | \$ 750.61 |
| Perry | HdF | Hagerstown-Rock outcrop complex, 25 to 60 percent slopes | 7 | 497.1 | 0.001 | \$ 750.61 |
| Perry | HfB | Hazleton extremely stony sandy loam, 0 to 8 percent slopes | 7 | 8138.3 | 0.023 | \$ 750.61 |
| Perry | HfD | Hazleton extremely stony sandy loam, 8 to 25 percent slope | 7 | 19959 | 0.056 | \$ 750.61 |
| Perry | HfF | Hazleton extremely stony sandy loam, 25 to 60 percent slop | 7 | 41673 | 0.117 | \$ 750.61 |

| | | | | | | | |
|--------------|------|--|---|---------|-------|----|----------|
| Perry | LCE | Laidig and Hazleton soils, 25 to 60 percent slopes, extremely | 7 | 38 | 0 | \$ | 750.61 |
| Perry | LhB | Leetonia gravelly loamy sand, 0 to 15 percent slopes, extren | 7 | 288.4 | 0.001 | \$ | 750.61 |
| Perry | SrD | Sideling gravelly loam, 8 to 25 percent slopes, extremely sto | 7 | 818.7 | 0.002 | \$ | 750.61 |
| Perry | SSF | Sideling and Hazleton soils 25 to 60 percent slopes, extreme | 7 | 69.2 | 0 | \$ | 750.61 |
| Perry | WKF | Weikert and Klinesville very shaly silt loams, 25 to 75 percer | 7 | 29212.6 | 0.082 | \$ | 750.61 |
| Perry | Dy | Dystrochrepts, bouldery | 8 | 6585.4 | 0.019 | \$ | 750.61 |
| Perry | Pt | Pits and quarries | 8 | 63.2 | 0 | \$ | 750.61 |
| Perry | Ub | Urban land and Udorthents | 8 | 362.7 | 0.001 | \$ | 750.61 |
| Philadelphia | CeA | Chester silt loam, 0 to 3 percent slopes | 1 | 41.9 | 0 | \$ | 1,803.10 |
| Philadelphia | DuA | Duncannon silt loam, 0 to 3 percent slopes | 1 | 576.6 | 0.006 | \$ | 1,594.70 |
| Philadelphia | PpA | Pope loam, terrace, 0 to 3 percent slopes | 1 | 18.2 | 0 | \$ | 1,508.89 |
| Philadelphia | AgA | Alton gravelly loam, 0 to 3 percent slopes | 2 | 7.9 | 0 | \$ | 1,458.64 |
| Philadelphia | CeB | Chester silt loam, 3 to 8 percent slopes | 2 | 837.3 | 0.009 | \$ | 1,794.99 |
| Philadelphia | Ch | Codorus silt loam | 2 | 64.5 | 0.001 | \$ | 1,487.25 |
| Philadelphia | DsB | Duffield silt loam, 3 to 8 percent slopes | 2 | 3.2 | 0 | \$ | 1,703.82 |
| Philadelphia | DuB | Duncannon silt loam, 3 to 8 percent slopes | 2 | 300.4 | 0.003 | \$ | 1,598.45 |
| Philadelphia | EcB | Edgemont channery loam, 3 to 8 percent slopes | 2 | 4.2 | 0 | \$ | 1,445.08 |
| Philadelphia | GnB | Glenelg silt loam, 3 to 8 percent slopes | 2 | 41.7 | 0 | \$ | 1,573.52 |
| Philadelphia | GoB | Glenville silt loam, 3 to 8 percent slopes | 2 | 87.8 | 0.001 | \$ | 1,608.90 |
| Philadelphia | LgA | Lawrenceville silt loam, 0 to 3 percent slopes | 2 | 104.2 | 0.001 | \$ | 1,548.16 |
| Philadelphia | LgB | Lawrenceville silt loam, 3 to 8 percent slopes | 2 | 48.6 | 0.001 | \$ | 1,549.71 |
| Philadelphia | MaB | Manor loam, 3 to 8 percent slopes | 2 | 888.4 | 0.01 | \$ | 1,534.93 |
| Philadelphia | Ro | Rowland silt loam | 2 | 385 | 0.004 | \$ | 1,490.07 |
| Philadelphia | UrA | Urbana silt loam, 0 to 3 percent slopes | 2 | 81.7 | 0.001 | \$ | 1,208.47 |
| Philadelphia | Bo | Bowmansville silt loam | 3 | 37.3 | 0 | \$ | 1,096.86 |
| Philadelphia | CaA | Chalfont silt loam, 0 to 3 percent slopes | 3 | 58.2 | 0.001 | \$ | 1,518.41 |
| Philadelphia | CaB | Chalfont silt loam, 3 to 8 percent slopes | 3 | 29.4 | 0 | \$ | 1,488.86 |
| Philadelphia | CeC | Chester silt loam, 8 to 15 percent slopes | 3 | 148.4 | 0.002 | \$ | 1,783.55 |
| Philadelphia | GnC | Glenelg silt loam, 8 to 15 percent slopes | 3 | 5.8 | 0 | \$ | 1,466.84 |
| Philadelphia | MaC | Manor loam, 8 to 15 percent slopes | 3 | 1179.6 | 0.013 | \$ | 1,399.58 |
| Philadelphia | CeD | Chester silt loam, 15 to 25 percent slopes | 4 | 15.9 | 0 | \$ | 1,277.36 |
| Philadelphia | DoA | Doylestown silt loam, 0 to 3 percent slopes | 4 | 93.3 | 0.001 | \$ | 1,242.34 |
| Philadelphia | GnD | Glenelg silt loam, 15 to 25 percent slopes | 4 | 12.9 | 0 | \$ | 1,540.39 |
| Philadelphia | Ha | Hatboro silt loam | 4 | 771.6 | 0.008 | \$ | 1,256.44 |
| Philadelphia | MaD | Manor loam, 15 to 25 percent slopes | 4 | 709.3 | 0.008 | \$ | 1,330.25 |
| Philadelphia | Ae | Alluvial land | 5 | 114.7 | 0.001 | \$ | 750.61 |
| Philadelphia | MaE | Manor loam, 25 to 35 percent slopes | 6 | 10.8 | 0 | \$ | 750.61 |
| Philadelphia | MbD | Manor extremely stony loam, 8 to 25 percent slopes | 6 | 756.4 | 0.008 | \$ | 750.61 |
| Philadelphia | MbF | Manor loam, 25 to 60 percent slopes, very stony | 7 | 3.9 | 0 | \$ | 750.61 |
| Philadelphia | McE | Manor and Chester extremely stony loams, 25 to 50 percen | 7 | 1381.6 | 0.015 | \$ | 750.61 |
| Philadelphia | UdsB | Udorthents, schist and gneiss, 0 to 8 percent slopes | 7 | 1.3 | 0 | \$ | 750.61 |
| Philadelphia | GP | Gravel pit | 8 | 5 | 0 | \$ | 750.61 |
| Philadelphia | Mh | Marsh | 8 | 436.8 | 0.005 | \$ | 750.61 |
| Philadelphia | Ub | Urban land | 8 | 48095.8 | 0.527 | \$ | 750.61 |
| Philadelphia | Uc | Urban land-Abbottstown complex | 8 | 26.1 | 0 | \$ | 750.61 |
| Philadelphia | UdB | Urban land-Chester complex, 0 to 8 percent slopes | 8 | 21146.4 | 0.232 | \$ | 758.48 |
| Philadelphia | UdC | Urban land-Chester complex, 8 to 15 percent slopes | 8 | 2096 | 0.023 | \$ | 781.62 |
| Philadelphia | Uh | Urban land-Howell complex | 8 | 4305.8 | 0.047 | \$ | 750.61 |
| Philadelphia | UrIB | Urban land-Gladstone complex, 0 to 8 percent slopes | 8 | 152.3 | 0.002 | \$ | 750.61 |
| Philadelphia | UrID | Urban land-Gladstone complex, 8 to 25 percent slopes | 8 | 70.6 | 0.001 | \$ | 750.61 |
| Philadelphia | UrmB | Urban land-Glenelg complex, 0 to 8 percent slopes | 8 | 18 | 0 | \$ | 750.61 |
| Philadelphia | UrmD | Urban land-Glenelg complex, 8 to 25 percent slopes | 8 | 1.5 | 0 | \$ | 750.61 |
| Philadelphia | UugB | Urban land-Udorthents, schist and gneiss complex, 0 to 8 pe | 8 | 703.7 | 0.008 | \$ | 750.61 |
| Philadelphia | UugD | Urban land-Udorthents, schist and gneiss complex, 8 to 25 p | 8 | 62.2 | 0.001 | \$ | 750.61 |
| Pike | 27 | Barbour fine sandy loam | 1 | 751 | 0.002 | \$ | 1,458.72 |
| Pike | 75 | Unadilla silt loam | 1 | 278.5 | 0.001 | \$ | 1,358.42 |

| | | | | | | |
|------|------|--|---|---------|-------|-------------|
| Pike | 24A | Delaware fine sandy loam, 0 to 3 percent slopes | 1 | 1710.4 | 0.005 | \$ 1,563.20 |
| Pike | 14 | Braceville fine sandy loam | 2 | 195.7 | 0.001 | \$ 1,310.28 |
| Pike | 15 | Pope fine sandy loam | 2 | 214 | 0.001 | \$ 1,320.66 |
| Pike | 26 | Philo loam | 2 | 1374.9 | 0.004 | \$ 1,509.69 |
| Pike | 108B | Wyoming and Chenango soils, 0 to 8 percent slopes | 2 | 1688.6 | 0.005 | \$ 1,110.20 |
| Pike | 24B | Delaware fine sandy loam, 3 to 8 percent slopes | 2 | 768.1 | 0.002 | \$ 1,504.91 |
| Pike | 25B | Wurtsboro channery fine sandy loam, 0 to 8 percent slopes, | 2 | 2225.3 | 0.006 | \$ 1,120.39 |
| Pike | 29B | Wellsboro channery loam, 0 to 8 percent slopes, stony | 2 | 2095.4 | 0.006 | \$ 1,277.36 |
| Pike | 320B | Lackawanna channery loam, 3 to 8 percent slopes, stony | 2 | 1456.7 | 0.004 | \$ 1,265.77 |
| Pike | 60B | Mardin channery silt loam, 0 to 8 percent slopes, stony | 2 | 1464 | 0.004 | \$ 1,099.43 |
| Pike | 89B | Chenango gravelly fine sandy loam, 0 to 8 percent slopes | 2 | 4404.3 | 0.012 | \$ 1,287.49 |
| Pike | 108C | Wyoming and Chenango soils, 8 to 15 percent slopes | 3 | 402.3 | 0.001 | \$ 894.93 |
| Pike | 25C | Wurtsboro channery fine sandy loam, 8 to 15 percent slope | 3 | 478.1 | 0.001 | \$ 1,072.99 |
| Pike | 29C | Wellsboro channery loam, 8 to 15 percent slopes, stony | 3 | 673.6 | 0.002 | \$ 1,157.08 |
| Pike | 320C | Lackawanna channery loam, 8 to 15 percent slopes, rocky | 3 | 458.2 | 0.001 | \$ 1,191.52 |
| Pike | 442B | Wyoming very cobbly sandy loam, 3 to 8 percent slopes | 3 | 3323.4 | 0.009 | \$ 1,180.28 |
| Pike | 5B | Suncook loamy sand, 0 to 8 percent slopes | 3 | 282.9 | 0.001 | \$ 989.73 |
| Pike | 60C | Mardin channery silt loam, 8 to 15 percent slopes, stony | 3 | 646.4 | 0.002 | \$ 1,009.67 |
| Pike | 89C | Chenango gravelly fine sandy loam, 8 to 15 percent slopes | 3 | 517.9 | 0.001 | \$ 1,041.36 |
| Pike | 143 | Wyalusing fine sandy loam | 4 | 634.5 | 0.002 | \$ 1,076.12 |
| Pike | 24C | Delaware fine sandy loam, 8 to 20 percent slopes | 4 | 409 | 0.001 | \$ 1,433.83 |
| Pike | 442C | Wyoming very cobbly sandy loam, 8 to 15 percent slopes | 4 | 1407.9 | 0.004 | \$ 957.42 |
| Pike | 442D | Wyoming very cobbly sandy loam, 15 to 30 percent slopes | 4 | 575.4 | 0.002 | \$ 906.45 |
| Pike | 89D | Chenango gravelly fine sandy loam, 15 to 25 percent slopes | 4 | 399.5 | 0.001 | \$ 933.82 |
| Pike | 12 | Gleneyre-Kimbles complex, 0 to 2 percent slopes | 5 | 3403.9 | 0.009 | \$ 750.61 |
| Pike | 18 | Paupack mucky peat | 5 | 2878.7 | 0.008 | \$ 750.61 |
| Pike | 20 | Freetown mucky peat | 5 | 10718.5 | 0.03 | \$ 750.61 |
| Pike | 19B | Morris very channery loam, 0 to 8 percent slopes, very ston | 6 | 7851.2 | 0.022 | \$ 750.61 |
| Pike | 19C | Morris very channery loam, 8 to 15 percent slopes, very sto | 6 | 733.2 | 0.002 | \$ 750.61 |
| Pike | 21B | Manlius very channery silt loam, 3 to 8 percent slopes, very | 6 | 1716.8 | 0.005 | \$ 750.61 |
| Pike | 21C | Manlius very channery silt loam, 8 to 15 percent slopes, ver | 6 | 1519.6 | 0.004 | \$ 750.61 |
| Pike | 239B | Oquaga very stony loam, 0 to 8 percent slopes, extremely b | 6 | 9492.3 | 0.026 | \$ 750.61 |
| Pike | 239C | Oquaga very stony loam, 8 to 15 percent slopes, extremely l | 6 | 6660.1 | 0.018 | \$ 750.61 |
| Pike | 239D | Oquaga very stony loam, 15 to 30 percent slopes, extremely | 6 | 8193.3 | 0.023 | \$ 750.61 |
| Pike | 30B | Wurtsboro stony fine sandy loam, 0 to 8 percent slopes, ext | 6 | 40942.8 | 0.113 | \$ 750.61 |
| Pike | 30C | Wurtsboro stony fine sandy loam, 8 to 15 percent slopes, e | 6 | 20268.4 | 0.056 | \$ 750.61 |
| Pike | 30D | Wurtsboro stony fine sandy loam, 15 to 25 percent slopes, e | 6 | 3200.9 | 0.009 | \$ 750.61 |
| Pike | 38B | Swartswood stony fine sandy loam, 0 to 8 percent slopes, e | 6 | 30325.3 | 0.084 | \$ 750.61 |
| Pike | 38C | Swartswood stony fine sandy loam, 8 to 15 percent slopes, e | 6 | 11000 | 0.03 | \$ 750.61 |
| Pike | 38D | Swartswood stony fine sandy loam, 15 to 30 percent slopes, | 6 | 3285 | 0.009 | \$ 750.61 |
| Pike | 402C | Arnot very channery loam, 3 to 15 percent slopes, very rock | 6 | 5126.3 | 0.014 | \$ 750.61 |
| Pike | 50C | Wasnot very flaggy sandy loam, 3 to 15 percent slopes, very | 6 | 632.5 | 0.002 | \$ 750.61 |
| Pike | 61B | Mardin stony loam, 0 to 8 percent slopes, extremely stony | 6 | 3983.4 | 0.011 | \$ 750.61 |
| Pike | 61C | Mardin stony loam, 8 to 15 percent slopes, extremely stony | 6 | 3500.2 | 0.01 | \$ 750.61 |
| Pike | 97B | Lordstown very channery loam, 3 to 8 percent slopes, very s | 6 | 6500.9 | 0.018 | \$ 750.61 |
| Pike | 97C | Lordstown very channery loam, 8 to 15 percent slopes, very | 6 | 754.6 | 0.002 | \$ 750.61 |
| Pike | 9B | Craigsville-Wyoming complex, 0 to 8 percent slopes, extrem | 6 | 1991.2 | 0.005 | \$ 750.61 |
| Pike | 111B | Edgemere-Shohola complex, 3 to 15 percent slopes, very ru | 7 | 13259.2 | 0.037 | \$ 750.61 |
| Pike | 11A | Edgemere extremely stony loam, 0 to 3 percent slopes, very | 7 | 9198.7 | 0.025 | \$ 750.61 |
| Pike | 121D | Manlius-Arnot-Rock outcrop complex, 15 to 30 percent slop | 7 | 3901.3 | 0.011 | \$ 750.61 |
| Pike | 121F | Manlius-Arnot-Rock outcrop complex, 30 to 80 percent slop | 7 | 7616.4 | 0.021 | \$ 750.61 |
| Pike | 240F | Oquaga-Arnot-Rock outcrop complex, 20 to 60 percent slop | 7 | 22620.2 | 0.062 | \$ 750.61 |
| Pike | 258F | Skytop-Wasnot-Rock outcrop complex, 15 to 60 percent slo | 7 | 870.4 | 0.002 | \$ 750.61 |
| Pike | 28B | Wellsboro stony loam, 0 to 8 percent slopes, extremely stor | 7 | 14198.2 | 0.039 | \$ 750.61 |
| Pike | 28C | Wellsboro stony loam, 8 to 15 percent slopes, extremely stc | 7 | 8370.2 | 0.023 | \$ 750.61 |
| Pike | 28D | Wellsboro stony loam, 15 to 25 percent slopes, extremely st | 7 | 1464.1 | 0.004 | \$ 750.61 |

| | | | | | | | |
|--------|------|--|---|---------|-------|----|----------|
| Pike | 321B | Lackawanna channery loam, 3 to 8 percent slopes, extremel | 7 | 7010.1 | 0.019 | \$ | 750.61 |
| Pike | 321C | Lackawanna channery loam, 8 to 15 percent slopes, extrem | 7 | 4371.5 | 0.012 | \$ | 750.61 |
| Pike | 321D | Lackawanna channery loam, 15 to 30 percent slopes, extren | 7 | 2144.7 | 0.006 | \$ | 750.61 |
| Pike | 402E | Arnot very channery loam, 15 to 35 percent slopes, very roc | 7 | 3283 | 0.009 | \$ | 750.61 |
| Pike | 50E | Wasnot very flaggy sandy loam, 15 to 35 percent slopes, ver | 7 | 210.7 | 0.001 | \$ | 750.61 |
| Pike | 58C | Skytop very flaggy sandy loam, 8 to 15 percent slopes, extre | 7 | 1097.8 | 0.003 | \$ | 750.61 |
| Pike | 58E | Skytop very flaggy sandy loam, 15 to 35 percent slopes, extr | 7 | 328.5 | 0.001 | \$ | 750.61 |
| Pike | 7B | Shohola-Edgemere complex, 0 to 8 percent slopes, very rub | 7 | 6106.9 | 0.017 | \$ | 750.61 |
| Pike | 7C | Shohola-Edgemere complex, 8 to 15 percent slopes, very ru | 7 | 4969.6 | 0.014 | \$ | 750.61 |
| Pike | 897B | Lordstown-Swartswood complex, 0 to 8 percent slopes, extr | 7 | 12987.4 | 0.036 | \$ | 750.61 |
| Pike | 897C | Lordstown-Swartswood complex, 8 to 15 percent slopes, ex | 7 | 8098.2 | 0.022 | \$ | 750.61 |
| Pike | 897D | Lordstown-Swartswood complex, 15 to 30 percent slopes, e | 7 | 2313.4 | 0.006 | \$ | 750.61 |
| Pike | BP | Pits, Shale, and Gravel | 8 | 595.9 | 0.002 | \$ | 750.61 |
| Potter | Ba | Barbour fine sandy loam, 0 to 3 percent slopes | 1 | 1269.5 | 0.002 | \$ | 1,733.41 |
| Potter | Bb | Barbour fine sandy loam, high bottom phase, 0 to 3 percent | 1 | 1064.6 | 0.002 | \$ | 1,443.84 |
| Potter | ThA | Tioga fine sandy loam, high bottom phase, 0 to 3 percent sl | 1 | 328.4 | 0 | \$ | 1,443.84 |
| Potter | UfA | Unadilla fine sandy loam, 0 to 3 percent slopes | 1 | 329.6 | 0 | \$ | 1,460.36 |
| Potter | UnA | Unadilla silt loam, 0 to 3 percent slopes | 1 | 194.1 | 0 | \$ | 1,460.36 |
| Potter | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 2234.3 | 0.003 | \$ | 1,316.15 |
| Potter | Bc | Barbour gravelly fine sandy loam, 0 to 3 percent slopes | 2 | 1113.5 | 0.002 | \$ | 1,367.18 |
| Potter | Bd | Basher sandy loam, 0 to 3 percent slopes | 2 | 1492.2 | 0.002 | \$ | 1,358.42 |
| Potter | Be | Basher silt loam, 0 to 3 percent slopes | 2 | 982.3 | 0.001 | \$ | 1,723.16 |
| Potter | Bf | Basher silt loam, high bottom phase, 0 to 3 percent slopes | 2 | 958.5 | 0.001 | \$ | 1,358.42 |
| Potter | BhB | Bath channery silt loam, 0 to 12 percent slopes | 2 | 6363.4 | 0.009 | \$ | 1,408.11 |
| Potter | Bn | Braceville gravelly silt loam, 0 to 5 percent slopes | 2 | 830 | 0.001 | \$ | 1,375.88 |
| Potter | CfB | Chenango gravelly loam, 0 to 12 percent slopes | 2 | 1538.6 | 0.002 | \$ | 1,286.57 |
| Potter | CIB | Clymer channery loam, 0 to 12 percent slopes | 2 | 8349.3 | 0.012 | \$ | 1,460.36 |
| Potter | CoB | Cookport channery loam, 0 to 8 percent slopes | 2 | 9068.1 | 0.013 | \$ | 1,264.84 |
| Potter | CrA | Craigsville gravelly loam | 2 | 87.1 | 0 | \$ | 1,132.54 |
| Potter | DfB | Dekalb fine sandy loam, 0 to 12 percent slopes | 2 | 1500.3 | 0.002 | \$ | 1,091.70 |
| Potter | DkB | Dekalb channery loam, 10 to 25 inches deep, 0 to 12 percen | 2 | 3281.2 | 0.005 | \$ | 1,091.70 |
| Potter | HaB | Hartleton channery silt loam, 3 to 15 percent slopes | 2 | 6719.2 | 0.01 | \$ | 1,439.68 |
| Potter | HuB | Hustontown channery silt loam, 3 to 8 percent slopes | 2 | 8967 | 0.013 | \$ | 1,342.98 |
| Potter | HxB | Hazleton channery loam, 3 to 15 percent slopes | 2 | 7761.8 | 0.011 | \$ | 1,254.10 |
| Potter | LaB | Lackawanna channery loam, 3 to 8 percent slopes | 2 | 5433.9 | 0.008 | \$ | 1,398.73 |
| Potter | LkB | Leck Kill channery loam, 3 to 15 percent slopes | 2 | 16153.2 | 0.023 | \$ | 1,249.40 |
| Potter | LoB | Lordstown channery silt loam, 0 to 12 percent slopes | 2 | 1588.5 | 0.002 | \$ | 1,142.60 |
| Potter | LwB | Lehew silt loam, 3 to 8 percent slopes | 2 | 332.5 | 0 | \$ | 1,124.96 |
| Potter | LwC | Lehew silt loam, 8 to 15 percent slopes | 2 | 1760.5 | 0.003 | \$ | 1,073.51 |
| Potter | MaB | Mardin channery silt loam, 0 to 8 percent slopes | 2 | 12105 | 0.017 | \$ | 1,347.41 |
| Potter | Me | Middlebury sandy loam, 0 to 3 percent slopes | 2 | 1495.7 | 0.002 | \$ | 1,443.84 |
| Potter | Mf | Middlebury silt loam, 0 to 3 percent slopes | 2 | 867.4 | 0.001 | \$ | 1,358.42 |
| Potter | Mg | Middlebury silt loam, high bottom phase, 0 to 3 percent sloj | 2 | 1023.5 | 0.001 | \$ | 1,358.42 |
| Potter | OaB | Oquaga channery loam, 0 to 12 percent slopes | 2 | 1388.1 | 0.002 | \$ | 871.65 |
| Potter | ScA | Scio fine sandy loam-silt loam, 0 to 3 percent slopes | 2 | 1112.2 | 0.002 | \$ | 1,277.36 |
| Potter | TaA | Tioga fine sandy loam, 0 to 3 percent slopes | 2 | 590.4 | 0.001 | \$ | 1,277.36 |
| Potter | TgA | Tioga gravelly loam, 0 to 3 percent slopes | 2 | 257.1 | 0 | \$ | 1,277.36 |
| Potter | TuB | Tunkhannock gravelly loam, 0 to 12 percent slopes | 2 | 2938.5 | 0.004 | \$ | 1,192.00 |
| Potter | WeB | Wellsboro channery silt loam, 0 to 8 percent slopes | 2 | 7423.5 | 0.011 | \$ | 1,347.41 |
| Potter | WhB | Wharton channery silt loam, 0 to 12 percent slopes | 2 | 2502.4 | 0.004 | \$ | 1,186.84 |
| Potter | AbA | Albrights silt loam, 0 to 3 percent slopes | 3 | 16.8 | 0 | \$ | 1,315.34 |
| Potter | AbC | Albrights silt loam, 8 to 15 percent slopes | 3 | 1711.5 | 0.002 | \$ | 1,277.36 |
| Potter | CaB | Cavode silt loam, 0 to 8 percent slopes | 3 | 439.2 | 0.001 | \$ | 1,137.58 |
| Potter | CaC | Cavode silt loam, 8 to 15 percent slopes | 3 | 193 | 0 | \$ | 1,091.70 |
| Potter | CbB | Cavode channery silt loam, 0 to 8 percent slopes | 3 | 1691.3 | 0.002 | \$ | 1,137.58 |
| Potter | CbC | Cavode channery silt loam, 8 to 15 percent slopes | 3 | 487.5 | 0.001 | \$ | 1,091.70 |

| | | | | | | |
|--------|-----|--|---|---------|-------|-------------|
| Potter | CoC | Cookport channery loam, 8 to 15 percent slopes | 3 | 3739.3 | 0.005 | \$ 1,186.84 |
| Potter | HuC | Hustontown channery silt loam, 8 to 15 percent slopes | 3 | 11503 | 0.017 | \$ 1,362.81 |
| Potter | LaC | Lackawanna channery loam, 8 to 15 percent slopes | 3 | 749.8 | 0.001 | \$ 1,289.79 |
| Potter | MaC | Mardin channery silt loam, 8 to 15 percent slopes | 3 | 8346.9 | 0.012 | \$ 1,235.24 |
| Potter | MoA | Morris silt loam, 0 to 3 percent slopes | 3 | 467.6 | 0.001 | \$ 1,065.66 |
| Potter | MoB | Morris silt loam, 3 to 8 percent slopes | 3 | 7073 | 0.01 | \$ 1,104.57 |
| Potter | MoC | Morris silt loam, 8 to 15 percent slopes | 3 | 4272.2 | 0.006 | \$ 1,102.00 |
| Potter | TkC | Tunkhannock channery loam, 3 to 20 percent slopes, extren | 3 | 2192.2 | 0.003 | \$ 1,039.23 |
| Potter | VoA | Volusia channery silt loam, 0 to 3 percent slopes | 3 | 133.9 | 0 | \$ 1,065.66 |
| Potter | VoB | Volusia channery silt loam, 3 to 8 percent slopes | 3 | 3851.3 | 0.006 | \$ 1,104.57 |
| Potter | VoC | Volusia channery silt loam, 8 to 15 percent slopes | 3 | 3772.6 | 0.005 | \$ 1,108.15 |
| Potter | WeC | Wellsboro channery silt loam, 8 to 15 percent slopes | 3 | 7031.6 | 0.01 | \$ 1,235.24 |
| Potter | AbD | Albrights silt loam, 15 to 35 percent slopes | 4 | 417.8 | 0.001 | \$ 1,273.48 |
| Potter | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 4 | 416.6 | 0.001 | \$ 1,206.54 |
| Potter | BhD | Bath channery silt loam, 12 to 20 percent slopes | 4 | 3164.2 | 0.005 | \$ 1,288.87 |
| Potter | BrB | Brinkerton and Armagh silt loams, 0 to 15 percent slopes | 4 | 905.7 | 0.001 | \$ 1,142.60 |
| Potter | CaD | Cavode silt loam, 15 to 25 percent slopes | 4 | 9.8 | 0 | \$ 1,044.55 |
| Potter | CbD | Cavode channery silt loam, 15 to 25 percent slopes | 4 | 134.1 | 0 | \$ 1,044.55 |
| Potter | CfD | Chenango gravelly loam, 12 to 20 percent slopes | 4 | 688.7 | 0.001 | \$ 1,091.70 |
| Potter | CID | Clymer channery loam, 12 to 20 percent slopes | 4 | 1741.1 | 0.003 | \$ 1,239.97 |
| Potter | CoD | Cookport channery loam, 15 to 25 percent slopes | 4 | 1707.6 | 0.002 | \$ 1,186.84 |
| Potter | CvB | Chippewa silt loam, 0 to 8 percent slopes | 4 | 533.3 | 0.001 | \$ 871.65 |
| Potter | DfD | Dekalb fine sandy loam, 12 to 20 percent slopes | 4 | 208.1 | 0 | \$ 985.12 |
| Potter | DkD | Dekalb channery loam, 10 to 25 inches deep, 12 to 20 perce | 4 | 1524.5 | 0.002 | \$ 985.12 |
| Potter | Ha | Holly sandy loam, 0 to 3 percent slopes, frequently flooded | 4 | 1604.2 | 0.002 | \$ 1,192.00 |
| Potter | HaD | Hartleton channery silt loam, 15 to 25 percent slopes | 4 | 3870.7 | 0.006 | \$ 1,331.86 |
| Potter | Hb | Holly silt loam, 0 to 3 percent slopes, frequently flooded | 4 | 5002 | 0.007 | \$ 1,192.00 |
| Potter | HuD | Hustontown channery silt loam, 15 to 25 percent slopes | 4 | 6205.1 | 0.009 | \$ 1,362.81 |
| Potter | HxD | Hazleton channery loam, 15 to 25 percent slopes | 4 | 4358.1 | 0.006 | \$ 1,362.81 |
| Potter | LaD | Lackawanna channery loam, 15 to 25 percent slopes | 4 | 5015 | 0.007 | \$ 1,237.61 |
| Potter | LdC | Laidig channery loam, 0 to 15 percent slopes | 4 | 1264.8 | 0.002 | \$ 1,239.97 |
| Potter | LdD | Laidig channery loam, 15 to 25 percent slopes | 4 | 1130.9 | 0.002 | \$ 1,140.09 |
| Potter | LkD | Leck Kill channery loam, 15 to 25 percent slopes | 4 | 17890.4 | 0.026 | \$ 1,172.42 |
| Potter | LoD | Lordstown channery silt loam, 12 to 20 percent slopes | 4 | 644 | 0.001 | \$ 1,091.70 |
| Potter | LwD | Lehew silt loam, 15 to 25 percent slopes | 4 | 1088.2 | 0.002 | \$ 1,020.48 |
| Potter | MaD | Mardin channery silt loam, 15 to 25 percent slopes | 4 | 5117.3 | 0.007 | \$ 1,055.14 |
| Potter | MoD | Morris silt loam, 15 to 25 percent slopes | 4 | 865.5 | 0.001 | \$ 923.60 |
| Potter | NoB | Nolo channery silt loam, 0 to 8 percent slopes | 4 | 719.1 | 0.001 | \$ 1,091.70 |
| Potter | NwB | Norwich silt loam, 0 to 15 percent slopes | 4 | 755.7 | 0.001 | \$ 871.65 |
| Potter | OaD | Oquaga channery loam, 12 to 20 percent slopes | 4 | 1016.4 | 0.001 | \$ 871.65 |
| Potter | SoB | Solon channery silt loam, 0 to 15 percent slopes | 4 | 124.8 | 0 | \$ 871.65 |
| Potter | SoD | Solon channery silt loam, 15 to 35 percent slopes | 4 | 205 | 0 | \$ 871.65 |
| Potter | TuD | Tunkhannock gravelly loam, 12 to 20 percent slopes | 4 | 236.3 | 0 | \$ 985.12 |
| Potter | VoD | Volusia channery silt loam, 15 to 25 percent slopes | 4 | 876.9 | 0.001 | \$ 973.54 |
| Potter | WeD | Wellsboro channery silt loam, 15 to 25 percent slopes | 4 | 3365.3 | 0.005 | \$ 1,107.13 |
| Potter | WhD | Wharton channery silt loam, 12 to 20 percent slopes | 4 | 553.7 | 0.001 | \$ 990.93 |
| Potter | Fr | Freetown mucky peat | 5 | 42.9 | 0 | \$ 750.61 |
| Potter | McA | Melvin silt loam | 5 | 494.4 | 0.001 | \$ 1,091.70 |
| Potter | Mn | Mixed alluvium, 0 to 5 percent slopes | 5 | 7436.9 | 0.011 | \$ 750.61 |
| Potter | Rh | Red Hook silt loam, 0 to 3 percent slopes | 5 | 1429.3 | 0.002 | \$ 750.61 |
| Potter | Rv | Riverwash | 5 | 910.6 | 0.001 | \$ 750.61 |
| Potter | Wa | Wayland soils complex, non-calcareous substratum, 0 to 3 p | 5 | 403.1 | 0.001 | \$ 750.61 |
| Potter | AcC | Albrights channery silt loam, 0 to 15 percent, extremely stori | 6 | 182.4 | 0 | \$ 750.61 |
| Potter | AcD | Albrights channery silt loam, 15 to 25 percent, extremely st | 6 | 19.4 | 0 | \$ 750.61 |
| Potter | BhE | Bath channery silt loam, 20 to 30 percent slopes | 6 | 3750.9 | 0.005 | \$ 750.61 |
| Potter | BrF | Brinkerton and Armagh silt loams, 15 to 50 percent slopes | 6 | 53 | 0 | \$ 750.61 |

| | | | | | | | |
|--------|-----|---|---|---------|-------|----|----------|
| Potter | CdC | Cavode channery silt loam, 0 to 15 percent slopes, extremel | 6 | 1129.9 | 0.002 | \$ | 750.61 |
| Potter | CdF | Cavode channery silt loam, 15 to 50 percent slopes, extrem | 6 | 110.1 | 0 | \$ | 750.61 |
| Potter | CeC | Cadosia channery loam, 0 to 15 percent slopes, extremely st | 6 | 949.5 | 0.001 | \$ | 750.61 |
| Potter | CIE | Clymer channery loam, 20 to 30 percent slopes | 6 | 945.3 | 0.001 | \$ | 750.61 |
| Potter | CmC | Clymer channery loam, 0 to 20 percent slopes, extremely st | 6 | 9835.4 | 0.014 | \$ | 750.61 |
| Potter | CoE | Cookport channery loam, 25 to 35 percent slopes | 6 | 546.2 | 0.001 | \$ | 1,192.00 |
| Potter | CpB | Cookport channery loam, 3 to 15 percent, extremely stony | 6 | 13217.4 | 0.019 | \$ | 750.61 |
| Potter | CpD | Cookport channery loam, 15 to 25 percent, extremely stony | 6 | 2566.1 | 0.004 | \$ | 750.61 |
| Potter | DfE | Dekalb fine sandy loam, 20 to 30 percent slopes | 6 | 54.8 | 0 | \$ | 750.61 |
| Potter | DkE | Dekalb channery loam, 10 to 25 inches deep, 20 to 30 perce | 6 | 1036.7 | 0.001 | \$ | 750.61 |
| Potter | DxD | Dekalb channery loam, 10 to 25 inches deep, 0 to 20 percen | 6 | 2902.9 | 0.004 | \$ | 750.61 |
| Potter | HaE | Hartleton channery silt loam, 25 to 35 percent slopes | 6 | 4420.1 | 0.006 | \$ | 1,331.86 |
| Potter | HbD | Hartleton channery silt loam, 8 to 25 percent slopes, extren | 6 | 429 | 0.001 | \$ | 1,331.86 |
| Potter | HuE | Hustontown channery silt loam, 25 to 35 percent slopes | 6 | 1339.4 | 0.002 | \$ | 1,362.81 |
| Potter | HvC | Hustontown channery silt loam, 3 to 15 percent slopes, extr | 6 | 1055.5 | 0.002 | \$ | 1,286.57 |
| Potter | HvD | Hustontown channery silt loam, 15 to 25 percent slopes, ext | 6 | 784.5 | 0.001 | \$ | 1,286.57 |
| Potter | HxE | Hazleton channery loam, 25 to 35 percent slopes | 6 | 15981.3 | 0.023 | \$ | 750.61 |
| Potter | HxD | Hazleton channery loam, 8 to 25 percent slopes, extremely : | 6 | 3895.5 | 0.006 | \$ | 750.61 |
| Potter | LaE | Lackawanna channery loam, 25 to 35 percent slopes | 6 | 5968.1 | 0.009 | \$ | 750.61 |
| Potter | LdE | Laidig channery loam, 25 to 35 percent slopes | 6 | 3286.5 | 0.005 | \$ | 750.61 |
| Potter | LkE | Leck Kill channery loam, 25 to 35 percent slopes | 6 | 59939.4 | 0.087 | \$ | 750.61 |
| Potter | LmC | Leck Kill channery loam, 8 to 15 percent slopes, extremely s | 6 | 201.2 | 0 | \$ | 750.61 |
| Potter | LmD | Leck Kill channery loam, 15 to 25 percent slopes, extremely | 6 | 740.6 | 0.001 | \$ | 750.61 |
| Potter | LoE | Lordstown channery silt loam, 20 to 30 percent slopes | 6 | 801.8 | 0.001 | \$ | 750.61 |
| Potter | LpC | Lordstown channery loam, 0 to 20 percent slopes, extremel | 6 | 1247.5 | 0.002 | \$ | 750.61 |
| Potter | LsC | Leetonia channery loamy sand, 0 to 20 percent slopes, extre | 6 | 11898 | 0.017 | \$ | 750.61 |
| Potter | LwE | Lehew silt loam, 25 to 35 percent slopes | 6 | 1366.3 | 0.002 | \$ | 1,020.48 |
| Potter | LxD | Lehew channery loam, 8 to 25 percent slopes, extremely stc | 6 | 433.2 | 0.001 | \$ | 1,073.51 |
| Potter | MaE | Mardin channery silt loam, 25 to 35 percent slopes | 6 | 3176.3 | 0.005 | \$ | 750.61 |
| Potter | MhD | Meckesville channery loam, 8 to 25 percent slopes, very sto | 6 | 86.4 | 0 | \$ | 750.61 |
| Potter | OaE | Oquaga channery loam, 20 to 30 percent slopes | 6 | 1092.4 | 0.002 | \$ | 750.61 |
| Potter | OxC | Oquaga channery loam, 0 to 20 percent slopes, extremely st | 6 | 304 | 0 | \$ | 750.61 |
| Potter | TkE | Tunkhannock channery loam, 20 to 30 percent slopes, extre | 6 | 450.2 | 0.001 | \$ | 750.61 |
| Potter | WeE | Wellsboro channery silt loam, 25 to 35 percent slopes | 6 | 582.7 | 0.001 | \$ | 750.61 |
| Potter | WgB | Wharton-Cookport complex, 0 to 8 percent slopes, very stoi | 6 | 109.3 | 0 | \$ | 750.61 |
| Potter | WhE | Wharton channery silt loam, 20 to 30 percent slopes | 6 | 249.1 | 0 | \$ | 750.61 |
| Potter | AbF | Albrights channery silt loam, 25 to 45 percent slopes | 7 | 102.6 | 0 | \$ | 1,273.48 |
| Potter | AcF | Albrights channery silt loam, 25 to 50 percent, extremely stc | 7 | 4.8 | 0 | \$ | 750.61 |
| Potter | BhF | Bath channery silt loam, 30 to 40 percent slopes | 7 | 3367.2 | 0.005 | \$ | 750.61 |
| Potter | BkD | Bath channery silt loam, 8 to 25 percent slopes, extremely s | 7 | 401.2 | 0.001 | \$ | 750.61 |
| Potter | BkE | Bath channery silt loam, 25 to 35 percent slopes, extremely | 7 | 360.6 | 0.001 | \$ | 750.61 |
| Potter | BKF | Bath and Lackawanna channery loams, 30 to 60 percent sloj | 7 | 7685.5 | 0.011 | \$ | 750.61 |
| Potter | CeE | Cadosia channery loam, 15 to 35 percent slopes, extremely | 7 | 460.3 | 0.001 | \$ | 750.61 |
| Potter | CfF | Chenango gravelly loam, 20 to 50 percent slopes | 7 | 1432.9 | 0.002 | \$ | 750.61 |
| Potter | CgB | Clymer-Cookport channery loams, 0 to 8 percent slopes, ext | 7 | 1506.6 | 0.002 | \$ | 750.61 |
| Potter | ChB | Clymer-Hazleton sandy loams, 0 to 8 percent slopes, extrem | 7 | 36.3 | 0 | \$ | 750.61 |
| Potter | CmE | Clymer channery loam, 20 to 30 percent slopes, extremely s | 7 | 1972.9 | 0.003 | \$ | 750.61 |
| Potter | CpE | Cookport channery loam, 25 to 35 percent, extremely stony | 7 | 1023.8 | 0.001 | \$ | 750.61 |
| Potter | CTF | Cookport and Hustontown channery silt loams, 35 to 50 per | 7 | 162.4 | 0 | \$ | 1,331.86 |
| Potter | CwB | Chippewa channery silt loam, 0 to 8 percent slopes, extrem | 7 | 665.3 | 0.001 | \$ | 750.61 |
| Potter | DxE | Dekalb channery loam, 10 to 25 inches deep, 20 to 30 perce | 7 | 1050.6 | 0.002 | \$ | 750.61 |
| Potter | HaF | Hartleton channery silt loam, 35 to 45 percent slopes | 7 | 6005.9 | 0.009 | \$ | 1,331.86 |
| Potter | HbE | Hartleton channery silt loam, 25 to 35 percent slopes, extre | 7 | 342.6 | 0 | \$ | 1,331.86 |
| Potter | HLF | Hartleton and Leck Kill channery loams, 30 to 60 percent slo | 7 | 76624.7 | 0.111 | \$ | 812.12 |
| Potter | HvE | Hustontown channery silt loam, 25 to 35 percent slopes, ext | 7 | 289.7 | 0 | \$ | 1,286.57 |
| Potter | HwF | Hazleton-Laidig complex, 25 to 50 percent slopes, extremel | 7 | 3354.4 | 0.005 | \$ | 750.61 |

| | | | | | | |
|------------|------|--|---|---------|-------|-------------|
| Potter | HyB | Hazleton-Clymer channery loams, 0 to 8 percent slopes, ext | 7 | 213.7 | 0 | \$ 750.61 |
| Potter | HyD | Hazleton-Clymer channery loams, 8 to 25 percent slopes, ex | 7 | 361 | 0.001 | \$ 750.61 |
| Potter | Hze | Hazleton channery loam, 25 to 35 percent slopes, extremely | 7 | 2858.7 | 0.004 | \$ 750.61 |
| Potter | HzeF | Hazleton channery loam, 35 to 45 percent slopes, extremely | 7 | 5767.3 | 0.008 | \$ 750.61 |
| Potter | LaF | Lackawanna channery loam, 35 to 45 percent slopes | 7 | 8029.6 | 0.012 | \$ 750.61 |
| Potter | LbD | Lackawanna channery loam, 8 to 25 percent slopes, extrem | 7 | 696.9 | 0.001 | \$ 750.61 |
| Potter | LbE | Lackawanna channery loam, 25 to 35 percent slopes, extren | 7 | 674.4 | 0.001 | \$ 750.61 |
| Potter | LkF | Leck Kill channery loam, 35 to 45 percent slopes | 7 | 18147.4 | 0.026 | \$ 750.61 |
| Potter | LmE | Leck Kill channery loam, 25 to 35 percent slopes, extremely | 7 | 945.1 | 0.001 | \$ 750.61 |
| Potter | LoF | Lordstown channery silt loam, 30 to 40 percent slopes | 7 | 1823.1 | 0.003 | \$ 750.61 |
| Potter | LpD | Lordstown channery loam, 20 to 30 percent slopes, extreme | 7 | 467.5 | 0.001 | \$ 750.61 |
| Potter | LPF | Lordstown and Bath channery silt loams, 40 to 60 percent sl | 7 | 5162.3 | 0.007 | \$ 750.61 |
| Potter | LsE | Leetonia channery loamy sand, 20 to 30 percent slopes, exti | 7 | 1299.8 | 0.002 | \$ 750.61 |
| Potter | LTC | Leetonia and Dekalb soils, 0 to 20 percent slopes, extremely | 7 | 1060.6 | 0.002 | \$ 750.61 |
| Potter | LTE | Leetonia and Dekalb soils, 20 to 30 percent slopes, extreme | 7 | 551.2 | 0.001 | \$ 750.61 |
| Potter | LTF | Leetonia and Dekalb soils, 30 to 60 percent slopes, extreme | 7 | 51226.7 | 0.074 | \$ 750.61 |
| Potter | LwF | Lehew channery loam, 35 to 60 percent slopes | 7 | 19704 | 0.028 | \$ 1,020.48 |
| Potter | LxE | Lehew channery loam, 25 to 35 percent slopes, extremely sl | 7 | 173.9 | 0 | \$ 1,020.48 |
| Potter | LxF | Lehew channery loam, 35 to 60 percent slopes, extremely sl | 7 | 11378 | 0.016 | \$ 1,020.48 |
| Potter | MbC | Mardin channery silt loam, 3 to 15 percent slopes, extremel | 7 | 2694.9 | 0.004 | \$ 750.61 |
| Potter | MbD | Mardin channery silt loam, 15 to 25 percent slopes, extreme | 7 | 443.3 | 0.001 | \$ 750.61 |
| Potter | MbE | Mardin channery silt loam, 25 to 35 percent slopes, extreme | 7 | 230.1 | 0 | \$ 750.61 |
| Potter | MBF | Mardin and Wellsboro channery silt loam, 35 to 50 percent | 7 | 139.4 | 0 | \$ 750.61 |
| Potter | MoF | Morris silt loam, 25 to 50 percent slopes | 7 | 115 | 0 | \$ 750.61 |
| Potter | MsC | Morris channery silt loam, 0 to 15 percent slopes, extremely | 7 | 5677.2 | 0.008 | \$ 750.61 |
| Potter | MsD | Morris channery silt loam, 15 to 25 percent slopes, extreme | 7 | 481.2 | 0.001 | \$ 750.61 |
| Potter | MsF | Morris channery silt loam, 25 to 50 percent slopes, extreme | 7 | 63.1 | 0 | \$ 750.61 |
| Potter | NsB | Nolo channery sandy loam, sandy variant, 0 to 12 percent sl | 7 | 2117.5 | 0.003 | \$ 750.61 |
| Potter | NxB | Norwich channery silt loam, 0 to 15 percent slopes, extreme | 7 | 1037.9 | 0.001 | \$ 750.61 |
| Potter | OaF | Oquaga channery loam, 30 to 50 percent slopes | 7 | 4160.6 | 0.006 | \$ 750.61 |
| Potter | OxD | Oquaga channery loam, 20 to 30 percent slopes, extremely | 7 | 359 | 0.001 | \$ 750.61 |
| Potter | OxF | Oquaga channery loam, 30 to 60 percent slopes, extremely | 7 | 4852.3 | 0.007 | \$ 750.61 |
| Potter | TkF | Tunkhannock channery loam, 30 to 50 percent slopes, extre | 7 | 140.7 | 0 | \$ 750.61 |
| Potter | UmF | Ungers-Meckesville complex, 25 to 50 percent slopes, extre | 7 | 1381.5 | 0.002 | \$ 750.61 |
| Potter | VoE | Volusia channery silt loam, 25 to 35 percent slopes, eroded | 7 | 774.3 | 0.001 | \$ 750.61 |
| Potter | VsB | Volusia channery silt loam, 0 to 8 percent slopes, extremely | 7 | 750.1 | 0.001 | \$ 750.61 |
| Potter | VsC | Volusia channery silt loam, 8 to 15 percent slopes, extremel | 7 | 1275.9 | 0.002 | \$ 750.61 |
| Potter | VsD | Volusia channery silt loam, 15 to 25 percent slopes, extreme | 7 | 876 | 0.001 | \$ 750.61 |
| Potter | WfC | Wellsboro channery loam, 3 to 15 percent slopes, extremely | 7 | 3645.4 | 0.005 | \$ 750.61 |
| Potter | WfD | Wellsboro channery loam, 15 to 25 percent slopes, extreme | 7 | 1812 | 0.003 | \$ 750.61 |
| Potter | WfE | Wellsboro channery loam, 25 to 35 percent slopes, extreme | 7 | 474.2 | 0.001 | \$ 750.61 |
| Schuylkill | Ln | Linden silt loam | 1 | 467.4 | 0.001 | \$ 1,555.90 |
| Schuylkill | Po | Pope silt loam | 1 | 163.3 | 0 | \$ 1,425.61 |
| Schuylkill | AeB | Allenwood gravelly silt loam, 3 to 8 percent slopes | 2 | 2244.3 | 0.004 | \$ 1,571.24 |
| Schuylkill | Ba | Basher silt loam | 2 | 6157.9 | 0.012 | \$ 1,448.81 |
| Schuylkill | BeB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 6946.7 | 0.014 | \$ 1,086.52 |
| Schuylkill | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 3243.5 | 0.006 | \$ 1,441.76 |
| Schuylkill | CaB | Calvin shaly silt loam, 3 to 8 percent slopes | 2 | 5664.1 | 0.011 | \$ 1,054.29 |
| Schuylkill | DeB | Dekalb channery sandy loam, 3 to 8 percent slopes | 2 | 565.8 | 0.001 | \$ 1,073.51 |
| Schuylkill | HaB | Hartleton channery silt loam, 3 to 8 percent slopes | 2 | 8110.3 | 0.016 | \$ 1,137.58 |
| Schuylkill | HeB | Hazleton channery fine sandy loam, 3 to 8 percent slopes | 2 | 1136.8 | 0.002 | \$ 1,472.64 |
| Schuylkill | KeB | Kedron silt loam, 3 to 8 percent slopes | 2 | 9603.8 | 0.019 | \$ 1,249.40 |
| Schuylkill | LaB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 2349.6 | 0.005 | \$ 1,286.57 |
| Schuylkill | LeB | Leck kill channery silt loam, 3 to 8 percent slopes | 2 | 19140.4 | 0.038 | \$ 1,454.19 |
| Schuylkill | LgB | Lehew channery loam, 3 to 8 percent slopes | 2 | 753.6 | 0.002 | \$ 1,124.96 |
| Schuylkill | MeB | Meckesville loam, 3 to 8 percent slopes | 2 | 13687.5 | 0.027 | \$ 1,298.65 |

| | | | | | | |
|-----------|-----|--|---|---------|-------|-------------|
| Schuykill | Ph | Philo silt loam | 2 | 1421.5 | 0.003 | \$ 1,516.83 |
| Schuykill | WaB | Watson silt loam, 3 to 8 percent slopes | 2 | 6206.1 | 0.012 | \$ 1,293.45 |
| Schuykill | AeC | Allenwood gravelly silt loam, 8 to 15 percent slopes | 3 | 2004.4 | 0.004 | \$ 1,496.91 |
| Schuykill | AgA | Alvira silt loam, 0 to 3 percent slopes | 3 | 1630.2 | 0.003 | \$ 1,235.24 |
| Schuykill | AgB | Alvira silt loam, 3 to 8 percent slopes | 3 | 1701.3 | 0.003 | \$ 1,237.14 |
| Schuykill | At | Atkins silt loam | 3 | 8819 | 0.018 | \$ 1,295.82 |
| Schuykill | BeC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 11248.9 | 0.022 | \$ 1,041.89 |
| Schuykill | BuC | Buchanan gravelly loam, 8 to 15 percent slopes | 3 | 590.4 | 0.001 | \$ 1,196.86 |
| Schuykill | CaC | Calvin shaly silt loam, 8 to 15 percent slopes | 3 | 9796.9 | 0.02 | \$ 955.41 |
| Schuykill | DeC | Dekalb channery sandy loam, 8 to 15 percent slopes | 3 | 578.8 | 0.001 | \$ 1,020.48 |
| Schuykill | HaC | Hartleton channery silt loam, 8 to 15 percent slopes | 3 | 7349.8 | 0.015 | \$ 1,025.86 |
| Schuykill | HeC | Hazleton channery fine sandy loam, 8 to 15 percent slopes | 3 | 708.5 | 0.001 | \$ 1,393.15 |
| Schuykill | KeC | Kedron silt loam, 8 to 15 percent slopes | 3 | 508.2 | 0.001 | \$ 1,182.14 |
| Schuykill | LaC | Laidig gravelly loam, 8 to 15 percent slopes | 3 | 1279.4 | 0.003 | \$ 1,235.24 |
| Schuykill | LeC | Leck kill channery silt loam, 8 to 15 percent slopes | 3 | 19147.3 | 0.038 | \$ 1,439.68 |
| Schuykill | LgC | Lehew channery loam, 8 to 15 percent slopes | 3 | 747.6 | 0.001 | \$ 1,073.51 |
| Schuykill | MeC | Meckesville loam, 8 to 15 percent slopes | 3 | 6497.8 | 0.013 | \$ 1,249.87 |
| Schuykill | WaC | Watson silt loam, 8 to 15 percent slopes | 3 | 1337.9 | 0.003 | \$ 1,208.95 |
| Schuykill | AnA | Andover gravelly loam, 0 to 3 percent slopes | 4 | 141.7 | 0 | \$ 1,162.44 |
| Schuykill | AnB | Andover gravelly loam, 3 to 8 percent slopes | 4 | 277.5 | 0.001 | \$ 1,109.69 |
| Schuykill | BeD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 8548.3 | 0.017 | \$ 996.07 |
| Schuykill | CaD | Calvin shaly silt loam, 15 to 25 percent slopes | 4 | 14450.2 | 0.029 | \$ 900.70 |
| Schuykill | DeD | Dekalb channery sandy loam, 15 to 25 percent slopes | 4 | 725.8 | 0.001 | \$ 968.55 |
| Schuykill | HaD | Hartleton channery silt loam, 15 to 25 percent slopes | 4 | 2943 | 0.006 | \$ 1,006.96 |
| Schuykill | HeD | Hazleton channery fine sandy loam, 15 to 25 percent slopes | 4 | 526.1 | 0.001 | \$ 1,351.82 |
| Schuykill | LgD | Lehew channery loam, 15 to 25 percent slopes | 4 | 697.4 | 0.001 | \$ 1,020.48 |
| Schuykill | MeD | Meckesville loam, 15 to 25 percent slopes | 4 | 595.7 | 0.001 | \$ 1,163.63 |
| Schuykill | ShA | Shelmadine silt loam, 0 to 3 percent slopes | 4 | 1515.2 | 0.003 | \$ 1,158.37 |
| Schuykill | ShB | Shelmadine silt loam, 3 to 8 percent slopes | 4 | 882.9 | 0.002 | \$ 1,165.01 |
| Schuykill | KvB | Kedron very stony silt loam, 3 to 8 percent slopes | 6 | 2836.1 | 0.006 | \$ 750.61 |
| Schuykill | KvC | Kedron very stony silt loam, 8 to 25 percent slopes | 6 | 1777.9 | 0.004 | \$ 750.61 |
| Schuykill | MkB | Meckesville very stony loam, 3 to 8 percent slopes | 6 | 2346.4 | 0.005 | \$ 750.61 |
| Schuykill | MkC | Meckesville very stony loam, 8 to 25 percent slopes | 6 | 13659.4 | 0.027 | \$ 750.61 |
| Schuykill | ArB | Andover extremely stony loam, 0 to 8 percent slopes | 7 | 4071.5 | 0.008 | \$ 750.61 |
| Schuykill | BxB | Buchanan extremely stony loam, 3 to 8 percent slopes | 7 | 19968.1 | 0.04 | \$ 750.61 |
| Schuykill | BxD | Buchanan extremely stony loam, 8 to 25 percent slopes | 7 | 11086.5 | 0.022 | \$ 750.61 |
| Schuykill | DkB | Dekalb extremely stony sandy loam, 3 to 8 percent slopes | 7 | 5331.9 | 0.011 | \$ 750.61 |
| Schuykill | DkC | Dekalb extremely stony sandy loam, 8 to 25 percent slopes | 7 | 13673.6 | 0.027 | \$ 750.61 |
| Schuykill | DMF | Dekalb and Lehew extremely stony soils, steep | 7 | 66237.9 | 0.132 | \$ 750.61 |
| Schuykill | DR | Dekalb-Rubble land association | 7 | 4151.1 | 0.008 | \$ 750.61 |
| Schuykill | HfB | Hazleton extremely stony fine sandy loam, 3 to 8 percent slopes | 7 | 2531.7 | 0.005 | \$ 750.61 |
| Schuykill | HfC | Hazleton extremely stony fine sandy loam, 8 to 25 percent slopes | 7 | 5090.1 | 0.01 | \$ 750.61 |
| Schuykill | HGB | Hazleton-Clymer association, gently sloping | 7 | 16032.8 | 0.032 | \$ 750.61 |
| Schuykill | HGC | Hazleton-Clymer association, sloping | 7 | 16780.1 | 0.033 | \$ 750.61 |
| Schuykill | LdB | Laidig extremely stony loam, 3 to 8 percent slopes | 7 | 1714.9 | 0.003 | \$ 750.61 |
| Schuykill | LdC | Laidig extremely stony loam, 8 to 25 percent slopes | 7 | 14337.3 | 0.029 | \$ 750.61 |
| Schuykill | LhB | Lehew extremely stony loam, 3 to 8 percent slopes | 7 | 1483.3 | 0.003 | \$ 750.61 |
| Schuykill | LhC | Lehew extremely stony loam, 8 to 25 percent slopes | 7 | 6510.8 | 0.013 | \$ 750.61 |
| Schuykill | SmB | Shelmadine very stony silt loam, 0 to 8 percent slopes | 7 | 1370.4 | 0.003 | \$ 750.61 |
| Schuykill | UD | Udifuvents, coal overwash | 7 | 2378.7 | 0.005 | \$ 750.61 |
| Schuykill | UF | Udifuvents, gravelly | 7 | 1496.7 | 0.003 | \$ 750.61 |
| Schuykill | UM | Udorthents, strip mine | 7 | 38304.6 | 0.076 | \$ 750.61 |
| Schuykill | WKF | Weikert and Klinesville shaly silt loams, steep | 7 | 31320.8 | 0.063 | \$ 750.61 |
| Schuykill | DAM | Dams and impoundment structures | 8 | 8.4 | 0 | \$ 750.61 |
| Snyder | AnA | Allenwood gravelly silt loam, 0 to 3 percent slopes | 1 | 769.1 | 0.004 | \$ 1,540.39 |
| Snyder | Bb | Barbour-Linden complex, rarely flooded | 1 | 660.7 | 0.003 | \$ 1,441.76 |

| | | | | | | |
|--------|-----|--|---|--------|-------|-------------|
| Snyder | WsA | Wheeling soils, 0 to 3 percent slopes | 1 | 1587.4 | 0.007 | \$ 1,458.31 |
| Snyder | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 626.7 | 0.003 | \$ 1,288.87 |
| Snyder | AoB | Allenwood and Washington soils, 3 to 8 percent slopes | 2 | 5294.2 | 0.025 | \$ 1,540.39 |
| Snyder | Ba | Barbour soils, frequently flooded | 2 | 1224.4 | 0.006 | \$ 1,327.39 |
| Snyder | BeB | Bedington silt loam, 3 to 8 percent slopes | 2 | 1364.9 | 0.006 | \$ 1,388.85 |
| Snyder | BkB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 2389.7 | 0.011 | \$ 1,086.52 |
| Snyder | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 1532.8 | 0.007 | \$ 1,270.42 |
| Snyder | CaB | Calvin-Klinesville shaly silt loams, 3 to 8 percent slopes | 2 | 1008.1 | 0.005 | \$ 1,023.17 |
| Snyder | EsB | Elliber cherty silt loam, 3 to 8 percent slopes | 2 | 1276.7 | 0.006 | \$ 1,384.54 |
| Snyder | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 819.9 | 0.004 | \$ 1,642.70 |
| Snyder | HtB | Hartleton channery silt loam, 3 to 8 percent slopes | 2 | 5269.8 | 0.025 | \$ 1,137.58 |
| Snyder | KmB | Kreamer cherty silt loam, 3 to 8 percent slopes | 2 | 2310.9 | 0.011 | \$ 1,196.86 |
| Snyder | LaB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 1368.7 | 0.006 | \$ 1,286.57 |
| Snyder | LnB | Leck kill shaly silt loam, 3 to 8 percent slopes | 2 | 2817.3 | 0.013 | \$ 1,454.19 |
| Snyder | MkB | Meckesville silt loam, 3 to 8 percent slopes | 2 | 668.5 | 0.003 | \$ 1,288.87 |
| Snyder | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 1307.9 | 0.006 | \$ 1,370.67 |
| Snyder | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 636.4 | 0.003 | \$ 1,292.08 |
| Snyder | MrB | Morrison gravelly sandy loam, 3 to 8 percent slopes | 2 | 0.2 | 0 | \$ 1,239.97 |
| Snyder | WaB | Washington silt loam, wet substratum, 3 to 8 percent slopes | 2 | 628.6 | 0.003 | \$ 1,474.27 |
| Snyder | WbA | Watson silt loam, 0 to 3 percent slopes | 2 | 706.8 | 0.003 | \$ 1,309.38 |
| Snyder | WbB | Watson silt loam, 3 to 8 percent slopes | 2 | 3479.5 | 0.016 | \$ 1,309.38 |
| Snyder | WsB | Wheeling soils, 3 to 8 percent slopes | 2 | 1235.6 | 0.006 | \$ 1,454.19 |
| Snyder | AoC | Allenwood and Washington soils, 8 to 15 percent slopes | 3 | 1631.5 | 0.008 | \$ 1,488.86 |
| Snyder | ArA | Alvira silt loam, 0 to 3 percent slopes | 3 | 1317 | 0.006 | \$ 1,235.24 |
| Snyder | ArB | Alvira silt loam, 3 to 8 percent slopes | 3 | 3494.1 | 0.016 | \$ 1,237.14 |
| Snyder | ArC | Alvira silt loam, 8 to 15 percent slopes | 3 | 649.2 | 0.003 | \$ 1,198.80 |
| Snyder | Bd | Basher soils, frequently flooded | 3 | 2812.2 | 0.013 | \$ 1,443.84 |
| Snyder | BkC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 3410.9 | 0.016 | \$ 1,041.89 |
| Snyder | BuC | Buchanan gravelly loam, 8 to 15 percent slopes | 3 | 174.2 | 0.001 | \$ 1,196.86 |
| Snyder | CaC | Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes | 3 | 2010.2 | 0.009 | \$ 871.65 |
| Snyder | EsC | Elliber cherty silt loam, 8 to 15 percent slopes | 3 | 1308 | 0.006 | \$ 1,334.09 |
| Snyder | EtB | Elliber very cherty silt loam, 3 to 8 percent slopes | 3 | 493.5 | 0.002 | \$ 1,258.78 |
| Snyder | EvB | Evendale cherty silt loam, 3 to 8 percent slopes | 3 | 1981.3 | 0.009 | \$ 1,147.61 |
| Snyder | HaC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 820.5 | 0.004 | \$ 1,562.05 |
| Snyder | HtC | Hartleton channery silt loam, 8 to 15 percent slopes | 3 | 7780.8 | 0.037 | \$ 1,025.86 |
| Snyder | Hz | Holly silt loam, rarely flooded | 3 | 837.9 | 0.004 | \$ 1,298.02 |
| Snyder | KmC | Kreamer cherty silt loam, 8 to 15 percent slopes | 3 | 1642.6 | 0.008 | \$ 1,113.77 |
| Snyder | LaC | Laidig gravelly loam, 8 to 15 percent slopes | 3 | 766.8 | 0.004 | \$ 1,235.24 |
| Snyder | LnC | Leck kill shaly silt loam, 8 to 15 percent slopes | 3 | 3736.1 | 0.018 | \$ 1,439.68 |
| Snyder | MkC | Meckesville silt loam, 8 to 15 percent slopes | 3 | 134.2 | 0.001 | \$ 1,249.40 |
| Snyder | MrC | Morrison gravelly sandy loam, 8 to 15 percent slopes | 3 | 1.9 | 0 | \$ 1,194.44 |
| Snyder | OpB | Opequon silty clay loam, 3 to 8 percent slopes-mlra147 | 3 | 122.6 | 0.001 | \$ 1,291.16 |
| Snyder | WbC | Watson silt loam, 8 to 15 percent slopes | 3 | 1042.8 | 0.005 | \$ 1,240.45 |
| Snyder | WeB | Weikert channery silt loam, 3 to 8 percent slopes | 3 | 6133.6 | 0.029 | \$ 1,269.95 |
| Snyder | WsC | Wheeling soils, 8 to 15 percent slopes | 3 | 316.2 | 0.001 | \$ 1,382.38 |
| Snyder | AnD | Allenwood gravelly silt loam, 15 to 25 percent slopes | 4 | 227.9 | 0.001 | \$ 1,320.66 |
| Snyder | AvB | Andover gravelly loam, 2 to 8 percent slopes | 4 | 8.6 | 0 | \$ 1,150.50 |
| Snyder | BkD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 1049.7 | 0.005 | \$ 996.07 |
| Snyder | BrA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 16.7 | 0 | \$ 1,192.00 |
| Snyder | BrB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 44.4 | 0 | \$ 1,196.96 |
| Snyder | CaD | Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes | 4 | 2337.8 | 0.011 | \$ 871.65 |
| Snyder | EsD | Elliber cherty silt loam, 15 to 25 percent slopes | 4 | 732.6 | 0.003 | \$ 1,196.86 |
| Snyder | EtC | Elliber very cherty silt loam, 8 to 15 percent slopes | 4 | 919.9 | 0.004 | \$ 1,140.09 |
| Snyder | HaD | Hagerstown silt loam, 15 to 25 percent slopes | 4 | 370.5 | 0.002 | \$ 1,490.88 |
| Snyder | HtD | Hartleton channery silt loam, 15 to 25 percent slopes | 4 | 1951.1 | 0.009 | \$ 909.32 |
| Snyder | Hv | Holly silt loam | 4 | 4101.9 | 0.019 | \$ 1,249.40 |

| | | | | | | |
|----------|------|--|---|---------|-------|-------------|
| Snyder | LnD | Leck kill shaly silt loam, 15 to 25 percent slopes | 4 | 592.4 | 0.003 | \$ 1,242.34 |
| Snyder | ShA | Shelmadine silt loam, 0 to 3 percent slopes | 4 | 2770.6 | 0.013 | \$ 1,167.48 |
| Snyder | ShB | Shelmadine silt loam, 3 to 8 percent slopes | 4 | 2298.3 | 0.011 | \$ 1,169.95 |
| Snyder | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 13937.2 | 0.066 | \$ 1,009.67 |
| Snyder | Hy | Holly silt loam, ponded | 5 | 307.8 | 0.001 | \$ 750.61 |
| Snyder | AsB | Alvira very stony silt loam, 0 to 8 percent slopes | 6 | 419.8 | 0.002 | \$ 750.61 |
| Snyder | BxB | Buchanan very stony loam, 0 to 8 percent slopes | 6 | 3432.1 | 0.016 | \$ 750.61 |
| Snyder | BxD | Buchanan very stony loam, 8 to 25 percent slopes | 6 | 1786.4 | 0.008 | \$ 750.61 |
| Snyder | EtD | Elliber very cherty silt loam, 15 to 25 percent slopes | 6 | 1156.7 | 0.005 | \$ 750.61 |
| Snyder | OpD | Opequon silty clay loam, 8 to 25 percent slopes | 6 | 566.5 | 0.003 | \$ 1,201.71 |
| Snyder | OpE | Opequon silty clay loam, 25 to 45 percent slopes | 6 | 482.9 | 0.002 | \$ 750.61 |
| Snyder | RwC | Rushtown very shaly silt loam, 8 to 25 percent slopes | 6 | 242.1 | 0.001 | \$ 750.61 |
| Snyder | UoB | Ungers very stony loam, 3 to 8 percent slopes | 6 | 329.9 | 0.002 | \$ 750.61 |
| Snyder | UoD | Ungers very stony loam, 8 to 25 percent slopes | 6 | 583.8 | 0.003 | \$ 750.61 |
| Snyder | UoE | Ungers very stony loam, 25 to 50 percent slopes | 6 | 127.7 | 0.001 | \$ 750.61 |
| Snyder | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 16688.1 | 0.079 | \$ 750.61 |
| Snyder | AxB | Andover extremely stony loam, 0 to 8 percent slopes | 7 | 219.2 | 0.001 | \$ 750.61 |
| Snyder | BMF | Berks-Weikert association, steep | 7 | 35 | 0 | \$ 750.61 |
| Snyder | DeF | Dekalb extremely stony sandy loam, steep | 7 | 4860 | 0.023 | \$ 750.61 |
| Snyder | EtF | Elliber very cherty silt loam, 25 to 70 percent slopes | 7 | 3190.2 | 0.015 | \$ 750.61 |
| Snyder | HuaF | Hazleton-Dekalb association, steep | 7 | 82.9 | 0 | \$ 750.61 |
| Snyder | HuB | Hazleton and Clymer extremely stony sandy loams, 0 to 8 percent slopes | 7 | 2277.8 | 0.011 | \$ 750.61 |
| Snyder | HuD | Hazleton and Clymer extremely stony sandy loams, 8 to 25 percent slopes | 7 | 9303.8 | 0.044 | \$ 750.61 |
| Snyder | HuF | Hazleton and Clymer extremely stony sandy loams, 25 to 80 percent slopes | 7 | 9536.5 | 0.045 | \$ 750.61 |
| Snyder | LbB | Laidig extremely stony loam, 0 to 8 percent slopes | 7 | 1376.5 | 0.006 | \$ 750.61 |
| Snyder | LdD | Laidig and Meckesville extremely stony soils, 8 to 25 percent slopes | 7 | 9782.5 | 0.046 | \$ 750.61 |
| Snyder | LtC | Leetonia extremely stony loamy sand, 0 to 15 percent slopes | 7 | 2432.1 | 0.011 | \$ 750.61 |
| Snyder | Ru | Rubble land | 7 | 205.5 | 0.001 | \$ 750.61 |
| Snyder | SmbB | Shelmadine very stony silt loam, 0 to 8 percent slopes | 7 | 1458.7 | 0.007 | \$ 750.61 |
| Snyder | Ug | Udifuvents and Fluvaquents, gravelly | 7 | 247 | 0.001 | \$ 750.61 |
| Snyder | WkE | Weikert and Klinsville shaly silt loams, steep | 7 | 23607.9 | 0.111 | \$ 750.61 |
| Snyder | DAM | Dams | 8 | 16.5 | 0 | \$ 750.61 |
| Somerset | Bm | Birdsboro silt loam, rarely flooded | 1 | 65.7 | 0 | \$ 1,476.23 |
| Somerset | ChA | Chavies silt loam, 0 to 3 percent slopes | 1 | 2030.3 | 0.003 | \$ 1,457.07 |
| Somerset | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 2543.5 | 0.004 | \$ 1,316.15 |
| Somerset | AhB | Allegheny silt loam, gravelly substratum, 3 to 8 percent slopes | 2 | 256.7 | 0 | \$ 1,457.90 |
| Somerset | Ba | Basher silt loam | 2 | 94.8 | 0 | \$ 1,448.81 |
| Somerset | BbB | Basher-Birdsboro complex, 0 to 8 percent slopes | 2 | 14.7 | 0 | \$ 1,508.89 |
| Somerset | BeB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 2773.1 | 0.004 | \$ 1,086.52 |
| Somerset | BkB | Berks-Weikert channery silt loams, 3 to 8 percent slopes | 2 | 2841.3 | 0.004 | \$ 987.86 |
| Somerset | BnB | Blairton channery silt loam, 3 to 8 percent slopes | 2 | 2823.2 | 0.004 | \$ 1,086.52 |
| Somerset | ChB | Chavies silt loam, 3 to 8 percent slopes | 2 | 734.8 | 0.001 | \$ 1,418.70 |
| Somerset | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 4730.4 | 0.007 | \$ 1,091.70 |
| Somerset | DhB | Dekalb-Hazleton channery sandy loams, 3 to 8 percent slopes | 2 | 365.8 | 0.001 | \$ 1,236.66 |
| Somerset | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 18156.3 | 0.026 | \$ 1,367.18 |
| Somerset | HaB | Hazleton channery sandy loam, 3 to 8 percent slopes | 2 | 7496.2 | 0.011 | \$ 1,476.71 |
| Somerset | LeB | Leck kill channery silt loam, 3 to 8 percent slopes | 2 | 4245.3 | 0.006 | \$ 1,424.77 |
| Somerset | McC | Meckesville gravelly loam, 8 to 15 percent slopes | 2 | 3.4 | 0 | \$ 1,286.57 |
| Somerset | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 554.1 | 0.001 | \$ 1,370.23 |
| Somerset | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 494.4 | 0.001 | \$ 1,373.71 |
| Somerset | Ph | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 3086.1 | 0.004 | \$ 1,380.22 |
| Somerset | Po | Pope fine sandy loam, 0 to 3 percent slopes, occasionally flooded | 2 | 1570 | 0.002 | \$ 1,322.90 |
| Somerset | RgB | Rayne-Gilpin channery silt loams, 3 to 8 percent slopes | 2 | 33762.3 | 0.049 | \$ 1,309.38 |
| Somerset | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 24645.8 | 0.036 | \$ 1,049.85 |
| Somerset | AbC | Albrights silt loam, 8 to 15 percent slopes | 3 | 1124.7 | 0.002 | \$ 1,277.36 |
| Somerset | AhC | Allegheny silt loam, gravelly substratum, 8 to 15 percent slopes | 3 | 80.5 | 0 | \$ 1,386.27 |

| | | | | | | |
|----------|-----|--|---|---------|-------|-------------|
| Somerset | BeC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 5757.8 | 0.008 | \$ 1,041.89 |
| Somerset | CaA | Cavode silt loam, 0 to 3 percent slopes | 3 | 2980.8 | 0.004 | \$ 1,196.86 |
| Somerset | CaB | Cavode silt loam, 3 to 8 percent slopes | 3 | 23272.3 | 0.034 | \$ 1,201.71 |
| Somerset | CaC | Cavode silt loam, 8 to 15 percent slopes | 3 | 7323.5 | 0.011 | \$ 1,155.09 |
| Somerset | CoC | Cookport loam, 8 to 15 percent slopes | 3 | 669.3 | 0.001 | \$ 1,049.85 |
| Somerset | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 9705.7 | 0.014 | \$ 1,291.16 |
| Somerset | HaC | Hazleton channery sandy loam, 8 to 15 percent slopes | 3 | 3922.5 | 0.006 | \$ 1,397.44 |
| Somerset | LeC | Leck kill channery silt loam, 8 to 15 percent slopes | 3 | 7449.3 | 0.011 | \$ 1,439.68 |
| Somerset | RgC | Rayne-Gilpin channery silt loams, 8 to 15 percent slopes | 3 | 40664.6 | 0.059 | \$ 1,216.16 |
| Somerset | Ty | Tyler silt loam | 3 | 1298.2 | 0.002 | \$ 1,261.11 |
| Somerset | UDA | Udorthents, mine spoil, 0 to 8 percent slopes | 3 | 7627.9 | 0.011 | \$ 750.61 |
| Somerset | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 11757 | 0.017 | \$ 962.99 |
| Somerset | Ar | Armagh silt loam | 4 | 2809.1 | 0.004 | \$ 1,006.96 |
| Somerset | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 4 | 10674.1 | 0.015 | \$ 1,142.60 |
| Somerset | BeD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 6197.8 | 0.009 | \$ 996.07 |
| Somerset | BkC | Berks-Weikert channery silt loams, 8 to 15 percent slopes | 4 | 4168.4 | 0.006 | \$ 897.81 |
| Somerset | BnC | Blairton channery silt loam, 8 to 15 percent slopes | 4 | 521.7 | 0.001 | \$ 987.86 |
| Somerset | BrA | Brinkerton soils, 0 to 3 percent slopes | 4 | 10630.7 | 0.015 | \$ 1,218.56 |
| Somerset | BrB | Brinkerton soils, 3 to 8 percent slopes | 4 | 6791.2 | 0.01 | \$ 1,218.56 |
| Somerset | HaD | Hazleton channery sandy loam, 15 to 25 percent slopes | 4 | 1822.1 | 0.003 | \$ 1,225.73 |
| Somerset | LeD | Leck kill channery silt loam, 15 to 25 percent slopes | 4 | 6954 | 0.01 | \$ 1,242.34 |
| Somerset | NoA | Nolo loam, 0 to 3 percent slopes | 4 | 2252.3 | 0.003 | \$ 1,106.51 |
| Somerset | NoB | Nolo loam, 3 to 8 percent slopes | 4 | 1029.3 | 0.001 | \$ 1,106.51 |
| Somerset | Pu | Purdy silt loam | 4 | 1520.7 | 0.002 | \$ 1,160.06 |
| Somerset | RgD | Rayne-Gilpin channery silt loams, 15 to 25 percent slopes | 4 | 24522.2 | 0.035 | \$ 1,152.60 |
| Somerset | WhD | Wharton silt loam, 15 to 25 percent slopes | 4 | 3237.5 | 0.005 | \$ 871.65 |
| Somerset | FV | Fluvaquents | 5 | 3404.2 | 0.005 | \$ 750.61 |
| Somerset | AgB | Albrights silt loam, 0 to 8 percent slopes, very stony | 6 | 1271.4 | 0.002 | \$ 750.61 |
| Somerset | AgD | Albrights silt loam, 8 to 25 percent slopes, very stony | 6 | 1054.4 | 0.002 | \$ 750.61 |
| Somerset | AsB | Armagh very stony silt loam, 0 to 8 percent slopes | 6 | 854 | 0.001 | \$ 750.61 |
| Somerset | BkD | Berks-Weikert channery silt loams, 15 to 25 percent slopes | 6 | 6696.6 | 0.01 | \$ 750.61 |
| Somerset | CbB | Cavode very stony silt loam, 0 to 8 percent slopes | 6 | 5593.9 | 0.008 | \$ 750.61 |
| Somerset | CpB | Cookport loam, 0 to 8 percent slopes, very stony | 6 | 22940.7 | 0.033 | \$ 750.61 |
| Somerset | CpD | Cookport loam, 8 to 25 percent slopes, very stony | 6 | 5005.8 | 0.007 | \$ 750.61 |
| Somerset | DkB | Dekalb-Hazleton very stony sandy loams, 3 to 8 percent slopes | 6 | 2095.2 | 0.003 | \$ 750.61 |
| Somerset | HbB | Hazleton channery sandy loam, 3 to 8 percent slopes, extremely stony | 6 | 24381.1 | 0.035 | \$ 750.61 |
| Somerset | HzB | Hazleton channery sandy loam, 0 to 8 percent slopes, extremely stony | 6 | 8712.6 | 0.013 | \$ 750.61 |
| Somerset | HzD | Hazleton channery sandy loam, 8 to 25 percent slopes, extremely stony | 6 | 7235.5 | 0.01 | \$ 750.61 |
| Somerset | LkB | Leck kill very stony silt loam, 3 to 8 percent slopes | 6 | 772 | 0.001 | \$ 750.61 |
| Somerset | LkD | Leck kill very stony silt loam, 8 to 25 percent slopes | 6 | 5397 | 0.008 | \$ 750.61 |
| Somerset | MdD | Meckesville gravelly loam, 15 to 25 percent slopes, very stony | 6 | 189.9 | 0 | \$ 750.61 |
| Somerset | RpB | Rayne-Gilpin very stony silt loams, 3 to 8 percent slopes | 6 | 11858.2 | 0.017 | \$ 750.61 |
| Somerset | RpD | Rayne-Gilpin very stony silt loams, 8 to 25 percent slopes | 6 | 34316.8 | 0.05 | \$ 750.61 |
| Somerset | UDD | Udorthents, mine spoil, 8 to 25 percent slopes | 6 | 13856.2 | 0.02 | \$ 750.61 |
| Somerset | WvB | Wharton very stony silt loam, 3 to 8 percent slopes | 6 | 7115.6 | 0.01 | \$ 750.61 |
| Somerset | WvD | Wharton very stony silt loam, 8 to 25 percent slopes | 6 | 5689.8 | 0.008 | \$ 750.61 |
| Somerset | BkF | Berks and Weikert soils, 25 to 70 percent slopes | 7 | 23300.6 | 0.034 | \$ 750.61 |
| Somerset | BtB | Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely stony | 7 | 5919.6 | 0.009 | \$ 750.61 |
| Somerset | BxB | Buchanan silt loam, 0 to 8 percent slopes, extremely stony | 7 | 14790.6 | 0.021 | \$ 750.61 |
| Somerset | BxD | Buchanan silt loam, 8 to 25 percent slopes, extremely stony | 7 | 12771 | 0.018 | \$ 750.61 |
| Somerset | HbD | Hazleton channery sandy loam, 8 to 25 percent slopes, extremely stony | 7 | 31561.6 | 0.046 | \$ 750.61 |
| Somerset | HbF | Hazleton channery sandy loam, 25 to 70 percent slopes, extremely stony | 7 | 18270 | 0.026 | \$ 750.61 |
| Somerset | HzF | Hazleton channery sandy loam, 25 to 60 percent slopes, extremely stony | 7 | 5153.3 | 0.007 | \$ 750.61 |
| Somerset | LmF | Leck kill soils, 25 to 60 percent slopes | 7 | 18340.6 | 0.027 | \$ 750.61 |
| Somerset | NsB | Nolo very stony loam, 0 to 8 percent slopes | 7 | 9737.8 | 0.014 | \$ 750.61 |
| Somerset | RgF | Rayne-Gilpin channery silt loams, 25 to 65 percent slopes | 7 | 45030.8 | 0.065 | \$ 750.61 |

| | | | | | | |
|-------------|------|---|---|---------|-------|-------------|
| Somerset | UDF | Udorthents, mine spoil, 25 to 70 percent slopes | 7 | 10330.8 | 0.015 | \$ 750.61 |
| Somerset | UOA | Udorthents, smoothed | 7 | 1545.1 | 0.002 | \$ 750.61 |
| Somerset | DAM | Dams and impoundment structures | 8 | 8.4 | 0 | \$ 750.61 |
| Susquehanna | Ba | Barbour fine sandy loam | 1 | 2195.7 | 0.004 | \$ 1,442.92 |
| Susquehanna | Us | Unadilla silt loam | 1 | 1558.2 | 0.003 | \$ 1,358.42 |
| Susquehanna | Bc | Basher silt loam | 2 | 2775.4 | 0.005 | \$ 1,442.92 |
| Susquehanna | BeB2 | Bath channery loam, 3 to 12 percent slopes, moderately erc | 2 | 1132.3 | 0.002 | \$ 1,286.57 |
| Susquehanna | CnA | Chenango gravelly silt loam, 0 to 3 percent slopes | 2 | 1799.2 | 0.003 | \$ 1,286.57 |
| Susquehanna | CnB2 | Chenango gravelly silt loam, 3 to 12 percent slopes, modera | 2 | 5489.9 | 0.01 | \$ 1,286.57 |
| Susquehanna | LaB2 | Lackawanna channery silt loam, 3 to 12 percent slopes, eroc | 2 | 2395.6 | 0.004 | \$ 1,385.84 |
| Susquehanna | LdB | Lordstown channery loam, 3 to 8 percent slopes | 2 | 18.6 | 0 | \$ 1,269.95 |
| Susquehanna | LeB | Lordstown channery silt loam, 3 to 8 percent slopes | 2 | 44.1 | 0 | \$ 1,279.67 |
| Susquehanna | LkB2 | Lordstown and Oquaga channery silt loams, 3 to 12 percent | 2 | 8521.6 | 0.016 | \$ 1,142.60 |
| Susquehanna | McB2 | Mardin channery silt loam, 3 to 8 percent slopes, eroded | 2 | 7371.4 | 0.014 | \$ 1,235.24 |
| Susquehanna | OaB | Oquaga channery loam, 3 to 8 percent slopes | 2 | 32.3 | 0 | \$ 1,107.13 |
| Susquehanna | OfB | Oquaga flaggy loam, 3 to 8 percent slopes | 2 | 23.1 | 0 | \$ 1,107.13 |
| Susquehanna | WeB2 | Wellsboro channery silt loam, 3 to 8 percent slopes, eroded | 2 | 11780.6 | 0.022 | \$ 1,349.62 |
| Susquehanna | WIB2 | Wellsboro flaggy silt loam, 3 to 8 percent slopes, eroded | 2 | 4352.8 | 0.008 | \$ 1,347.41 |
| Susquehanna | BeC2 | Bath channery loam, 12 to 20 percent slopes, moderately er | 3 | 1634.6 | 0.003 | \$ 1,192.00 |
| Susquehanna | BfB2 | Bath flaggy loam, 3 to 12 percent slopes, moderately erodec | 3 | 477.3 | 0.001 | \$ 1,286.57 |
| Susquehanna | CnC2 | Chenango gravelly silt loam, 12 to 20 percent slopes, moder | 3 | 1166.1 | 0.002 | \$ 1,091.70 |
| Susquehanna | LdC | Lordstown channery loam, 8 to 15 percent slopes | 3 | 20.5 | 0 | \$ 1,225.73 |
| Susquehanna | LfB | Lackawanna flaggy silt loam, 3 to 12 percent slopes | 3 | 842.9 | 0.002 | \$ 1,362.37 |
| Susquehanna | LkC2 | Lordstown and Oquaga channery silt loams, 12 to 20 percen | 3 | 5473.6 | 0.01 | \$ 1,117.34 |
| Susquehanna | LoB | Lordstown and Oquaga flaggy silt loams, 3 to 12 percent slo | 3 | 10273.7 | 0.019 | \$ 1,117.34 |
| Susquehanna | McC2 | Mardin channery silt loam, 8 to 15 percent slopes, eroded | 3 | 13021.3 | 0.024 | \$ 1,189.57 |
| Susquehanna | MfB2 | Mardin flaggy silt loam, 3 to 8 percent slopes, eroded | 3 | 4186.4 | 0.008 | \$ 1,232.87 |
| Susquehanna | MoA | Morris channery silt loam, 0 to 3 percent slopes | 3 | 2112 | 0.004 | \$ 1,063.04 |
| Susquehanna | MoB2 | Morris channery silt loam, 3 to 8 percent slopes, eroded | 3 | 21485.2 | 0.04 | \$ 1,057.77 |
| Susquehanna | MoC2 | Morris channery silt loam, 8 to 15 percent slopes, eroded | 3 | 12926.5 | 0.024 | \$ 1,055.14 |
| Susquehanna | MrB2 | Morris flaggy silt loam, 3 to 8 percent slopes, eroded | 3 | 13403.5 | 0.025 | \$ 968.55 |
| Susquehanna | MrC2 | Morris flaggy silt loam, 8 to 15 percent slopes, eroded | 3 | 7986.4 | 0.015 | \$ 1,068.28 |
| Susquehanna | OaC | Oquaga channery loam, 8 to 15 percent slopes | 3 | 5.8 | 0 | \$ 1,109.69 |
| Susquehanna | VcA | Volusia channery silt loam, 0 to 3 percent slopes | 3 | 2378.5 | 0.004 | \$ 1,065.66 |
| Susquehanna | VcB2 | Volusia channery silt loam, 3 to 8 percent slopes, eroded | 3 | 19503.1 | 0.037 | \$ 1,055.14 |
| Susquehanna | VfB | Volusia flaggy silt loam, 3 to 8 percent slopes | 3 | 13681.7 | 0.026 | \$ 1,112.24 |
| Susquehanna | VfC | Volusia flaggy silt loam, 8 to 15 percent slopes | 3 | 13698.6 | 0.026 | \$ 1,120.39 |
| Susquehanna | WeC2 | Wellsboro channery silt loam, 8 to 15 percent slopes, erode | 3 | 17136.1 | 0.032 | \$ 1,235.24 |
| Susquehanna | WkC | Wurtsboro channery loam, 8 to 15 percent slopes | 3 | 0.6 | 0 | \$ 1,121.91 |
| Susquehanna | WIC2 | Wellsboro flaggy silt loam, 8 to 15 percent slopes, eroded | 3 | 9105.3 | 0.017 | \$ 1,223.34 |
| Susquehanna | WyB | Wyoming gravelly sandy loam, 3 to 8 percent slopes | 3 | 10 | 0 | \$ 1,206.54 |
| Susquehanna | BfC2 | Bath flaggy loam, 12 to 20 percent slopes, moderately erode | 4 | 1466.4 | 0.003 | \$ 1,192.00 |
| Susquehanna | BfD2 | Bath flaggy loam, 20 to 30 percent slopes, moderately erode | 4 | 2199.4 | 0.004 | \$ 871.65 |
| Susquehanna | CnD2 | Chenango gravelly silt loam, 20 to 30 percent slopes, moder | 4 | 463 | 0.001 | \$ 871.65 |
| Susquehanna | LaC2 | Lackawanna channery silt loam, 12 to 20 percent slopes, erc | 4 | 2665.8 | 0.005 | \$ 1,281.97 |
| Susquehanna | LfC2 | Lackawanna flaggy silt loam, 12 to 20 percent slopes, erode | 4 | 1606.7 | 0.003 | \$ 1,237.61 |
| Susquehanna | LkD2 | Lordstown and Oquaga channery silt loams, 20 to 30 percen | 4 | 1652.1 | 0.003 | \$ 871.65 |
| Susquehanna | LoC2 | Lordstown and Oquaga flaggy silt loams, 12 to 20 percent sl | 4 | 9034.9 | 0.017 | \$ 1,091.70 |
| Susquehanna | LoD2 | Lordstown and Oquaga flaggy silt loams, 20 to 30 percent sl | 4 | 6071.1 | 0.011 | \$ 871.65 |
| Susquehanna | McD2 | Mardin channery silt loam, 15 to 25 percent slopes, eroded | 4 | 4206 | 0.008 | \$ 1,057.77 |
| Susquehanna | MfC2 | Mardin flaggy silt loam, 8 to 15 percent slopes, eroded | 4 | 9809.4 | 0.018 | \$ 1,171.93 |
| Susquehanna | MfD2 | Mardin flaggy silt loam, 15 to 25 percent slopes, eroded | 4 | 6520.4 | 0.012 | \$ 1,057.77 |
| Susquehanna | MrD2 | Morris flaggy silt loam, 15 to 25 percent slopes, eroded | 4 | 777.6 | 0.001 | \$ 962.99 |
| Susquehanna | NcA | Norwich and Chippewa soils, 0 to 3 percent slopes | 4 | 2489.4 | 0.005 | \$ 871.65 |
| Susquehanna | NcB | Norwich and Chippewa soils, 3 to 8 percent slopes | 4 | 1449.5 | 0.003 | \$ 871.65 |
| Susquehanna | VcC2 | Volusia channery silt loam, 8 to 15 percent slopes, eroded | 4 | 17125.4 | 0.032 | \$ 1,058.30 |

| | | | | | | |
|-------------|------|---|---|---------|-------|-------------|
| Susquehanna | VfD | Volusia flaggy silt loam, 15 to 25 percent slopes | 4 | 1334.9 | 0.003 | \$ 906.45 |
| Susquehanna | WeD2 | Wellsboro channery silt loam, 15 to 25 percent slopes, erod | 4 | 2914 | 0.005 | \$ 1,107.13 |
| Susquehanna | WID2 | Wellsboro flaggy silt loam, 15 to 25 percent slopes, eroded | 4 | 3916.7 | 0.007 | \$ 1,140.09 |
| Susquehanna | Wy | Wyalusing silt loam | 4 | 8112.1 | 0.015 | \$ 1,091.70 |
| Susquehanna | Pt | Peat | 5 | 1154.5 | 0.002 | \$ 750.61 |
| Susquehanna | 9B | Craigsville-Wyoming complex, 0 to 8 percent slopes, extrem | 6 | 14.6 | 0 | \$ 750.61 |
| Susquehanna | BsB | Bath very stony loam, 0 to 12 percent slopes | 6 | 1076.1 | 0.002 | \$ 750.61 |
| Susquehanna | BsD | Bath very stony loam, 12 to 30 percent slopes | 6 | 6429 | 0.012 | \$ 750.61 |
| Susquehanna | Hw | Holly silt loam | 6 | 2827.8 | 0.005 | \$ 1,286.57 |
| Susquehanna | LaD2 | Lackawanna channery silt loam, 20 to 30 percent slopes, erc | 6 | 985.8 | 0.002 | \$ 750.61 |
| Susquehanna | LfD2 | Lackawanna flaggy silt loam, 20 to 30 percent slopes, erode | 6 | 1676.1 | 0.003 | \$ 750.61 |
| Susquehanna | LgB | Lackawanna very stony silt loam, 0 to 12 percent slopes, ver | 6 | 1164.1 | 0.002 | \$ 750.61 |
| Susquehanna | LgD | Lackawanna very stony silt loam, 12 to 30 percent slopes, ve | 6 | 6755 | 0.013 | \$ 750.61 |
| Susquehanna | LsB | Lordstown and Oquaga very stony silt loams, 0 to 12 percen | 6 | 19576.6 | 0.037 | \$ 750.61 |
| Susquehanna | LsD | Lordstown and Oquaga very stony silt loams, 12 to 30 perce | 6 | 46293.6 | 0.087 | \$ 750.61 |
| Susquehanna | MgB | Mardin channery silt loam, 0 to 8 percent slopes, very stony | 6 | 4472.1 | 0.008 | \$ 750.61 |
| Susquehanna | MgD | Mardin channery silt loam, 8 to 25 percent slopes, very ston | 6 | 16296.2 | 0.031 | \$ 750.61 |
| Susquehanna | Mn | Mixed alluvial land | 6 | 5544.1 | 0.01 | \$ 750.61 |
| Susquehanna | VcD2 | Volusia channery silt loam, 15 to 25 percent slopes, eroded | 6 | 861.4 | 0.002 | \$ 919.05 |
| Susquehanna | WsB | Wellsboro channery silt loam, 0 to 8 percent slopes, very str | 6 | 5617 | 0.011 | \$ 750.61 |
| Susquehanna | WsD | Wellsboro channery silt loam, 8 to 25 percent slopes, very s | 6 | 14281.4 | 0.027 | \$ 750.61 |
| Susquehanna | 111B | Edgemere-Shohola complex, 3 to 15 percent slopes, very ru | 7 | 16.4 | 0 | \$ 750.61 |
| Susquehanna | 7B | Shohola-Edgemere complex, 0 to 8 percent slopes, very rub | 7 | 28.5 | 0 | \$ 750.61 |
| Susquehanna | 7C | Shohola-Edgemere complex, 8 to 15 percent slopes, very ru | 7 | 122.1 | 0 | \$ 750.61 |
| Susquehanna | AsD | Arnot-Rock outcrop complex, 8 to 25 percent slopes | 7 | 26.8 | 0 | \$ 750.61 |
| Susquehanna | ASE | Arnot-Rock outcrop complex, steep | 7 | 39.3 | 0 | \$ 750.61 |
| Susquehanna | BsF | Bath very stony loam, 30 to 60 percent slopes | 7 | 4698.3 | 0.009 | \$ 750.61 |
| Susquehanna | FF | Fluvents and Fluvaquents, cobbly | 7 | 66.1 | 0 | \$ 750.61 |
| Susquehanna | LgF | Lackawanna very stony silt loam, 30 to 50 percent slopes, ve | 7 | 4110.5 | 0.008 | \$ 750.61 |
| Susquehanna | LsF | Lordstown and Oquaga very stony silt loams, 30 to 70 perce | 7 | 36193.2 | 0.068 | \$ 750.61 |
| Susquehanna | LxB | Lordstown extremely stony loam, 3 to 8 percent slopes | 7 | 10.9 | 0 | \$ 750.61 |
| Susquehanna | LxC | Lordstown extremely stony loam, 8 to 25 percent slopes | 7 | 97.8 | 0 | \$ 750.61 |
| Susquehanna | MD | Mine dump | 7 | 13 | 0 | \$ 750.61 |
| Susquehanna | MgF | Mardin channery silt loam, 25 to 50 percent slopes, very sto | 7 | 5391.9 | 0.01 | \$ 750.61 |
| Susquehanna | MsB | Morris channery silt loam, 0 to 8 percent slopes, extremely | 7 | 8374.4 | 0.016 | \$ 750.61 |
| Susquehanna | MsD | Morris channery silt loam, 8 to 25 percent slopes, extremely | 7 | 5041.1 | 0.009 | \$ 750.61 |
| Susquehanna | NsB | Norwich and Chippewa soils, 0 to 8 percent slopes, extreme | 7 | 701.6 | 0.001 | \$ 750.61 |
| Susquehanna | NxB | Norwich and Chippewa channery silt loams, 0 to 8 percent s | 7 | 6.4 | 0 | \$ 750.61 |
| Susquehanna | OxB | Oquaga extremely stony loam, 3 to 8 percent slopes | 7 | 8 | 0 | \$ 750.61 |
| Susquehanna | OxD | Oquaga extremely stony loam, 8 to 25 percent slopes | 7 | 7.4 | 0 | \$ 750.61 |
| Susquehanna | OyF | Oquaga and Lordstown extremely stony loams, 25 to 70 per | 7 | 494.1 | 0.001 | \$ 750.61 |
| Susquehanna | SxD | Swartswood extremely stony loam, 8 to 25 percent slopes | 7 | 4.2 | 0 | \$ 750.61 |
| Susquehanna | Te | Terrace escarpments | 7 | 440 | 0.001 | \$ 750.61 |
| Susquehanna | VsB | Volusia channery silt loam, 0 to 8 percent slopes, extremely | 7 | 7526.1 | 0.014 | \$ 750.61 |
| Susquehanna | VsD | Volusia channery silt loam, 8 to 25 percent slopes, extremel | 7 | 7552.2 | 0.014 | \$ 750.61 |
| Susquehanna | WsF | Wellsboro channery silt loam, 25 to 50 percent slopes, very | 7 | 2606.3 | 0.005 | \$ 750.61 |
| Susquehanna | GP | Pits, Shale, and Gravel | 8 | 36.4 | 0 | \$ 750.61 |
| Tioga | Pp | Pope fine sandy loam, high bottom | 1 | 1354.9 | 0.002 | \$ 1,468.56 |
| Tioga | BaB | Bath channery silt loam, 3 to 12 percent slopes | 2 | 1464.8 | 0.002 | \$ 1,405.98 |
| Tioga | BvB | Braceville gravelly loam, 3 to 8 percent slopes | 2 | 1515.4 | 0.002 | \$ 1,320.66 |
| Tioga | ChB | Chenango gravelly loam, 2 to 12 percent slopes | 2 | 10354 | 0.014 | \$ 1,286.57 |
| Tioga | CmB | Clymer channery loam, 3 to 12 percent slopes | 2 | 2640.9 | 0.004 | \$ 1,460.36 |
| Tioga | DkB | Dekalb channery loam, 3 to 12 percent slopes | 2 | 2417.4 | 0.003 | \$ 1,091.70 |
| Tioga | LaB | Lackawanna channery loam, 3 to 12 percent slopes | 2 | 1460.1 | 0.002 | \$ 1,364.99 |
| Tioga | LoB | Lordstown channery loam, 3 to 12 percent slopes | 2 | 26788 | 0.037 | \$ 1,244.70 |
| Tioga | MaA | Mardin channery silt loam, 0 to 3 percent slopes | 2 | 1012 | 0.001 | \$ 1,351.82 |

| | | | | | | |
|-------|------|---|---|---------|-------|-------------|
| Tioga | MaB | Mardin channery silt loam, 3 to 8 percent slopes | 2 | 9519.2 | 0.013 | \$ 1,356.23 |
| Tioga | OgB | Oquaga channery loam, 3 to 12 percent slopes | 2 | 24233.3 | 0.033 | \$ 1,091.70 |
| Tioga | Ow | Orrville silt loam | 2 | 9449.6 | 0.013 | \$ 1,235.24 |
| Tioga | Ph | Philo silt loam | 2 | 2783.2 | 0.004 | \$ 1,468.56 |
| Tioga | Po | Pope soils | 2 | 9436.3 | 0.013 | \$ 1,284.28 |
| Tioga | WeA | Wellsboro channery loam, 0 to 3 percent slopes | 2 | 1347 | 0.002 | \$ 1,354.03 |
| Tioga | WeB | Wellsboro channery loam, 3 to 8 percent slopes | 2 | 9606.2 | 0.013 | \$ 1,349.62 |
| Tioga | AoB | Arnot channery loam, 3 to 12 percent slopes | 3 | 2079.6 | 0.003 | \$ 1,017.78 |
| Tioga | ArB | Arnot-Rock outcrop complex, 3 to 12 percent slopes | 3 | 891.2 | 0.001 | \$ 871.65 |
| Tioga | KaB | Kanona silt loam, 3 to 8 percent slopes | 3 | 2507.8 | 0.003 | \$ 871.65 |
| Tioga | KaC | Kanona silt loam, 8 to 15 percent slopes | 3 | 1760.8 | 0.002 | \$ 871.65 |
| Tioga | MaC | Mardin channery silt loam, 8 to 15 percent slopes | 3 | 11346.4 | 0.016 | \$ 1,234.29 |
| Tioga | MoA | Morris gravelly silt loam, 0 to 3 percent slopes | 3 | 2235.5 | 0.003 | \$ 1,065.66 |
| Tioga | MoB | Morris gravelly silt loam, 3 to 8 percent slopes | 3 | 14848.8 | 0.02 | \$ 1,057.77 |
| Tioga | MoC | Morris gravelly silt loam, 8 to 15 percent slopes | 3 | 16526.1 | 0.023 | \$ 1,099.43 |
| Tioga | RxA | Rexford silt loam, 0 to 3 percent slopes | 3 | 725.8 | 0.001 | \$ 1,105.28 |
| Tioga | RxB | Rexford silt loam, 3 to 10 percent slopes | 3 | 1067.1 | 0.001 | \$ 1,105.28 |
| Tioga | VoA | Volusia channery silt loam, 0 to 3 percent slopes | 3 | 2707.9 | 0.004 | \$ 1,065.66 |
| Tioga | VoB | Volusia channery silt loam, 3 to 8 percent slopes | 3 | 39143.1 | 0.054 | \$ 1,104.57 |
| Tioga | VoC | Volusia channery silt loam, 8 to 15 percent slopes | 3 | 72520.6 | 0.1 | \$ 1,108.15 |
| Tioga | VvB | Volusia channery silt loam, silty substratum, 3 to 8 percent slopes | 3 | 1317.4 | 0.002 | \$ 917.33 |
| Tioga | VvC | Volusia channery silt loam, silty substratum, 8 to 15 percent slopes | 3 | 1145.5 | 0.002 | \$ 896.20 |
| Tioga | WeC | Wellsboro channery loam, 8 to 15 percent slopes | 3 | 11083.4 | 0.015 | \$ 1,235.24 |
| Tioga | Wz | Wyoming gravelly loam, flooded | 3 | 2844.5 | 0.004 | \$ 1,192.00 |
| Tioga | ChC | Chenango gravelly loam, 12 to 20 percent slopes | 4 | 2026.8 | 0.003 | \$ 1,091.70 |
| Tioga | CkA | Chippewa silt loam, 0 to 3 percent slopes | 4 | 3113 | 0.004 | \$ 871.65 |
| Tioga | CkB | Chippewa silt loam, 3 to 8 percent slopes | 4 | 4303.8 | 0.006 | \$ 871.65 |
| Tioga | DkC | Dekalb channery loam, 12 to 20 percent slopes | 4 | 632 | 0.001 | \$ 985.12 |
| Tioga | KcD3 | Kanona silty clay loam, 15 to 25 percent slopes, eroded | 4 | 823.3 | 0.001 | \$ 871.65 |
| Tioga | LaC | Lackawanna channery loam, 12 to 20 percent slopes | 4 | 584.6 | 0.001 | \$ 1,275.05 |
| Tioga | LoC | Lordstown channery loam, 12 to 20 percent slopes | 4 | 13279.2 | 0.018 | \$ 1,155.09 |
| Tioga | MaD | Mardin channery silt loam, 15 to 25 percent slopes | 4 | 15550.8 | 0.021 | \$ 1,055.14 |
| Tioga | MoD | Morris gravelly silt loam, 15 to 25 percent slopes | 4 | 2578.1 | 0.004 | \$ 871.65 |
| Tioga | No | Norwich silt loam, 0 to 5 percent slopes | 4 | 1196.7 | 0.002 | \$ 871.65 |
| Tioga | OgC | Oquaga channery loam, 12 to 20 percent slopes | 4 | 26268.3 | 0.036 | \$ 871.65 |
| Tioga | VoD | Volusia channery silt loam, 15 to 25 percent slopes | 4 | 16381.4 | 0.023 | \$ 973.54 |
| Tioga | Wa | Wayland silty clay loam | 4 | 1385.1 | 0.002 | \$ 871.65 |
| Tioga | WeD | Wellsboro channery loam, 15 to 25 percent slopes | 4 | 3466.1 | 0.005 | \$ 1,107.13 |
| Tioga | WyC | Wyoming gravelly sandy loam, 12 to 20 percent slopes | 4 | 1000.6 | 0.001 | \$ 985.12 |
| Tioga | Ab | Alluvial land | 5 | 5560.9 | 0.008 | \$ 750.61 |
| Tioga | Ca | Carlisle silt loam | 5 | 802.1 | 0.001 | \$ 750.61 |
| Tioga | ChD | Chenango gravelly loam, 20 to 30 percent slopes | 6 | 878.6 | 0.001 | \$ 750.61 |
| Tioga | CsB | Clymer very stony loam, 3 to 12 percent slopes | 6 | 3557.2 | 0.005 | \$ 750.61 |
| Tioga | CvB | Cookport very stony loam, 0 to 8 percent slopes | 6 | 1288.3 | 0.002 | \$ 750.61 |
| Tioga | LoD | Lordstown channery loam, 20 to 30 percent slopes | 6 | 15199.9 | 0.021 | \$ 1,104.57 |
| Tioga | LsB | Lordstown very stony loam, 3 to 12 percent slopes | 6 | 16918.9 | 0.023 | \$ 750.61 |
| Tioga | LsD | Lordstown very stony loam, 12 to 30 percent slopes | 6 | 26269.5 | 0.036 | \$ 750.61 |
| Tioga | MdB | Mardin channery silt loam, 0 to 8 percent slopes, very stony | 6 | 18610.6 | 0.026 | \$ 750.61 |
| Tioga | MdD | Mardin channery silt loam, 8 to 25 percent slopes, very stony | 6 | 5583.1 | 0.008 | \$ 750.61 |
| Tioga | OgD | Oquaga channery loam, 20 to 30 percent slopes | 6 | 27150.7 | 0.037 | \$ 750.61 |
| Tioga | OsB | Oquaga very stony loam, 3 to 12 percent slopes | 6 | 1796.5 | 0.002 | \$ 750.61 |
| Tioga | OsD | Oquaga very stony loam, 12 to 30 percent slopes | 6 | 18925.6 | 0.026 | \$ 750.61 |
| Tioga | VoD3 | Volusia channery silt loam, 15 to 25 percent slopes, eroded | 6 | 3976.8 | 0.005 | \$ 919.05 |
| Tioga | VvD3 | Volusia channery silt loam, silty substratum, 15 to 25 percent slopes | 6 | 919.7 | 0.001 | \$ 750.61 |
| Tioga | WyD | Wyoming gravelly sandy loam, 20 to 30 percent slopes | 6 | 1041.4 | 0.001 | \$ 750.61 |
| Tioga | BsB | Bath channery silt loam, 3 to 12 percent slopes, extremely stony | 7 | 14677.1 | 0.02 | \$ 750.61 |

| | | | | | | | |
|-------|------|--|---|---------|-------|----|----------|
| Tioga | CIB | Chippewa silt loam, 0 to 8 percent slopes, extremely stony | 7 | 2902 | 0.004 | \$ | 750.61 |
| Tioga | DsB | Dekalb extremely stony loam, 3 to 12 percent slopes | 7 | 937.3 | 0.001 | \$ | 750.61 |
| Tioga | DsD | Dekalb extremely stony loam, 12 to 30 percent slopes | 7 | 2362.3 | 0.003 | \$ | 750.61 |
| Tioga | DsF | Dekalb extremely stony loam, 30 to 70 percent slopes | 7 | 4722 | 0.006 | \$ | 750.61 |
| Tioga | MD | Mine dump | 7 | 214 | 0 | \$ | 750.61 |
| Tioga | MsB | Morris gravelly silt loam, 0 to 8 percent slopes, extremely st | 7 | 3419.6 | 0.005 | \$ | 750.61 |
| Tioga | MsD | Morris gravelly silt loam, 8 to 25 percent slopes, extremely s | 7 | 3662 | 0.005 | \$ | 750.61 |
| Tioga | Ns | Norwich channery silt loam, 0 to 5 percent slopes, extremel | 7 | 819.5 | 0.001 | \$ | 750.61 |
| Tioga | OTF | Oquaga and Lordstown soils, very steep | 7 | 120475 | 0.166 | \$ | 750.61 |
| Tioga | OVF | Oquaga-Rock outcrop complex, very steep | 7 | 3892.9 | 0.005 | \$ | 750.61 |
| Tioga | SM | Strip mine | 7 | 2613.9 | 0.004 | \$ | 750.61 |
| Tioga | Sw | Stony land, wet | 7 | 1687.2 | 0.002 | \$ | 750.61 |
| Tioga | VoE3 | Volusia channery silt loam, 25 to 35 percent slopes, eroded | 7 | 1868.6 | 0.003 | \$ | 750.61 |
| Tioga | VsB | Volusia channery silt loam, 0 to 8 percent slopes, extremely | 7 | 6880.8 | 0.009 | \$ | 750.61 |
| Tioga | VsD | Volusia channery silt loam, 8 to 25 percent slopes, extremel | 7 | 1666.9 | 0.002 | \$ | 750.61 |
| Tioga | VtB | Volusia channery silt loam, 0 to 8 percent slopes, rubbly | 7 | 470.4 | 0.001 | \$ | 750.61 |
| Tioga | WsB | Wellsboro channery loam, 0 to 8 percent slopes, extremely | 7 | 2757.1 | 0.004 | \$ | 750.61 |
| Tioga | WsD | Wellsboro channery loam, 8 to 25 percent slopes, extremel | 7 | 2608.7 | 0.004 | \$ | 750.61 |
| Tioga | WyF | Wyoming gravelly sandy loam, 30 to 50 percent slopes | 7 | 2156.3 | 0.003 | \$ | 750.61 |
| Tioga | DAM | Dams and impoundment structures | 8 | 191.2 | 0 | \$ | 750.61 |
| Tioga | GP | Gravel pit | 8 | 59.3 | 0 | \$ | 750.61 |
| Union | AnA | Allenwood gravelly silt loam, 0 to 3 percent slopes | 1 | 293.7 | 0.001 | \$ | 1,540.39 |
| Union | Bb | Barbour-Linden complex, rarely flooded | 1 | 313.6 | 0.002 | \$ | 1,441.76 |
| Union | Lw | Linden silt loam | 1 | 777.5 | 0.004 | \$ | 1,447.98 |
| Union | WsA | Wheeling soils, 0 to 3 percent slopes | 1 | 504.5 | 0.002 | \$ | 1,458.31 |
| Union | AbB | Albrights silt loam, 3 to 8 percent slopes | 2 | 2001.9 | 0.01 | \$ | 1,288.87 |
| Union | AoB | Allenwood and Washington soils, 3 to 8 percent slopes | 2 | 7195.8 | 0.035 | \$ | 1,540.39 |
| Union | Ba | Barbour soils, frequently flooded | 2 | 241.6 | 0.001 | \$ | 1,327.39 |
| Union | Bc | Basher soils | 2 | 1034.4 | 0.005 | \$ | 1,447.98 |
| Union | BeB | Bedington silt loam, 3 to 8 percent slopes | 2 | 528.1 | 0.003 | \$ | 1,388.85 |
| Union | BkB | Berks channery silt loam, 3 to 8 percent slopes | 2 | 2034.8 | 0.01 | \$ | 1,086.52 |
| Union | BuB | Buchanan gravelly loam, 3 to 8 percent slopes | 2 | 600.6 | 0.003 | \$ | 1,270.42 |
| Union | CaB | Calvin-Klinesville shaly silt loams, 3 to 8 percent slopes | 2 | 2094.1 | 0.01 | \$ | 1,023.17 |
| Union | EdB | Edom complex, 3 to 8 percent slopes | 2 | 10045.1 | 0.049 | \$ | 1,340.76 |
| Union | EsB | Elliber cherty silt loam, 3 to 8 percent slopes | 2 | 1255.7 | 0.006 | \$ | 1,384.54 |
| Union | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 2845.9 | 0.014 | \$ | 1,642.70 |
| Union | HtB | Hartleton channery silt loam, 3 to 8 percent slopes | 2 | 1778.4 | 0.009 | \$ | 1,137.58 |
| Union | KmB | Kreamer cherty silt loam, 3 to 8 percent slopes | 2 | 546 | 0.003 | \$ | 1,196.86 |
| Union | LaB | Laidig gravelly loam, 3 to 8 percent slopes | 2 | 183.5 | 0.001 | \$ | 1,286.57 |
| Union | LnB | Leck kill shaly silt loam, 3 to 8 percent slopes | 2 | 181.1 | 0.001 | \$ | 1,454.19 |
| Union | MkB | Meckesville silt loam, 3 to 8 percent slopes | 2 | 1753 | 0.009 | \$ | 1,288.87 |
| Union | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 1115.8 | 0.005 | \$ | 1,370.67 |
| Union | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 1026.6 | 0.005 | \$ | 1,292.08 |
| Union | WaB | Washington silt loam, wet substratum, 3 to 8 percent slopes | 2 | 1702.7 | 0.008 | \$ | 1,474.27 |
| Union | WbA | Watson silt loam, 0 to 3 percent slopes | 2 | 1113.8 | 0.005 | \$ | 1,309.38 |
| Union | WbB | Watson silt loam, 3 to 8 percent slopes | 2 | 2463 | 0.012 | \$ | 1,309.38 |
| Union | WsB | Wheeling soils, 3 to 8 percent slopes | 2 | 1213.9 | 0.006 | \$ | 1,454.19 |
| Union | AoC | Allenwood and Washington soils, 8 to 15 percent slopes | 3 | 2214.3 | 0.011 | \$ | 1,488.86 |
| Union | ArA | Alvira silt loam, 0 to 3 percent slopes | 3 | 1959.2 | 0.01 | \$ | 1,235.24 |
| Union | ArB | Alvira silt loam, 3 to 8 percent slopes | 3 | 2487.2 | 0.012 | \$ | 1,237.14 |
| Union | ArC | Alvira silt loam, 8 to 15 percent slopes | 3 | 87.3 | 0 | \$ | 1,198.80 |
| Union | Bd | Basher soils, frequently flooded | 3 | 1945.1 | 0.01 | \$ | 1,443.84 |
| Union | BeC | Bedington silt loam, 8 to 15 percent slopes | 3 | 192.4 | 0.001 | \$ | 1,311.64 |
| Union | BkC | Berks channery silt loam, 8 to 15 percent slopes | 3 | 2934.4 | 0.014 | \$ | 1,041.89 |
| Union | CaC | Calvin-Klinesville shaly silt loams, 8 to 15 percent slopes | 3 | 3069 | 0.015 | \$ | 871.65 |
| Union | EdC | Edom complex, 8 to 15 percent slopes | 3 | 9128.5 | 0.045 | \$ | 1,258.78 |

| | | | | | | |
|---------|-----|--|---|--------|-------|-------------|
| Union | EsC | Elliber cherty silt loam, 8 to 15 percent slopes | 3 | 801.1 | 0.004 | \$ 1,334.09 |
| Union | EtB | Elliber very cherty silt loam, 3 to 8 percent slopes | 3 | 336.8 | 0.002 | \$ 1,258.78 |
| Union | EvB | Evendale cherty silt loam, 3 to 8 percent slopes | 3 | 1013.9 | 0.005 | \$ 1,147.61 |
| Union | HaC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 1507.8 | 0.007 | \$ 1,562.05 |
| Union | HtC | Hartleton channery silt loam, 8 to 15 percent | 3 | 1462.9 | 0.007 | \$ 1,025.86 |
| Union | Hz | Holly silt loam, rarely flooded | 3 | 2356.4 | 0.012 | \$ 1,298.02 |
| Union | LaC | Laidig gravelly loam, 8 to 15 percent slopes | 3 | 292.4 | 0.001 | \$ 1,235.24 |
| Union | LnC | Leck kill shaly silt loam, 8 to 15 percent slopes | 3 | 159.7 | 0.001 | \$ 1,439.68 |
| Union | MkC | Meckesville silt loam, 8 to 15 percent slopes | 3 | 532.7 | 0.003 | \$ 1,249.40 |
| Union | OpB | Opequon silty clay loam, 3 to 8 percent slopes-mlra147 | 3 | 288.8 | 0.001 | \$ 1,291.16 |
| Union | WbC | Watson silt loam, 8 to 15 percent slopes | 3 | 146.8 | 0.001 | \$ 1,240.45 |
| Union | WeB | Weikert channery silt loam, 3 to 8 percent slopes | 3 | 1335.6 | 0.007 | \$ 1,269.95 |
| Union | WsC | Wheeling soils, 8 to 15 percent slopes | 3 | 141.8 | 0.001 | \$ 1,382.38 |
| Union | WyB | Wyoming gravelly sandy loam, 3 to 8 percent slopes | 3 | 92.7 | 0 | \$ 1,249.40 |
| Union | AnD | Allenwood gravelly silt loam, 15 to 25 percent slopes | 4 | 176.9 | 0.001 | \$ 1,320.66 |
| Union | BkD | Berks channery silt loam, 15 to 25 percent slopes | 4 | 1970.9 | 0.01 | \$ 996.07 |
| Union | CaD | Calvin-Klinesville shaly silt loams, 15 to 25 percent slopes | 4 | 1528.3 | 0.008 | \$ 871.65 |
| Union | EdD | Edom complex, 15 to 25 percent slopes | 4 | 3847.8 | 0.019 | \$ 1,049.85 |
| Union | EsD | Elliber cherty silt loam, 15 to 25 percent slopes | 4 | 125.8 | 0.001 | \$ 1,196.86 |
| Union | EtC | Elliber very cherty silt loam, 8 to 15 percent slopes | 4 | 611.3 | 0.003 | \$ 1,140.09 |
| Union | HaD | Hagerstown silt loam, 15 to 25 percent slopes | 4 | 248.9 | 0.001 | \$ 1,490.88 |
| Union | HtD | Hartleton channery silt loam, 15 to 25 percent slopes | 4 | 656.7 | 0.003 | \$ 909.32 |
| Union | Hv | Holly silt loam | 4 | 5911.9 | 0.029 | \$ 1,249.40 |
| Union | MkD | Meckesville silt loam, 15 to 25 percent slopes | 4 | 55.6 | 0 | \$ 1,167.48 |
| Union | ShA | Shelmadine silt loam, 0 to 3 percent slopes | 4 | 1904.9 | 0.009 | \$ 1,167.48 |
| Union | ShB | Shelmadine silt loam, 3 to 8 percent slopes | 4 | 2654.9 | 0.013 | \$ 1,169.95 |
| Union | WeC | Weikert channery silt loam, 8 to 15 percent slopes | 4 | 2054.4 | 0.01 | \$ 1,009.67 |
| Union | Hy | Holly silt loam, ponded | 5 | 130.8 | 0.001 | \$ 750.61 |
| Union | BxB | Buchanan very stony loam, 0 to 8 percent slopes | 6 | 6502.7 | 0.032 | \$ 750.61 |
| Union | BxD | Buchanan very stony loam, 8 to 25 percent slopes | 6 | 4930 | 0.024 | \$ 750.61 |
| Union | EtD | Elliber very cherty silt loam, 15 to 25 percent slopes | 6 | 460.1 | 0.002 | \$ 750.61 |
| Union | OpD | Opequon silty clay loam, 8 to 25 percent slopes | 6 | 512.7 | 0.003 | \$ 1,201.71 |
| Union | OpE | Opequon silty clay loam, 25 to 45 percent slopes | 6 | 435.9 | 0.002 | \$ 750.61 |
| Union | UoB | Ungers very stony loam, 3 to 8 percent slopes | 6 | 1897.7 | 0.009 | \$ 750.61 |
| Union | UoD | Ungers very stony loam, 8 to 25 percent slopes | 6 | 3515.6 | 0.017 | \$ 750.61 |
| Union | UoE | Ungers very stony loam, 25 to 50 percent slopes | 6 | 5735.8 | 0.028 | \$ 750.61 |
| Union | WeD | Weikert channery silt loam, 15 to 25 percent slopes | 6 | 2068 | 0.01 | \$ 750.61 |
| Union | DeB | Dekalb extremely stony sandy loam, 0 to 8 percent slopes | 7 | 1139.4 | 0.006 | \$ 750.61 |
| Union | DeD | Dekalb extremely stony sandy loam, 8 to 25 percent slopes | 7 | 2122 | 0.01 | \$ 750.61 |
| Union | DeF | Dekalb extremely stony sandy loam, steep | 7 | 9445 | 0.047 | \$ 750.61 |
| Union | EtF | Elliber very cherty silt loam, 25 to 70 percent slopes | 7 | 76.5 | 0 | \$ 750.61 |
| Union | HuB | Hazleton and Clymer extremely stony sandy loams, 0 to 8 percent slopes | 7 | 3003.3 | 0.015 | \$ 750.61 |
| Union | HuD | Hazleton and Clymer extremely stony sandy loams, 8 to 25 percent slopes | 7 | 3859.1 | 0.019 | \$ 750.61 |
| Union | HuF | Hazleton and Clymer extremely stony sandy loams, 25 to 80 percent slopes | 7 | 8568 | 0.042 | \$ 750.61 |
| Union | LbB | Laidig extremely stony loam, 0 to 8 percent slopes | 7 | 2833.5 | 0.014 | \$ 750.61 |
| Union | LdD | Laidig and Meckesville extremely stony soils, 8 to 25 percent slopes | 7 | 14183 | 0.07 | \$ 750.61 |
| Union | LdF | Laidig and Meckesville extremely stony soils, steep | 7 | 8321.3 | 0.041 | \$ 750.61 |
| Union | LtC | Leetonia extremely stony loamy sand, 0 to 15 percent slopes | 7 | 244.1 | 0.001 | \$ 750.61 |
| Union | Ru | Rubble land | 7 | 126.1 | 0.001 | \$ 750.61 |
| Union | SmB | Shelmadine very stony silt loam, 0 to 8 percent slopes | 7 | 1997.3 | 0.01 | \$ 750.61 |
| Union | Ug | Udifuvents and Fluvaquents, gravelly | 7 | 2524.5 | 0.012 | \$ 750.61 |
| Union | WkE | Weikert and Klinesville shaly silt loams, steep | 7 | 8484.2 | 0.042 | \$ 750.61 |
| Venango | AgA | Allegheny silt loam, 0 to 3 percent slopes | 1 | 375.9 | 0.001 | \$ 1,500.91 |
| Venango | HaA | Hanover silt loam, 0 to 3 percent slopes | 1 | 2589.2 | 0.006 | \$ 1,475.09 |
| Venango | AgB | Allegheny silt loam, 3 to 8 percent slopes | 2 | 914.9 | 0.002 | \$ 1,427.13 |
| Venango | AhA | Alton gravelly loam, 0 to 3 percent slopes | 2 | 351.1 | 0.001 | \$ 1,496.91 |

| | | | | | | |
|---------|-----|--|---|---------|-------|-------------|
| Venango | AhB | Alton gravelly loam, 3 to 8 percent slopes | 2 | 1745.5 | 0.004 | \$ 1,496.91 |
| Venango | CdB | Canfield gravelly silt loam, 3 to 8 percent slopes | 2 | 11617.3 | 0.027 | \$ 1,286.57 |
| Venango | CoA | Cookport loam, 0 to 3 percent slopes | 2 | 2129.1 | 0.005 | \$ 1,142.60 |
| Venango | CoB | Cookport loam, 3 to 8 percent slopes | 2 | 27102.5 | 0.062 | \$ 1,091.70 |
| Venango | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 776.7 | 0.002 | \$ 1,367.18 |
| Venango | GIB | Gilpin silt loam, 3 to 8 percent slopes | 2 | 724.6 | 0.002 | \$ 1,272.73 |
| Venango | HaB | Hanover silt loam, 3 to 8 percent slopes | 2 | 28175.4 | 0.064 | \$ 1,438.01 |
| Venango | HeB | Hazleton channery loam, 3 to 8 percent slopes | 2 | 2416.9 | 0.006 | \$ 1,480.77 |
| Venango | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 1021.8 | 0.002 | \$ 1,476.71 |
| Venango | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 1672.5 | 0.004 | \$ 1,476.71 |
| Venango | Ph | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 6532.9 | 0.015 | \$ 1,380.22 |
| Venango | Po | Pope loam, 0 to 3 percent slopes, occasionally flooded | 2 | 3851.5 | 0.009 | \$ 1,380.22 |
| Venango | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 8052.6 | 0.018 | \$ 1,274.59 |
| Venango | WoB | Wooster gravelly silt loam, 3 to 8 percent slopes | 2 | 125 | 0 | \$ 1,367.18 |
| Venango | AhC | Alton gravelly loam, 8 to 15 percent slopes | 3 | 1779.9 | 0.004 | \$ 1,157.58 |
| Venango | AlA | Alvira silt loam, 0 to 3 percent slopes | 3 | 5608.8 | 0.013 | \$ 1,249.40 |
| Venango | AlB | Alvira silt loam, 3 to 8 percent slopes | 3 | 23099.9 | 0.053 | \$ 1,247.05 |
| Venango | AlC | Alvira silt loam, 8 to 15 percent slopes | 3 | 3000.2 | 0.007 | \$ 1,207.51 |
| Venango | BaB | Bethesda channery silt loam, 0 to 8 percent slopes | 3 | 753.9 | 0.002 | \$ 871.65 |
| Venango | BeB | Bethesda very channery silt loam, 0 to 8 percent slopes | 3 | 19.5 | 0 | \$ 871.65 |
| Venango | CdC | Canfield gravelly silt loam, 8 to 15 percent slopes | 3 | 8994.7 | 0.021 | \$ 1,244.70 |
| Venango | ClA | Cavode silt loam, 0 to 3 percent slopes | 3 | 2309.3 | 0.005 | \$ 1,160.06 |
| Venango | ClB | Cavode silt loam, 3 to 8 percent slopes | 3 | 19608.5 | 0.045 | \$ 1,160.06 |
| Venango | ClC | Cavode silt loam, 8 to 15 percent slopes | 3 | 3102.8 | 0.007 | \$ 1,117.34 |
| Venango | CoC | Cookport loam, 8 to 15 percent slopes | 3 | 8349.9 | 0.019 | \$ 1,049.85 |
| Venango | FaB | Fairpoint channery silt loam, 0 to 8 percent slopes | 3 | 1253.6 | 0.003 | \$ 871.65 |
| Venango | GIC | Gilpin silt loam, 8 to 15 percent slopes | 3 | 2299.7 | 0.005 | \$ 1,251.75 |
| Venango | HaC | Hanover silt loam, 8 to 15 percent slopes | 3 | 15727.5 | 0.036 | \$ 1,357.98 |
| Venango | HeC | Hazleton channery loam, 8 to 15 percent slopes | 3 | 1451.8 | 0.003 | \$ 1,401.72 |
| Venango | RaA | Ravenna silt loam, 0 to 3 percent slopes | 3 | 846 | 0.002 | \$ 1,281.05 |
| Venango | RaB | Ravenna silt loam, 3 to 8 percent slopes | 3 | 5051.5 | 0.012 | \$ 1,281.97 |
| Venango | RaC | Ravenna silt loam, 8 to 15 percent slopes | 3 | 916.8 | 0.002 | \$ 1,150.60 |
| Venango | Re | Rexford silt loam | 3 | 1404.4 | 0.003 | \$ 1,124.96 |
| Venango | Ty | Tyler silt loam | 3 | 826.8 | 0.002 | \$ 1,261.11 |
| Venango | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 3171.8 | 0.007 | \$ 1,286.57 |
| Venango | WoC | Wooster gravelly silt loam, 8 to 15 percent slopes | 3 | 320.8 | 0.001 | \$ 1,320.66 |
| Venango | AhD | Alton gravelly loam, 15 to 25 percent slopes | 4 | 719.8 | 0.002 | \$ 1,006.96 |
| Venango | As | Armagh silt loam | 4 | 593.1 | 0.001 | \$ 1,006.96 |
| Venango | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 4 | 7725.6 | 0.018 | \$ 1,142.60 |
| Venango | BaD | Bethesda channery silt loam, 8 to 25 percent slopes | 4 | 1684.7 | 0.004 | \$ 871.65 |
| Venango | BrA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 3670.2 | 0.008 | \$ 1,242.34 |
| Venango | BrB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 3492.8 | 0.008 | \$ 1,258.78 |
| Venango | FaD | Fairpoint channery silt loam, 8 to 25 percent slopes | 4 | 877.7 | 0.002 | \$ 871.65 |
| Venango | FeA | Frenchtown silt loam, 0 to 3 percent slopes | 4 | 3743.1 | 0.009 | \$ 1,157.58 |
| Venango | FeB | Frenchtown silt loam, 3 to 8 percent slopes | 4 | 1511.3 | 0.003 | \$ 1,201.71 |
| Venango | GID | Gilpin silt loam, 15 to 25 percent slopes | 4 | 742.5 | 0.002 | \$ 1,184.69 |
| Venango | HeD | Hazleton channery loam, 15 to 25 percent slopes | 4 | 1263.8 | 0.003 | \$ 1,362.81 |
| Venango | WoD | Wooster gravelly silt loam, 15 to 25 percent slopes | 4 | 1546.2 | 0.004 | \$ 1,236.19 |
| Venango | Rv | Riverwash | 5 | 162 | 0 | \$ 750.61 |
| Venango | AhF | Alton gravelly loam, 25 to 80 percent slopes | 6 | 456.7 | 0.001 | \$ 750.61 |
| Venango | CpB | Cookport loam, 0 to 8 percent slopes, very stony | 6 | 25508.8 | 0.058 | \$ 750.61 |
| Venango | CpC | Cookport loam, 8 to 15 percent slopes, very stony | 6 | 27746.8 | 0.063 | \$ 750.61 |
| Venango | HaD | Hanover silt loam, 15 to 25 percent slopes | 6 | 3273.3 | 0.007 | \$ 750.61 |
| Venango | HdB | Hanover silt loam, 0 to 8 percent slopes, extremely stony | 6 | 12252.3 | 0.028 | \$ 750.61 |
| Venango | HdD | Hanover silt loam, 8 to 25 percent slopes, extremely stony | 6 | 26853.3 | 0.061 | \$ 750.61 |
| Venango | HIB | Hazleton channery loam, 0 to 8 percent slopes, extremely st | 6 | 3935.7 | 0.009 | \$ 750.61 |

| | | | | | | |
|---------------|-----|---|---|---------|-------|-------------|
| Venango | HnD | Hazleton and Gilpin soils, 8 to 25 percent slopes, extremely | 6 | 8664.5 | 0.02 | \$ 750.61 |
| Venango | ML | Made land | 6 | 12.7 | 0 | \$ 750.61 |
| Venango | Sm | Strip mines | 6 | 2853.5 | 0.007 | \$ 750.61 |
| Venango | WsD | Wooster gravelly silt loam, 8 to 25 percent slopes, extremely | 6 | 621 | 0.001 | \$ 750.61 |
| Venango | ArB | Alvira and Ravenna silt loams, 0 to 8 percent slopes, extremely | 7 | 6391.1 | 0.015 | \$ 750.61 |
| Venango | BeD | Bethesda very channery silt loam, 8 to 25 percent slopes | 7 | 25.7 | 0 | \$ 750.61 |
| Venango | BfF | Bethesda and Fairpoint channery silt loams, 25 to 70 percent | 7 | 133.9 | 0 | \$ 750.61 |
| Venango | Bt | Brinkerton and Frenchtown silt loams, 0 to 8 percent slopes | 7 | 3777.5 | 0.009 | \$ 756.86 |
| Venango | BxB | Buchanan silt loam, 0 to 8 percent slopes, extremely stony | 7 | 3837.4 | 0.009 | \$ 750.61 |
| Venango | BxD | Buchanan silt loam, 8 to 25 percent slopes, extremely stony | 7 | 3849.3 | 0.009 | \$ 750.61 |
| Venango | CeB | Canfield gravelly silt loam, 3 to 8 percent slopes, extremely | 7 | 1458.4 | 0.003 | \$ 750.61 |
| Venango | CeD | Canfield gravelly silt loam, 8 to 25 percent slopes, extremely | 7 | 7098.5 | 0.016 | \$ 750.61 |
| Venango | HdE | Hanover silt loam, 25 to 45 percent slopes, extremely stony | 7 | 2955.7 | 0.007 | \$ 750.61 |
| Venango | HnF | Hazleton and Gilpin soils, 25 to 70 percent slopes, extremely | 7 | 49066.6 | 0.112 | \$ 750.61 |
| Venango | WsE | Wooster gravelly silt loam, 25 to 45 percent slopes, extremely | 7 | 427.8 | 0.001 | \$ 750.61 |
| Venango | BP | Borrow pits | 8 | 12 | 0 | \$ 750.61 |
| Venango | GP | Gravel pits | 8 | 92.6 | 0 | \$ 750.61 |
| Venango | Qu | Quarries | 8 | 123.6 | 0 | \$ 750.61 |
| Venango | Um | Urban land-Monongahela complex | 8 | 1471.5 | 0.003 | \$ 750.61 |
| Warren/Forest | HtA | Hazleton channery sandy loam, 0 to 3 percent slopes | 1 | 5889.4 | 0.007 | \$ 1,425.03 |
| Warren/Forest | UnA | Unadilla silt loam, 0 to 3 percent slopes | 1 | 2434.1 | 0.003 | \$ 1,335.87 |
| Warren/Forest | BcB | Braceville gravelly silt loam, 0 to 8 percent slopes | 2 | 5646.4 | 0.007 | \$ 1,318.41 |
| Warren/Forest | ChA | Chenango gravelly silt loam, 0 to 3 percent slopes | 2 | 3140.1 | 0.004 | \$ 1,288.59 |
| Warren/Forest | ChB | Chenango gravelly silt loam, 3 to 8 percent slopes | 2 | 3247.6 | 0.004 | \$ 1,289.24 |
| Warren/Forest | CtA | Cookport silt loam, 0 to 3 percent slopes | 2 | 13322 | 0.016 | \$ 1,142.60 |
| Warren/Forest | CtB | Cookport silt loam, 3 to 8 percent slopes | 2 | 20642.3 | 0.024 | \$ 1,091.70 |
| Warren/Forest | EsB | Ernest silt loam, 3 to 8 percent slopes | 2 | 3886.1 | 0.005 | \$ 1,367.18 |
| Warren/Forest | GnB | Gilpin channery silt loam, 3 to 8 percent slopes | 2 | 3361.4 | 0.004 | \$ 1,270.42 |
| Warren/Forest | HaB | Hartleton channery silt loam, 3 to 8 percent slopes | 2 | 4.7 | 0 | \$ 1,112.24 |
| Warren/Forest | HnB | Hanover silt loam, 3 to 8 percent slopes | 2 | 4340.5 | 0.005 | \$ 1,438.01 |
| Warren/Forest | HtB | Hazleton channery sandy loam, 3 to 8 percent slopes | 2 | 9429.3 | 0.011 | \$ 1,476.71 |
| Warren/Forest | KnB | Kinzua channery silt loam, 3 to 8 percent slopes | 2 | 248.1 | 0 | \$ 1,055.14 |
| Warren/Forest | LdB | Lordstown channery silt loam, 3 to 8 percent slopes | 2 | 1048.4 | 0.001 | \$ 1,162.54 |
| Warren/Forest | MaA | Mardin gravelly silt loam, 0 to 3 percent slopes | 2 | 1278.2 | 0.002 | \$ 1,187.13 |
| Warren/Forest | MaB | Mardin gravelly silt loam, 3 to 8 percent slopes | 2 | 9917.5 | 0.012 | \$ 1,187.13 |
| Warren/Forest | Ph | Philo silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 6621.4 | 0.008 | \$ 1,380.22 |
| Warren/Forest | Po | Pope loam, 0 to 3 percent slopes, occasionally flooded | 2 | 1859.3 | 0.002 | \$ 1,380.22 |
| Warren/Forest | Sc | Scio silt loam | 2 | 1526.7 | 0.002 | \$ 1,355.79 |
| Warren/Forest | WhB | Wharton silt loam, 3 to 8 percent slopes | 2 | 8058.1 | 0.009 | \$ 1,049.85 |
| Warren/Forest | WoB | Wooster gravelly silt loam, 3 to 8 percent slopes | 2 | 3007.8 | 0.004 | \$ 1,367.18 |
| Warren/Forest | AaA | Alvira silt loam, 0 to 3 percent slopes | 3 | 2820.6 | 0.003 | \$ 1,249.40 |
| Warren/Forest | AaB | Alvira silt loam, 3 to 8 percent slopes | 3 | 12937.6 | 0.015 | \$ 1,247.05 |
| Warren/Forest | AaC | Alvira silt loam, 8 to 15 percent slopes | 3 | 18319.5 | 0.022 | \$ 1,207.51 |
| Warren/Forest | At | Atkins silty clay loam | 3 | 1271.4 | 0.001 | \$ 1,290.24 |
| Warren/Forest | CaC | Carrollton channery silt loam, 8 to 15 percent slopes | 3 | 6.6 | 0 | \$ 871.65 |
| Warren/Forest | CdB | Cavode silt loam, 0 to 8 percent slopes | 3 | 17731.8 | 0.021 | \$ 1,142.60 |
| Warren/Forest | CdC | Cavode silt loam, 8 to 15 percent slopes | 3 | 11244.7 | 0.013 | \$ 1,155.09 |
| Warren/Forest | ChC | Chenango gravelly silt loam, 8 to 15 percent slopes | 3 | 1456.3 | 0.002 | \$ 1,201.32 |
| Warren/Forest | CtC | Cookport silt loam, 8 to 15 percent slopes | 3 | 8507.7 | 0.01 | \$ 1,091.70 |
| Warren/Forest | EkC | Elko silt loam, 8 to 15 percent slopes | 3 | 27.9 | 0 | \$ 915.05 |
| Warren/Forest | EsC | Ernest silt loam, 8 to 15 percent slopes | 3 | 9947.5 | 0.012 | \$ 1,291.16 |
| Warren/Forest | GnC | Gilpin channery silt loam, 8 to 15 percent slopes | 3 | 5655.8 | 0.007 | \$ 1,225.73 |
| Warren/Forest | HaC | Hartleton channery silt loam, 8 to 15 percent slopes | 3 | 114.3 | 0 | \$ 1,047.20 |
| Warren/Forest | HnC | Hanover silt loam, 8 to 15 percent slopes | 3 | 6975.1 | 0.008 | \$ 1,357.98 |
| Warren/Forest | HtC | Hazleton channery sandy loam, 8 to 15 percent slopes | 3 | 6999.1 | 0.008 | \$ 1,397.44 |
| Warren/Forest | IvB | Ivory silt loam, 3 to 8 percent slopes | 3 | 25.5 | 0 | \$ 871.65 |

| | | | | | | |
|---------------|-----|--|---|---------|-------|-------------|
| Warren/Forest | KnC | Kinzua channery silt loam, 8 to 15 percent slopes | 3 | 10.1 | 0 | \$ 1,009.67 |
| Warren/Forest | LdC | Lordstown channery silt loam, 8 to 15 percent slopes | 3 | 1328.3 | 0.002 | \$ 1,155.09 |
| Warren/Forest | MaC | Mardin gravelly silt loam, 8 to 15 percent slopes | 3 | 13443.5 | 0.016 | \$ 1,142.60 |
| Warren/Forest | ReA | Rexford loam, 0 to 8 percent slopes | 3 | 7055.5 | 0.008 | \$ 1,093.76 |
| Warren/Forest | VeA | Venango silt loam, 0 to 3 percent slopes | 3 | 7391.9 | 0.009 | \$ 1,263.44 |
| Warren/Forest | VeB | Venango silt loam, 3 to 8 percent slopes | 3 | 30512.6 | 0.036 | \$ 1,275.05 |
| Warren/Forest | VeC | Venango silt loam, 8 to 15 percent slopes | 3 | 19750.3 | 0.023 | \$ 1,265.77 |
| Warren/Forest | Wa | Wayland silt loam | 3 | 17492.3 | 0.021 | \$ 871.65 |
| Warren/Forest | WhC | Wharton silt loam, 8 to 15 percent slopes | 3 | 4869.4 | 0.006 | \$ 962.99 |
| Warren/Forest | WoC | Wooster gravelly silt loam, 8 to 15 percent slopes | 3 | 1453.7 | 0.002 | \$ 1,320.66 |
| Warren/Forest | AgB | Armagh silt loam, 0 to 8 percent slopes | 4 | 3010.9 | 0.004 | \$ 1,055.14 |
| Warren/Forest | BkB | Brinkerton soils, 3 to 8 percent slopes | 4 | 4863.6 | 0.006 | \$ 1,218.56 |
| Warren/Forest | BuD | Buchanan silt loam, 15 to 25 percent slopes | 4 | 17.8 | 0 | \$ 1,228.11 |
| Warren/Forest | Ca | Canadice silt loam | 4 | 1025.1 | 0.001 | \$ 1,065.66 |
| Warren/Forest | CaD | Carrollton channery silt loam, 15 to 25 percent slopes | 4 | 89.7 | 0 | \$ 871.65 |
| Warren/Forest | CdD | Cavode silt loam, 15 to 25 percent slopes | 4 | 3380.4 | 0.004 | \$ 1,055.14 |
| Warren/Forest | ChD | Chenango gravelly silt loam, 15 to 25 percent slopes | 4 | 626.8 | 0.001 | \$ 1,121.20 |
| Warren/Forest | CpB | Chippewa silt loam, 0 to 8 percent slopes | 4 | 4050.8 | 0.005 | \$ 1,102.00 |
| Warren/Forest | GnD | Gilpin channery silt loam, 15 to 25 percent slopes | 4 | 13005.9 | 0.015 | \$ 1,179.79 |
| Warren/Forest | HaD | Hartleton channery silt loam, 15 to 25 percent slopes | 4 | 195 | 0 | \$ 1,006.96 |
| Warren/Forest | HtD | Hazleton channery sandy loam, 15 to 25 percent slopes | 4 | 9363.7 | 0.011 | \$ 1,225.73 |
| Warren/Forest | KnD | Kinzua channery silt loam, 15 to 25 percent slopes | 4 | 145.4 | 0 | \$ 915.05 |
| Warren/Forest | LdD | Lordstown channery silt loam, 15 to 25 percent slopes | 4 | 2160.9 | 0.003 | \$ 1,102.00 |
| Warren/Forest | MaD | Mardin gravelly silt loam, 15 to 25 percent slopes | 4 | 12102 | 0.014 | \$ 1,096.86 |
| Warren/Forest | ShC | Shelmadine silt loam, 3 to 15 percent slopes | 4 | 8219.5 | 0.01 | \$ 1,146.71 |
| Warren/Forest | WhD | Wharton silt loam, 15 to 25 percent slopes | 4 | 1772.8 | 0.002 | \$ 871.65 |
| Warren/Forest | WoD | Wooster gravelly silt loam, 15 to 25 percent slopes | 4 | 575.5 | 0.001 | \$ 1,236.19 |
| Warren/Forest | AbC | Alvira silt loam, 0 to 15 percent slopes, extremely stony | 6 | 13062.4 | 0.015 | \$ 750.61 |
| Warren/Forest | AhB | Armagh silt loam, 0 to 8 percent slopes, extremely stony | 6 | 843.7 | 0.001 | \$ 750.61 |
| Warren/Forest | CeC | Cavode silt loam, 0 to 25 percent slopes, extremely stony | 6 | 17017.9 | 0.02 | \$ 750.61 |
| Warren/Forest | HnD | Hanover silt loam, 15 to 25 percent slopes | 6 | 14757.1 | 0.017 | \$ 750.61 |
| Warren/Forest | HsD | Hanover silt loam, 0 to 25 percent slopes, extremely stony | 6 | 9950.3 | 0.012 | \$ 750.61 |
| Warren/Forest | HvB | Hazleton channery sandy loam, 0 to 8 percent slopes, extremely stony | 6 | 32824.8 | 0.039 | \$ 750.61 |
| Warren/Forest | HvD | Hazleton channery sandy loam, 8 to 25 percent slopes, extremely stony | 6 | 70916.5 | 0.083 | \$ 750.61 |
| Warren/Forest | LF | Landfill | 6 | 34.1 | 0 | \$ 750.61 |
| Warren/Forest | MdD | Mardin silt loam, 0 to 25 percent slopes, extremely stony | 6 | 2384.5 | 0.003 | \$ 750.61 |
| Warren/Forest | BnB | Brinkerton mucky silt loam, 0 to 8 percent slopes, extremely stony | 7 | 4401.6 | 0.005 | \$ 750.61 |
| Warren/Forest | BxB | Buchanan silt loam, 0 to 8 percent slopes, extremely stony | 7 | 68.8 | 0 | \$ 750.61 |
| Warren/Forest | BxD | Buchanan silt loam, 8 to 25 percent slopes, extremely stony | 7 | 63947.2 | 0.075 | \$ 750.61 |
| Warren/Forest | CvC | Cookport silt loam, 0 to 15 percent slopes, extremely stony | 7 | 93491.6 | 0.11 | \$ 750.61 |
| Warren/Forest | GpF | Gilpin channery silt loam, 35 to 65 percent slopes | 7 | 44520.5 | 0.052 | \$ 750.61 |
| Warren/Forest | GsC | Gilpin channery silt loam, 8 to 15 percent slopes, extremely stony | 7 | 4844.6 | 0.006 | \$ 750.61 |
| Warren/Forest | HaF | Hartleton channery silt loam, 35 to 50 percent slopes | 7 | 923.6 | 0.001 | \$ 750.61 |
| Warren/Forest | HoF | Hanover soils, steep | 7 | 7001.6 | 0.008 | \$ 750.61 |
| Warren/Forest | HvF | Hazleton channery sandy loam, 25 to 80 percent slopes, extremely stony | 7 | 51891.7 | 0.061 | \$ 750.61 |
| Warren/Forest | KnF | Kinzua channery silt loam, 35 to 60 percent slopes | 7 | 946.2 | 0.001 | \$ 750.61 |
| Warren/Forest | LaF | Laidig channery loam, 25 to 50 percent slopes, extremely stony | 7 | 270.8 | 0 | \$ 750.61 |
| Warren/Forest | LtF | Lordstown soils, 25 to 70 percent slopes | 7 | 15685.4 | 0.018 | \$ 750.61 |
| Warren/Forest | OnD | Onoville silt loam, 15 to 25 percent slopes, extremely stony | 7 | 158.6 | 0 | \$ 750.61 |
| Warren/Forest | SvC | Shelmadine silt loam, 0 to 15 percent slopes, extremely stony | 7 | 3034 | 0.004 | \$ 750.61 |
| Warren/Forest | VsC | Venango silt loam, 8 to 15 percent slopes, extremely stony | 7 | 2464.9 | 0.003 | \$ 750.61 |
| Warren/Forest | DAM | Dams | 8 | 24.1 | 0 | \$ 750.61 |
| Warren/Forest | Mm | Medihemists and Medisapristis, ponded | 8 | 964.6 | 0.001 | \$ 750.61 |
| Wayne | Ba | Barbour loam | 1 | 2448.3 | 0.005 | \$ 1,286.57 |
| Wayne | La | Linden fine sandy loam, rarely flooded | 1 | 1297.5 | 0.003 | \$ 1,427.13 |
| Wayne | 26 | Philo loam | 2 | 23 | 0 | \$ 1,509.69 |

| | | | | | | |
|-------|------|---|---|---------|-------|-------------|
| Wayne | Bh | Basher silt loam | 2 | 6828.6 | 0.014 | \$ 1,370.67 |
| Wayne | LaB | Lackawanna channery loam, 3 to 8 percent slopes | 2 | 5.1 | 0 | \$ 1,398.73 |
| Wayne | LdB | Lordstown channery loam, 3 to 8 percent slopes | 2 | 1281.3 | 0.003 | \$ 1,269.95 |
| Wayne | MaB | Mardin channery loam, 3 to 8 percent slopes | 2 | 8647.4 | 0.018 | \$ 1,102.00 |
| Wayne | OaB | Oquaga channery loam, 3 to 8 percent slopes | 2 | 6723.9 | 0.014 | \$ 1,107.13 |
| Wayne | SwB | Swartswood channery sandy loam, 3 to 8 percent slopes | 2 | 1147 | 0.002 | \$ 1,281.97 |
| Wayne | WeB | Wellsboro channery loam, 3 to 8 percent slopes | 2 | 24219.3 | 0.05 | \$ 1,349.62 |
| Wayne | WkB | Wurtsboro channery loam, 3 to 8 percent slopes | 2 | 7 | 0 | \$ 1,157.58 |
| Wayne | 320C | Lackawanna channery loam, 8 to 15 percent slopes, rocky | 3 | 2.8 | 0 | \$ 1,191.52 |
| Wayne | ArB | Arnot channery loam, very rocky, 3 to 8 percent slopes | 3 | 9385.2 | 0.02 | \$ 871.65 |
| Wayne | Ho | Holly silt loam | 3 | 9048.9 | 0.019 | \$ 1,295.73 |
| Wayne | LdC | Lordstown channery loam, 8 to 15 percent slopes | 3 | 1108.4 | 0.002 | \$ 1,225.73 |
| Wayne | MaC | Mardin channery loam, 8 to 15 percent slopes | 3 | 6179.4 | 0.013 | \$ 1,099.43 |
| Wayne | MoA | Morris channery loam, 0 to 3 percent slopes | 3 | 1032.9 | 0.002 | \$ 1,063.04 |
| Wayne | MoB | Morris channery loam, 3 to 8 percent slopes | 3 | 19996.6 | 0.042 | \$ 1,057.77 |
| Wayne | MoC | Morris channery loam, 8 to 15 percent slopes | 3 | 5882.9 | 0.012 | \$ 1,096.86 |
| Wayne | OaC | Oquaga channery loam, 8 to 15 percent slopes | 3 | 7450.5 | 0.016 | \$ 1,109.69 |
| Wayne | Re | Rexford loam | 3 | 748.9 | 0.002 | \$ 1,006.96 |
| Wayne | SwC | Swartswood channery sandy loam, 8 to 15 percent slopes | 3 | 872.1 | 0.002 | \$ 1,196.86 |
| Wayne | VoA | Volusia channery silt loam, 0 to 3 percent slopes | 3 | 898.9 | 0.002 | \$ 1,065.66 |
| Wayne | VoB | Volusia channery silt loam, 3 to 8 percent slopes | 3 | 7625.5 | 0.016 | \$ 1,104.57 |
| Wayne | VoC | Volusia channery silt loam, 8 to 15 percent slopes | 3 | 2254.6 | 0.005 | \$ 1,108.15 |
| Wayne | WeC | Wellsboro channery loam, 8 to 15 percent slopes | 3 | 19123.2 | 0.04 | \$ 1,235.24 |
| Wayne | WkC | Wurtsboro channery loam, 8 to 15 percent slopes | 3 | 1.6 | 0 | \$ 1,121.91 |
| Wayne | WyB | Wyoming gravelly sandy loam, 3 to 8 percent slopes | 3 | 1723.6 | 0.004 | \$ 1,206.54 |
| Wayne | 143 | Wyalusing fine sandy loam | 4 | 1 | 0 | \$ 1,076.12 |
| Wayne | ArC | Arnot channery loam, very rocky, 8 to 15 percent slopes | 4 | 7018.6 | 0.015 | \$ 871.65 |
| Wayne | LaD | Lackawanna channery loam, 15 to 25 percent slopes | 4 | 0.9 | 0 | \$ 1,237.61 |
| Wayne | LdD | Lordstown channery loam, 15 to 25 percent slopes | 4 | 474 | 0.001 | \$ 1,140.09 |
| Wayne | MaD | Mardin channery loam, 15 to 25 percent slopes | 4 | 1030.5 | 0.002 | \$ 1,096.86 |
| Wayne | NcA | Norwich and Chippewa channery silt loams, 0 to 3 percent s | 4 | 1363.7 | 0.003 | \$ 871.65 |
| Wayne | OaD | Oquaga channery loam, 15 to 25 percent slopes | 4 | 3254.6 | 0.007 | \$ 1,055.14 |
| Wayne | SwD | Swartswood channery sandy loam, 15 to 25 percent slopes | 4 | 250.6 | 0.001 | \$ 1,112.24 |
| Wayne | WeD | Wellsboro channery loam, 15 to 25 percent slopes | 4 | 2595.8 | 0.005 | \$ 1,107.13 |
| Wayne | Wy | Wyalusing silt loam | 4 | 62.5 | 0 | \$ 1,091.70 |
| Wayne | WyC | Wyoming gravelly sandy loam, 8 to 15 percent slopes | 4 | 2312.7 | 0.005 | \$ 1,068.28 |
| Wayne | WyD | Wyoming gravelly sandy loam, 15 to 25 percent slopes | 4 | 1123.9 | 0.002 | \$ 871.65 |
| Wayne | 12 | Gleneyre-Kimbles complex, 0 to 2 percent slopes | 5 | 23.1 | 0 | \$ 750.61 |
| Wayne | 18 | Paupack mucky peat | 5 | 12.3 | 0 | \$ 750.61 |
| Wayne | 20 | Freetown mucky peat | 5 | 57.7 | 0 | \$ 750.61 |
| Wayne | 239B | Oquaga very stony loam, 0 to 8 percent slopes, extremely b | 6 | 79.9 | 0 | \$ 750.61 |
| Wayne | 239D | Oquaga very stony loam, 15 to 30 percent slopes, extremely | 6 | 81.5 | 0 | \$ 750.61 |
| Wayne | 30B | Wurtsboro stony fine sandy loam, 0 to 8 percent slopes, ext | 6 | 155.8 | 0 | \$ 750.61 |
| Wayne | 30C | Wurtsboro stony fine sandy loam, 8 to 15 percent slopes, e | 6 | 13.4 | 0 | \$ 750.61 |
| Wayne | 9B | Craigsville-Wyoming complex, 0 to 8 percent slopes, extrem | 6 | 40.6 | 0 | \$ 750.61 |
| Wayne | ArD | Arnot channery loam, very rocky, 15 to 25 percent slopes | 6 | 12576.9 | 0.026 | \$ 750.61 |
| Wayne | 111B | Edgemere-Shohola complex, 3 to 15 percent slopes, very ru | 7 | 391 | 0.001 | \$ 750.61 |
| Wayne | 11A | Edgemere extremely stony loam, 0 to 3 percent slopes, very | 7 | 198.5 | 0 | \$ 750.61 |
| Wayne | 240F | Oquaga-Arnot-Rock outcrop complex, 20 to 60 percent slop | 7 | 125.7 | 0 | \$ 750.61 |
| Wayne | 28B | Wellsboro stony loam, 0 to 8 percent slopes, extremely stor | 7 | 53.8 | 0 | \$ 750.61 |
| Wayne | 321B | Lackawanna channery loam, 3 to 8 percent slopes, extremel | 7 | 32.9 | 0 | \$ 750.61 |
| Wayne | 321C | Lackawanna channery loam, 8 to 15 percent slopes, extrem | 7 | 129.6 | 0 | \$ 750.61 |
| Wayne | 321D | Lackawanna channery loam, 15 to 30 percent slopes, extren | 7 | 11.5 | 0 | \$ 750.61 |
| Wayne | 7B | Shohola-Edgemere complex, 0 to 8 percent slopes, very rub | 7 | 667.8 | 0.001 | \$ 750.61 |
| Wayne | 7C | Shohola-Edgemere complex, 8 to 15 percent slopes, very ru | 7 | 84.7 | 0 | \$ 750.61 |
| Wayne | FF | Fluents and Fluvaquents, cobbly | 7 | 2515 | 0.005 | \$ 750.61 |

| | | | | | | | |
|--------------|-----|--|---|---------|-------|----|----------|
| Wayne | LbB | Lackawanna channery loam, 3 to 8 percent slopes, rubbly | 7 | 3.3 | 0 | \$ | 750.61 |
| Wayne | LbD | Lackawanna channery loam, 8 to 25 percent slopes, rubbly | 7 | 14.7 | 0 | \$ | 750.61 |
| Wayne | LxB | Lordstown extremely stony loam, 3 to 8 percent slopes | 7 | 7469.6 | 0.016 | \$ | 750.61 |
| Wayne | LxC | Lordstown extremely stony loam, 8 to 25 percent slopes | 7 | 16427.1 | 0.034 | \$ | 750.61 |
| Wayne | MdB | Mardin extremely stony loam, 3 to 8 percent slopes | 7 | 12868.9 | 0.027 | \$ | 750.61 |
| Wayne | MdD | Mardin extremely stony loam, 8 to 25 percent slopes | 7 | 16091.4 | 0.034 | \$ | 750.61 |
| Wayne | MxB | Morris channery loam, 0 to 8 percent slopes, rubbly | 7 | 40032.1 | 0.083 | \$ | 750.61 |
| Wayne | MxC | Morris channery loam, 8 to 15 percent slopes, rubbly | 7 | 11170.5 | 0.023 | \$ | 750.61 |
| Wayne | NxA | Norwich and Chippewa channery silt loams, 0 to 3 percent s | 7 | 11457.6 | 0.024 | \$ | 750.61 |
| Wayne | OxB | Oquaga extremely stony loam, 3 to 8 percent slopes | 7 | 12404.3 | 0.026 | \$ | 750.61 |
| Wayne | OxD | Oquaga extremely stony loam, 8 to 25 percent slopes | 7 | 33127.1 | 0.069 | \$ | 750.61 |
| Wayne | OyF | Oquaga and Lordstown extremely stony loams, 25 to 70 per | 7 | 27608 | 0.057 | \$ | 750.61 |
| Wayne | RoD | Rock outcrop-Arnot complex, 3 to 25 percent slopes | 7 | 1076.2 | 0.002 | \$ | 750.61 |
| Wayne | SxB | Swartswood extremely stony sandy loam, 3 to 8 percent slo | 7 | 4234.1 | 0.009 | \$ | 750.61 |
| Wayne | SxD | Swartswood extremely stony sandy loam, 8 to 25 percent sl | 7 | 3375.6 | 0.007 | \$ | 750.61 |
| Wayne | VxB | Volusia channery silt loam, 0 to 8 percent slopes, rubbly | 7 | 20005.6 | 0.042 | \$ | 750.61 |
| Wayne | VxC | Volusia channery silt loam, 8 to 15 percent slopes, rubbly | 7 | 4645.7 | 0.01 | \$ | 750.61 |
| Wayne | WoB | Wellsboro channery loam, 3 to 8 percent slopes, rubbly | 7 | 17755.2 | 0.037 | \$ | 750.61 |
| Wayne | WoD | Wellsboro channery loam, 8 to 25 percent slopes, rubbly | 7 | 32205.8 | 0.067 | \$ | 750.61 |
| Wayne | WxF | Wellsboro and Mardin extremely stony loams, 25 to 50 perc | 7 | 3678.7 | 0.008 | \$ | 750.61 |
| Wayne | WyE | Wyoming gravelly sandy loam, 25 to 45 percent slopes | 7 | 358.8 | 0.001 | \$ | 750.61 |
| Wayne | ME | Medihemists and Medifibrists | 8 | 5263 | 0.011 | \$ | 750.61 |
| Westmoreland | ChA | Chavies fine sandy loam, 0 to 2 percent slopes | 1 | 1099 | 0.002 | \$ | 1,567.42 |
| Westmoreland | CIB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 10426.9 | 0.016 | \$ | 1,385.41 |
| Westmoreland | CuB | Culleoka channery silt loam, 3 to 8 percent slopes | 2 | 4310.1 | 0.006 | \$ | 1,486.84 |
| Westmoreland | DoB | Dormont silt loam, 3 to 8 percent slopes | 2 | 6724 | 0.01 | \$ | 1,488.86 |
| Westmoreland | ErB | Ernest silt loam, 3 to 8 percent slopes | 2 | 28111.4 | 0.042 | \$ | 1,456.25 |
| Westmoreland | GcB | Gilpin channery silt loam, 3 to 8 percent slopes | 2 | 29929.4 | 0.045 | \$ | 1,268.09 |
| Westmoreland | GuB | Gilpin-Upshur complex, 3 to 8 percent slopes | 2 | 4491.4 | 0.007 | \$ | 1,201.71 |
| Westmoreland | GwB | Gilpin-Weikert channery silt loams, 3 to 8 percent slopes | 2 | 2100.6 | 0.003 | \$ | 1,173.89 |
| Westmoreland | GyB | Guernsey silt loam, 3 to 8 percent slopes | 2 | 9491.9 | 0.014 | \$ | 1,420.81 |
| Westmoreland | LeB | Leck Kill channery silt loam, 3 to 8 percent slopes | 2 | 273.3 | 0 | \$ | 1,456.25 |
| Westmoreland | Ln | Lindside silt loam, 0 to 3 percent slopes, occasionally floode | 2 | 3007.4 | 0.005 | \$ | 1,518.81 |
| Westmoreland | Lo | Lobdell silt loam, 0 to 3 percent slopes, occasionally flooded | 2 | 10106.6 | 0.015 | \$ | 1,429.23 |
| Westmoreland | LwB | Lowell silty clay loam, 3 to 8 percent slopes | 2 | 5319.3 | 0.008 | \$ | 1,500.91 |
| Westmoreland | MeB | Matewan channery loam, 3 to 8 percent slopes | 2 | 3409.5 | 0.005 | \$ | 1,182.24 |
| Westmoreland | MoA | Monongahela silt loam, 0 to 3 percent slopes | 2 | 817.4 | 0.001 | \$ | 1,367.18 |
| Westmoreland | MoB | Monongahela silt loam, 3 to 8 percent slopes | 2 | 10477.2 | 0.016 | \$ | 1,367.18 |
| Westmoreland | Ph | Philo loam, 0 to 3 percent slopes, occasionally flooded | 2 | 3907 | 0.006 | \$ | 1,380.22 |
| Westmoreland | ScB | Sciotoville silt loam, 2 to 6 percent slopes | 2 | 292.6 | 0 | \$ | 1,488.86 |
| Westmoreland | VaB | Vandergrift silt loam, 3 to 8 percent slopes | 2 | 2146.2 | 0.003 | \$ | 1,362.81 |
| Westmoreland | WrB | Wharton silt loam, 3 to 8 percent slopes | 2 | 24107.1 | 0.036 | \$ | 1,274.59 |
| Westmoreland | BeB | Bethesda very channery silt loam, 0 to 8 percent slopes | 3 | 1188.6 | 0.002 | \$ | 871.65 |
| Westmoreland | CaB | Cavode silt loam, 3 to 8 percent slopes | 3 | 6663.5 | 0.01 | \$ | 1,160.06 |
| Westmoreland | CaC | Cavode silt loam, 8 to 15 percent slopes | 3 | 1533.4 | 0.002 | \$ | 1,117.34 |
| Westmoreland | CIC | Clarksburg silt loam, 8 to 15 percent slopes | 3 | 2634.2 | 0.004 | \$ | 1,253.16 |
| Westmoreland | CuC | Culleoka channery silt loam, 8 to 15 percent slopes | 3 | 2667.6 | 0.004 | \$ | 1,382.38 |
| Westmoreland | DoC | Dormont silt loam, 8 to 15 percent slopes | 3 | 14259.8 | 0.021 | \$ | 1,388.85 |
| Westmoreland | ErC | Ernest silt loam, 8 to 15 percent slopes | 3 | 14826.9 | 0.022 | \$ | 1,367.18 |
| Westmoreland | FaB | Fairpoint very channery silt loam, 0 to 8 percent slopes | 3 | 1690.2 | 0.003 | \$ | 871.65 |
| Westmoreland | GcC | Gilpin channery silt loam, 8 to 15 percent slopes | 3 | 31893.3 | 0.048 | \$ | 1,265.77 |
| Westmoreland | GuC | Gilpin-Upshur complex, 8 to 15 percent slopes | 3 | 9269.2 | 0.014 | \$ | 1,201.71 |
| Westmoreland | GwC | Gilpin-Weikert channery silt loams, 8 to 15 percent slopes | 3 | 1860.2 | 0.003 | \$ | 1,119.37 |
| Westmoreland | GyC | Guernsey silt loam, 8 to 15 percent slopes | 3 | 11340.2 | 0.017 | \$ | 1,225.73 |
| Westmoreland | ItB | Itmann extremely channery loam, 0 to 8 percent slopes | 3 | 333.6 | 0.001 | \$ | 871.65 |
| Westmoreland | LeC | Leck Kill channery silt loam, 8 to 15 percent slopes | 3 | 540.7 | 0.001 | \$ | 1,414.47 |

| | | | | | | |
|--------------|-----|--|---|---------|-------|-------------|
| Westmoreland | LIB | Library silt loam, 0 to 8 percent slopes | 3 | 2846.6 | 0.004 | \$ 1,322.90 |
| Westmoreland | LIC | Library silt loam, 8 to 15 percent slopes | 3 | 693.7 | 0.001 | \$ 1,220.95 |
| Westmoreland | LwC | Lowell silty clay loam, 8 to 15 percent slopes, eroded | 3 | 2284.6 | 0.003 | \$ 1,362.81 |
| Westmoreland | MeC | Matewan channery loam, 8 to 15 percent slopes | 3 | 1528.6 | 0.002 | \$ 1,102.00 |
| Westmoreland | MoC | Monongahela silt loam, 8 to 15 percent slopes | 3 | 1965.9 | 0.003 | \$ 1,281.97 |
| Westmoreland | ScC | Sciotoville silt loam, 6 to 12 percent slopes | 3 | 303.4 | 0 | \$ 1,369.36 |
| Westmoreland | TyA | Tyler silt loam, 0 to 2 percent slopes | 3 | 1087.8 | 0.002 | \$ 1,261.11 |
| Westmoreland | UcB | Upshur silty clay loam, 3 to 8 percent slopes | 3 | 490 | 0.001 | \$ 1,349.62 |
| Westmoreland | VaC | Vandergrift silt loam, 8 to 15 percent slopes | 3 | 3884.3 | 0.006 | \$ 1,208.95 |
| Westmoreland | WeA | Weinbach silt loam, 0 to 2 percent slopes | 3 | 2840.4 | 0.004 | \$ 1,258.78 |
| Westmoreland | WrC | Wharton silt loam, 8 to 15 percent slopes | 3 | 35073.4 | 0.053 | \$ 1,286.57 |
| Westmoreland | At | Atkins silt loam, 0 to 3 percent slopes, frequently flooded | 4 | 2925.8 | 0.004 | \$ 1,142.60 |
| Westmoreland | BkA | Brinkerton silt loam, 0 to 3 percent slopes | 4 | 941.4 | 0.001 | \$ 1,242.34 |
| Westmoreland | BkB | Brinkerton silt loam, 3 to 8 percent slopes | 4 | 590.9 | 0.001 | \$ 1,258.78 |
| Westmoreland | CuD | Culleoka channery silt loam, 15 to 25 percent slopes | 4 | 1280.2 | 0.002 | \$ 1,208.95 |
| Westmoreland | DoD | Dormont silt loam, 15 to 25 percent slopes | 4 | 10457.1 | 0.016 | \$ 1,225.73 |
| Westmoreland | DrD | Dormont-Culleoka complex, 15 to 25 percent slopes | 4 | 10045.4 | 0.015 | \$ 1,185.17 |
| Westmoreland | FaC | Fairpoint very channery silt loam, 8 to 15 percent slopes | 4 | 4162.7 | 0.006 | \$ 1,016.70 |
| Westmoreland | GcD | Gilpin channery silt loam, 15 to 25 percent slopes | 4 | 35842.3 | 0.054 | \$ 1,102.00 |
| Westmoreland | GuD | Gilpin-Upshur complex, 15 to 25 percent slopes | 4 | 13780.2 | 0.021 | \$ 906.45 |
| Westmoreland | GwD | Gilpin-Weikert channery silt loams, 15 to 25 percent slopes | 4 | 1843.4 | 0.003 | \$ 871.65 |
| Westmoreland | GxA | Ginat silt loam, 0 to 2 percent slopes | 4 | 1043.8 | 0.002 | \$ 1,147.61 |
| Westmoreland | GyD | Guernsey silt loam, 15 to 25 percent slopes | 4 | 1586.3 | 0.002 | \$ 1,147.61 |
| Westmoreland | Ho | Holly silt loam, 0 to 2 percent slopes | 4 | 3999.1 | 0.006 | \$ 1,320.66 |
| Westmoreland | ItD | Itmann extremely channery loam, 8 to 25 percent slopes | 4 | 465.8 | 0.001 | \$ 871.65 |
| Westmoreland | LwD | Lowell silty clay loam, 15 to 25 percent slopes, eroded | 4 | 221.1 | 0 | \$ 1,187.13 |
| Westmoreland | MeD | Matewan channery loam, 15 to 25 percent slopes | 4 | 1404.2 | 0.002 | \$ 987.86 |
| Westmoreland | Mn | Melvin and Newark silt loams, 0 to 2 percent slopes | 4 | 2130.2 | 0.003 | \$ 1,160.06 |
| Westmoreland | Pu | Purdy silt loam, 0 to 2 percent slopes | 4 | 349.3 | 0.001 | \$ 1,160.06 |
| Westmoreland | ThA | Thorndale silt loam, 0 to 3 percent slopes | 4 | 30 | 0 | \$ 871.65 |
| Westmoreland | ThB | Thorndale silt loam, 3 to 8 percent slopes | 4 | 114.9 | 0 | \$ 871.65 |
| Westmoreland | UcC | Upshur silty clay loam, 8 to 15 percent slopes | 4 | 190.1 | 0 | \$ 1,268.09 |
| Westmoreland | UuD | Urban land-Upshur complex, 8 to 25 percent slopes | 4 | 2337.8 | 0.004 | \$ 871.65 |
| Westmoreland | VaD | Vandergrift silt loam, 15 to 25 percent slopes | 4 | 385.5 | 0.001 | \$ 1,117.34 |
| Westmoreland | WrD | Wharton silt loam, 15 to 25 percent slopes | 4 | 6302.7 | 0.01 | \$ 1,205.58 |
| Westmoreland | Pa | Palms muck, 0 to 3 percent slopes | 5 | 29.3 | 0 | \$ 750.61 |
| Westmoreland | AlB | Albrights silt loam, 0 to 8 percent slopes, very stony | 6 | 358.9 | 0.001 | \$ 750.61 |
| Westmoreland | AlD | Albrights silt loam, 8 to 25 percent slopes, very stony | 6 | 1181.9 | 0.002 | \$ 750.61 |
| Westmoreland | BeD | Bethesda very channery silt loam, 8 to 25 percent slopes | 6 | 5294.8 | 0.008 | \$ 750.61 |
| Westmoreland | CeB | Cavode silt loam, 0 to 8 percent slopes, very stony | 6 | 1542.8 | 0.002 | \$ 750.61 |
| Westmoreland | CeD | Cavode silt loam, 8 to 25 percent slopes, very stony | 6 | 253.7 | 0 | \$ 750.61 |
| Westmoreland | CoB | Cookport loam, 0 to 8 percent slopes, very stony | 6 | 781.8 | 0.001 | \$ 750.61 |
| Westmoreland | CoD | Cookport loam, 8 to 25 percent slopes, very stony | 6 | 174.7 | 0 | \$ 750.61 |
| Westmoreland | DoE | Dormont silt loam, 25 to 35 percent slopes | 6 | 491.3 | 0.001 | \$ 750.61 |
| Westmoreland | FaD | Fairpoint very channery silt loam, 15 to 25 percent slopes | 6 | 4474.6 | 0.007 | \$ 750.61 |
| Westmoreland | HcD | Hazleton-Clymer complex, 8 to 25 percent slopes, extremely | 6 | 6709.6 | 0.01 | \$ 750.61 |
| Westmoreland | Ld | Land fill | 6 | 500.8 | 0.001 | \$ 750.61 |
| Westmoreland | RgB | Rayne channery silt loam, 0 to 8 percent slopes, very stony | 6 | 4152.8 | 0.006 | \$ 750.61 |
| Westmoreland | RgD | Rayne channery silt loam, 8 to 25 percent slopes, very stony | 6 | 10374.9 | 0.016 | \$ 750.61 |
| Westmoreland | UaB | Udorthents, 0 to 8 percent slopes | 6 | 1075.4 | 0.002 | \$ 750.61 |
| Westmoreland | UaD | Udorthents, 8 to 25 percent slopes | 6 | 2431.1 | 0.004 | \$ 750.61 |
| Westmoreland | WsB | Wharton silt loam, 0 to 8 percent slopes, very stony | 6 | 2003.1 | 0.003 | \$ 750.61 |
| Westmoreland | WsD | Wharton silt loam, 8 to 25 percent slopes, very stony | 6 | 1788.7 | 0.003 | \$ 750.61 |
| Westmoreland | BeF | Bethesda very channery silt loam, 25 to 75 percent slopes | 7 | 915.7 | 0.001 | \$ 750.61 |
| Westmoreland | BuB | Buchanan loam, 0 to 8 percent slopes, extremely stony | 7 | 9500.7 | 0.014 | \$ 750.61 |
| Westmoreland | BuD | Buchanan loam, 8 to 25 percent slopes, extremely stony | 7 | 11571.7 | 0.017 | \$ 750.61 |

| | | | | | | | |
|--------------|-----|--|---|---------|-------|----|----------|
| Westmoreland | CrB | Craigsville-Buchanan complex, 0 to 8 percent slopes, extrerr | 7 | 1064.3 | 0.002 | \$ | 750.61 |
| Westmoreland | DeB | Dekalb-Hazleton channery sandy loams, 0 to 8 percent slopes | 7 | 708.3 | 0.001 | \$ | 750.61 |
| Westmoreland | DeD | Dekalb-Hazleton channery sandy loams, 8 to 25 percent slopes | 7 | 734.4 | 0.001 | \$ | 750.61 |
| Westmoreland | DrE | Dormont-Culleoka complex, 25 to 50 percent slopes | 7 | 7450.2 | 0.011 | \$ | 750.61 |
| Westmoreland | FaF | Fairpoint very channery silt loam, 25 to 75 percent slopes | 7 | 1361.6 | 0.002 | \$ | 750.61 |
| Westmoreland | GoF | Gilpin-Rock outcrop complex, 45 to 100 percent slopes | 7 | 3940.4 | 0.006 | \$ | 750.61 |
| Westmoreland | GuF | Gilpin-Upshur complex, 25 to 75 percent slopes | 7 | 11218.6 | 0.017 | \$ | 750.61 |
| Westmoreland | GwF | Gilpin-Weikert channery silt loams, 25 to 60 percent slopes | 7 | 11072 | 0.017 | \$ | 750.61 |
| Westmoreland | HcB | Hazleton-Clymer complex, 0 to 8 percent slopes, extremely | 7 | 3182.1 | 0.005 | \$ | 750.61 |
| Westmoreland | IxF | Itmann extremely channery loam, 25 to 70 percent slopes | 7 | 1240.1 | 0.002 | \$ | 750.61 |
| Westmoreland | LaB | Laidig gravelly loam, 0 to 8 percent slopes, extremely stony | 7 | 448.1 | 0.001 | \$ | 750.61 |
| Westmoreland | LaD | Laidig gravelly loam, 8 to 25 percent slopes, extremely stony | 7 | 22278 | 0.034 | \$ | 750.61 |
| Westmoreland | LaE | Laidig gravelly loam, 25 to 35 percent slopes, extremely stor | 7 | 4537.7 | 0.007 | \$ | 750.61 |
| Westmoreland | LbF | Laidig-Hazleton complex, 35 to 80 percent slopes, extremely | 7 | 2038.4 | 0.003 | \$ | 750.61 |
| Westmoreland | LkB | Leck Kill channery silt loam, 0 to 8 percent slopes, extremely | 7 | 416.7 | 0.001 | \$ | 750.61 |
| Westmoreland | LkD | Leck Kill channery silt loam, 8 to 25 percent slopes, extreme | 7 | 2124.6 | 0.003 | \$ | 750.61 |
| Westmoreland | LxF | Lowell-Culleoka complex, 25 to 80 percent slopes, very rock | 7 | 4279.5 | 0.006 | \$ | 750.61 |
| Westmoreland | MaF | Macove-Gilpin channery silt loams, 35 to 70 percent slopes, | 7 | 11915.7 | 0.018 | \$ | 750.61 |
| Westmoreland | MeF | Matewan channery loam, 25 to 50 percent slopes | 7 | 176 | 0 | \$ | 750.61 |
| Westmoreland | MkD | Meckesville channery silt loam, 8 to 25 percent slopes, extre | 7 | 2610.8 | 0.004 | \$ | 750.61 |
| Westmoreland | MkF | Meckesville channery silt loam, 25 to 70 percent slopes, ext | 7 | 6240.1 | 0.009 | \$ | 750.61 |
| Westmoreland | NoB | Nolo loam, 0 to 8 percent slopes, very stony | 7 | 139.2 | 0 | \$ | 750.61 |
| Westmoreland | ShF | Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes | 7 | 32372.1 | 0.049 | \$ | 750.61 |
| Westmoreland | SxF | Shelocta-Gilpin channery silt loams, 25 to 75 percent slopes | 7 | 1643.3 | 0.002 | \$ | 750.61 |
| Westmoreland | UaF | Udorthents, 25 to 75 percent slopes | 7 | 35.9 | 0 | \$ | 750.61 |
| Westmoreland | DAM | Dam | 8 | 17.4 | 0 | \$ | 750.61 |
| Westmoreland | Qu | Quarries | 8 | 497.2 | 0.001 | \$ | 750.61 |
| Westmoreland | UdA | Urban land, 0 to 3 percent slopes | 8 | 1954.7 | 0.003 | \$ | 750.61 |
| Westmoreland | UdB | Urban land, 3 to 8 percent slopes | 8 | 3345.9 | 0.005 | \$ | 750.61 |
| Westmoreland | UdC | Urban land, 8 to 15 percent slopes | 8 | 288.8 | 0 | \$ | 750.61 |
| Westmoreland | UeB | Urban land-Culleoka complex, 0 to 8 percent slopes | 8 | 3301.7 | 0.005 | \$ | 750.61 |
| Westmoreland | UeD | Urban land-Culleoka complex, 8 to 25 percent slopes | 8 | 3553.8 | 0.005 | \$ | 750.61 |
| Westmoreland | UgB | Urban land-Gilpin complex, 0 to 8 percent slopes | 8 | 2095.6 | 0.003 | \$ | 750.61 |
| Westmoreland | UgD | Urban land-Gilpin complex, 8 to 25 percent slopes | 8 | 3220.1 | 0.005 | \$ | 750.61 |
| Westmoreland | UhB | Urban land-Guernsey complex, 0 to 8 percent slopes | 8 | 3905.4 | 0.006 | \$ | 750.61 |
| Westmoreland | UhD | Urban land-Guernsey complex, 8 to 25 percent slopes | 8 | 4963 | 0.007 | \$ | 750.61 |
| Westmoreland | UmB | Urban land-Monongahela complex, 0 to 8 percent slopes | 8 | 6786.9 | 0.01 | \$ | 750.61 |
| Westmoreland | UuB | Urban land-Upshur complex, 0 to 8 percent slopes | 8 | 1335.5 | 0.002 | \$ | 750.61 |
| Westmoreland | UwB | Urban land-Wharton complex, 0 to 8 percent slopes | 8 | 2901.1 | 0.004 | \$ | 750.61 |
| Westmoreland | UwD | Urban land-Wharton complex, 8 to 25 percent slopes | 8 | 2317.6 | 0.003 | \$ | 750.61 |
| Wyoming | Po | Pope soils | 1 | 599.3 | 0.002 | \$ | 1,530.31 |
| Wyoming | Pp | Pope soils, rarely flooded | 1 | 3931.1 | 0.015 | \$ | 1,530.86 |
| Wyoming | BaB | Bath channery silt loam, 3 to 8 percent slopes | 2 | 956.2 | 0.004 | \$ | 1,408.11 |
| Wyoming | BcB | Braceville gravelly loam, 2 to 6 percent slopes | 2 | 761.7 | 0.003 | \$ | 1,306.57 |
| Wyoming | LaB | Lackawanna channery loam, 3 to 8 percent slopes | 2 | 973.4 | 0.004 | \$ | 1,398.73 |
| Wyoming | LeB | Lordstown channery silt loam, 3 to 8 percent slopes | 2 | 1191 | 0.005 | \$ | 1,279.67 |
| Wyoming | LfB | Lordstown flaggy silt loam, 3 to 8 percent slopes | 2 | 944.7 | 0.004 | \$ | 1,237.61 |
| Wyoming | McB | Mardin channery silt loam, 3 to 8 percent slopes | 2 | 5457.2 | 0.021 | \$ | 1,356.23 |
| Wyoming | OcB | Oquaga channery loam, 3 to 8 percent slopes | 2 | 1079 | 0.004 | \$ | 1,107.13 |
| Wyoming | OfB | Oquaga flaggy loam, 3 to 8 percent slopes | 2 | 421.9 | 0.002 | \$ | 1,107.13 |
| Wyoming | Ph | Philo silt loam | 2 | 1257 | 0.005 | \$ | 1,524.73 |
| Wyoming | SwB | Swartswood channery loam, 3 to 8 percent slopes | 2 | 63.2 | 0 | \$ | 1,281.97 |
| Wyoming | UnB | Unadilla silt loam, 3 to 8 percent slopes | 2 | 809 | 0.003 | \$ | 1,325.15 |
| Wyoming | WcB | Wellsboro channery loam, 3 to 8 percent slopes | 2 | 5069.7 | 0.02 | \$ | 1,349.62 |
| Wyoming | WkB | Wurtsboro channery loam, 3 to 8 percent slopes | 2 | 98.5 | 0 | \$ | 1,157.58 |
| Wyoming | BaC | Bath channery silt loam, 8 to 15 percent slopes | 3 | 2005.2 | 0.008 | \$ | 1,327.39 |

| | | | | | | |
|---------|-----|---|---|---------|-------|-------------|
| Wyoming | ChC | Chenango gravelly loam, 8 to 15 percent slopes | 3 | 37.1 | 0 | \$ 1,199.77 |
| Wyoming | Hm | Holly silt loam | 3 | 1617.5 | 0.006 | \$ 1,211.36 |
| Wyoming | LaC | Lackawanna channery loam, 8 to 15 percent slopes | 3 | 2876.8 | 0.011 | \$ 1,289.79 |
| Wyoming | LeC | Lordstown channery silt loam, 8 to 15 percent slopes | 3 | 1650.5 | 0.006 | \$ 1,237.61 |
| Wyoming | LfC | Lordstown flaggy silt loam, 8 to 15 percent slopes | 3 | 868.1 | 0.003 | \$ 1,194.44 |
| Wyoming | McC | Mardin channery silt loam, 8 to 15 percent slopes | 3 | 5839.9 | 0.023 | \$ 1,234.29 |
| Wyoming | MfB | Mardin flaggy silt loam, 3 to 8 percent slopes | 3 | 665.3 | 0.003 | \$ 1,354.03 |
| Wyoming | MrA | Morris channery loam, 0 to 3 percent slopes | 3 | 463.4 | 0.002 | \$ 1,063.04 |
| Wyoming | MrB | Morris channery loam, 3 to 8 percent slopes | 3 | 5248.5 | 0.02 | \$ 1,057.77 |
| Wyoming | MrC | Morris channery loam, 8 to 15 percent slopes | 3 | 4652.2 | 0.018 | \$ 1,096.86 |
| Wyoming | MsB | Morris flaggy loam, 3 to 8 percent slopes | 3 | 2764.4 | 0.011 | \$ 1,006.96 |
| Wyoming | MsC | Morris flaggy loam, 8 to 15 percent slopes | 3 | 1036.5 | 0.004 | \$ 1,055.14 |
| Wyoming | OcC | Oquaga channery loam, 8 to 15 percent slopes | 3 | 1974.8 | 0.008 | \$ 1,109.69 |
| Wyoming | OfC | Oquaga flaggy loam, 8 to 15 percent slopes | 3 | 617.6 | 0.002 | \$ 1,104.57 |
| Wyoming | ReA | Rexford loam, 0 to 5 percent slopes | 3 | 836.1 | 0.003 | \$ 1,076.12 |
| Wyoming | SwC | Swartswood channery loam, 8 to 15 percent slopes | 3 | 140 | 0.001 | \$ 1,192.00 |
| Wyoming | UnC | Unadilla silt loam, 8 to 15 percent slopes | 3 | 730.6 | 0.003 | \$ 1,275.05 |
| Wyoming | VcA | Volusia channery silt loam, 0 to 3 percent slopes | 3 | 721.2 | 0.003 | \$ 1,065.66 |
| Wyoming | VcB | Volusia channery silt loam, 3 to 8 percent slopes | 3 | 4460.6 | 0.017 | \$ 1,104.57 |
| Wyoming | VcC | Volusia channery silt loam, 8 to 18 percent slopes | 3 | 2550.6 | 0.01 | \$ 1,108.15 |
| Wyoming | VfB | Volusia flaggy silt loam, 3 to 8 percent slopes | 3 | 815.1 | 0.003 | \$ 1,112.24 |
| Wyoming | VfC | Volusia flaggy silt loam, 8 to 15 percent slopes | 3 | 812.4 | 0.003 | \$ 1,120.39 |
| Wyoming | WcC | Wellsboro channery loam, 8 to 15 percent slopes | 3 | 8858.3 | 0.034 | \$ 1,235.24 |
| Wyoming | WfB | Wellsboro flaggy loam, 3 to 8 percent slopes | 3 | 846.2 | 0.003 | \$ 1,347.41 |
| Wyoming | WkC | Wurtsboro channery loam, 8 to 15 percent slopes | 3 | 215.1 | 0.001 | \$ 1,121.91 |
| Wyoming | WyA | Wyoming gravelly sandy loam, 0 to 3 percent slopes | 3 | 1597.3 | 0.006 | \$ 1,206.54 |
| Wyoming | WyB | Wyoming gravelly sandy loam, 3 to 8 percent slopes | 3 | 3482.8 | 0.013 | \$ 1,206.54 |
| Wyoming | BaD | Bath channery silt loam, 15 to 25 percent slopes | 4 | 2370.3 | 0.009 | \$ 1,147.61 |
| Wyoming | LaD | Lackawanna channery loam, 15 to 25 percent slopes | 4 | 4114.7 | 0.016 | \$ 1,237.61 |
| Wyoming | LeD | Lordstown channery silt loam, 15 to 25 percent slopes | 4 | 1429.8 | 0.006 | \$ 1,140.09 |
| Wyoming | McD | Mardin channery silt loam, 15 to 25 percent slopes | 4 | 1540.8 | 0.006 | \$ 1,055.14 |
| Wyoming | MfC | Mardin flaggy silt loam, 8 to 15 percent slopes | 4 | 1715.9 | 0.007 | \$ 1,217.12 |
| Wyoming | NcA | Norwich and Chippewa channery silt loams, 0 to 3 percent s | 4 | 2157 | 0.008 | \$ 871.65 |
| Wyoming | NcB | Norwich and Chippewa channery silt loams, 3 to 8 percent s | 4 | 1486.8 | 0.006 | \$ 871.65 |
| Wyoming | OcD | Oquaga channery loam, 15 to 25 percent slopes | 4 | 3193.1 | 0.012 | \$ 1,055.14 |
| Wyoming | SwD | Swartswood channery loam, 15 to 25 percent slopes | 4 | 176.1 | 0.001 | \$ 1,099.43 |
| Wyoming | WcD | Wellsboro channery loam, 15 to 25 percent slopes | 4 | 4202.9 | 0.016 | \$ 1,107.13 |
| Wyoming | WfC | Wellsboro flaggy loam, 8 to 15 percent slopes | 4 | 2015.2 | 0.008 | \$ 1,232.87 |
| Wyoming | WyC | Wyoming gravelly sandy loam, 8 to 15 percent slopes | 4 | 2135.9 | 0.008 | \$ 1,068.28 |
| Wyoming | WyD | Wyoming gravelly sandy loam, 15 to 25 percent slopes | 4 | 1782 | 0.007 | \$ 871.65 |
| Wyoming | At | Atherton loam, ponded | 5 | 252.1 | 0.001 | \$ 750.61 |
| Wyoming | Ho | Holly silt loam, ponded | 5 | 295.9 | 0.001 | \$ 750.61 |
| Wyoming | ArC | Arnot very channery silt loam, very rocky, 3 to 15 percent sl | 6 | 9269.4 | 0.036 | \$ 750.61 |
| Wyoming | DYD | Dystrochrepts and Rock outcrop, moderately steep | 6 | 1231.6 | 0.005 | \$ 750.61 |
| Wyoming | AsB | Arnot-Rock outcrop complex, 0 to 8 percent slopes | 7 | 529 | 0.002 | \$ 750.61 |
| Wyoming | AsD | Arnot-Rock outcrop complex, 8 to 25 percent slopes | 7 | 5176.4 | 0.02 | \$ 750.61 |
| Wyoming | ASE | Arnot-Rock outcrop complex, steep | 7 | 4783.9 | 0.018 | \$ 750.61 |
| Wyoming | BbB | Bath channery silt loam, 3 to 8 percent slopes, rubbly | 7 | 529.8 | 0.002 | \$ 750.61 |
| Wyoming | BbD | Bath channery silt loam, 8 to 25 percent slopes, rubbly | 7 | 3843.9 | 0.015 | \$ 750.61 |
| Wyoming | DYE | Dystrochrepts and Rock outcrop, steep | 7 | 856.1 | 0.003 | \$ 750.61 |
| Wyoming | FA | Fluvents and Fluvaquents | 7 | 3379 | 0.013 | \$ 750.61 |
| Wyoming | HA | Haplaquents, stony | 7 | 1555.2 | 0.006 | \$ 750.61 |
| Wyoming | LbB | Lackawanna channery loam, 3 to 8 percent slopes, rubbly | 7 | 250.4 | 0.001 | \$ 750.61 |
| Wyoming | LbD | Lackawanna channery loam, 8 to 25 percent slopes, rubbly | 7 | 4618.9 | 0.018 | \$ 750.61 |
| Wyoming | LCE | Lackawanna and Bath soils, steep, rubbly | 7 | 15454.3 | 0.06 | \$ 750.61 |
| Wyoming | LxB | Lordstown extremely stony silt loam, 3 to 8 percent slopes | 7 | 1437.1 | 0.006 | \$ 750.61 |

| | | | | | | | |
|---------|-----|--|---|---------|-------|----|----------|
| Wyoming | LxD | Lordstown extremely stony silt loam, 8 to 25 percent slopes | 7 | 7429.9 | 0.029 | \$ | 750.61 |
| Wyoming | MhB | Mardin channery silt loam, 3 to 8 percent slopes, rubbly | 7 | 2755 | 0.011 | \$ | 750.61 |
| Wyoming | MhD | Mardin channery silt loam, 8 to 25 percent slopes, rubbly | 7 | 3863 | 0.015 | \$ | 750.61 |
| Wyoming | MxB | Morris channery loam, 0 to 8 percent slopes, rubbly | 7 | 7401.2 | 0.029 | \$ | 750.61 |
| Wyoming | MxD | Morris channery loam, 8 to 25 percent slopes, rubbly | 7 | 1063.7 | 0.004 | \$ | 750.61 |
| Wyoming | NxB | Norwich and Chippewa channery silt loams, 0 to 8 percent s | 7 | 7608.1 | 0.029 | \$ | 750.61 |
| Wyoming | OxB | Oquaga extremely stony loam, 3 to 8 percent slopes | 7 | 4421.8 | 0.017 | \$ | 750.61 |
| Wyoming | OxD | Oquaga extremely stony loam, 8 to 25 percent slopes | 7 | 10637.4 | 0.041 | \$ | 750.61 |
| Wyoming | OYE | Oquaga and Lordstown extremely stony loams, steep | 7 | 25325.6 | 0.098 | \$ | 750.61 |
| Wyoming | SxB | Swartswood extremely stony loam, 3 to 8 percent slopes | 7 | 163 | 0.001 | \$ | 750.61 |
| Wyoming | SxD | Swartswood extremely stony loam, 8 to 25 percent slopes | 7 | 412.3 | 0.002 | \$ | 750.61 |
| Wyoming | VxB | Volusia channery silt loam, 0 to 8 percent slopes, rubbly | 7 | 3136.2 | 0.012 | \$ | 750.61 |
| Wyoming | VxD | Volusia channery silt loam, 8 to 25 percent slopes, rubbly | 7 | 631.6 | 0.002 | \$ | 750.61 |
| Wyoming | WgB | Wellsboro channery loam, 3 to 8 percent slopes, rubbly | 7 | 2744 | 0.011 | \$ | 750.61 |
| Wyoming | WgD | Wellsboro channery loam, 8 to 25 percent slopes, rubbly | 7 | 8308.2 | 0.032 | \$ | 750.61 |
| Wyoming | WxB | Wurtsboro extremely stony loam, 3 to 8 percent slopes | 7 | 177.8 | 0.001 | \$ | 750.61 |
| Wyoming | WxD | Wurtsboro extremely stony loam, 8 to 25 percent slopes | 7 | 72 | 0 | \$ | 750.61 |
| Wyoming | WyE | Wyoming gravelly sandy loam, 25 to 45 percent slopes | 7 | 1267.2 | 0.005 | \$ | 750.61 |
| Wyoming | MK | Medisaprists and Medihemists | 8 | 1513 | 0.006 | \$ | 750.61 |
| York | Be | Bermudian silt loam | 1 | 459.5 | 0.001 | \$ | 1,616.32 |
| York | BgA | Birdsboro silt loam, 0 to 3 percent slopes | 1 | 155.8 | 0 | \$ | 1,599.57 |
| York | CnA | Conestoga silt loam, 0 to 3 percent slopes | 1 | 241.6 | 0 | \$ | 1,800.84 |
| York | DuA | Duffield silt loam, 0 to 3 percent slopes | 1 | 808.3 | 0.001 | \$ | 1,701.87 |
| York | EkA | Elk silt loam, 0 to 3 percent slopes | 1 | 455.5 | 0.001 | \$ | 1,522.76 |
| York | HaA | Hagerstown silt loam, 0 to 3 percent slopes | 1 | 275 | 0 | \$ | 1,819.50 |
| York | ArB | Arendtsville gravelly loam, 3 to 8 percent slopes | 2 | 128.5 | 0 | \$ | 1,450.05 |
| York | AtB | Athol gravelly silt loam, 3 to 8 percent slopes | 2 | 583.5 | 0.001 | \$ | 1,540.39 |
| York | BgB | Birdsboro silt loam, 3 to 8 percent slopes | 2 | 997.5 | 0.002 | \$ | 1,593.95 |
| York | BrB | Brecknock channery silt loam, 3 to 8 percent slopes | 2 | 188.3 | 0 | \$ | 1,457.48 |
| York | Cd | Chagrin silt loam | 2 | 1501 | 0.003 | \$ | 1,502.11 |
| York | CeB | Chester silt loam, 3 to 8 percent slopes | 2 | 72920.3 | 0.125 | \$ | 1,794.99 |
| York | CkA | Clarksburg silt loam, 0 to 3 percent slopes | 2 | 2249.1 | 0.004 | \$ | 1,478.75 |
| York | CkB | Clarksburg silt loam, 3 to 8 percent slopes | 2 | 886.2 | 0.002 | \$ | 1,477.61 |
| York | Cm | Codorus silt loam | 2 | 16124.7 | 0.028 | \$ | 1,487.25 |
| York | CnB | Conestoga silt loam, 3 to 8 percent slopes | 2 | 5131.5 | 0.009 | \$ | 1,800.84 |
| York | DuB | Duffield silt loam, 3 to 8 percent slopes | 2 | 4028 | 0.007 | \$ | 1,703.82 |
| York | EdB | Edgemont channery loam, 3 to 8 percent slopes | 2 | 807.3 | 0.001 | \$ | 1,472.64 |
| York | EkB | Elk silt loam, 3 to 8 percent slopes | 2 | 867.9 | 0.001 | \$ | 1,475.90 |
| York | GbB | Glenelg channery loam, 3 to 8 percent slopes | 2 | 17484.7 | 0.03 | \$ | 1,638.34 |
| York | GdA | Glenville silt loam, 0 to 3 percent slopes | 2 | 6017.4 | 0.01 | \$ | 1,504.91 |
| York | GdB | Glenville silt loam, 3 to 8 percent slopes | 2 | 5543.8 | 0.01 | \$ | 1,608.90 |
| York | HaB | Hagerstown silt loam, 3 to 8 percent slopes | 2 | 1560.8 | 0.003 | \$ | 1,705.91 |
| York | HgB | Highfield channery silt loam, 3 to 8 percent slopes | 2 | 367 | 0.001 | \$ | 1,406.83 |
| York | LeB | Lansdale loam, 3 to 8 percent slopes | 2 | 3406.8 | 0.006 | \$ | 1,674.30 |
| York | LgB | Legore channery silt loam, 3 to 8 percent slopes | 2 | 1618.7 | 0.003 | \$ | 1,244.98 |
| York | LhA | Lehigh channery silt loam, 0 to 3 percent slopes | 2 | 196.4 | 0 | \$ | 1,174.88 |
| York | LhB | Lehigh channery silt loam, 3 to 8 percent slopes | 2 | 7179.5 | 0.012 | \$ | 1,174.88 |
| York | LrB | Lewisberry gravelly sandy loam, 3 to 8 percent slopes | 2 | 951.8 | 0.002 | \$ | 1,155.09 |
| York | Lw | Lindside silt loam | 2 | 2860.3 | 0.005 | \$ | 1,705.91 |
| York | MdA | Mount Lucas silt loam, 0 to 3 percent slopes | 2 | 438.2 | 0.001 | \$ | 1,322.45 |
| York | MdB | Mount Lucas silt loam, 3 to 8 percent slopes | 2 | 1759.2 | 0.003 | \$ | 1,322.45 |
| York | MvB | Murrill gravelly loam, 3 to 8 percent slopes | 2 | 1605.7 | 0.003 | \$ | 1,437.17 |
| York | NaB | Neshaminy channery silt loam, 3 to 8 percent slopes | 2 | 3279.2 | 0.006 | \$ | 1,489.67 |
| York | PeB | Penn silt loam, 3 to 8 percent slopes | 2 | 21845.7 | 0.038 | \$ | 1,488.86 |
| York | PoB | Penn-Klinesville channery silt loams, 3 to 8 percent slopes, r | 2 | 7946.2 | 0.014 | \$ | 1,419.46 |
| York | PpB | Penn-Lansdale complex, 3 to 8 percent slopes | 2 | 5387.3 | 0.009 | \$ | 1,500.91 |

| | | | | | | |
|------|-----|---|---|---------|-------|-------------|
| York | PsB | Pequea silt loam, 3 to 8 percent slopes | 2 | 166.1 | 0 | \$ 1,192.00 |
| York | RaA | Raritan silt loam, 0 to 3 percent slopes | 2 | 516.2 | 0.001 | \$ 1,531.80 |
| York | RaB | Raritan silt loam, 3 to 8 percent slopes | 2 | 1053.6 | 0.002 | \$ 1,499.71 |
| York | ReA | Readington silt loam, 0 to 3 percent slopes | 2 | 3447.3 | 0.006 | \$ 1,490.07 |
| York | ReB | Readington silt loam, 3 to 8 percent slopes | 2 | 4646.9 | 0.008 | \$ 1,472.40 |
| York | Rw | Rowland silt loam | 2 | 6282.9 | 0.011 | \$ 1,516.43 |
| York | ArC | Arendtsville gravelly loam, 8 to 15 percent slopes | 3 | 228.4 | 0 | \$ 1,371.10 |
| York | AtC | Athol gravelly silt loam, 8 to 15 percent slopes | 3 | 766.3 | 0.001 | \$ 1,472.64 |
| York | BgC | Birdsboro silt loam, 8 to 15 percent slopes | 3 | 31.6 | 0 | \$ 1,469.38 |
| York | Bo | Bowmansville silt loam | 3 | 2075.6 | 0.004 | \$ 1,667.18 |
| York | BrC | Brecknock channery silt loam, 8 to 15 percent slopes | 3 | 1137 | 0.002 | \$ 1,418.70 |
| York | CcC | Catoctin channery silt loam, 8 to 15 percent slopes | 3 | 72.8 | 0 | \$ 1,096.86 |
| York | CeC | Chester silt loam, 8 to 15 percent slopes | 3 | 29496 | 0.051 | \$ 1,783.55 |
| York | CnC | Conestoga silt loam, 8 to 15 percent slopes | 3 | 1089.5 | 0.002 | \$ 1,744.26 |
| York | DuC | Duffield silt loam, 8 to 15 percent slopes | 3 | 1287.5 | 0.002 | \$ 1,669.32 |
| York | EdC | Edgemont channery loam, 8 to 15 percent slopes | 3 | 2229.2 | 0.004 | \$ 1,345.20 |
| York | GbC | Glenelg channery silt loam, 8 to 15 percent slopes | 3 | 48430.1 | 0.083 | \$ 1,478.75 |
| York | HaC | Hagerstown silt loam, 8 to 15 percent slopes | 3 | 396.7 | 0.001 | \$ 1,500.91 |
| York | HgC | Highfield channery silt loam, 8 to 15 percent slopes | 3 | 443.8 | 0.001 | \$ 1,361.93 |
| York | LfC | Lansdale channery loam, 8 to 15 percent slopes | 3 | 2280.5 | 0.004 | \$ 1,322.90 |
| York | LgC | Legore channery silt loam, 8 to 15 percent slopes | 3 | 1954.5 | 0.003 | \$ 1,230.49 |
| York | LhC | Lehigh channery silt loam, 8 to 15 percent slopes | 3 | 4934.1 | 0.008 | \$ 1,164.91 |
| York | LrC | Lewisberry gravelly sandy loam, 8 to 15 percent slopes | 3 | 1439 | 0.002 | \$ 1,063.04 |
| York | MOB | Mt. Airy and Manor soils, 3 to 8 percent slopes | 3 | 9341.6 | 0.016 | \$ 1,281.97 |
| York | MvC | Murrill gravelly loam, 8 to 15 percent slopes | 3 | 749.2 | 0.001 | \$ 1,360.18 |
| York | NaC | Neshaminy channery silt loam, 8 to 15 percent slopes | 3 | 1975.9 | 0.003 | \$ 1,447.98 |
| York | Pa | Penlaw silt loam | 3 | 970.8 | 0.002 | \$ 1,278.28 |
| York | PeC | Penn silt loam, 8 to 15 percent slopes | 3 | 5623.9 | 0.01 | \$ 1,455.84 |
| York | PoC | Penn-Klinesville channery silt loams, 8 to 15 percent slopes | 3 | 18445.6 | 0.032 | \$ 1,130.02 |
| York | PpC | Penn-Lansdale complex, 8 to 15 percent slopes | 3 | 2770 | 0.005 | \$ 1,431.32 |
| York | PsC | Pequea silt loam, 8 to 15 percent slopes | 3 | 559.2 | 0.001 | \$ 1,433.41 |
| York | RfB | Reaville channery silt loam, 3 to 8 percent slopes | 3 | 705.5 | 0.001 | \$ 1,250.53 |
| York | RfC | Reaville channery silt loam, 8 to 15 percent slopes | 3 | 79 | 0 | \$ 1,206.83 |
| York | StC | Steinsburg channery sandy loam, 8 to 15 percent slopes | 3 | 112.9 | 0 | \$ 1,049.85 |
| York | ArD | Arendtsville gravelly loam, 15 to 25 percent slopes | 4 | 108.8 | 0 | \$ 1,124.45 |
| York | BrD | Brecknock channery silt loam, 15 to 25 percent slopes | 4 | 585.1 | 0.001 | \$ 1,377.19 |
| York | CrA | Croton silt loam, occasionally ponded, 0 to 3 percent slopes | 4 | 5362.1 | 0.009 | \$ 1,145.10 |
| York | CrB | Croton silt loam, 3 to 8 percent slopes | 4 | 701.3 | 0.001 | \$ 1,164.52 |
| York | DWD | Duffield and Hagerstown silt loams, 15 to 25 percent slopes | 4 | 149.1 | 0 | \$ 1,365.78 |
| York | EdD | Edgemont channery loam, 15 to 25 percent slopes | 4 | 900.2 | 0.002 | \$ 1,181.75 |
| York | GbD | Glenelg channery silt loam, 15 to 25 percent slopes | 4 | 4181.4 | 0.007 | \$ 1,349.26 |
| York | Hc | Hatboro silt loam | 4 | 1766.7 | 0.003 | \$ 1,256.44 |
| York | HHD | Highfield and Catoctin channery silt loams, 15 to 25 percent | 4 | 208.1 | 0 | \$ 1,110.91 |
| York | Lc | Lamington silt loam | 4 | 191.6 | 0 | \$ 996.62 |
| York | LgD | Legore channery silt loam, 15 to 25 percent slopes | 4 | 1678.3 | 0.003 | \$ 1,039.23 |
| York | LhD | Lehigh channery silt loam, 15 to 25 percent slopes | 4 | 225.3 | 0 | \$ 1,072.26 |
| York | MOC | Mt. Airy and Manor soils, 8 to 15 percent slopes | 4 | 43463.9 | 0.075 | \$ 1,291.16 |
| York | PsD | Pequea silt loam, 15 to 25 percent slopes | 4 | 411.8 | 0.001 | \$ 1,299.38 |
| York | StD | Steinsburg channery sandy loam, 15 to 25 percent slopes | 4 | 1984.2 | 0.003 | \$ 1,004.25 |
| York | WaA | Watchung silt loam, 0 to 3 percent slopes | 4 | 1964.6 | 0.003 | \$ 1,165.01 |
| York | Ba | Baile silt loam | 5 | 628.4 | 0.001 | \$ 750.61 |
| York | BsD | Brecknock channery silt loam, 8 to 25 percent slopes, very s | 6 | 1815.4 | 0.003 | \$ 750.61 |
| York | EeB | Edgemont channery loam, 0 to 8 percent slopes, very stony | 6 | 647.9 | 0.001 | \$ 750.61 |
| York | EeD | Edgemont channery loam, 8 to 25 percent slopes, very ston | 6 | 5933.8 | 0.01 | \$ 750.61 |
| York | KnD | Klinesville channery silt loam, 15 to 25 percent slopes | 6 | 5577 | 0.01 | \$ 750.61 |
| York | LSD | Lewisberry and Lansdale soils, 8 to 25 percent slopes, very s | 6 | 1242.3 | 0.002 | \$ 750.61 |

| | | | | | | |
|------|-----|---|---|---------|-------|-------------|
| York | MeB | Mount Lucas silt loam, 0 to 8 percent slopes, very bouldery | 6 | 923.9 | 0.002 | \$ 750.61 |
| York | MOD | Mt. Airy and Manor soils, 15 to 25 percent slopes | 6 | 48640.8 | 0.084 | \$ 1,291.16 |
| York | MPD | Mt. Airy and Manor soils, 8 to 25 percent slopes, very stony | 6 | 3192.9 | 0.005 | \$ 750.61 |
| York | MRF | Mt. Airy and Manor soils, 25 to 60 percent slopes, extremely | 6 | 12536.3 | 0.022 | \$ 750.61 |
| York | PbB | Penn loam, 0 to 8 percent slopes, very stony | 6 | 740.2 | 0.001 | \$ 750.61 |
| York | PbD | Penn loam, 8 to 25 percent slopes, very stony | 6 | 8891.3 | 0.015 | \$ 750.61 |
| York | WaB | Watchung silt loam, 3 to 8 percent slopes | 6 | 266.9 | 0 | \$ 1,136.07 |
| York | BsF | Brecknock channery silt loam, 25 to 60 percent slopes, very | 7 | 885 | 0.002 | \$ 750.61 |
| York | EeF | Edgemont channery loam, 25 to 70 percent slopes, very stony | 7 | 2741.1 | 0.005 | \$ 750.61 |
| York | HKD | Highfield, Catoctin, and Myersville soils, 8 to 25 percent slopes | 7 | 490.2 | 0.001 | \$ 750.61 |
| York | KnE | Klinesville channery silt loam, 25 to 40 percent slopes | 7 | 854.3 | 0.001 | \$ 750.61 |
| York | LkB | Lehigh channery silt loam, 0 to 8 percent slopes, very stony | 7 | 130.5 | 0 | \$ 750.61 |
| York | MOE | Mt. Airy and Manor soils, 25 to 35 percent slopes | 7 | 10945.9 | 0.019 | \$ 750.61 |
| York | NdB | Neshaminy channery silt loam, 0 to 8 percent slopes, extremely | 7 | 1147.2 | 0.002 | \$ 750.61 |
| York | NdD | Neshaminy channery silt loam, 8 to 25 percent slopes, extremely | 7 | 7575.3 | 0.013 | \$ 750.61 |
| York | NdE | Neshaminy channery silt loam, 25 to 45 percent slopes, extremely | 7 | 2579.4 | 0.004 | \$ 750.61 |
| York | PcF | Penn channery loam, 25 to 50 percent slopes, very stony | 7 | 3647.8 | 0.006 | \$ 750.61 |
| York | WbB | Watchung silt loam, 0 to 8 percent slopes, extremely bouldery | 7 | 4295.8 | 0.007 | \$ 750.61 |
| York | DAM | Dams and Impoundment Structures | 8 | 5.3 | 0 | \$ 750.61 |
| York | Uc | Urban land | 8 | 16810.2 | 0.029 | \$ 750.61 |
| York | UdB | Urban land-Chester complex, 0 to 8 percent slopes | 8 | 4017 | 0.007 | \$ 758.48 |
| York | UeB | Urban land-Conestoga complex, 0 to 8 percent slopes | 8 | 3829.8 | 0.007 | \$ 1,030.68 |
| York | UfC | Urban land-Mt. Airy complex, 8 to 15 percent slopes | 8 | 2386.5 | 0.004 | \$ 750.61 |
| York | UgB | Urban land-Penn complex, 0 to 8 percent slopes | 8 | 3729.4 | 0.006 | \$ 750.61 |